

Dose مربع

REFERENCES

1. Al Humayyd Ms (1998): Pharmacokinetic interaction between erythromycin, clarithromycin, roxithromycin and phenytoin in the rat.
Chemotherapy, (1998) Mar-Apr., 43(2):77-85.
2. Altman, H. W (1980): Drug induced liver reactions: A morphological approach. Curr.
Trop. Pathol., 69 : 69-142.
3. Anne Uparson, (1996): Single and multiple dose pharmacokinetics Clarithromycin a new macrolide antibacterial J.
Chin Pharma, 33:719-726. Martin Dale London Royal Pharma. Society, (1996).
4. Arias, I. M.; Popper, H.; Schachter and Schafritz, D. A. (1982):
The liver: Biology and pathology. P.P 33-34
Raven Press New York.
5. Arstila, A. L. ; Smith, ALA. and Trump, B. F (1972): Microsomal lipid peroxidation morphological characterization.
Science. 175:532-533.
6. Barka, I: and Anderson, P. J. (1963): Histochemistry: Theory, practice and Bibliography. First edition, PP, 220-230.
Harper and Row Publishers, New York, Evanston and London.
7. Biava, C. (1963): Identification and structural forms of human particulate glycogen.
Lab. Invest. 12 :1179-1197.
8. Bir, (1972): The normal human liver cell cytochemical and ultrastructural studies.
Am. j. Path., 62:353-390.

25. Cykolio, Akihisa, (1983): Lysosomes in The Liver Biology and Pathobiology Edited by I M- Arias and H popper PP. 9-24.
Raven Press New York.
26. Dahl, M. G.; Gregory, M. M. and Scheuer, P. J. (1971): Liver damage due to treatment with erythromycin
Br. Med. J., 1: 625-630.
27. Dale, (1996): Clarithromycin defining rote today Martin Dule 31 edition
London Pharmaceutical Society, (1996); 210-212.
28. David, H. C. (1993): Essential Histology, J. B. Lippincott Company Philadelphia. P.293-297.
29. Davidson, J.; Leevy, M. E. and Chamerl Layne, D. (1979): Guidelines for detection of hepatotoxicity due to drugs and chemicals. NIH publication No. 79-313.
U.S. Department of Health, Education and Welfare, Washington, D.C.
30. Davis, M. (1984): Drugs and hepatotoxicity. In Liver, edited by R. Williams and W. C. Maddrey., PP. 133-164.
Butterworths, London.
31. De-Duve, C. and Baudhuin, (1966): Peroxisomes: Microbodies and related particles.
Physiol. Rev., 46:323-37.
32. Drury, R. A. B. and Wallington, E. A. (1980): Carlton's histological techniques, fifth edition, PP., 139-295.
Oxford University press, New York, Toronto.
33. Dwiss, (1993): Clinical Pharmacology, 5th edition, PP., 132-133.
Churchill Livinstone, London.
34. Erson and Scott, (1976): Hepatic Lobule and its relation to the vascular and biliary system
Am. J. anatomy, 85:379-396.

35. Fawcett, (1998): A text book of Histology, 13 edition PP 757-787-799 Saunders Company, Shain/Saunders, Philadelphia, London, Toronto.
36. Feldman, D.; Swarm, R. L. and Becker, J. (1980): Elimination of excess smooth endoplasmic reticulum after phenobarbital administration.
J. Histochem. Cytochem., 28 : 997-1006.
37. Feuer, G. (1984): Drug control of steroid metabolism by the hepatic endoplasmic reticulum.
Drug-Rev., 14 :1119-1144.
38. Florendo, N. T. (1989): Ribosome structure in intact mouse liver cells.
J. Cell Biol., 41 : 335-339.
39. Fraschinif, (1994): Effect of moderate or sever with hepatic impairment on Clarithromycin Pharmacokinetics.
Drug metabolism Department Abbot Park J-Clinpharmacol, (1994), May; 33(5) 480-485.
40. Fraschinif, (1996): Sinusoidal endothelial cells and fat-storing cells. Structure and function In: the liver Biol Pathol. edited by In Arias. PP. 495-506
Raven Press, New York.
41. French, S. and Davis, P. (1975): Ultrastructural localization of actin-like filaments in rat hepatocytes.
Gastroentrology, 68 :765-774:
42. Ganvan, Zinner and Young L.S (1992): Clarithromycin areview of its antimicrobial activity pharmacokinetic properties and therapeutic potential Drug, 49:117645. Martin Dale 31 Edition,
London Royal Pharmacutical Society.

43. Ganzinger, U.; Stephen, A.; Ilitzenberg, G. and Madoerin, M. (1997): Evaluation of toxicity in laboratory animals, tolerance and pharmacokinetics after oral Macrolides
J. Chemotherapy., 166:52-58.
44. Gerski, J.C. Dany and Jones (1998): Comparison of macrolide antibiotics
J. Antimicrobi Chemother., (1998), 33 (suppl C):11-26.
45. Glumann, H. and Ericson, J.L.E. (1970): Evidence for the participation of the Golgi apparatus in the intracellular transport of nascent albumin in the liver cell.
J. Cell Biol., PP. 47 : 555-567.
46. Goldblatt, P.J. and Cuning, W.T. (1984): Ultrastructure of the liver and biliary tract in disease.
Ann. Clin. Lab. Sci., PP. 14 :159 - 167.
47. Greep, R.O. and Weiss, L. (1973) : Histology, Third edition, PP. 603-618. McGraw-Hill book Company, a Black Stone Publication, London, New York, Toronto.
48. Grudut et al., (1976): The Ultrastructure of the normal Liver.
Ejnar Munk Gaard Copenhagen Quated from Davies, (1989) Essential Histology, J.B. Lippincott Company London Pharmaceutical Society, PP. 210-212.
49. Guile, Neathe, Rcoat, (1996): Clarithromycin and Erythromycin toxicity and acute psychotic reaction in cancer patients with hepatic dysfunction,
Journal of Clinical Pharmacology, (1996), PP. 32:493-498.
50. Haehner - Daniels - Bo, (1998): Newer Macrolides and their potential target organisms current opinion in infectious Disease
Martin Dale. 31 edition PP. 5:704-772.

59. Hysmith, R. AL and Boor, P. f (1986): Comparative toxicity of the cardiovascular toxin allylamine to procine aortic smooth muscle and endothelial cells. Toxicology 38(2): 141-150.
60. Ibrahim, N.; Burke, j P. and Beattie, D.S. (1974): The sensitivity of rat liver and yeast mitochondrial ribosomes to inhibitors of proteins synthesis. J. Cell Biol., 62:20.
61. Ishak, K. G. (1982): Pathology of the drug-induced toxic disease. In the liver edited by R .H. Ridell. PP. 457-514. Churchill-Livingstone. New York.
62. James, E. F. Reyonalds, (1996): Adverse event associated with high-dose macrolide - containing regimens for treatment of mycobacterium avium . Department of Medicine University of Texas Health. Journal Articles.
63. Javier, G. and Gary, B. C. (1991): Oral Clarihromycin in multiple-dose treatment regimens: Review of the world wide clinical experience. Chemotherapy, 37 (suppl. 2): 44-52.
64. Jfunneli (1996): Clarithromycin metabolism in Human liver, Drug-Metab, Dispos, 1994 Nov.-Dec, 22(6):849-857. Bureau of Drug research, Health Canda, Lttawa.
65. Jones A.E (1998) The liver biology and pathology Edited by popper and Arias PP. 407 – 502 Raven press, New york
66. Jorgensen, J. H., (1991): The fin structure of parenchymal cells of the normal rat liver . General Observation Am J. Pathol. 46:691-755. Great Britain and Society's Publication Department.
- 74- Junqueira L. C. and Carneiros, J. and Kelly, R.O. (1998): "Basic

**Histology” Lang medical publications Drawer,
Los Altos, California, P. 316- 332 –347- 371 –390.**

- 75. Jurima K., Jounes L and Androsen A. (1994): Therapeutic efficacy of clarithromycin Antimicrob-agents chemotherapy Apr, 37(4)722-728
Department of microbiology and immunology Shimane Medical University.**
- 76. Kaw Usaki, William B, and Jane K. (1985): The role of perisinoidal cells in hepatic Fibrogenesis An electron microscopic study of acute carbon tetrachloride liver Injury Lab Invest 26:429-440.**
- 77. Keithsriley, (1996): New direction for macrolide antibiotics pharmacokinetics and clinical efficacy. Antimicrobial agent and Chemotherapy, 44:1519-1522. 31 edition
London Royal Pharmaceutical Society.**
- 78. Kelly, D. E.; Wood, R. L. and Enders, A. C. (1984): Bailey’s text book of microscopic anatomy, Eighteenth edition, PP., 590-610.
Williams and Wilkins, Baltimore, London.**
- 79. Kendry, G. and Laszlo, B. (1975): Morphologic spectrum of drug-induced liver damage. Light and electron microscopic study.
Mag. Lorv. Arch. V. M. 28:269. Quoted from Jorgensen, (1991). General Observation Am J. Pathol. PP. 48: 698.**
- 81. Kist H. A., (1992): New Macrolides Expanded horizons for an old class of antibiotic, Journal of Antimicrobial chemotherapy 28:787-790.
Great Britain and Prepared in Society’s Publication Department.**
- 80. Koh Kenichiro and Jones (1983): Hepatic blood flow: Morphological aspects and physiologic regulation**

In Rev. Physiol., 21:1-63.

82. Lamberg, S. and Rothstein, R. (1978): Laboratory manual of Histology and Cytology, 2nd edition, 137-140.
A.V.I. Publishing Company, Inc., West port Connecticut.
83. Leeson, R. C.; Leeson, T. S. and Paparo, A. A. (1992): Text book of histology, 9th Ed., PP. 475 – 491-530 –568.
W. B. Saunders Company, Philadelphia.
84. Leslie, P. G.; James, L. H. and Judy, M. S. (1992): Board Review series Histology, Egyptian edition, PP., 230-235 and 243-251.
Williams Wilkins, Baltimore, Hongkong, London, Sydney.
- Charles
X 85. Liebers, (1994): Electron microscope observation on Chick embryo liver
J. Ultrast Res., 5:116. Reference of liver etc
86. Lin, C. and Change, J.P. (1975): Electron microscopy of Albumin synthesis. Basic Science, PP. 190:465.
87. Lobordi, R.Y. (1966): Considerations on the pathogenesis of fatty liver.
Lab. Invest. 15:1-20
88. Lonks JR Medeiros A. A., (1996): Microanalysis of individual mitochondrial granules
Science, 174:947-949.
89. Loud, A.V. (1987): A quantitative stereological description of the ultrastructure of normal rat liver parenchymal cells.
J. Cell Biol, 37 : 27- 46.
90. Luksela and vainio (1996) Hepatic dysfunction and Jaundice in patient recieving erythromycin
New England Journal of Medicine 267: 964.

91. Luthy M, Susan H and Clark J. (1976): Fine structural changes of the liver
An Intern Med., 59:674-691.
92. Maccluskey, (1990): The interaction of representative members from two classes of macrolide erythromycin - and clarithromycin cytochrome P-450 in tissues and liver.
Journal of chemotherapy 15:529-566.
93. MacSween, R.N. and Scothorne, R. J. (1979): Pathology of the liver. PP. 205-207
Churchill. Livingstone. Edinburg, London and New York.
94. Millonig, G. (1961): Advances of phosphate buffer.
J. App. Phys., 32:1637.
95. Mori, M. (1983): Ultrastructural changes of hepatocyte organelles induced by chemicals and their relation to fat accumulation in the liver.
Acta Pathol. Jpn., 33 : 911-922.
96. Motta, Bird, and Kurt, E.J. (1997): Effect of Helicobacter pylori eradication therapy on hyperammonaemia in patients with liver cirrhosis 2nd department of internal medicine, Fukui Medical School, Japan Journal
97. Mvainio, P. J., 1998: Pharmacokinetic dry interaction with macrolide antibiotics
Journal of Chemotherapy, 26:461-465. 1996.
98. Nass, S. and Nass, M. M. K. (1963): An electron histochemical study of mitochondrial fibrous inclusions.
J. Roy. Micr. Soc., 81: 209-213.
99. Novikoff, A.B. and Essner, E. (1980): The liver cell. Some new approaches to its study.
Am. J. Med., 29 :102-131.
100. Oda, M.; Price, V.M.; Fisher, MM. and Phillips, M.J. (1974):

**Ultrastructure of bile canaliculi, with special reference to the surface coat and the pericanalicular web.
Lab. invest., 31:314-323.**

- 101. O'Kelley, 1998: "Basic Histology" Lang medical publications
Drawer,
Los Altos, California, P. 340.**
- 102. O'Mara, Emjr, 1998: Macrolide Pharmacokinetics
Chlarithromycin and Liver enzymology
Clin-Pharmacology Ther. 1998 Aug. 68(3):144-149.**
- 103. Orlandli, F. and Koch, M. (1975): Hepatic cholesterol synthesis
in man effect of diazepam and other drugs.
Eur. J. Clin. Invest. 5 :139-146.**
- 104. Pauls Bluke, (1996): Antibacterial Activity of Clarithromycin
Antibiotic. Rev. Infect Dis 7 (suppl 3) S 389-S 410.**
- 105. Pearse, A. G. E. (1968): Histochemistry, Theoretical and applied,
Ist edition, volume I, PP., 220-250. Little Brown, Boston.**
- 106. Pearse, D. C. (1981): Histological techniques for electron
microscopy 3rd ed. PP. 65-75. Academic Press, New York
and London.**
- 107. Perez, V.; Gorosdish, S.; DeMartire, J.; Nicholson, R. and
Dipaola, G. (1969): Oral contraceptives: Long term use
produces fine structural changes in liver mitochondria.
Science, 165 : 805-807.**
- 108. Peters, H. D, (1992): Erythromycin is amotilin receptor against.
America. Journal of Physiology. 257:G 470-474.**
- 109. Plaa, C. A. (1993) : Toxic responses of the liver. In: Klassen,
C.D. Andur, M.O. and Doull, J. (eds): Casarett and
Douell's. Toxicology, the basic science of Poisons.
MacMillan, New York, PP., 334-353.**

110. Porter, K. R. (1961): The ground substances, observations from electron microscopy. In "The cell" (J. Brachet and A. E. Mirksky, eds.) Vol. 2 : 621. Academic Press, New York.
111. Prakash Gotecha (1996): Coinfection by micro bacteria in Hiv-positives infect-Microbiol-Clin 1996, Oct 14(8) . 666-669.
112. Pullmun, (1962): Functional hepatocellular heterogenicity. Hepatology. 2:385-395.
113. Rakker, R. (1997): Visceral granulomas and pericardial caused by abartonella henselae Infection. Ned-Tijdschr-Geneska, 1997 Feb. 22: Amsterdam. 141(8):388-90.
114. Reddy, J. K.; Lalwani, N. D.; Qureshi, S. A. and Moehle, C. M. (1984): Induction of hepatic peroxisomes proliferation in non rodent species. Am. J. Pathol. 114:171-183.
115. Redman, C. M. (1969): Biosynthesis of serum protein and ferritin by free and attached ribosomes of rat liver. J. Biol. Chem., 24 :4308-4315.
116. Redman, C. M. and Sabatini, D. D. (1966): Vectorial discharge of peptides released by puromycin from attached ribosomes. Proc. Nat. Acad. Sci. U.S.A., 56 : 608-675.
117. Reynold, G. F. (1963): The use of lead citrate at high pH. as an electron opaque stain in electron microscopy. J. Cell. Biol. 17 :208-212.
118. Retiman and Frankel (1957) The normal human liver cell cytochemickal Am. J. Path PP. 63-369-378.
119. Rodrigue, 1996: Clarithromycin a review of its antibacterial activity Pharmacokinetic properties, therapeutic use. Great Britain and Prepared in the Society's Publication Department, 1996; 35:373-447.
120. Rods, F; Rassat, F and Themann, H. (1981): Peroxisomes in human liver.

110. Porter, K. R. (1961): The ground substances, observations from electron microscopy. In "The cell" (J. Brachet and A. E. Mirksky, eds.) Vol. 2 : 621. Academic Press, New York.
111. Prakash Gotecha (1996): Coinfection by micro bacteria in Hiv-positives infect-Microbiol-Clin 1996, Oct 14(8) . 666-669.
112. Pullmun, (1962): Functional hepatocellular heterogenicity. Hepatology. 2:385-395.
113. Rakker, R. (1997): Visceral granulomas and pericardial caused by abartonella henselae Infection. Ned-Tijdschr-Geneska, 1997 Feb. 22: Amsterdam. 141(8):388-90.
114. Reddy, J. K.; Lalwani, N. D.; Qureshi, S. A. and Moehle, C. M. (1984): Induction of hepatic peroxisomes proliferation in non rodent species. Am. J. Pathol. 114:171-183.
115. Redman, C. M. (1969): Biosynthesis of serum protein and ferritin by free and attached ribosomes of rat liver. J. Biol. Chem., 24 :4308-4315.
116. Redman, C. M. and Sabatini, D. D. (1966): Vectorial discharge of peptides released by puromycin from attached ribosomes. Proc. Nat. Acad. Sci. U.S.A., 56 : 608-675.
117. Reynold, G. F. (1963): The use of lead citrate at high pH. as an electron opaque stain in electron microscopy. J. Cell. Biol. 17 :208-212.
118. Retiman and Frankel (1957) The normal human liver cell cytochemickal Am. J. Path PP. 63-369-378.
119. Rodrigue, 1996: Clarithromycin a review of its antibacterial activity Pharmacokinetic properties, therapeutic use. Great Britain and Prepared in the Society's Publication Department, 1996; 35:373-447.
120. Rods, F; Rassat, F and Themann, H. (1981): Peroxisomes in human liver.

- Int. Histochem. Cytochem., 31:235-237.**
- 121. Routh, H. P.; Luthy, J.; Gudat, F; Obserholzer, M.; Gysin, C. and Bianchi, L. (1970): Stereology of liver biopsies from healthy volunteers. Virch. arch. [A]., 37:251-263**
 - 122. Rouiller, 1998: An electron microscopic study of Liver necrosis due to macrolides. Pathology. 2(4):251-259.**
 - 123. Sabatin, D. S.; Bench, K. and Barret, M. (1963): Cytochemistry and preservation of cellular ultrastructural and enzymatic activity by aldehyde fixation. J. Cell. Biol. 17:19-21.**
 - 124. Saleh, A.H. and Mousa, R. B. (1986): Histological and Histochemical studies on the effect of Macrolides on the liver of albino rat. Egypt J. Hist., 9(1): 3-10.**
 - 125. Schibasakis, (1998): Uptake of Clarithromycin by rat liver cell. J-Antimicrob-Chemother. 26(4):503-513.**
 - 126 Smith, U NA.; Smith, D.S. and Yunis, S. A. A. (1970): Macrolides related changes in mitochondrial genome Hela cells. J. Cell, Biol., 56:819.**
 - 127. Snell, R. S. (1984): Clinical and functional histology for medical students. 3rd ed. P.379-391. Little Brown and Co-Boston-Toronto.**
 - 128. Stein, O. and Stein, Y. (1967): Lipid synthesis, intracellular transport, storage and secretion. J. Cell Biol., 33 : 319-339.**
 - 129. Sternlieb, I. and Quintana, N. (1977): The peroxisomes of human hepatocytes. Lab. Invest., 36:140-149**
 - 130. Susan (1996) The new macrolides antimicrobial pharmacokinetics and clinical effecacy.**

J. of chemotherapy 33: 419-1422.

- 131. Tanikawa, K. and Ikejiri, A.. (1977): Fine structural alterations of the sinusoidal lining cells in various liver disease. In Kupffer cells and other liver sinusoidal cells, edited by F. Wisse and D. L. Knook PP. 153 - 172. Biomedical Press, Amsterdam.**
- 132. Tanikawa, K.; Egnchi, L and Ikejiri, N. (1979): Ultrastructural aspects of the liver and its disorders. 2nd ed. Tokyo, New York.**
- 133. Thys, O.; Hildbrand, J.; Germ, Y and Jacques, P. J. (1973): Alteration of rat liver lysosomes and smooth endoplasmic reticulum induced by erythromycine derivative. Morphologic and biochemical lesions. Lab. Invest., 28 : 70-82.**
- 134. Troyer, H. (1980): Principles and techniques of Histochemistry 1st edition, 92-104 and 216-219.**
- 135. Trump, B. F.; Goldblatt, P. J. and Stowell, R. E. (1975): Studies on necrosis of mouse liver in vitro, ultrastructural alterations in the mitochondria of hepatic parenchyma cells. J. Ultrast. Res., 5: 116-120.**
- 136. Truve B.F. and Jones, R.T (1976) Pathology of organelles in human hepatic paren chymal cells in progress in Liver disease. Vol V Grume PP. 150-160 .**
- 137. Van, T., Wont, T W; Ilerrmann, W. A.; De-Vries, R. A. and Stricher, B. H. (1994): Clarithromycin associated hepatic injury. J. Hepatol., 21(1): 115-117.**
- 138. Viliaris, V. and Jones, T C. (1996): Present status of the efficacy and tolerability of Clarithromycina. Clinical and Experimental Dermatology, 14 :124-127.**
- 139. Vilukela, M. Vainio, P. J. Tuominem R. K., (1996): macrolide induced liverdamage**

- J-Antimicrobial Chemotherapy, (1996) Sep. 38(3):465-473. Department of Pharmacology and Toxicology. University of Helsinki.
140. Wallace - R.J., (1995): Multiple mechanisms of erythromycin resistance Journal of Antimicrobial Chemotherapy, 26:461-465.
141. Walter, J. B. and Israel, M. (1996): General pathology, Churchill Livingstone, New York, 7th edition, 87-100. Churchill Livingstone, Edinburgh, London.
142. Willia, J. D., (1995): Biochemical Mechanisms of Liver Injury Am J ned 49:609-618 .
143. William, J. K. and Harry, J. C. (1994): Essentials of Histology. Text Atlas/Review 1st ed. PP. 427-475. Library of Congress America.
144. Williams J. Dsoften, (1993): Liver damage mechanisms and management Br. Med. Bull, 90:124-124, 1993.
145. Wilson, R. A. (1984): An ultrastructural characterization of the endothelial cell in rat liver sinusoid under normal and various experimental conditions. J. Ultrastr. Res., 38 : 528-562.
- 146- Wood, L. J. and Powell, L. W. (1984): Liver disease : When drugs may be the cause, Medical Progress, 6 : 39-43.
147. Zachariae, H.; Kragballe, K. and Sogaard, H. (1980): Macrolides induced liver cirrhosis. Br. J. Dermat., 102:407-412.
148. Zimmerman, H. J. and Ishak, KG. (1979): Drug induced toxic liver injury. In ; Pathology of liver edited by R.N.N. Mac Sween, P.P. and Sheuer PP. 335-386. Churchill, Livingstone, Edinburgh.