

REFERENCES

REFERENCES

- 1- Aloe, L. and Levi - Montalcini, R. (1980 a) :
Enhanced differentiation of sexually dimorphic organs
in L. thyroxine treated mice.
Cell tissue Res., 205 : 19 - 25.
- 2- Aloe, L. and Levi - Montalcini, R. (1980 b) :
Comparative studies on testosterone and L-thyroxine
effects on the synthesis of new growth factor in
mouse submaxillary salivary glands.
Exp Cell Res., 125 : 15 - 31.
- 3- Alvares, E. and Sesso, A. (1975) :
Cell proliferation, differentiation and transformation
in the rat submandibular gland during early postnatal
growth. A quantitative and morphological study.
Arch. Histd. Jap., 38 : 177 - 197.
- 4- Angeletti, P. and Angeletti, R. (1967) :
Androgen - dependent esterase activity in the mouse
submaxillary gland.
Biochem. Biophys. Acta, 136 : 187 - 201.
- 5- Angeletti, P.; Levi-Montalcini, R. and Caramia, F. (1971) :
Analysis of the effects of the antiserum to the nerve
growth factor in adult mice.
Brain Res., 27 : 343 - 351.
- 6- Arey, L. B. (1971) :
Human histology, A text book in outline form, 3rd
edition, pp. 48 - 50, Kothari Book Co., Bombay, Madras,
Ahmedapad, Poona, Indore, Hyderapad.
- 7- Argher, F. L. and Rao, V. C. Y. (1968) :
Immunohistochemical identification of actinomyosin in
myoepithelium of human tissues.
Lab. Invest. 18, 669 - 674.
- 8- Arvy, L. and Gabe, M. (1950 a) :
Action de la thyroidentomie et des injections des
thyroxine sur la gland sous maxillaire de la souris
albinos.
C. R. Acad. Sci., 230 : 1611 - 1613.
- 9- Arvy, L. and Gabe, M. (1950 b) :
Action des injections de thyroxine et de folliculine
sur la gland sous maxillaire de la souris femelle.
C. R. Acad. Sci., 230 : 2333 - 2334.
- 10- Asojo, T. A. and Airo, T. A. (1983) :
Microserological and Histochemical studies of the
Salivary Gland of the Giant Rat (Cricetomysgambianus,
Water - house).
Acta Anat., 117 : 65 - 72.

- 11- Baker, B. L.; Clapp, Jr. M.W. and Light, J. A. (1964) :
Hormonal influences on the cytology and physiology of
salivary gland; In : L. M. Sreebny and J. Meyer
Salivary glands and their secretions, pp. 63 - 79.
(Pergamon press) Mac Millan, New York.
- 12- Bancroft, J. D. (1975) :
Histochemical techniques, 2nd ed., pp. :230 - 251.
Butterworths, London and Boston.
- 13- Barka, T. (1980) :
Biologically active polypeptides in submandibular
glands.
J. Histochem. Cytochem., 28 : 836- 851.
- 14- Barthe, P.; Bullock, L.; Mowszowicz, I.; Bardin, CW. and Drth,
D. (1974) :
Submaxillary gland epidermal growth factor :a sensitive
index of biologic androgen activity.
Endocrinology, 95 : 1019 - 1025.
- 15- Bartolomei, M. S.; Klein, L. E.; Hsiao, P. and Lo, C. S.
(1983) :
Effect of corticosterone and triiodothyronine on
enzyme activity in rat submandibular gland.
Pflugers Arch, 399 (4) : 255 - 258.
- 16- Berkman, M.D. and Kronman, J.H. (1970) :
A histochemical study of the effects of castration and
testosterone administration on the major salivary glands
of Swiss mice.
Acta Anat. 76 : 200 - 219.
- 17- Bhoola, K. ; Dorey, G. and Jones, C. W. (1973) :
The influence of androgens on enzymes chymotrypsin and
trypsin - like proteases, senin, kallikrein and amylase
- and on cellular structure of the mouse submaxillary
gland.
J. Physiol. 235 : 503 - 515.
- 18- Bixter, D.; Muhler, J. C. and Shafer, W. G. (1959) :
Growth hormone and thyroxine: Effects on the
submaxillary gland of hypophysectomized rat.
Proc. Soc. Exp. Biol. N. Y. 100 : 400 - 402.
- 19- Bloom, W. and Fawcett, D. W. (1986) :
A text book of histology, 12th ed. page. 122, (605-
613)W. B. Saunders Company Philadelphia, London and
Toronto.
- 20- Bogart, B. I. (1968) :
The fine structre localization of alkaline and acid
phosphatase activity in rat submandibular gland.
J. Histochem. Cytochem., 16 : 572 - 581.

- 21- Brenda, D. D. and Rock, J. H. (1970) :
Histological Laboratory Methods Edinburgh and London.
E. S. Livingstone
- 22- Burgon, A. S. V. (1967) :
Secretory processes in salivary glands in handbook of
physiology.
Section 6 Vol. 2 pp. 561 - 579.
- 23- Burston, M. S. (1953) :
A histochemical study of normal and irradiated salivary
gland tissue in the mouse.
Anat. Rec., 115: 543 - 557.
- 24- Caramia, F. (1966) :
Ultrastructure of the mouse submaxillary gland. I.
Sexual difference.
J. Ultrastruct. Res. 16 : 505.
- 25- Carleton, H. N. (1967) :
Histological techniques, 4th edition, p.260 Oxford
University press. New York, Toronto.
- 26- Chang, W. V. (1974) :
Cell population changes during acinus formation in the
postnatal rat submandibular gland.
Anat. Rec., 178 : 187 - 201.
- 27- Chauvin - Severiniere, J. (1942) :
Sur les variations de la morphologic cellulaire dans le
segment tubuleux de la glande sous - maxillaire de la
souris. C. R. Soc. Biol. 136 : 262 - 270.
- 28- Chretien, M. (1977) :
Action of testosterone on the differentiation and
secretory activity of a target organ : The submaxillary
gland of the mouse.
Int. Rev. Cytol. 50 : 333 - 343.
- 29- Copenhaver, W. M. ; Kelly, D. E. and Wood, R. L. (1978) :
Salivary gland in Bailey's text book of histology. 17th
ed. page. 514 - 521. The William's & Wilkins Company.
Baltimore.
- 30- Cutler, L. S. (1973 a) :
Morphogenesis and functional differentiation of the rat
submandibular gland in vivo and in vitro:
Ultrastructural and biochemical studies.
Ph. D. Thesis, State University of New York at Buffalo.
- 31- Cutler, L. S. (1973 b) :
Inter - cellular contacts at the epithelial mesenchymal
interface during the prenatal development of the rat
submandibular gland.
Develop. Biol., 33 : 229 - 240.

- 32- Cutler, L. S. (1974) :
Cytodifferentiation of the acinar cells of the rat submandibular gland.
Develop. Biol., 41 : 31 - 41.
- 33- Cutler, L. and Chandhry, A. (1973) :
Intercellular content at the epithelial - mesenchymal interface during the prenatal development of the rat submandibular gland.
Develop. Biol, 33 : 229 - 240.
- 34- Cutler, L. and Chandhry, A. (1975) :
Cytodifferentiation of striated duct cells of the convoluted granular tubules of the rat submaxillary gland.
Am. J. Anat. 143 : 201 - 215.
- 35- Cyril, E. (1961) :
The response of the submaxillary glands of mature mice to treatment with the hormones of the thyroid gland and the testis.
Anat. Rec. 139, 77 - 83.
- 36- Dempsey, E. W., Bunting, H., and Wislocki, G. B. (1947) :
Amer. J. Anat. 81, 309 Cited by Leeson (1956).
- 37- Doria, A. N. (1985) :
The postnatal development of the granular convoluted tubules of the rat submandibular gland.
Egypt. J. Histol. 8(2) : 183 - 188.
- 38- Drury, R.A. B. and Willington, E. A. (1980) :
Carlton's Histological Technique 5th ed. P. 177 - 188.
Oxford University Press. Oxford, New York. Toronto.
- 39- Dunn, J. and Wilson, J. (1975) :
Development study of androgen response veness in the submandibular gland of the mouse.
Endocrinology, 96 : 1571 - 1579.
- 40- Dunn, J. ; Goldstein, J. and Wilson, J. (1973) :
Development of increased cytoplasmic binding of androgen in the submaxillary gland of the mouse with testicular feminization.
J. Biol. Chem. 248 : 7819 - 7825.
- 41- Dvorak, M. (1969) :
The secretory cells of the submandibular gland in the preinatal periode of development of the rat.
Z. Zellforsch Mikroskop Anat 99 : 346 - 356.
- 42- El_Khaligi, M. E. G. (1974) :
Anatomical and histochemical studies on some of salivary glands of the humped camel. ph. D. Thesis.
Fac. Vet. Med. , Cairo.

- 43- El_Sakhawy, M. A. ; Mosallam, El-S. and Gharib, N. M. (1983) :
Morphological and histochemical studies of the
submandibular gland of rabbit.
J. Egyptian Vet. Med. Ass. Vol, 43 (1-4).
- 44- El-Shafey, S. M. and Nawar, S. M. A. (1980) :
Histo - enzymological studies on the parotid
salivary glands of the goat. Z. Mikroskanat. Forcch (in
press). Quoted from El - Sayed Mosallam et al., (1983).
Proc. 16th Arab. Vet Cpngrss.
- 45- El-Shafey, S.M.; Nawar, S.M.A.; Riad, F. and Ragheb, M. E.
F. (1981) :
A histoenzymatic study on the parotid and mandibular
salivary glands of Egyptian Buffalo
(Bos bubalis L). Zool J. Anat, 106, 221 - 232.
- 46- Farris, E. J. and Griffith, J. Q. (1949) :
The rat in laboratory investigations. 2nd edition,
pp 4 - 6. J. B. Lippincott Company, Philadelphia,
London and Montreal.
- 47- Fekete, E. (1941) :
Histology. In the Biology of the Laboratory Mouse.
Edited by Snell. P 89 - 167. The Blakiston Co,
Philadelphia.
- 48- Freund, J. E. and Williams, F. J. (1975) :
Elementary business statistics. The modern approach,
2nd edition, pp. 267 - 283 and 475 - 477.
Prentice - Hall International Inc., London.
- 49- Fukuda, M. (1967) :
Histochemical studies on the rat submaxillary gland
during postnatal development.
Histochemie. 8 : 342.
- 50- Garrett, J. R. and Harrison, J. D. (1970) :
Alkaline phosphatase and adenosine triphosphatase histo
chemical reaction in the salivary gland of cat, dog and
man, with particular refrence to the myoepithelial
cells.
Histochemic, 24 : 214 - 229.
- 51- Gomori, G. (1939) :
Microtechnical demonstration of phosphatase in tissue
sections. Proc. Soc. Exp. Biol. Med. 42, 23.
- 52- Grad, B. and Leblond, C. P, (1949) :
The necessity of testis and thyroid hormones for the
serous tubules of the submaxillary gland in the male
rat.
Endocrinol., 45 : 250 - 266.

- 53- Greep, R. O. and Leon, W (1973) :
Text - Book of histology 3rd ed. McGraw-Hill Book
company A Blakiston publication. P. 547 - 557.
- 54- Gresik, E and Mac Rae, E. (1975) :
The postnatal development of the sexually dimorphic
duct system and of amylases activity in the
submandibular gland of mice.
Cell Tissue Res. 157 : 411 - 420.
- 55- Gyton, A. C. (1981) :
Text book of Medical physiology, 6th ed..p.p 838 - 848.
W. B. Saunders Company, Philadelphia.
- 56- Guyton, A. C. (1991) :
Text book of Medical physiology 8th ed. pp 709 - 713.
W.B. Saunders.
Company, philadelphia, London, Toronto, Montreal,
Sydney, and Tokyo.
- 57- Ham, A.W. and Cormack, D.H. (1984) :
Text Book of Histology 9th ed. Page. 489 - 490.J. B.
Lippincott company; Philadilphia, U.S.A.
- 58- Harvey, H. (1952) :
Sex dimorphism in submaxillary glands in mice in
relation to reproductive maturity and sex hormones.
Physiol. Zool 25 : 202 - 211.
- 59- Heidenham, R. (1911) :
Plasma und zeile; Gustav Flscher, Jena. Qoated from
Munger (1964).
- 60- Helbel, R. and Stromberg, M. W. (1976):
Anatomy of the Laboratory rat : ed. P. 44 - 46. The
williams and Wilkins company Baltimore.
- 61- Holvey, D. N. and Talbott, J. H. (1972) :
The Merck Manual 12th edition, pp. 1152 - 1155. Merck
Sharp and Dohme Research Laboratories, Division of
Merck and Co., Inc.
Rahway, N. J. U.S.A.
- 62- Hosoi, K.; Kobayashi, S.; Ueha, T.; Maruyama, S.; Sato, S.;
Takuma, T. and Kumegaua, M. (1979) :
Induction of androgen - dependent protease and serous
like granules by Triiodothyronin in the submandibular
gland of mice with testicular feminization.
J. Endocrinol. 83 : 429.
- 63- Jacoby, F. (1959) :
Observation on the postnatal development of the mouse
submaxillary gland.
J. Anat. 93 : 579.

- 64- Jacoby, F. and Leeson C.R. (1959) :
The post-natal development of the rat submaxillary gland.
J.Anat. 93 : 201 - 216.
- 65- Junqueira, L.; Fajer, A.; Rabinovitch, M. and Frankenthal, L.(1949):
Biochemical and histochemical observations on the sexual dimorphism of mice submaxillary gland.
J. Cell Comp Physiol 34 : 129.
- 66- Kaiho, M.; Nakamura, T. and Kumegawa, M. (1975) :
Morphological studies on the synthesis of secretory granules in convoluted tubules of mouse submandibular gland.
Anat. Rec. 183 : 405 - 409.
- 67- Kowalewski, K. (1969) :
Effects of prepupal gonadectomy and treatment with sex hormone on body growth, weight of organs and skin collagen of hamsters.
Acta Endocrinol. 61 : 48 - 58.
- 68- Kronman J. H. (1963 a) :
Hamster salivary gland sexual dimorphism. I. protein histochemistry study.
J. Dent. Res. 42 : 123 - 127.
- 69- Kronman, J. (1963 b) :
A histochemical study of hypophysectomy induced changes in rat submandibular and sublingual glands.
Am. J. Anat. 113 : 337 - 364.
- 70- Kronman, J. H. and Chauncey, H. H. (1964) :
Hormonal influences upon salivary gland histochemistry.
J. Dent. Res. 42 : 520 - 527.
- 71- Kronman, J. H. and Leventhal, M. M. (1967) :
A histochemical study of the effect of impaired thyroid function and replacement therapy upon the mouse submandibular gland.
Arch. Oral Biol. 12 : 367 - 379.
- 72- Kronman, J. H. and Spinale, J. J. (1965) :
A histochemical study of testosterone induced changes in the submandibular and sublingual gland of mice.
Amer. J. Anat. 117 : 217 - 232.
- 73- Kronman, J. H. and Spinale, J. J. (1967 a) :
A histochemical study of the effect of endocrine alteration upon the submandibular gland of the golden hamster.
J. Oral. Ther. Pharm. 4 : 60 - 70.
- 74- Kronman, J. H. and Spinale, J. J. (1967 b) :
The effects of impaired thyroid function upon salivary gland histochemistry in the rat.
Acta Anat. 68 : 272 - 283.

- 75- Kumegawa, M.; Takuma, T. and Takagi, A. (1977) :
Precocious induction of secretory granules by hormones
in convoluted tubules of mouse submandibular glands.
Am. J. Anat. 149 : 111 - 114.
- 76- Lacassagne, A. (1940 a) :
Dimorphisme sexuel de la glande sous - maxillaire chez
la souris.
C. R. Soc Biol 133 : 181 -190.
- 77- Lacassagne, A. (1940 b) :
Mesure de l'action des hormones sexuelles sur la glande
sous - maxillaire de la souris.
C. R. Soc. Biol. 133 : 227 - 232.
- 78- Lacassagne, A. (1940 c) :
Reaction de la glande sous - maxillaire a l'hormone
male chez la souris et le rat.
C. R. Soc, Biol. 133 : 539 - 542.
- 79- Leblond, C. P. (1950) :
Distribution of periodic acid reactive carbohydrates in
adult rat.
Am. J. Anat. 86: 1 -50.
- 80- Leeson, C. R. (1956) :
Localization of alkaline phosphatase in submaxillary
gland of the rat.
Nature, 178: 858 - 570.
- 81- Leslie, S. C. and Chandhry, A. (1975) :
Cytodifferentiation of striated duct cells and
secretory cells of the convoluted granular tubules of the
rat submandibular gland.
Am. J. Anat. 143 : 201 - 209.
- 82- Levi - Montalcini R. and Angeletti, P. (1968) :
Nerve growth factor.
Physiol. Rev. 48 : 534 -542.
- 83- Levi - Montalcini, R. and Booker, B. (1960 a) :
Excessive growth of the sympathetic ganglia evoked by a
protein isolated from mouse salivary glands.
Proc. Natl. Acad. Sci. (USA) 46 : 373 - 383.
- 84- Levi - Montalcini, R. and Booker, B. (1960 b) :
Destruction of the sympathetic ganglia in mammals by an
antiserum to a nerve - growth protein.
Proc. Natl Acad Sci USA 46 : 384 -393.
- 85- Lillie, R. D. (1950) :
Further exploration of the H10 - Schiff reaction with
remarks on its significance.
Anat. Rec. 108: 239 - 53.

- 86- Lillie, R. D. and Fullmer, H. M. (1976) :
Histopathologic technic and practical histochemistry.
4th ed. p. 311 - 313. New York, McGraw - Hill.
- 87- Loewenthal, N. (1908) :
Drusensludien, III. Die unterkieferdruse des I gels and
weissen Ratte.
Arch. Mikr. Anat. ,71 ,588 - 666.
Quoted from Leeson, J. Anat. 93 : 201 (1959).
- 88- Luckman, C. (1956) :
Histological modification of the mouse submaxillary
glands induced by thyroxine and androgen.
Doctoral Dissertation, University of Illinois, Chicago.
- 89- Luckman, C. E. (1961) :
The respose of the submaxillary glands of mature mice
to treatment with the hormones of the thyroid gland and
the testis.
Anat. Rec. 139, 77 - 83.
- 90- Luppis, B., and Rutter, W. J. (1973) :
Induction of tyrosine amynotransferase by Triamcenolone
during rat liver development in vitro.
Develop. Biol., 33 : 482 - 486.
- 91- Lyon, M. and Hawkes, S. (1970) :
An X - Linked gene for testicular feminization in the
mouse.
Nature, 227 : 1217 -1222.
- 92- Lyon, M.; Hendry, I. and Short, R. (1973) :
The submaxillary salivary glands as test organs for
respose to androgen in mice with testicular feminization.
J. Endocrinol. 58 : 537 - 350.
- 93- Masayoshi, K.; Taishin, T. and Yoshihiko, T. (1976) :
Precocious induction of secretory granules by hormones
in convoluted tubules of mouse submandibular gland.
An. J. Anat., 149 : 111 - 114.
- 94- Mc Evoy, R. C., Hegre, O. D. and Lazarow, A. (1976) :
Foetal rat Pancreas in organ culture. Effect of
corticosterone concentrations on the acinar and islet
cell components.
Differentiation, 6 : 17 - 26.
- 95- Mc Mannus, K. (1946) :
Histological demonestration of mucium after periodic
acid
Nature, 158 - 202.
- 96- Mills, L. C. and Moyer, J. H. (1961) :
Inflammation and diseases of connective tissue,
Hanenann Symposium, PP. 21, 23, 38, 46, 449. W. B.
Saunders. Company, Philadelphia and London.

- 97- Miraglia, T. ; Moura, C. S. and Neves, H. B. (1974) :
Histochemical data on the parotid gland of the
marmosets.
Acta. Anat. 87, 334 - 344.
- 98- Miraglia, T. M.; Moura, C. S. and Dos Santos, H (1976) :
Histochemical differences between the major salivary
glands of the marmosets.
Acta. Anat. 96, 547 - 560.
- 99- Munger, B. L. (1964) :
Histochemical studies on seromucous and secreting cells
of human salivary glands.
Am. J. Anat. 115, 411 -421.
- 100- Nawar, A. M. S. (1981) :
Micromorphological studies on the salivary glands of
the goat.
Quoted from El-Sakhawy (1983).
- 101- Noback, C. R. and Montagna, W. (1947) :
Histochemical studies of the basophilia lipase and
phosphatase in the mammalian pancreas and salivary
glands.
Am. J. Anat. ,81, 343 - 367.
- 102- Pang, S. Y.; Safness, B.; Sweeney, W. J. 3rd and New, M. I.
(1987) :
Hirsutism, polycystic ovarian disease, and ovarian
17 - Ketosteroid reductase deficiency.
N. Engl. J. Med., 316 : 1295 - 1301.
- 103- Pearse, A. G. E. (1960) :
Histochemistry, theoretical and applied, PP. 252 - 253,
259 - 261, Little, Brown, Boston.
- 104- Pearse, A. G. E. (1961) :
Histochemistry theoretical and applied 2nd Ed.
pp.: 431 - 453. Churchill Ltd. London.
- 105- Pearse, A. G. E. (1968) :
Histochemistry theoretical and applied. vol. 1. 3rd Ed.
Churchill - Livingstone, London.
- 106- Quintarelli, G. (1963) :
Histochemical identification of salivary mucins.
Ann. N. Y. Acad. Sci. 106 : 339 - 363.
- 107- Quintarelli, G.; Tswki, S.; Hashimoto, Y. and Pigman, W.
(1961) :
Studies of sialic acid containing mucins in bovine
submaxillary and rat sublingual glands.
J. Histochem. Cytochem. 9 : 176 - 183.

- 108- Raynaud, J. (1943) :
Development embryonnaire des glandes Sousmaxillaires
retrolinguales de la souris.
C. R. Acad. Sci., 198 : 125 - 135.
- 109- Raynaud, J. (1950) :
Action de la thyroxine sur la glande sous - maxillaire
de la souris castrée.
Ibid., 144 : 245 - 248.
- 110- Raynaud, J. (1960) :
Control hormonal de la sous - maxillaire de la souris.
Bull. Biol. 94 : 400 - 411.
- 111- Richared, H. S.; Margaret, M. D. and Beverly, J. F.
(1965) :
Effect of Gonadal hormones on submandibular gland
amylase activity in male and female mice.
Endocrinology 76 : 776 - 779.
- 112- Robert, M. B. and Matthew, N. L. (1988) :
Gastrointestinal secretion in handbook of physiology.
Chapter 43, pp. 682 - 690. St. Louis, Washington D. C.
Toronto.
- 113- Ross, M. H. and Reith, E. J. (1985) :
Histology, text and Atlas, 1st edition, PP. 85 - 90. J.
B. Lippincott Co. New York, Cambridge, Philadilphia,
San Francisco, London, Sydney.
- 114- Sacramento, N. D. A. and Miraglia, T. (1972) :
Structure and distribution of polysaccharides in the
salivary glands of common marmoset (callithrix
jacchus).
Acta Anat. 82 : 368 - 382.
- 115- Schatzle, W. (1962) :
Histochemie der speicheldrüsen.
Acta Histochem. 13 : 62 - 112.
- 116- Schneyer, L. H. and Schneyer, C. A. (1967) :
In organic composition of saliva. In : Handbook of
physiology , Section 6, pp. 497 - 530, Vol. 2, American
physiological Society, Washington.
- 117- Schneyer, L. H.; Young, J. A. and Schneyer, C. A. (1972) :
Salivary secretion of electrolytes.
Physiol. Rev., 52 : 720 - 777.
- 118- Shackleford, J. M. (1963) :
Histochemical comparison of mucous secretions in
rodent, carnivore, ungulate and primate major savillary
glands.
Ann.N.Y. Acad. Sci. 106 : 572 - 582.

- 119- Shackleford, J. M. and Klapper, C. E. (1962) :
Structure and carbohydrate histochemistry of mammalian salivary glands.
Am. J. Anat. 111 : 25 - 47.
- 120- Shafer, W. G. and Muhler, J. C. (1953) :
Effect of gonadectomy and sex hormones on the structure of rat salivary glands.
J. Dent. Res. 32 : 262 - 268.
- 121- Silver, I. A. (1954) :
Myoepithelial cells in the mammary and parotid glands.
J. Physiol. 125, 8 - 9.
- 122- Sreebny, I. (1953) :
Characterization of a proteolytic enzyme in the submaxillary gland of the white rat.
Lab. Invest 2: 319 - 326.
- 123- Sreebny, L. (1960) :
Studies of salivary gland proteases.
Ann. Ny. Acad. Sci. 85 : 182 - 189.
- 124- Sreebny, L.; Meyer, J. and Bachem, E. (1955 a) :
Characteristics of a proteolytic enzyme in the submaxillary and sublingual glands of the albino rats.
J. Dent. Res. 34 : 915 - 921.
- 125- Sreebny, L.; Meyer, J.; Bachem, E. and Weinman, J. (1955 b):
Postnatal changes in proteolytic activity and in morphology of the submaxillary glands in male and female albino rats.
Growth. 19 : 57 - 63.
- 126- Srinivasan, R. and Chang, W. (1974) :
Development of granular convoluted ducts in the rat submandibular gland.
Anat.Rec. 178 : 470 - 479.
- 127- Srinivasan, R. and Chang, W. (1975) :
The development of the granular convoluted duct in the rat submandibular gland.
Anat. Rec. 182 : 29 - 40.
- 128- Srinivasan, R. and Chang, W. (1979) :
The postnatal development of the submandibular gland of mouse.
Cell Tissue Res. 198 : 363 - 370.
- 129- Stormont, D. L. (1932) :
The salivary glands. In: Vy E.V. Cowdry and Paul B. Hoeber (eds.) Special Cytology, Vol. K, pp 152 - 196, NewYork

- 130- Strum, J. (1971) :
Unusual peroxidase - positive granules in the
developing rat submaxillary gland.
J. Cell Biol., 51 : 575 - 579.
- 131- Taha, A. M. (1983):
Histology and Histochemistry of the salivary
glands of male mice. Thesis of Master Degree.
Histology Department. Assiut University.
- 132- Takuma, T.; Nakamura, T.; Hosoi, K. and Kumegawa, M. (1977) :
Binding protein for 5 - alpha - dihydrotestosterone in
mouse submandibular gland.
Biochem. Biophys. Acta, 496 : 175.
- 133- Tamarin, A. (1971) :
Submaxillary gland recovery from obstruction. II.
Overall changes and electron microscopic alteration of
granular ducts cells.
J. Ultrastruct. Res., 34 : 276 - 287.
- 134- Tamarin, A and Sreebny, L. M. (1965) :
The rat sub maxillary gland. A correlative study by
light and electron microscopy.
J. Morph., 117 : 295 - 352 .
- 135- Tandler, B. (1963) :
Ultrastructure of the human submaxillary gland. II. The
base of the striated duct cells.
J. Ultrastruct. Res. , 9 : 65 - 75.
- 136- Troyer, H. (1980) :
Principles and Techniques of histochemistry, 1st ed.
pp. 216 - 219 Little, Brown and Company. Boston.
- 137- Tupa, A. (1926) :
Recherches sur les processus du rat et de la souris.
Bull. Hist. Tech. Micr. 3, 293 - 306.
- 138- Verhoeven, G. and Wilson, J. (1976) :
Cytosal androgen binding in submandibular gland and
kidney of the normal mouse and the mouse with
testicular feminization.
Endocrinology 99 : 79.
- 139- Wachstein, M. and Meisel, E. (1960) :
J. Histochem. Cytochem., 8 : 387.
Cited by Bancroft, 1975.
- 140- Warwick, R. and Williams, P. L. (1973) :
The submandibular gland in Gray's Anatomy.
35th ed. 1211 - 1214, Longman, London.
- 141- Yalowsky, V. H.; Ellerand, H. and Kulka, R. G. (1973) :
Accumulation of amylase by chick pancreas in organ
culture. Effect of hydrocortisone.
Exp. Cell Res., 80: 322 - 328.

- 142- Yamashina, S. and Barka, T. (1972) :
Localization of peroxidase activity in the developing
submandibular gland of normal and isoproterenol treated
rats.
J. Histochem. Cytochem. 20 : 855 - 872.
- 143- Yamashina, S. and Barka, T. (1973) :
Development of endogenous peroxidase in fetal rat
submandibular gland.
J. Histochem. Cytochem. 21 : 42.
- 144- Yohro, T. (1970) :
Development of secretory units of mouse submandibular
gland.
Z. Zellforsch Mikroskop Anat. 110 : 173.
- 145- Young, J. A. ; Fomter, E. F. ; Schogel, E. and Harman, K. F.
(1967) :
Micropuncture and perfusion studies of fluid and
electrolyte transport in the rat submaxillary gland. In
secretory Mechanisms of salivary glands. LH Schneyer and
C. A. Schneyer, eds. 11 - 31, Academic Press. New York.