

REFERENCES

Abd Elhakim AM, Hassanin K, Hussein MF & Ahmed FA (1995): Value of fiberoptic bronchoscopy in early bacteriologic diagnosis of suspected pulmonary tuberculosis. *Egyptian J. Chest Dis and Tuber*; **44**:125-130.

Abd Elhakim AM, Helmy NA, Mira AA & Abd Elghaffar M (1991): Estimation of carcino-embryonic antigen and immunoglobulin in sera and bronchoalveolar lavage in patients with lung diseases. *Egyptian J. Chest Dis and Tuber*; **38**: 1-12.

Abd Elhakim AM, Salem Elsayed, Abass H, Medhat A, Sharaf El-Din M & Alhalay A (1987): Effects of smoking on alpha one anti-trypsin in serum and bronchoalveolar fluid. *Egyptian J. Chest Dis and Tuber*; **33**: 41-54.

Ahrendt SA & Sidransky D (1999): The potential of molecular screening. *Surg Oncol Clin N Am*; **8**:641-656.

Alam N, Darling G, Evans WK, Mackay JA & Shepherd FA (2006): Adjuvant chemotherapy for completely resected non-small cell lung cancer: A systematic review. *Crit Rev Oncol Hematol*. 2006 [doi:10.1016/j.critrevonc.2005.10.002](https://doi.org/10.1016/j.critrevonc.2005.10.002).

Allen JN, Pacht ER & Gaddk JE (1989): Acute eosinophilic pneumonia as a reversible cause on non infectious respiratory failure. *N Eng J Med* **231**:569.

Alvarez-Sala R, Prados C, Gomez de Terreros FG & Blasco R (1995): Carcinoembryonic antigen in the diagnosis of lung cancer using bronchoalveolar lavage: Acomparative study with healthy subjects, chronic bronchitis, respiratory infections and interstitial pulmonary diseases. *Int J Oncol*; **6**: 1093-8.

Amatruda TT, Mulrow PJ, Gallagher JC, et al (1963): Carcinoma of the lung with inappropriate antidiuresis. *N Engl J Med*; 269:544–549.

American Cancer Society (1995): Cancer Facts and Figures. *Atlanta: American Cancer Society, p.1.*

American Cancer Society (2009): Cancer Facts and Figures. *Atlanta: American Cancer Society.*

American Society of Clinical Oncology (ASCO) (2008): Understanding Tumor Markers. Accessed November 6, 2008.

Amin MB, Tamboli P, Merchant SH, et al (2002): Micropapillary component in lung adenocarcinoma: a distinctive histologic feature with possible prognostic significance. *Am J Surg Pathol*; 26:358.

Anderson HA & Prakash UBS (1982): Diagnosis of symptomatic lung cancer. *Semin Respir Med* 1982; 3:165–169.

Ando S, Suzuki M, Yamamoto N, Iida T & Kimura H (2004): The prognostic value of both neuron-specific enolase (NSE) and Cyfra21-1 in small cell lung cancer. *Anticancer Res.*; 24:1941-6.

Ashour WM, Abdel Hakim AM, Kamel KM & Khatab HM (2006): Fluorescence bronchoscopy for detection of early lung cancer, *Md thesis, Cairo University, page 53.*

Ateia AM (2005): Lower airway bacterial colonization in asymptomatic smokers and smokers with chronic bronchitis. Thesis submitted for partial fulfillment of M.Sc degree in chest diseases under supervision of Oraby S.S, El-Kholy E.E, Zakzouk AZ & Abd Elwahab A. Faculty of Medicine for Girls Al-Azhar University.

Awad T (1987): A study of BAL in some chest diseases. Thesis submitted for partial fulfillment of M.D. degree in chest diseases, Faculty of Medicine, Cairo University.

Bach PB, Gerard A, Silvestri, et al (2007): Screening for Lung Cancer: ACCP Evidence-Based Clinical Practice Guidelines (2nd Edition) *Chest*, **132:69s-77s**.

Bach P, Kelly M, Tate R, et al (2003): Screening for lung cancer; a review of the literature. *Chest*; **123(1 Suppl):72S-82S**.

BAL Cooperative Group Steering Committee (1990): Bronchoalveolar lavage constituents in healthy individuals, idiopathic pulmonary fibrosis, and selected comparison groups. *Am. Rev. Respir. Dis.* **141:S169-S202**.

Balsara BR & Test JR (2002): Chromosomal imbalances in human lung cancer. *Oncogene*; **21:6877-6883**.

Barak V, Goike H, Panaretakis KW & Einarsson R (2004): Clinical utility of cytokeratins as tumor markers. *Clin Biochem.*; **37:529-40**.

Barlesi F, Gimenez C, Torre JP, Doddoli C, Mancini J, Greillier L, Roux F & Kleisbauer JP (2004): Prognostic value of combination of Cyfra 21-1, CEA and NSE in patients with advanced non-small cell lung cancer. *Respir Med.*; **98:357-62**.

Bates SE & Longo DL (1987): Use of serum tumor markers in cancer diagnosis and management. *Semin. Oncol*; **14: 102-38**.

Beckles M, Spiro S, Colice G, et al (2003): Initial evaluation of the patients with lung cancer: symptoms, laboratory tests, and paraneoplastic syndromes. *Chest*; **123(suppl): 97S-104S**.

Beinert T, Binder D, Oehm C, et al (1999): Increased levels of vascular endothelial growth factor in bronchoalveolar lavage of patients with

bronchial carcinoma, effect of tumor activity and oxidative stress or due to radio-chemotherapy? *Eur L Med Res*; 4: 328-34.

Bennett WP, Alavanja MC, Blomeke B, et al (1999): Environmental tobacco smoke, genetic susceptibility, and risk of lung cancer in never-smoking women. *J Natl Cancer Inst*; 91:2009.

Bernard J, Gell L & Robert B (1989): Bronchoalveolar lavage. *S. Afr.Med.J*; 19:49.

Beutner KR & Tying S (1997): Human papillomavirus and human disease. *Am J Med*; 102:9.

Bhattacharya S, Siegel ER, Petersen GM, Chari ST, Suva L & Haun RS (2004): Diagnosis of Pancreatic Cancer Using Serum Proteomic Profiling. *Neoplasia*; 6:674–86.

Bigbee W & Herberman RB (2003): Tumor markers and immunodiagnosis. In: Kufe DW, Pollock RE, Weichselbaum RR, Bast RC, Gansler TS, Holland JF, Frei E III, eds. *Cancer Medicine. 6th ed. Hamilton, Ontario: BC Decker*; 209-220.

Bliss DP, Battey JF, Linnoila RI, et al (1990): Expression of the atrial natriuretic factor gene in small cell lung cancer tumors and tumor cell lines. *J Natl Cancer Inst*; 82:305–308.

Blum J, Handmaker H, Lister-James J & Rinne N (2000): A multicenter trial with a somatostatin analog (99m)Tc depreotide in the evaluation of solitary pulmonary nodules. *Chest*; 117(5):1232-8. 52.

Boffetta P, Pershagen G, Jockel KH, et al (1999): Cigar and pipe smoking and lung cancer risk: A multicenter study from *Europe*. *J Natl Cancer Inst*; 91:697.

Bohlmeier TN, Shroyer AL, Markham N, et al (1998): Detection of human papilloma virus in squamous cell carcinomas of the lung by polymerase chain reaction. *Am J Respir Cell Mol Biol*; 2:265

Bolliger CT, Mathur PN, Beamis JF, Becker HD, Cavaliere S & Colt H (2002): ERS/ATS statement on interventional pulmonology. European Respiratory Society/ American Thoracic Society. *Eur Respir J*; 19(2): 356-373.

Bota S, Autiac JB, Paris C, et al (2001): follow up of bronchial precancerous lesions and carcinoma in situ using fluorescence endoscopy. *Am J Respir and Crit Care Med*; 164:1688-1693.

Brechot JM, Chevret S, Nataf J, Le Gall C, Fretault J, Rochemaure J & Chastang C (1997): Diagnostic and prognostic value of Cyfra 21-1 compared with other tumor markers in patients with non-small cell lung cancer: A prospective study of 116 patients. *Eur J Cancer*; 33:385-391

British Thoracic Society Bronchoscopy Guidelines Committee (2001): British Thoracic Society guidelines on diagnostic flexible bronchoscopy. *Thorax*; 56 Suppl 1:11-21.

Brouchet L, Valmary S, Dahan M, et al (2005): Detection of oncogenic virus genomes and gene products in lung carcinoma. *Br J Cancer*; 92:743.

Buccheri G, Torchio P & Ferrigno D (2003): Clinical equivalence of two cytokeratin markers in non-small cell lung cancer: a study of tissue polypeptide antigen and cytokeratin 19 fragments. *Chest, Aug*; 124:622-32.

Bunn Jr P (2000): Lung cancer, Introduction. *Chest*; 117:71s.

Burastero SE, Borgonovo B, Gaffi D, Frittoli E, Wack A, Rossi GA & Crimi EE (1996): The repertoire of T-lymphocytes recovered by bronchoalveolar lavage from healthy nonsmokers. *Eur. Respir. J.* 9:319-327.

Burns DM (1996): Cigarette smoking; In Comprehensive Textbook of Thoracic Oncology, Aisner J, et al (Eds), Williams and Wilkins, Baltimore. p.51.

Bush A (2003): Bronchoscopy in paediatric intensive care. *Paediatr Respir Rev*; 4(1): 67-73.

Cancer Statistics (2007): CA Cancer J Clin. 57: 2007; 43-66.

Carmona RH (2006): "The Health Consequences of Involuntary Exposure to Tobacco Smoke: A Report of the Surgeon General". U.S. Department of Health and Human Services.

Casas Pina T, Tovar Zapata I, Canizares Hernandez F, Bermegio Lopez J, Parrila Patricio P & Martinez Hernandez P (2001): Tumor markers in serum, bronchoalveolar lavage and biopsy cytosol: what environment lends the optimum diagnostic yield. *Clin Chim Acta*; 305: 27-34.

Charalabopoulos K, Karakosta A, Bablekos G, Golias CH, Charalabopoulos A, Tsanou E, Peschos D, Zoganas L & Batistatou A (2006): CEA Levels in Serum and BAL in Patients Suffering from Lung Cancer. *Journal of Clinical Oncology*; 20: 528-531.

Charokopos N, Leotsinidis M, Tsiamita M, Kalofonos HP, Vasillakos P, Christofidou M & Spiropoulos K (2004): Increased levels of albumin in bronchial washing fluid of patients with bronchial carcinoma. Could albumin be considered as a tumor marker? *International Journal of Biological Markers*; vol.19, no.4, pp.316-321.

Cherniack RM, Banks DE & Bell DY (1990): Bronchoalveolar lavage constituents in healthy individuals, idiopathic pulmonary fibrosis and selected comparison group. *Am Rev Respir Dis*; 141 (5): part 2.

Chute C, Greenberg E, Baron J, et al (1985): Presenting conditions of 1539 population-based lung cancer patients by cell type and stage in New Hampshire and Vermont. *Cancer*; **56:2107**.

Clark R, Stone PJ & El-Hag A (1981): Myeloperoxidase-catalyzed in activation of alpha one protease inhibition by human neutrophil. *J Biol Chem*. **256:33-41**.

Cohen MH (1983): Signs and symptoms of bronchogenic carcinoma. In: Straus MJ, editor. Lung cancer: clinical diagnosis and treatment. *Philadelphia, PA: Grune & Stratton; p. 97–97*.

Colice GL (1997): Detecting lung cancer as a cause of hemoptysis in a patient with a normal radiograph. *Chest*; **111:877-884**.

Colt HG, Crawford SW & Galbraith III O (2001): Virtual reality bronchoscopy simulation: A revolution in procedural training. *Chest*; **120:1333-1339**.

Comis RL, Miller M & Ginsberg SJ (1983): Abnormalities in water homeostasis in small cell anaplastic lung cancer. *Cancer*; **51:161–168**.

Cooper CA, Carby FA, Bubb VJ, et al (1997): The pattern of K-ras mutation in pulmonary adenocarcinoma defines a new pathway of tumor development in the human lung. *J Pathol*; **181:401-404**.

Costabel U (1998): Atlas of Bronchoalveolar Lavage. First ed. Philadelphia, PA: Chapman and Hall.

Crystal RG, Bitterman PB & Rennord S (1999): Interstitial lung diseases of unknown cause, disorders characterized by chronic inflammation of the lower respiratory tract. *N. Engl. J. Med*. **310-354**.

Daly RC, Trastek VF & Pairolero PC (1991): Bronchioloalveolar carcinoma: Factors affecting survival. *Ann Thorac Surg.* **51:** 368-377.

Darby S, Hill D, Auvinen A, et al (2005): Radon in homes and risk of lung cancer: collaborative analysis of individual data from 13 European case-control studies. *BMJ;* **330:**223.

Dasika GK, Lin SC, Zhao S, et al (1999): DNA damage-induced cell cycle checkpoints and DNA strand break repair in development and tumorigenesis. *Oncogene;* **18:**7883-7899.

Dauber J. H., Rossman M.D. & Daniele R. P. (1979): Bronchoalveolar cell populations in sarcoidosis: observations in smoking and non-smoking patients. *J. Lab. Clin. Med.* **94:**862-871.

David Feller-Kopman, William Lunn & Armin Ernst (2005): Auto Fluorescence Bronchoscopy. *Ann Thorac Surg;* **80:**2395-2401

Davis GS (1994): Bronchoalveolar lavage in interstitial lung disease. *Semin Respir Crit Care Med;* **15:** 37-60.

Denissenko MF, Pao A, Tang M & Pfeifer GP (1996): Preferential formation of benzo(a)pyrene adducts at lung cancer mutational hotspots in p53. *Science;* **274:**430.

Diederich S, Wormannns D, Semik M, et al (2002): Screening for early lung cancer with low-dose spiral CT: Prevalence in 817 asymptomatic smokers. *Radiology;* **222:**773-781.

Diego A, Compte L, Sanchis J, et al (1990): Diagnostic value of CEA in bronchoalveolar lavage fluid of peripheral lung cancer. *Chest;* **97:**767-8.

Diego A, Compte L, Sanchis J, et al (1991): Usefulness of CEA determination in bronchoalveolar lavage fluid. *Chest;* **100:**1060-3.

Djordjevic MV, Stellman SD & Zang E (2000): Dosages of nicotine and lung carcinogens delivered to cigarette smokers. *J. Natl. Cancer Inst.*, 92: 106-111.

Dooms C & Vansteenkiste J (2007): Positron emission tomography in non-small cell lung cancer. *Curr Opin Pulm Med.*; 13(4): 256-260.

Doumas BT, Watson WA & Biggs HG (1971): Albumin standards and the measurement of serum albumin with bromcresol green. *Clin Chim Acta.* 31:87-96.

Doweiko JP & Nompleggi DJ (1991): The role of albumin in human physiology and pathophysiology, part III: Albumin and disease states. *J Parenter Enteral Nutr* 15(4):476–483.

Eindhoven GB, Dercksen B, Regtien JG, Borg PA & Wierda JMKH (2001): A practical approach to management of the difficult airway. *European Journal of Anaesthesiology; volume 18, supplement 23*:60-65.

Emerson TE (1989): Unique features of albumin: A brief review. *Crit Care Med* 17(7):690–693.

Ernst A, Silvestri GA & Johnstone D (2003): Interventional pulmonary procedures: Guidelines from the American college of Chest Physicians. *Chest*; 123(5): 1693-1717.

Esteva FJ & Hortobagyi GN (2004): Prognostic molecular markers in early breast cancer. *Breast Cancer Res*; 6:109–18.

Fein A, Feinsilver S & Ares C (1998): The solitary pulmonary nodule: A systemic approach. In Fishman AP, Elias JA, Fishman JA, et al (Eds): *Fishman's Pulmonary Diseases and Disorders. New York, McGraw-Hill, pp: 1727-1737.*

Ferrigno D, Buccheri G & Biggi A (1994): Serum tumor markers in lung cancer: History, biology and clinical applications. *Eur Respir J*; 7:186-197.

Field RW, Steck DJ, Smith BJ, et al (2000): Residential radon gas exposure and lung cancer: The Iowa Radon Lung Cancer Study. *Am J Epidemiol*; 151:1091.

Finely TN, Swenson EW, Curran WS, Huber GL & Ladman AJ (1977): Bronchopulmonary lavage in normal subjects and patients with obstructive lung disease. *Ann Intern Med*; 66:651-658.

Fischer R & Huber RM (2000): Endoluminal Brachytherapy in Central Lung Cancer. *Prog Respir Res. Basel, Karger*; vol. 30, pp: 146-158.

Fontham ET, Correa P, Reynolds P, et al (1994): Environmental tobacco smoke and lung cancer in nonsmoking women. A multicenter study. *JAMA*; 271:1752.

Francis D & Mathur PN (2008): Endobronchial Ultrasound. *Chest*; 133:264-270.

Freitag L, Ernst A, Thomas M, et al (2004): Sequential photodynamic therapy (PDT) and high dose brachytherapy for endobronchial tumor control in patients with limited bronchogenic carcinoma. *Thorax*; 59:790-793.

Gaish G & Brutis WJ (1991): The diagnosis and treatment of malignancy associated hypercalcemia. *Endocrinologist* 1: 371-378.

Gaissert HA, Grillo HC, Wright CD, et al (2003): Complication of benign tracheobronchial strictures by self-expanding metal stents. *J Thorac Cardiovasc Surg*; 126:744-747.

Gazzeri S, Brambilla E, Caron de Fromentel C, et al (1994): p53 genetic abnormalities and myc activation in human lung carcinoma. *Int J Cancer*; 58:24-32.

Gerard A, Silvestri & James Jett (2005): Bronchogenic Carcinoma. IN Murray & Nadel's Textbook of Respiratory Medicine, 4th Ed; ch: 44.

Ghaffar H, Shin F, Sanchez-Cepedes M, et al (2003): LKB1 protein expression in the evolution of glandular neoplasia of the lung. *Clin Cancer Res*; 9:2998-3003.

Giatromanolaki A, Koukourakis MI, Sivridis E, et al (2001): Relation of hypoxia inducible factor 1 alpha and 2 alpha in operable non-small cell lung cancer to angiogenic/molecular profile of tumors and survival. *Br J Cancer*; 85:881-890.

Goldstein RA, Rohatgi PA & Bergofsky EH (1990): clinical role of bronchoalveolar lavage in adult with pulmonary disease. *Am. Rev. Respir. Dis.* 143:481.

Granz PA, Ma PY, Wang HJ, et al (1987): Evaluation of three biochemical markers for serially monitoring the therapy of small cell lung cancer. *Journal of Clinical Oncology*; 5:472-9.

Greco FA, Hainsworth J, Sismani A, et al (1981): Hormone production and paraneoplastic syndromes. In: Greco FA, Oldham RK, Bunn PA Jr, editors. Small cell lung cancer. *New York, NY: Grune & Stratton, Inc.; 1981. p. 177–223.*

Green CG (1991): Assessment of the pediatric airway by flexible bronchoscopy. *Respir Care*; 36(6): 555-568.

Green RA, Russo EA, Green RT & Kabel AL (1985): Hypoalbuminemia-related platelet hypersensitivity in patients with nephrotic syndrome. *JAMA* 186(5):485–488, 1985.

Gronowitz JS, Bergstrom R, Nou E, et al (1990): Clinical and serologic markers of stage and prognosis in small cell lung cancer. *Cancer*; **66**:722-32.

Gold P & Freedman SO (1965): Demonstration of tumor-specific antigens in human colonic carcinomata by immunological tolerance and absorption techniques. *J Exp Med*; **121**:439.

Gorlova, OY, Weng SF, Zhang Y, et al (2007): "Aggregation of cancer among relatives of never-smoking lung cancer patients". *International Journal of Cancer* **121** (1): 111–118.

Hackshaw AK, Law MR & Wald NJ (1997): The accumulated evidence on lung cancer and environmental tobacco smoke. *Br Med J* **1997**; **315**:980.

Hammarstrom S (1999): The carcinoembryonic antigen (CEA) family: structures, suggested functions and expression in normal and malignant tissues. *Semin Cancer Biol*; **9**:67-81.

Hammond EC, Selikoff IJ & Seidman H (1979): Asbestos exposure, cigarette smoking and death rates. *Ann N Y Acad Sci*; **330**:473.

Hansen-Flaschen J & Nordberg J (1987): Clubbing and hypertrophic osteoarthropathy. *Clin Chest Med*; **8**:287–294.

Harris JE, Thun MJ, Mondul AM & Calle EE (2004): Cigarette tar yields in relation to mortality from lung cancer in the cancer prevention study II prospective cohort, 1982-8. *BMJ* **2004**; **328**:72.

Henschke CI, McCauley DI, Yankelevitz DF, et al (2001): Early Lung Cancer Action Project: A summary of the findings on baseline screening. *Oncologist*; **6**: 147-152.

Henschke CI, Yankelevitz DF, Naidich D, et al (2004): CT screening for lung cancer: suspiciousness of nodules at baseline according to size. *Radiology*; **231**: 164-168.

Herth JF, Becker HD & Ernst A (2004): Conventional vs endobronchial ultrasound-guided transbronchial needle aspiration: a randomized trial. *Chest*; 125: 322-325.

Herth JF, Eberhardt CR & Ernst A (2006): The Future of Bronchoscopy in Diagnosing, Staging and Treatment of Lung Cancer. *Respiration*; 73, No 4:399-409.

Hertz MI, England JE & Snover D (1989): Respiratory syncytial virus induced acute lung injury in adult patients with bone marrow transplants: A clinical approach and review of literature. *Medicine Respiration*; 68:269-272.

Hetzel M, Hetzel J, Schumann C, et al (2004): Cryorecanalization; A new approach for the immediate management of acute airway obstruction. *J Thorac Cardiovasc Surg*; 127:1427-1431.

Hibi K, Takahashi T, Yamakawa K, et al (1992): Three distinct regions involved in 3p deletion in human lung cancer. *Oncogene*; 7:445-449.

Hida T, Yatabe Y, Achiwa H, et al (1998): Increased expression of cyclooxygenase 2 frequently occurs in human lung cancers, specifically in adenocarcinomas. *Cancer Res*; 58:3761-3764.

Hirsch FR, Franklin WA, Gazdar AF, et al (2001): Early Detection of Lung Cancer; Clinical Perspectives of Recent Advances in Biology and Radiology. *Clinical Cancer Research*; 7: 5-22.

Hirsch FR, Matthews MJ, Aisner S, et al (1988): Histopathologic classification of small cell lung cancer. *Cancer* 62: 973-977.

Hoffstein V (1994): Persistent cough in non-smokers. *Can Respir J*: 1:40-47.

Holdenrieder S, Stieber P, von Pawel J, Raith H, Nagel D, Feldmann K & Seidel D (2004): Circulating nucleosomes predict the response to chemotherapy in patients with advanced non-small cell lung cancer. *Clin Cancer Res.*; **10**:5981-7.

Hollstein M, Sidransky D, Vogelstein B & Harris CC (1991): p53 mutations in human cancers. *Science*; **253**:49-53.

Hoppe H, Dinkel H-P, Walder B, et al (2004): Grading airway stenosis down to the segmental level using virtual bronchoscopy. *Chest*; **125**:704-711.

Hubbard R, Venn A, Lewis S & Britton J (2000): Lung cancer and cryptogenic fibrosing alveolitis. A population-based cohort study. *Am J Respir Crit Care Med*; **161**:5.

Hughes JM & Weill H (1994): Asbestos and man-made fibers. In: Samet, JM, ed. *Epidemiology of Lung Cancer*, Samet JM (Ed), Marcel Dekker, New York. p.185.

Hunninghake GW, Gadek JE, Kawanami O, Ferrans VZ & Crystal RG (1979): Inflammatory and immune processes in the human lung in health and disease: evaluation by bronchoalveolar lavage. *Am. J. Pathol.* **97**:149-206.

Hussein H, Hosni M, El-Nagar T & Zamzam M (1991): Study of immunoglobulin G in serum and bronchoalveolar lavage in patients with interstitial pulmonary fibrosis. *Egyptian J. Chest. Dis. and Tuber.* **38**: 155-166.

Indian Journal of Clinical Biochemistry (2007): Tumor markers: *An Overview*; **22 (2)** 17-31

Irwin RS, Corrao WM & Pratter MR (1981): Chronic persistent cough in the adult: the spectrum and frequency of causes and successful outcome of specific therapy. *Am Rev Respir Dis*; **123**:413-417.

Jarjour NN, Peters SP & Djukanovic R (1998): Investigative use of bronchoscopy in asthma. *Am J Respir Crit Care Med*; 157:692-697.

Jemal A, Siegel R, Ward E, Murray T, Xu J and Thun MJ (2007): CA *Cancer J Clin* 57, pp. 43–66.

Jerry DH & Gerard S (2000): Diagnosis and staging of lung cancer. *Clinics in Chest Medicine*; 21; 31.

Johnson B (1996): The role of MYC, JUN, and FOS oncogenes in human lung cancer. In: Pass H, Mitchell J, Johnson D, Turrisi A, ed. Lung Cancer: Principles and Practice, Philadelphia: Lippincott-Raven; 83-98.

Jones N, Iljin K, Dumont DJ & Alitalo K (2001): Tie receptors: New modulators of angiogenic and lymphangiogenic responses. *Nat Rev Mol Cell Biol*; 2:257-267.

Jones KP, Edwards JH, Reynolds SP, Peters TJ & Davies BH (1990): A comparison of albumin and urea as reference markers in bronchoalveolar lavage fluid from patients with interstitial lung disease. *Eur Respir J*; 3: 152-156

Jonsson S, Thorsteinsdottir U, Gudbjartsson DF, et al (2004): Familial risk of lung carcinoma in the Icelandic population. *JAMA*; 292:2977.

Jorgensen LGM, Hansen HH & Cooper EH (1989): NSE, CEA and LDH as indicators of disease activity in small cell lung cancer. *Eur J Cancer. Clin Oncol*; 25:123-8.

Kabir Z, Bennett K & Clancy L (2007): "Lung cancer and urban air-pollution in dublin: a temporal association?" *Irish Medical Journal* 100 (2): 367–369.

Kamath AV & Prashant CN (2006): Role of Bronchoscopy in Early Diagnosis of Lung Cancer. *Indian J Chest Dis Allied Sci*; 48; 265-269.

Kao CH, Hsieh JF, Ho YJ & Ding HJ (1999): Cytokeratin fragment 19 (CYFRA 21-1) and carcinoembryonic antigen for early prediction of recurrence of lung adenocarcinoma. *Lung*; 177:333-7.

Katoh Y, Stoner GD, McIntire KR, Hill TA, Anthony R, McDwell EM, et al (1979): Immunologic markers of human bronchial epithelial cells in tissue sections and in culture. *J Natl Cancer Inst*; 62: 1177-1185.

Keith RL, Miller YE, Gemmill RM, et al (2000): Angiogenic squamous dysplasia in bronchi of individuals at high risk for lung cancer. *Clin Cancer Res*; 6:1616-1625.

Kennedy TC, McWilliams A, Edell E, et al (2007): Bronchial Intraepithelial Neoplasia/ Early Central Airways Lung Cancer: Clinical Practice Guidelines (2nd Edititon). *Chest*; 132:221S-233.

Kevin Palka, David H & Johnson (2008): Small Cell Lung Cancer: Diagnosis, Treatment, and Natural History. In Fishman's Pulmonary Diseases and Disorders.4th edition, vol: II, part xv, ch: 106; 1899-1915.

Khaled H, Salem ES, El-Shennawy F, Hafez SM, El-Fiky A & El-Desouky MEA (1991): Serum and bronchoalveolar lavage in patients with bronchial asthma and active bilharziasis. *Egyptian J. Chest Dis. and Tuberc.* 38 (1): 77-86.

Klaveren V, Habbema JDF, Pedersen JH et al (2001): Lung Cancer screening by low-dose spiral computed tomography. *EUR Respir J*; 18:857-866.

Knudson Jr AG, Hethcote HW & Brown BW (1975): Mutation and childhood cancer: A probabilistic model for the incidence of retinoblastoma. *Proc Natl Acad Sci U S A*; 72:5116-5120.

Koppen W, Turner JF & Mehta AC (2004): Flexible Bronchoscopy. 2nd ed. Oxford: Blackwell Publishers.

Kostas D, Hatzakis, Marios E, Froudarakis, Demosthenes B, Nikolaos T, Nikolaos K, Nikolaos M & Siafakas (2002): Prognostic Value of Serum Tumor Markers in Patients with Lung Cancer. *Respiration*; 69:25-29

Kraft M (2007): Approach to the patient with respiratory disease. *In: Goldman L, Ausiello D, eds. Cecil Medicine. 23rd ed. Philadelphia, Pa: Saunders Elsevier; chap 83.*

Lam S, Macaulay C, Hung J, et al (1991): Detection and localization of early lung cancer by imaging techniques. *J Thorac Cardiovasc Surg* 105, 1035-1040.

Lardinosis D, Weder W, Hany TF, et al (2003): Staging of non-small-cell lung cancer with integrated positron-emission tomography and computed tomography. *N Engl J MED* 2003; 348:2500-7.

Latif F, Tory K, Modi WS, et al (1992): Molecular characterization of a large homozygous deletion in the small cell lung cancer cell line U2020: A strategy for cloning the putative tumor suppressor gene. *Genes Chromosomes Cancer*; 5:119-127.

Lauren G, Christopher H, Robert P, et al (2007): Lung Cancer; Diagnosis and Management. *Amer family phys*; Vol.75 No.1:123-135.

Lee P, Kupeli E & Mehta AC (2002): Therapeutic bronchoscopy in lung cancer: Laser therapy, electrocautery, brachytherapy, stents, and photodynamic therapy. *Clin Chest Med*; 23:241-256.

Lee P, Pincus MR & McPherson RA (2007): Diagnosis and management of cancer using serologic tumor markers. In: McPherson RA, Pincus MR, eds. *Henry's Clinical Diagnosis and Management by Laboratory Methods. 21st ed. Philadelphia, Pa: Saunders Elsevier; 1353-1366.*

Leslie A & Litzky (2008): The pathology of non-small cell lung carcinoma. In Fishman A, Elias J, Fishman J and Grippi M (4th edition) Fishman's Pulmonary Diseases and Disorders, *vol: II, part xv, ch: 104; 1831-1849.*

Levy H, Kallenbach JM & Feldman C (1998): Delayed pneumothorax after transbronchial lung biopsy. *Thorax; 41:647-648.*

Li X & Hemminki K (2005): Familial multiple primary lung cancers; a population-based analysis from Sweden. *Lung Cancer 2005; 47:301.*

Lillington GA (1991): Management of solitary pulmonary nodules. *Dis Mon. 37: 271-318.*

Litzky LA (1998): The pathology of non-small cell lung carcinoma. In Fishman AP, Elias JA, Fishman JA, Grippi MA, Kaiser LR, Senior RM (Eds): "Fishman's Pulmonary Diseases and Disorders", pp1741-1756. McGraw-Hill Health professions division.

Liu MC, Hubbard WD, Proud D, et al (1991): Immediate and late inflammatory response to ragweed antigen challenge of the peripheral airways in allergic asthmatics. *American Review of Respiratory Disease; 144: 51-58.*

Loeb S., ed. (1994): Illustrated Guide to Diagnostic Tests. PA: Springhouse Corporation.

Lombardi C, Tassi GF, Pizzocolo G, et al (1990): Clinical significance of a multipl biomarker assay in patients with lung cancer. *Chest; 97:639-44.*

LTO, Lab Tests Online (2005): Tumor markers. Accessed December 12, 2005.

Macchia V, Mariano A, Cavalcanti M, et al (1987): Tumor markers and lung cancer: Correlation between serum and bronchial secretion levels of

CEA, TPA, Can Ag CA-50, NSE and ferritin. *The international Journal of Biological Markers*; 2:151-156.

Maiwand MO (2001): Endobronchial cryosurgery. *Chest Surg Clin N Am*; 11:791-811.

Mao L, Lee JS, Kurie JM, et al (1997): Clonal genetic alterations in the lungs of current and former smokers. *J Natl Cancer Inst*; 89:857-862.

Marcus P, Bergstrahl E, Fagerstrom R, et al (2000): Lung cancer mortality in Mayo Lung Project: Impact of extended follow up. *J Natl Cancer Inst*; 92:1308-1316.

Marek W, Kotschy NL, Muti A, et al (2001): Can semi-automated image cytometry on induced sputum become a screening tool for lung cancer? *EUR Respir*; 18:942-950.

Massacesi C, Rocchi MB, Marcucci F, Pilone A, Galeazzi M & Bonsignori M (2003): Serum tumor markers may precede instrumental response to chemotherapy in patients with metastatic cancer. *Int J Biol Markers*; 18:295-300.

Matthay RA & Carter DC (1995): Lung Neoplasms In George RB, Light RW, Matthay MA, Matthay RA (Eds): "*Chest Medicine: Essentials of Pulmonary and Critical Care Medicine*", pp: 393-418.

Mattson ME, Pollack ES & Cullen JW (1987): What are the odds that smoking will kill you? *Am J Public Health*; 77:425.

Masuda A & Takahashi T (2002): Chromosome instability in human lung cancers: Possible underlying mechanisms and potential consequences in the pathogenesis. *Oncogene*; 21:6884-6897.

Mayse ML, Greenheck J, Friedman M & Kovitz KL (2004): Successful bronchoscopic balloon dilatation of nonmalignant tracheobronchial obstruction without fluoroscopy. *Chest*; **126(2): 634-637.**

Mazzaferro EM, Rudloff E & Kirby R (2002): The role of albumin replacement in the critically ill veterinary patient. *J Vet Emerg Crit Care* **12(2):113–124.**

Mazzone P, Jain P, Arroliga AC, et al (2002): Bronchoscopy and needle biopsy techniques for diagnosis and staging of lung cancer. *Clin Chest Med*; **23: 137-58.**

Mc Pherson RA & Pincus MR. (2007): Henry's Clinical Diagnosis and Management by Laboratory Methods. 21st ed. Philadelphia, PA: Saunders-Elsevier Science Publishers.

Mendez D, Jensen R, McElroy L, Pena J & Esquerra R (2005): "The effect of non-enzymatic glycation on the unfolding of human serum albumin". *Arch Biochem Biophys* **444 (2): 92–9.**

Merrill WW, Goodenberger D, Strober W, Matthay RA, Naegel GP & Reynolds HY (1980): Free secretory component and other proteins in human lung lavage. *Am Rev Respir Dis*; **122:156-161.**

Merrill WW, Goodman M, Matthay RA, Naegel GP, Vandevoorde JP, Myl AD, et al (1981): Quantitation of carcinoembryonic antigen in the lung fluid of normal smokers and non-smokers. *Am Rev Respir Dis*; **123: 29-31.**

Merrill WW & Bondy PK (1982): production of biochemical marker substances by bronchogenic carcinomas. *Clin Chest Med.* **3: 307-320.**

Michael A. Nead & David G. Morris (2008): Interstitial Lung Disease: A Clinical Overview and General Approach. In Fishman A, Elias J, Fishman J and Grippi M (4th edition) Fishman's Pulmonary Diseases and Disorders, *part: VII, ch: 66; 1105-1125.*

Midthun DE & Jett JR (1996): Clinical presentation of lung cancer. In Pass HI, Mitchell JB, Johnson DH, et al (Eds): Lung Cancer: Principles and Practice. *Philadelphia: Lippincott-Raven, p 422.*

Miller AB, Altenburg HP, Bueno-de-Mesquita B, et al (2004): Fruits and vegetables and lung cancer; Findings from the European Prospective Investigation into Cancer and Nutrition. *Int J Cancer; 108:269.*

Mills NE, Fishman CL, Scholes J, et al (1995): Detection of K-ras oncogene mutations in bronchoalveolar lavage fluid for lung cancer diagnosis. *J Natl Cancer Inst; 87:1056-1060.*

Minna JD & Schiller JH (2008): Harrison's Principles of Internal Medicine (17th ed.). McGraw-Hill. pp. 551–562.

Miyake M, Okazaki M & Iwabuchi S (2002): Isolation of a cDNA Encoding Canine Serum Albumin.

Mohan A, Guleria R, Mohan C & Sharma R (2004): Laser bronchoscopy- current status. *J Assoc Physicians India; 52: 915-920.*

Molina R, Filella X & Auge JM (2004): ProGRP; a new biomarker for small cell lung cancer. *Clin Biochem.; 37:505-11.*

Molina R, Filella X, Auge JM, Fuentes R, Bover I, Rifa J, Moreno V, Canals E, Vinolas N, Marquez A, Barreiro E, Borrás J & Viladiu P (2003): Tumor markers (CEA, CA 125, CYFRA 21-1, SCC and NSE) in patients with non-small cell lung cancer as an aid in histological diagnosis and prognosis. Comparison with the main clinical and pathological prognostic factors. *Tumor Biol.; 24:209-18.*

Moodie SA, Willumsen BM, Weber MJ & Wolfman A (1993): Complexes of Ras.GTP with Raf-1 and mitogen-activated protein kinase. *Science; 260:1658-1661.*

Mori PA, Pesci A, Bertorelli G, Anghinolfi M, Strinati F & Olivieri D (1988): The intensity of sarcoidosis alveolitis is related to albumin and IgG levels in BAL. *Respiration*; **54**: 30-35.

Mountain C. F., Libshitz H. I. & Hermes K. E. (2003): A handbook for staging, imaging and lymph node classification.

Muley T, Dienemann H & Ebert W (2004): CYFRA 21-1 and CEA are independent prognostic factors in 153 operated stage I NSCLC patients. *Anticancer Res.*; **24**:1953-6.

Nakayama M, Satoh H, Ishikawa H, Fujiwara M, Kamma H, Ohtsuka M & Sekizawa K (2003): Cytokeratin 19 fragment in patients with nonmalignant respiratory diseases. *Chest*; **123**:2001-6.

National Cancer Institute (2008): Tumor Markers; Questions and Answers. Accessed November 6, 2008. (Adapted from Cistola DP: Fat sites found! *Nat Struct Biol* 5[9]:751–753, 1998.)

National Institute for Clinical Excellence (NICE, 2005): Diagnosis and Management of Lung Cancer Guidelines.

Newcomb PA & Carbone PP (1992): The health consequences of smoking: cancer. *Med Clin North Am*; **76**:305.

Niho S, Nishiwaki Y, Goto K, Ohmatsu H, Matsumoto T, Hojo F, Ohe Y, Kakinuma R & Kodama T (2000): Significance of serum pro-gastrin-releasing peptide as a predictor of relapse of small cell lung cancer: comparative evaluation with neuron-specific enolase and carcinoembryonic antigen. *Lung Cancer*; **27**:159-67.

Nolop K, Rhodes C, Brudin L, et al (1987): Glucose utilization in vivo by human pulmonary neoplasms. *Cancer*; **60**:2682-2689

Noppen M, Poppe K, D'Haese J, et al (2004): Interventional bronchoscopy for treatment of tracheal obstruction secondary to benign or malignant thyroid disease. *Chest*; **125**:723-730.

Nowak R (1994): Beta-carotene: Helpful or harmful? *Science*; **264**:500.1.

O'Byrne KJ, Koukourakis MI, Giatromanolaki A, et al (2000): Vascular endothelial growth factor, platelet-derived endothelial cell growth factor and angiogenesis in non-small-cell lung cancer. *Br J Cancer*; **82**:1427-1432.

Oda K, Arakawa H, Tanaka T, et al (2000): p53AIP1, a potential mediator of p53-dependent apoptosis, and its regulation by Ser-46-phosphorylated p53. *Cell*; **102**:849-862.

Oda E, Ohki R, Murasawa H, et al (2000): Noxa, a BH3-only member of the Bcl-2 family and candidate mediator of p53-induced apoptosis. *Science*; **288**:1053-1058.

Okusaka T, Eguchi K, Kasai T, Kurata T, Yamamoto N, Ohe Y, Tamura T, Shinkai T & Saijo N. (1997): Serum levels of pro-gastrin-releasing peptide for follow-up of patients with small cell lung cancer. *Clin Cancer Res.*; **3**:123-7.

Palcic B, Garner DM, Beveridge J, et al (2002): Increase of sensitivity of sputum cytology using high-resolution image cytometry: field study results. *Cytometry*; **50**:168-176.

Paradis IL, Dauber JH & Rabin BS (1986): Lymphocyte phenotypes in bronchoalveolar lavage and lung tissue in sarcoidosis and idiopathic pulmonary fibrosis. *Am Rev Respir Dis*; **133**:855.

Pastis NJ & ilvestri GA (2004): Tissue procurement: Bronchoscopic techniques. In: Pass HI, Carbone DP, Johnson DH, et al ed. *Lung Cancer: Principles and Practice, 3rd ed. Philadelphia: Lippincott Williams & Wilkins; in press.*

Paterson RL & Webster NR (2000): Educational review, sepsis and the systemic inflammatory response syndrome. *Coll. Surg. Edin; 178-182.*

Paul A (2006): Chronic Cough due to Lung Tumors: ACCP Evidence-Based Clinical Practice Guidelines: *Chest: 129 (1):54.*

Perk K, Hod I, Presentey B & Nobel TA (1971): Lung carcinoma of sheep (jaagsiekte). II. Histogenesis of the tumor. *J Natl Cancer Inst; 47:197.*

Peters Jr T (1996): All About Albumin: Biochemistry, Genetics, and Medical Applications. *San Diego, Academic Press, 1996.*

Peto R, Darby S, Deo H, et al (2000): Smoking, smoking cessation, and lung cancer in the UK since 1950: combination of national statistics with two case-control studies. *BMJ; 321:323.*

Phillipos EZ & Libsekal K (1998): Flexible bronchoscopy in the management of congenital lobar emphysema in the neonate. *Can Respir J; 5:219-221.*

Pieterman RM, Van Putten JWG, Meuzelaar JJ, et al (2000): Preoperative staging of non-small-cell lung cancer with positron-emission tomography. *N Engl J Med; 343:254-261.*

Pingleton SK, Harrison GR, Strechschulte DJ, Wesselius LJ, Kerby GR & Ruth WE (1983): Effect of location, pH and temperature of instillate in bronchoalveolar lavage in normals. *Am Rev Respir Dis; 128: 1035-1037.*

Pope RJ & Hansell DM (2003): Extra-thoracic staging of lung cancer. *Eur J Radiol; 45:31-38.*

Postmus P (1998): Epidemiology of lung cancer. In: Fishman A, Elias J, and Grippi M (3rd Edition) Fishman's Pulmonary diseases and disorders. New York: McGraw-Hill, Health Professions Division: pp.1707-1719.

Prakash UBS (2005): Bronchoscopy. In Mason RJ, Broaddus VC, Murray JF, Nadel JA, (eds): Murray and Nadel's textbook of Respiratory Medicine, 4th. Philadelphia, Saunders, pp1617-1650.

Prindiville SA, Hirsch FR, Miller YE, et al (2001): Fluorescence versus white light bronchoscopy for detection of preneoplastic lesions. *J Nat Cancer Inst* 19; 93 18):1385-91.

Pujol JL, Molinier O, Ebert W, Daures JP, Barlesi F, Bucchieri G, Paesmans M, Quoix E, Moro-Sibilot D, Szturmowicz M, Brechot JM, Muley T & Grenier J (2004): CYFRA 21-1 is a prognostic determinant in non-small-cell lung cancer: results of a meta-analysis in 2063 patients. *Br J Cancer*; 90:2097-105.

Quinn M, Babb P, Brock A, Kirby L & Jones J (2001): Cancer trends in England and Wales 1950-1999. *Studies on medical and population subjects*, No. 66. London: The Stationary Office.

Rachwal WJ, Bongiorno PF, Orringer MB, et al (1995): Expression and activation of erbB-2 and epidermal growth factor receptor in lung adenocarcinomas. *Br J Cancer*; 72:56-64.

Rennard S, Basset G, Lecossier D, O'Donnell D, Martin P & Crystal, RG (1986): Estimations of the absolute volume of epithelial lining fluid recovered by bronchoalveolar lavage using urea as an endogenous marker of dilution. *J. Appl. Physiol.* 60:532-538.

Reynolds HY (2007): Respiratory structure and function: mechanisms and testing. In: Goldman L, Ausiello D, eds. *Cecil Medicine*. 23rd ed. Philadelphia, Pa: Saunders Elsevier; ch: 85.

Reynolds HY (1987): State of art bronchoalveolar lavage. *Am. Rev. Respir. Dis*; 135: 250-263.

Ried R & Rudd R (2001): Diagnostic investigations in lung cancer. *EUR Respir Mon*; 17:151-169.

Rivera M, Detterbeck F & Mehta A (2003): Diagnosis of lung cancer: The guidelines. *Chest*; 123(1 Suppl):129S-136S.

Rivera MP & Mehta AC (2007): Initial Diagnosis of Lung Cancer ACCP Evidence- Based Clinical Practice Guidelines (2nd ED) *Chest*; 132:131s-148.

Robles AI, Linke SP, Harris CC (2002): The p53 network in lung carcinogenesis. *Oncogene*; 21:6898-6907.

Robles AI, Bemmels NA, Foraker AB & Harris CC (2001): APAF-1 is a transcriptional target of p53 in DNA damage-induced apoptosis. *Cancer Res*; 61:6660-6664.

Rothschild MA, Oratz M & Schreiber SS (1988): Serum albumin. *Hepatology* 8(2):385–401.

Rothschild MA, Oratz M & Schreiber SS (1973): Albumin metabolism. *Gastroenterology* 64(2):324–337.

Rusch V, Baselga J, Cordon-Cardo C, et al (1993): Differential expression of the epidermal growth factor receptor and its ligands in primary non-small cell lung cancers and adjacent benign lung. *Cancer Res*; 53:2379-2385.

Rudd RM, Haslam P & Turner-Warwick M (1981): Cryptogenic fibrosing alveolitis: relationships of pulmonary physiology and bronchoalveolar lavage to response to treatment and prognosis. *Am Respir Dis*; 124:1.

Salomonsson P, Gonneberg R, Gilljam H, et al (1992): Bronchial exudation of bulk plasma at allergen challenge in allergic asthma. *American Review of Respiratory Disease*; 146: 1535-1542.

Salama G, Miedouge M, Rouzaud P, Mauduyt MA, Pujazon MC, Vincent, Carles P & Serre G. (1998): Evaluation of pleural CYFRA21-1 and Carcinoembryonic antigen in the diagnosis of malignant pleural effusions. *Br. J. cancer*; 77(3):472-6.

Samet JM (1991): Health benefits of smoking cessation. *Clin Chest Med*; 12:669

Samet JM, Humble CG & Pathak DR (1986): Personal and family history of respiratory disease and lung cancer risk. *Am Rev Respir Dis*; 134:466.

Sanchez-Cespedes M, Parrella P, Esteller M, et al (2002): Inactivation of LKB1/STK11 is a common event in adenocarcinomas of the lung. *Cancer Res*; 62:3659-3662.

Sanchez De Cos J, Masa F, de la Cruz JL, Disdier C & Vergara C (1994): Squamous cell carcinoma antigen (SCC Ag) in the diagnosis and prognosis of lung cancer. *Chest*; 105:773-6.

Sarafian TA, Magallanes JA, Shau H, et al (1999): Oxidative stress produced by marijuana smoke. An adverse effect enhanced by cannabinoids. *Am J Respir Cell Mol Biol*; 20:1286.

Scagliotti GV (2001): Symptoms, Signs and Staging of lung cancer. *EUR Respir Mon*; 17, 86-119.

Schalhorn A, Fuerst H & Stieber P (2001): Tumor markers in lung cancer. *J Lab Med*; 25:353-61.

Schlessinger J (2000): Cell signaling by receptor tyrosine kinases. *Cell*; 103:211-225.

Schmekel B, Hornblac Y, Hvatum M, Norlund AL & Venge P (1995): Kinetic retrieval of eosinophilic cationic protein, secretory IgA, albumin, and urea during BAL in healthy subjects. *Chest*; 108: 62-7.

Schneider J, Philipp M, Velcovsky HG, Morr H & Katz N (2003): Pro-gastrin-releasing peptide (ProGRP), neuron specific enolase (NSE), carcinoembryonic antigen (CEA) and cytokeratin 19-fragments (CYFRA 21-1) in patients with lung cancer in comparison to other lung diseases. *Anticancer Res*; 23:885-93.

Schulze A, Lehmann K, Jefferies HB, et al (2001): Analysis of the transcriptional program induced by Raf in epithelial cells. *Genes Dev*; 15:981-994.

Seaton A (2000): Bronchoscopy, Clinical Features of R.B.P: In Crofton and Douglas Respiratory Diseases. **Seaton A., Seaton D., and Leitch GA.** (editors) 4th (eds). P.146-401. Black well. Scientific Publications; Oxford, London.

Seijo LM & Stermann DH (2001): Interventional pulmonology. *N Engl J Med*; 344:740-749.

Sementato G, Spatofores M & Feruglio C (1990): Bronchoalveolar lavage and the immunology of lung cancer. *Lung (Suppl)*:1041-9.

Seoane J, Pouponnot C, Staller P, et al (2001): TGF β influences Myc, Miz-1 and Smad to control the CDK inhibitor p15INK4b. *Nat Cell Biol*; 3:400-408.

Sheski FD & Mathur PN (2004): Endobronchial electrosurgery: argon plasma coagulation and electrocautery. *Semin Respir Crit Care Med*; 25 (4): 367-374.

Shinagawa N, Yamazaki K, Onodera Y, et al (2004): CT-guided transbronchial biopsy using an ultrathin bronchoscope with virtual bronchoscopic navigation. *Chest*; 125:1138-1143.

Shibuya K, Hoshino H, Chiyo M et al (2003): High magnification bronchovideoscopy combined with narrow band imaging could detect

capillary loops of angiogenic squamous dysplasia in heavy smokers at high risk for lung cancer. *Thorax*; 58: 989-95.

Shure D & Astarita R (1983): Bronchogenic carcinoma presenting as an endobronchial mass. *Chest*; 83:865-867.

Sidransky D (1997): Nucleic acid-based methods for the detection of cancer. *Science*; 278:1054-1059.

Silvestri GA, Tanoue LT, Mitchell L, et al (2003): The Non-invasive Staging of Non-Small Cell Lung Cancer. *Chest*; 123:147s-156s.

Simoff MJ (2001): Endobronchial management of advanced lung cancer. *Cancer Control*; 8:337.

Slichenmyer WJ & Fry DW (2001): Anticancer therapy targeting the erbB family of receptor tyrosine kinases. *Semin Oncol*; 28:67-79.

Smith RA, Cokkinides V & Eyre HJ (2003): American Cancer Society guidelines for early detection of cancer. *CA Cancer J Clin* 2003; 53:27-43.

Smith LE, Denissenko MF, Bennett WP, et al (2000): Targeting of lung cancer mutational hotspots by polycyclic aromatic hydrocarbons. *J Natl Cancer Inst*; 92:803.

Sone S, Li F, Yang ZG, et al (2000): Characteristics of small lung cancers invisible on conventional chest radiography and detected by population based screening using spiral CT. *Br J Radiology*; 73:137-145.

Souhami RL, Beverley PCL, Bobrow LG, et al (1991): Results of central data analysis: 2nd International Workshop on Small Cell Lung Cancer Antigens. *J Natl Cancer Inst* 1991; 83:609.

Spira A & Ettinger DS (2004): Multidisciplinary management of lung cancer. *N Engl J Med*; 350:379-92.

Sridhar KS, Lobo CF & Altman RD (1998): Digital clubbing and lung cancer. *Chest* 114: 1535-1537.

Staller P, Peukert K, Kiermaier A, et al (2001): Repression of p15INK4b expression by Myc through association with Miz-1. *Nat Cell Biol*; 3:392-399.

Stanley, M. W. (1991): Qualitative and quantitative cytology in control subjects, p. 27-64. In M. W. Stanley, M. J. Henry Stanley, and C. Iber (ed.), Bronchoalveolar lavage: cytology and clinical applications. Igahu-shoin Medical Publishers, New York, N.Y.

Stieber P & Yamaguchi K (2002): ProGRP enables diagnosis of small-cell lung cancer. In: Tumor markers; physiology, pathobiology, technology, and clinical applications. Eds: Diamandis EP, Frische HA, Lilja H, Chan DW, Schwartz MK. AACC, 1st edition, *Washington DC*:517-21.

Stockley RA (1984): Measurement of soluble proteins in lung secretions. *Thorax*; 39: 241-4.

Stupp R, Monnerat C, Turrisi AT 3rd, Perry MC & Leyvraz S (2004): Small cell lung cancer: state of the art and future perspectives. *Lung Cancer*; 45:105-17.

Sunaga N, Tsuchiya S, Minato K, Watanabe S, Fueki N, Hoshino H, Makimoto T, Ishihara S, Saito R & Mori M. (1999): Serum pro-gastrin-releasing peptide is a useful marker for treatment monitoring and survival in small-cell lung cancer. *Oncology*; 57:143-8.

Suzuki (2006): "All-trans retinoic acid down-regulates human albumin gene expression through the induction of C/EBPbeta-LIP". *Biochem J.* 397 (2): 345-53.

Suzuki K & Yokose T (2000): Prognostic significance of the size of the central fibrosis in peripheral adenocarcinoma of the lung. *Ann Thorac Surg* 960: 893-897.

Swanson KL, Prakash UBS, Midthun DE, et al (2002): Flexible bronchoscopic management of airway foreign bodies in children. *Chest*; **121**:1695-1700.

Swensen S, Jett J, Hartman T, et al (2003): Lung cancer screening with CT; Mayo Clinic experience. *Radiology*; **226**:756-761.

Takahashi H, Nukiwa T, Matsuoka R, Danbera T, Natori H, Arai T, et al (1985): Carcinoembryonic antigen in bronchoalveolar lavage fluid in patients with idiopathic pulmonary fibrosis. *Jpn J Med*; **24**: 236-43.

Takahashi T, Nau MM, Chiba I, et al (1989): p53; a frequent target for genetic abnormalities in lung cancer. *Science*; **246**:491-494.

Takashi Takahashi & David Sidransky (2005): biology of lung cancer. In: Murray & Nadel's Textbook of Respiratory Medicine, 4th ed., Ch: 42.

Takeuchi S, Nonaka M, Kadokura M & Takaba T. (2003): Prognostic significance of serum squamous cell carcinoma antigen in surgically treated lung cancer. *Ann Thorac Cardiovasc Surg.*; **9**:98-104.

Thun MJ, Hannan LM, Adams-Campbell LL, et al (2008): "Lung Cancer Occurrence in Never-Smokers: An Analysis of 13 Cohorts and 22 Cancer Registry Studies". *PLoS Medicine* 5 (9): e185. doi:10.1371/journal.pmed. .
Thunissen (2003): Sputum examination for early detection of lung cancer *Clin Pathol*; **56**(11): 805-810.

Travis WD, Brambilla E, Muller-Hermelink HK, et al (2004): Tumors of the lung, in Travis WD, Brambilla E, Muller-Hermelink HK, et al (eds), Pathology and Genetics of Tumors of the Lung, Pleura, Thymus and Heart. *WHO Health Organization Classification of Tumors, vol 10. Lyon, France, IARC Press; p 10.*

Travis WD, Colby TV, Corrin B, et al (1999): WHO Histological Classification of Tumors. Histological Typing of Lung and Pleural Tumors. *3rd ed. Berlin, Springer-Verlag, Germany; p234.*

- Tullis JL (1977):** Albumin; Background and use. *JAMA* 237(4):355–360.
- Ulrich C (2001):** Interpretation of bronchoalveolar lavage fluid cytology. *Exp Lung Res; March: 3-39.*
- UpToDate, (2009)**
- Vaaler AK, Forrester JM, Lesar M, et al (1997):** Obstructive atelectasis in patients with small cell lung cancer: incidence and response to treatment. *Chest; 111:115-120.*
- Vachani A, Seijo L, Unger M & Stermen D (2008):** Bronchoscopy, transthoracic needle aspiration and related procedures. In Fishman A, Elias J, Fishman J and Grippi M (4th edition) Fishman's Pulmonary Diseases and Disorders, *vol: I, part: III, ch: 36; 629-648.*
- Van de Graaf EA, Out TA, Roos CM & Jansen HM (1991):** Respiratory membrane permeability and bronchial hyperreactivity in patients with stable asthma. Effects of therapy with inhaled steroids. *Am Rev Respir Dis* 143:362-368.
- Vaporciyan AA, Nesbitt JC, Lee JS, Stevens C, Komaki R & Roth JA (2000):** Cancer of the lung. In: *Cancer Medicine. 5th ed. Lewiston, N.Y.: Decker.*
- Venot C, Maratrat M, Dureuil C, et al (1998):** The requirement for the p53 proline-rich functional domain for mediation of apoptosis is correlated with specific PIG3 gene transactivation and with transcriptional repression. *EMBO J; 17:4668-4679.*
- Villena V, Lopez Encuentra A, Echave-Susaeta J, Martin-Escribano P & Estenoz-Alfarod J (1996):** Diagnostic value of CA72-4, Carcinoembryonic antigen, CA15-3 and CA 19-9 assay in pleural fluid. *Cancer; 78:736-40.*
- Virji MA, Mercer DW & Herberman RB (1988):** Tumor Markers and their measurements. *Pathol Res Pract; 183:95-9.*

Vollmer RT, Govindan R, Graziano SL, Gamble G, Garst J, Kelley MJ & Christenson RH (2003): Serum CYFRA 21-1 in advanced stage non-small cell lung cancer: an early measure of response. *Clin Cancer Res*; **9:1728-33**.

Vonlanthen S, Heighway J, Altermatt HJ, et al (2001): The bmi-1 oncoprotein is differentially expressed in non-small cell lung cancer and correlates with INK4A-ARF locus expression. *Br J Cancer*; **84:1372-1376**.

Vuyst PD, Dumortier P & Moulin E (1996): Diagnostic value of asbestos in BAL fluid. *Am. Respir Dis*; **136: 1219-1223**.

Waalkes TP, Abeloff MD, Woo KB, Ettinger DS, Ruddon RW & Aldenderfer P (1980): Carcinoembryonic antigen for monitoring patients with small cell carcinoma of the lung during treatment. *Cancer Res*; **40: 4420-27**.

Wahl RI, Hitchins GD, Buchsbaum DJ, et al (1991): 18F-2-deoxy-2-fluoro-d-glucose uptake into human tumor xenografts: Feasibility studies for cancer imaging with positron-emission tomography. *Cancer*; **67:1544-1550**.

Wang K, Mehta A, Turner J, editors (2004): Flexible Bronchoscopy. 2nd ed. *Ann Arbor, MI: Blackwell Science*.

Ward C, Duddridge M, Fenwick J, Gardiner PV, Fleetwood A, Hendrick DJ & Walters EH (1993): Evaluation of albumin as a reference marker of dilution in bronchoalveolar lavage fluid from asthmatic and control subjects, *Thorax*; **48:518-522**.

Washington D.C. (1990): Smoking-related deaths and financial costs: estimates for 1990. Rev. ed, *Office of Technology Assessment, 1993*.

Watine J & Charet JC (1999): Primary small-cell bronchial cancer: Value of serum tumor markers in the prognostic evaluation. *Presse Méd*; **28:1541-1546**.

Webb WR, Gatsonis C, Zerhouni EA, et al (1991): CT and MR imaging in staging non-small cell bronchogenic carcinoma: report of the Radiologic Diagnostic Oncology Group. *Radiology* **178(3): 705-713.19**.

Weiss W (1999): Asbestosis, A marker for the increased risk of lung cancer among workers exposed to asbestos. *Chest*; **115**:536.

Wesselius U, Dark DS & Papasian CJ (1990): Airway CEA concentration in patients with central lung cancer or chronic bronchitis. *Chest*; **98**:393-7.

Wewers MD, Casolaro MA, Sellers SE, et al (1987): Replacement therapy for alpha-1- antitrypsin deficiency associated with emphysema. *N Engl J Med*; **316**: 1055-62.

WHO (2004): "Deaths by cause, sex and mortality stratum". *World Health Organization*.

WHO (2006): "Cancer". *World Health Organization*.

William MS, Richard G, Kimberly KA, Jerry G, Scott HK, William FS & Philip PT (1986): Comparison of the Sensitivity and Specificity of the CA 19-9 and Carcinoembryonic Antigen assays in detecting cancer of the Pancreas. *Gastroenterology* **1986**; **90**:343-9.

Wingo, PA, Ries, LAG, Giovino, GA, et al (1999): Annual report to the nation on the status of cancer, 1973-1996, with a special section on lung cancer and tobacco smoking. *J Natl Cancer Inst*; **91**:675.

Wild D (1994): The Immunoassay Handbook, *Stockton Press*; **p444**.

Wistuba II, Behrens C, Virmani AK, et al (2000): High resolution chromosome 3p allelotyping of human lung cancer and preneoplastic/preinvasive bronchial epithelium reveals multiple, discontinuous sites of 3p allele loss and three regions of frequent breakpoints. *Cancer Res*; **60**:1949-1960.

Wood DE, Liu YH, Vallieres E, et al (2003): Airway stenting for malignant and benign tracheobronchial stenosis. *Ann Thorac Surg* **76**:167–172.

Woodson K, Tangrea JA, Barrett MJ, et al (1999): Serum alpha-tocopherol and subsequent risk of lung cancer among male smokers. *J Natl Cancer Inst*; **91**:1738.

Woolner L (1983): Pathology of cancer detected cytologically. In: Atlas of Early Lung Cancer, National Cancer Institute, NIH, United States Department of Health and Human Services. *Tokyo: Igaku-Shoin, pp. 107-203.*

Wright EM (1983): Solute and Water transport across epithelia. *Am Rev Respir Dis*; **127**: 53-8.

Yamaguchi T, Matsuda K, Sagiya Y, et al (2001): p53R2-dependent pathway for DNA synthesis in a p53-regulated cell cycle checkpoint. *Cancer Res*; **61**:8256-8262.

Yeh JJ, Liu FY, Hsu WH, Wang JJ, Ho ST & Kao A (2002): Monitoring cytokeratin fragment 19 (CYFRA 21-1) serum levels for early prediction of recurrence of adenocarcinoma and squamous cell carcinoma in the lung after surgical resection. *Lung*; **180**:273-9.

Yesner R (1993): Pathogenesis and pathology of lung cancer. *Clin Chest Med*. **14**: 17-30.

Yu J, Zhang L, Hwang PM, et al (2001): PUMA induces the rapid apoptosis of colorectal cancer cells. *Mol Cell*; **7**:673-682.

Yuan A, Yu CJ, Chen WJ, et al (2000): Correlation of total VEGF mRNA and protein expression with histologic type, tumor angiogenesis, patient survival and timing of relapse in non-small-cell lung cancer. *Int J Cancer*; **89**:475-483.

Zawadzka-Glos L, Chmielik M, Gabryszewska A & Zajac B (2003): Analysis of indications for bronchoscopy in the department of pediatric otolaryngology in Warsaw, from 1998-2003. *New Med*; **6 (2)**: 4-11.