

References

- **Allan E. Gross AE.** 2005; The role of polymethylmethacrylate bone cement in revision arthroplasty of the hip. *Orthopedic Clinic of North America*; 36: 49–54.
- **American Association of Blood Banks.** 2002; Standards for blood banks and transfusion services. *AABB Bulletin*.
- **American Society of Anesthesiologists.** Standards for basic anesthetic monitoring. Available at: <http://www.asahq.org/publicationsAndServices/sgstoc.htm>
- **Arai F; Kita T; Nakai T; Hori T; Maki N; Kakiuchi M; Sasaki S.** 2007; Histopathologic Features of Fat Embolism in Fulminant Fat Embolism Syndrome: *Anesthesiology*; 107:509–11.
- **Ballantyne JC, Carr DB, deFerranti S, et al.** 1998; The comparative effects of postoperative analgesic therapies on pulmonary outcome: cumulative meta-analyses of randomized, controlled trials. *Anesth Analg*; 86:598- 612.
- **Beattie WS, Badner NH, Choi P.** 2001; Epidural analgesia reduces postoperative myocardial infarction: a meta-analysis. *Anesthesia Analgesia Journal*; 93:853- 8.
- **Bell WR; Simon TL; DeMets DL.** 1977; The clinical features of submassive and massive pulmonary emboli. *American Journal of Medicine*; 62:355–360.
- **Bhattacharyya T; Iorio R; Healy WL.** 2002; Rate of and risk factors for acute inpatient mortality after orthopaedic surgery. *Journal of Bone Joint Surgery America*; 84:562–572.
- **Bieber E.** 2001; Erythropoietin, the biology of erythropoietin and epoetin alfa: an overview. *Journal of Reproductive Medicine*; 46:521– 30.
- **Billote DB; Glisson SN; Green D; et al.** 2002; A prospective, randomized study of preoperative autologous donation for hip replacement surgery. *American Journal of Bone Joint Surgery*; 84:1299–304.
- **Borgeat A; Ekatodramis G.** 2003; Orthopaedic surgery in the elderly. *Anaesthesiology*; 17:235–244.
- **Borghi B, Pignotti E, Montebugnoli M, et al.** 1997; Autotransfusion in major orthopaedic surgery: Experience with 1785 patients. *British Journal of Anaesthesia*; 79:662–664.
- **Capdevila X, Calvet Y, Biboulet P, et al.** 1998; Aprotinin decreases blood loss and homologous transfusions in patients undergoing major orthopedic surgery. *Anesthesiology*; 88:50–57.
- **Carr JB.** 1990; Fulminant fat embolism. *Orthopedics*; 13:258.

- **Casey AT.** 2002; Rheumatoid arthritis of the cervical spine: current techniques for management. *The Orthopedic Clinics of North America*; 33(2): 291-309.
- **Celi A; Palla A; Petruzzelli S; et al.** 1989; Prospective study of a standardized questionnaire to improve clinical estimate of pulmonary embolism. *Chest*; 95:332–37.
- **Cheng MA; Todorov A; Tempelhoff R; McHugh T; Crowder CM; Lauryssen C.** 2001; The effect of prone positioning on intraocular pressure in anesthetized patients. *Anesthesiology*; 95(6): 1351-5.
- **Christenson JC; Yates CW.** 2003; A Simple Arm Positioning Aid for Fracture Table Cases. *Anesthesiology*; Volume 98, Issue 2.
- **Christie J; Burnett R; Potts HR; et al.** 1994; Echocardiography of transatrial embolism during cemented and uncemented hemiarthroplasty of the hip. *British Journal of Bone Joint Surgery* 76:409–412.
- **Claeys MA.** 2007; Reduction of blood loss with tranexamic acid in primary total hip replacement surgery. *Acta Chirurgica Belgica*; 107(4): 397-401.
- **Dambrosio M.** 2002; Hemodynamic and respiratory changes during hip and knee arthroplasty. An echocardiographic study. *Minerva anesthesiologica*; 68(6): 537-47.
- **Dedhia HV; DiBartolomeo A.** 2002; Rheumatoid arthritis. *Critical Care Clinics*; 18(4): 841-54, ix.
- **DePalo LR.** 2001; Near-fatal pulmonary embolism. *Mount Sinai Journal of Medicine*; 68:370–377.
- **Desmond MJ, Thomas MJ, Gillon J, et al.** 1996; Consensus conference on autologous transfusion. Perioperative red cell salvage. *Transfusion*; 36:644–651.
- **Donnamaria V; Palla A; Giuntini C.** 1994; Gender, age, and clinical signs in patients suspected of pulmonary embolism. *Respiration*; 61:1–7.
- **Doyle DJ; Arellano R.** 2002; Upper airway diseases and airway management: a synopsis. *Anesthesiology Clinics of North America*; 20(4): 767-87, vi
- **Dulin N.** 2004; Anaesthesia for hip replacement. Update in *Anaesthesia* - Issue 18 Article 12.
- **Dyer RA, Llewellyn RL, James MF.** 1995; Total i.v. anaesthesia with propofol and the laryngeal mask for orthopaedic surgery. *Br J Anaesth*; 74:123–128.

- **Dyson A, Henderson AM, Chamley D, et al.** 1988; An assessment of postoperative oxygen therapy in patients with fractured neck of femur. *Anaesth Intensive Care*; 16:405–410.
- **Ekman EF; Koman LA.** 2005; Acute pain following musculoskeletal injuries and orthopaedic surgery: Mechanisms and management. *Instruction Course Lecture*; 54:21–33.
- **Eroglu A; Uzunlar H; Erciyes N.** 2005; Comparison of hypotensive epidural anesthesia and hypotensive total intravenous anesthesia on intraoperative blood loss during total hip replacement. *Journal of Clinical Anesthesia*; 17, 420–425.
- **Ezri T.** 2003; Difficult airway management practice patterns among anesthesiologists practicing in the United States: have we made any progress? *Journal of Clinical Anesthesiology*; 15(6): 418-22
- **Faris PM, Ritter MA, Abels RI.** 1996; The effects of recombinant human erythropoietin on perioperative transfusion requirements in patients having a major orthopaedic operation. The American Erythropoietin Study Group. *J Bone Joint Surg Am*; 78:62–72.
- **Feagan BG; Wong CJ; Johnston WC; Arellano R; Colterjohn N; Karkouti K; Turner K.** 2002; Transfusion practices for elective orthopedic surgery. *Canadian Medical Association Journal* - Volume 166, Issue 3.
- **Fitzgibbon EJ; Viola R.** 2005; Parenteral ketamine as an analgesic adjuvant for severe pain: Development and retrospective audit of a protocol for a palliative care unit. *Journal of Palliative Medicine*; 8:49–57.
- **Foss NB, Kristensen MT, Kristensen BB, Jensen BS, Kehlet H.** 2005; Effect of Postoperative Epidural Analgesia on Rehabilitation and Pain after Hip Fracture Surgery. A Randomized, Double-blind, Placebo-controlled Trial. *Anesthesiology*; 102:1197–1204.
- **Franc-Law JM; Rossignol M; Vernec A; Somogyi D; Shrier I.** 2000; Poisoning-induced acute atraumatic compartment syndrome. *American Journal of Emergency Medicine*; 18(5): 616-21.
- **Geerts WH; Bergqvist D; Pineo GF; et al.** 2008; Prevention of venous thromboembolism: American College of Chest Physicians Evidence-Based Clinical Practice Guidelines (8th edition). *Chest*; 133(6 Suppl):381S–453S.
- **Gill JB.** 2006; The use of antifibrinolytic agents in total hip arthroplasty: a meta-analysis. *Journal of Arthroplasty*; 21(6): 869-73.

- **Gillon J, Thomas MJ, Desmond MJ.** 1996; Consensus conference on autologous transfusion. Acute normovolaemic haemodilution. *Transfusion*; 36:640–643.
- **Goldberg MA; McCutchen JW; Jove M; et al.** 1996; A safety and efficacy comparison study of two dosing regimens of epoetin alfa in patients undergoing major orthopedic surgery. *American Journal of Orthopedics*; 25:544– 52.
- **Goldhaber SZ.** 2001; Thrombolysis in pulmonary embolism: a debatable indication. *Journal of Thrombosis and Haemostasis*; 86:444-451.
- **Goldhaber SZ; Grodstein F; Stampfer MJ; et al.** 1997; A prospective study of risk factors for pulmonary embolism in women. *JAMA*; 277:642–645.
- **Gonano C; Leitgeb U; Sitzwohl C; Ihra G; Weinstabl C; Kettner SC.** 2006; Spinal Versus General Anesthesia for Orthopedic Surgery: Anesthesia Drug and Supply Costs. *Anaesthesia Analgesia Journal*; 102:524-9.
- **Gonzalez Della Valle A; Salonia-Ruzo P; Peterson MG; Salvati EA; Sharrock NE.** 2001; Inflatable pillows as axillary support devices during surgery performed in the lateral decubitus position under epidural anesthesia. *Anesthesia Analgesia*; 93(5): 1338-43.
- **Goodnough LT.** 2005; Autologous Blood Donation. *Anesthesiology Clinics of North America*; 23: 263– 270.
- **Goodnough LT; Price TH; Rudnick S; et al.** 1992; Preoperative red cell production in patients undergoing aggressive autologous blood phlebotomy with and without erythropoietin therapy. *Transfusion*; 32:441–5.
- **Guay J.** 2006; The effect of neuraxial blocks on surgical blood loss and blood transfusion requirements: a meta-analysis. *Journal of Clinical Anesthesia*; 18, 124–128.
- **Gutt CN; Oniu T; Wolkener F; et al.** 2005; Prophylaxis and treatment of deep vein thrombosis in general surgery. *American Journal of Surgery*; 189:14–22.
- **Haines ST.** 2003; Venous thromboembolism: Pathophysiology and clinical presentation. *American Journal of Health System*; 60(Suppl 7):S3–S5.
- **Hassan Z. and Fahy BG.** 2005; Anesthetic Choices in Surgery. *Surgical Clinics of North America - Volume 85, Issue 6.*
- **Hippala ST, Strid LJ, Wennerstrand MI, et al.** 1997; Tranexamic acid radically decreases blood loss and transfusions associated with total knee arthroplasty. *Anesthesia Analgesia Journal*; 84:839–844.

- **Hoellerich VL; Wigton RS.** 1986; Diagnosing pulmonary embolism using clinical findings. *Journal of Internal Medicine*; 146:1699–1704.
- **Hoppenstein D; Zohar E; Ramaty E; Shabat S; Fredman B.** 2005; The effects of general vs spinal anesthesia on frontal cerebral oxygen saturation in geriatric patients undergoing emergency surgical fixation of the neck of femur. *Journal of Clinical Anesthesia*; 17, 431–438.
- **Horlocker TT; Wedel DJ; Benzon H; Brown DL; Enneking FK; Heit JA; Mulroy MF; Rosenquist RW; Rowlingson J.** 2003; Regional Anesthesia in the Anticoagulated Patient: Defining the Risks (The Second ASRA Consensus Conference on Neuraxial Anesthesia and Anticoagulation) - *Regional Anesthesia and Pain Medicine*, Vol 28, No 3: pp 172–197.
- **Husebye EE; Lyberg T.** 2006; Bone marrow fat in the circulation. clinical entities and pathophysiological mechanisms. *Injury*; 37 Suppl 4: S8-18.
- **Inouye SK; Schlesinger MJ; Lydon TJ.** 1999; Delirium: A symptom of how hospital care is failing older persons and a window to improve quality of hospital care. *American Journal of Medicine*; 106:565–573.
- **Jaffer AK; Barsoum WK; Krebs V; et al.** 2005; Duration of anesthesia and venous thromboembolism after hip and knee arthroplasty. *Mayo Clinics*; 80(6):732–8.
- **Jaksch W; Lang S; Reichhalter R; et al.** 2002; Perioperative small-dose S(+)-ketamine has no incremental beneficial effects on postoperative pain when standard-practice opioid infusions are used. *Anesthesia Analgesia*; 94:981–986.
- **Janata-Schwartzek K; Weiss K; Riezinger I; et al.** 1996; Pulmonary embolism: II. Diagnosis and treatment. *Seminar of Thrombosis and Hemostasis*; 22:33–52.
- **Joehl RJ.** 2005; Preoperative evaluation: pulmonary, cardiac, renal dysfunction and comorbidities. *Surgery Clinic of North America*; 85(6): 1061-73, vii.
- **Jones SB; Whitten CW; Monk TG.** 2004; Influence of Crystalloid and Colloid Replacement Solutions on Hemodynamic Variables During Acute Normovolemic Hemodilution. *Journal of Clinical Anesthesia*; 16:11–17.
- **Kafali H; Aldemir B; Kaygusuz K; et al.** 2004; Small-dose ketamine decreases postoperative morphine requirements. *European Journal of Anaesthesiology*; 21:916–917.

- **Kasper W; Konstantirides S; Geibel A; et al.** 1997; Management strategies and determinants of outcome in acute major pulmonary embolism: Results of a multicenter registry. *Journal of American Cardiology*; 30:1165–71.
- **Kaufmann SC; Wu CL; Pronovost PJ.** 2002; The association of intraoperative neuraxial anesthesia on anticipated admission to the intensive care unit. *Journal of Clinical Anesthesia*; 14:432–436.
- **Kearon C.** 2001; Epidemiology of venous thromboembolism. *Seminar of Vascular Medicine*; 1:7–26.
- **Keating EM.** 2005; Preoperative Evaluation and Methods to Reduce Blood Use in Orthopedic Surgery. *Anesthesiology Clinics of North America*; 23: 305– 313.
- **Kim KJ; Chen DG; Chung N; Lynch C; Park WK.** 2003; Direct Myocardial Depressant Effect of Methylmethacrylate Monomer. *Anesthesiology*; 98:1186–94.
- **Kim YH.** 2001; Incidence of fat embolism syndrome after cemented or cementless bilateral simultaneous and unilateral total knee arthroplasty. *Journal of Arthroplasty*; 16:730–739.
- **Koessler MJ; Fabiani R; Hamer H; et al.** 2001; The clinical relevance of embolic events detected by transesophageal echocardiography during cemented total hip arthroplasty: A randomized clinical study. *Anesthesia Analgesia Journal*; 92: 49–55.
- **Konstantinides S; Tiede N; Geibel A.** 1998; Comparison of alteplase versus heparin for resolution of major pulmonary embolism. *American Journal of Cardiology*; 82:966-970.
- **Kourtzis N; Pafilas D; Kasimatis G.** 2004; Blood saving protocol in elective total knee arthroplasty. *The American Journal of Surgery*; 187: 261–267.
- **Kress JP; Pohlman AS; O'Connor MF; et al.** 2000; Daily interruption of sedative infusions in critically ill patients undergoing mechanical ventilation. *New England Journal of Medicine*; 342:1471–1477.
- **Kuehn KD, Ege W, Gopp U.** January 2005; Acrylic bone cements: composition and properties. *Orthopedic Clinics of North America - Volume 36, Issue 1.*
- **Kumar K; Bhatt S; Dhimar A; Parekh R.** 2007; Anaesthetic Management For Total Hip Replacement In A Case Of Ankylosing Spondylitis. *The Internet Journal of Anesthesiology*; Volume 12 Number 2.

- **Lai HY; Chen IH; Chen A; Hwang FY; Lee Y.** 2006; The use of the GlideScope® for tracheal intubation in patients with ankylosing spondylitis. *British Journal of Anaesthesia*; 97(3):419-422.
- **Lane A; Crosby ET.** 2009; Blood Management for Hip Reconstruction Surgery. *Orthopedic Clinical Journal of North America*; 40: 417–425.
- **Lattermann R; Belohlavek G; Wittmann S; Füchtmeier B; Gruber M.** 2005; The Anticatabolic Effect of Neuraxial Blockade After Hip Surgery. *Anesthesia Analgesia Journal*; 101:1202-1208.
- **Lee LC; Shah K.** 2001; Clinical Manifestations of Pulmonary Embolism. *Emergency Medicine Clinics of North America*; Volume 19, Issue 4.
- **Lemos MJ, Healy WL.** 1996; Blood transfusion in orthopaedic operations. *American Journal of Bone and Joint Surgery*; 78:1260–1270.
- **Levy JH; Tanaka KA; Dietrich W.** 2008; Perioperative Hemostatic Management of Patients Treated with Vitamin K Antagonists. *Anesthesiology*; 109:918–26.
- **Lezzoni LI; Foley SM; Daley J.** 1992; Comorbidities, complications, and coding bias: Does the number of diagnosis codes matter in predicting in-hospital mortality? *JAMA*; 267:2197–2203.
- **Liu S; Carpenter RL; Neal JM.** 1995; Epidural anesthesia and analgesia: Their role in postoperative outcome. *Anesthesiology*; 82: 1474–1506.
- **Malhorta V.** 2006; Anaesthesia considerations radical prostatectomy. *Conferencias Magistrales Abril-Junio*; 29(1):S89-S92.
- **Mamaeva EG.** 2002; The role of methyl methacrylate monomer in the development of bone cement implantation syndrome in endoprosthesis. *Vestnik khirurgii imeni I. I. Grekova*; 161(3): 114-7.
- **Manganelli D; Palla A; Donnamaria V; et al.** 1995; Clinical features of pulmonary embolism. *Chest*; 107(1 Suppl):25S–32S.
- **Mantilla CB; Horlocker TT; Schroeder Dr; Berry DJ; Brown DL.** 2003; Risk Factors for Clinically Relevant Pulmonary Embolism and Deep Venous Thrombosis in Patients Undergoing Primary Hip or Knee Arthroplasty. *Anesthesiology*; 99:552–60.
- **Martin JT.** 2000; Positioning aged patients. *Anesthesiol Clin North America*; 18(1): 105-21.
- **Mauermann WJ; Shilling AM; Zuo Z.** 2006; A comparison of neuraxial block versus general anaesthesia for elective total hip

replacement: a meta analysis. *Anesthesia Analgesia* ; 103(4):1018-25.

- **Maurer SG; Chen AL; Hiebert R; Pereira GC; Di Cesare PE.** 2007; Comparison of outcomes of using spinal versus general anesthesia in total hip arthroplasty. *American Journal of Orthopedics*; 36(7): E101-6.
- **Merli GJ.** 2008; Treatment of Venous Thromboembolism. *American Journal of Medicine*; 121(11 Suppl 1); S2-S9.
- **Michota FA.** 2005; Venous Thromboembolism: Epidemiology, Characteristics, and Consequences. *Clinical Cornerstone - Volume 7, Issue 4.*
- **Miniati M; Prediletto R; Formichi B; et al.** 1999; Accuracy of clinical assessment in the diagnosis of pulmonary embolism. *American Journal of Respiration and Critical Care Medicine*; 159:864–71.
- **Mirski MA; Lele AV; Fitzsimmons L; Toung TJ.** 2007; Diagnosis and treatment of vascular air embolism. - *Anesthesiology*; 106(1): 164-77.
- **Modig J; Karlstrom G.** 1987; Intra and Post-operative blood loss and haemodynamics in total hip replacement when performed under lumbar versus general anaesthesia. *European Journal of Anaesthesiology*;4:345-355.
- **Monk TG.** 2005; Acute Normovolemic Hemodilution. *Anesthesiology Clinic of North America*; 23: 271– 281.
- **Morgenthaler TI; Ryu JH.** 1995; Clinical characteristics of fatal pulmonary embolism in a referral hospital. *Mayo Clinics*; 70:417– 424.
- **Nambi V; Gomes MP; Deitcher SR.** 2004; Goal-oriented thrombolytic therapy for venous thromboembolic disease. *Clinical Advances in Hematology and Oncology*; 2:169-172.
- **Nazon D; Abergel G; Hatem CM.** 2003; Critical care in orthopedic and spine surgery. *Critical Care Clinic*; 19:33–53.
- **NIH Consensus Conference.** 1982; Total hip-joint replacement in the United States. *JAMA*; 248(15):1817– 21.
- **Nobuyuki H; Kohei M; Sachiyo S; Mayu W; Teruaki N; Ko S.** 2002; Anesthesia for a Severe Ankylosing Spondylitis Patient Whose Posture Had Been Restricted to Only Sitting for Over 20 Years. *Japanese Journal of Anesthesiology*; vol.51; no.9 pp.1026-1028.
- **O'Connor PJ; Hanson J; Finucane BT.** 2006; Induced hypotension with epidural/general anesthesia reduces transfusion in

radical prostate surgery. *Canadian Journal of Anaesthesia*; 53: 9 / pp 873–880.

- **Oliveira; Degrandi CR.** 2007; Ankylosing spondylitis and anesthesia. *Anesthesiology*; vol.57, no.2, p.214-222.
- **Ozier YL.** 2003; Non-pharmacological approaches to decrease surgical blood loss. *Canadian Journal of Anesthesia*; 50:s19–s25.
- **Papagelopoulos PJ.** 2003; Pulmonary fat embolism after total hip and total knee arthroplasty. *Orthopedics*; 26:523–527.
- **Papworth D.** 2004; Intraoperative monitoring during vascular surgery. *Anesthesiology Clinic of North America* 22: 223– 250.
- **Parker MJ, Urwin SC, Handoll HHG, Griffith R., Cynthia A. Lien MD.** 2002; Regional versus general anesthesia for hip surgery in older patients: Does the choice affect patient outcome?. General versus spinal/epidural anesthesia for surgery of hip fracture patients. *Journal of American Geriatrics Society*; 50(1):191-4.
- **Park WY, Thompson JS, Lee KK.** 2001; Effect of epidural anesthesia and analgesia on perioperative outcome: a randomized, controlled Veterans Affairs cooperative study. *Ann Surg*; 234:560-9.
- **Petrozza PH.** 2002; Major spine surgery. *Anesthesiology Clinics of North America*; 20(2): 405-15, vii.
- **Pittman J.A., Sum Ping J., Mark J.B.** 2004; Arterial and central venous pressure monitoring. *Int Anesthesiol Clin* 42(1): 13-30.
- **Pitto RP; Blunk J; Kossler M.** 2000; Transesophageal echocardiography and clinical features of fat embolism during cemented total hip arthroplasty: A randomized study in patients with a femoral neck fracture. *Journal of Orthopedic and Trauma Surgery*; 120:53–58.
- **Practice Guidelines for Blood Component Therapy.** 1996; A report by the American Society of Anesthesiologists Task Force on Blood Component Therapy. *Anesthesiology* 84:732–747.
- **Prielipp RC; Morell RC; Butterworth J.** 2002; Ulnar nerve injury and perioperative arm positioning. *Anesthesiology Clinic of North America*; 20(3): 589-603.
- **Rashiq S; Finegan BA.** 2006; The effect of spinal anesthesia on blood transfusion rate in total joint arthroplasty. *Canadian Journal of Surgery*; 49(6): 391-6.
- **Raw DA; Beattie JK; Hunter JM.** 2003; Anaesthesia for spinal surgery in adults. *British Journal of Anaesthesia*; 91:886–904.
- **Rehm M; Orth V; Kreimeier U; Thiel M; Haller M; Brechtelsbauer H; Finsterer U.** 2000; Changes in Intravascular Volume during Acute Normovolemic Hemodilution and

Intraoperative Retransfusion in Patients with Radical Hysterectomy. *Anesthesiology*; Volume 92, Issue 3.

- **Richman JM; Rowlingson AJ; Maine DN; Courpas GE; Weller JF; Wu CL.** 2006; Does neuraxial anesthesia reduce intraoperative blood loss? A meta-analysis. *Journal of Clinical Anesthesia*; 18, 427–435.
- **Rigg JR, Jamrozik K, Myles PS, et al.** 2002; Epidural anaesthesia and analgesia and outcome of major surgery: a randomised trial. *Lancet*; 359(9314):1276 - 82.
- **Rindfleisch JA; Muller D.** 2005; Diagnosis and management of rheumatoid arthritis. *American Family Physician*; 72(6): 1037-47.
- **Rodgers A, Walker N, Schug S, et al.** 2000; Reduction of postoperative mortality and morbidity with epidural or spinal anaesthesia: results from overview of randomised trials. *BMJ*; 321(7275):1493.
- **Rosencher N, Vielpeau C, Emmerich J, Fagnani F, Samama CM.** 2005; Venous thromboembolism and mortality after hip fracture surgery: the ESCORTE study. *J Thromb Haemost*; 3: 2006–14.
- **Roy RC.** 2000; Choosing general versus regional anaesthesia for the elderly. *Anesthesiology Clinics of North America*; Volume 18, Issue 1.
- **Rozet I; Vavilala MS.** 2007; Risks and benefits of patient positioning during neurosurgical care. *Anesthesiol Clinic*; 25(3): 631-53, x.
- **Samama CM; Albaladejo P; Laversin S; Marret E; Mismetti P.** 2006; New clinical practice guidelines for venous thromboembolism prevention: orthopedic surgery as a paradigm. *Transfusion Alternatives in Transfusion Medicine* 8:156–163.
- **Sarma J.** 2007; Awake intubation with the Fastrach laryngeal mask airway. *Journal of Clinical Anesthesiology*; 19(4): 322.
- **Savoia HF; Metz J; Maxwell EL; et al.** 2002; Utilization of preoperative autologous blood donation in elective surgery. *ANZ Journal of Surgery*; 72:557–560.
- **Schmied H, Kurz A, Sessler DI, et al.** 1996; Mild hypothermia increases blood loss and transfusion requirements during total hip arthroplasty. *Lancet* 347:289–292.
- **Schonfeld SA; Ploysongsang Y; DiLisio R; et al.** 1983; Fat embolism prophylaxis with corticosteroids: A prospective study in high-risk patients. *Annual Internal Medicine*; 99:438–443.
- **Schweickert WD; Gehlbach BK; Pohlman AS; et al.** 2004; Daily interruption of sedative infusions and complications of

critical illness in mechanically mechanically ventilated patients. Critical Care Medicine; 32:1272–1276.

- **Shander A.** 2003; Surgery without blood. Critical Care Medicine; Vol. 31, No. 12 (Suppl.) S708–S714.
- **Sharrock NE, Mineo R, Urquhart B.** 1991; Haemodynamic effects and outcome analysis of hypotensive extradural anaesthesia in controlled hypertensive patients undergoing total hip arthroplasty. Br J Anaesth 67:1 –25.
- **Simon AR; Hassoun PM.** 1998; Diagnosis and management of thromboembolic disease. Hospital Physician; 34:21–37.
- **Sokka T.** 2004; Rheumatoid arthritis databases. Rheumatic Diseases Clinics of North America; 30(4): 769-81, vi.
- **Spahn DR; Casutt M.** 2000; Eliminating Blood Transfusions. Anesthesiology; Volume 93, Issue 1.
- **Sparling EA, Nelson CL, Lavender R, et al.** 1997; The use of erythropoietin in the management of Jehovah's Witnesses who have revision total hip arthroplasty. J Bone Joint Surg Am 78:1548–1552, 1996. 45.
- **Spence RK; Parce P.** 2005; Perioperative assessment of the elective orthopedic surgery patient. Anesthesiology Clinics of North America; 23(2): 295-303, vi.
- **Stein PD; Terrin ML; Hales CA; et al.** 1991; Clinical, laboratory, roentgenographic, and electrocardiographic findings in patients with acute pulmonary embolism and no pre-existing cardiac or pulmonary disease. Chest; 100:598–603.
- **Stevens RD; Van Gessel E; Flory N; Roxane Fournier R; Gamulin Z.** 2000; Lumbar Plexus Block Reduces Pain and Blood Loss Associated with Total Hip Arthroplasty. Anesthesiology; Volume 93, Issue 1.
- **Susec O; Boudrow D; Kline JA.** 1997; The clinical features of acute pulmonary embolism in ambulatory patients. Academy of Emergency Medicine; 4:891 897, 1997.
- **Takenaka I; Iwagaki T; Aoyama K; Ishimura H; Kadoya T.** 2006; Preoperative evaluation of extension capacity of the occipitoatlantoaxial complex in patients with rheumatoid arthritis: comparison between the Bellhouse test and a new method, hyomental distance ratio. Anesthesiology; 104(4): 680-5.
- **Takenaka I; Urakami Y; Aoyama K; Terada T; Ishimura H; Iwagaki T; Kadoya T.** 2004; Severe subluxation in the sniffing position in a rheumatoid patient with anterior atlantoaxial subluxation. Anesthesiology; 101(5): 1235-7.

- **Tang R; Evans H; Chaput A; Kim C.** 2009; Multimodal analgesia for Hip Arthroplasty. *Orthopedic Clinical Journal of North America*; 40: 377–387.
- **Taviloglu K; Yanar H.** 2007; Fat embolism syndrome. *Surgery Today*; 37(1): 5-8.
- **Taylor JM; Gropper MA.** 2006; Critical care challenges in orthopedic surgery patients. *Critical Care Medicine*; 34[Suppl.]:S191–S199).
- **Thomas MJ, Gillon J, Desmond MJ.** 1996; Consensus conference on autologous transfusion. Preoperative autologous donation. *Transfusion* 36:633–639.
- **Tierney WM; Martin DK; Greenlee MC.** 1986; The prognosis of hyponatremia at hospital admission. *Journal of General Internal Medicine*; 1:380– 385.
- **Tokunaga D; Hase H; Mikami Y; Hojo T; Ikoma K; Hatta Y; Ishida M; Sessler DI; Mizobe T; Kubo T.** 2006; Atlantoaxial subluxation in different intraoperative head positions in patients with rheumatoid arthritis. *Anesthesiology*; 104(4): 675-9.
- **Turpie AG.** 2003; New pentasaccharides for the prophylaxis of venous thromboembolism: clinical studies. *Chest*; 124(6 Suppl): 371S-378S.
- **Turpie AG; Chin BS; Lip GY.** 2002; Venous thromboembolism: Pathophysiology, clinical features, and prevention. *British Medical Journal*; 325:887–890.
- **Tutuncu Z; Kavanaugh A.** 2007; Rheumatic disease in the elderly: rheumatoid arthritis. *Rheumatic Diseases Clinics of North America*; 33(1): 57-70.
- **Viscusi ER, Martin G, Hartrick CT, Singla N, Manvelian G.** 2005; Forty-eight Hours of Postoperative Pain Relief after Total Hip Arthroplasty with a Novel, Extended-Release Epidural Morphine Formulation. *Anesthesiology*; 102:1014–22.
- **Urwin SC, Parker MJ, Griffith R.** April 2000; General versus regional anaesthesia for hip fracture surgery: a meta-analysis of randomized trials. *Br J Anaesth.*; 84(4):450-5.
- **Weiskopf RB; Viele MK; Feiner J; Kelley S; Lieberman J; Noorani M; Leung JM; Fisher DM; Murray WR; Toy P; Moore MA.** 1998; Human cardiovascular and metabolic response to acute severe isovolemic anemia. *JAMA*; 279: 217-21.
- **Wu CL; Hurley RW; Anderson GF.** 2004; Effect of postoperative epidural analgesia on morbidity and mortality following surgery in medicare patients. *Regional Anesthesia Pain Medicine*; 29: 525–533.

- **Wu C; Chen P; Shih K; Hou S.** 2007; Orthopedics; 30:518.
- **Zaccheo MV; Rowane JE; Costello EM.** 2008; Acute respiratory failure associated with polymethyl methacrylate pulmonary emboli after percutaneous vertebroplasty. American Journal of Emergency Medicine; 26, 636.e5–636.e7.
- **Zufferey P; Merquiol F; Laporte S; Decousus H; Mismetti P; Auboyer C; Samama CM; Molliex S.** 2006; Do Antifibrinolytics Reduce Allogeneic Blood Transfusion in Orthopedic Surgery? Anesthesiology; 105:1034–46.