
References

- 1- **Casey V.,(2003),** Interface pressure sensor for IVRA and other biomedical applications, **Medical Engineering & Physics**, Volume 26,Issue 2 Pages 177-182
- 2- **Jones JB.,(2001),** 'Pathophysiology of acute pain: **Implications for clinical management,** **Emergency Medicine.**, 13(3)288-292.
- 3- **Matt M.C.,(2007),** Intravenous regional anesthesia, **Anesthesia and intensive care medicine**,Volume8,Issue 4,Pages 137- 139
- 4- **Casey W.F.,(1992),** Intravenous regional anesthesia(Bier s block), **Update in anesthesia**,Issue 1,Article 2 :Page 1 of 1
- 5-**Jones MCand Pugh SL.(1996),** The addition of tenoxicam to intravenous regional anesthesia, **Anesthesia**; 51: 446–8.
- 6- **Gentili M, Bernard JM, Bonnet F.,(1999),** Adding clonidine to lidocaine for intravenous regional anesthesia prevents tourniquet pain,**Anesth Analg**; 88: 1327–30.
- 7- **Memis D., Turran A. and Karamanlioglu B.,(2004),** Adding dexmedetomidine to lidocaine for intravenous regional anesthesia, **Anaesth Analg**; 98: 835–40.
- 8-**Bigat Z, Boztug Nand Hadimioglu N.,(2006),** Does dexamethasone improve the quality of intravenous regional anesthesia and analgesia? A randomized controlled clinical trial., **Anesth Analg**; 102: 605–9.

-
-
- 9- **A. Turan, B. Karamanl oğlu, D. Memis, G. Kaya, and Z Pamukçuy,(2002),** Intravenous Regional Anesthesia Using Prilocaine and Neostigmine , **Anesth Analg** 2002;95:1419-1422
- 10 –**Sen S., Ugur B., Ayden O.N., Ogurlu M.,Gursoy F.,and Savk O., (2006),** The Analgesic Effect of Nitroglycerin Added to Lidocaine on intravenous Regional Anesthesia , **Anesth Analg**;102:916-920
- 11-**Zundert V. A& Goerig M.(2000);** August Bier 1861-1949. A tribute to a great surgeon who contributed much to the development of modern anesthesia on the 50th anniversary of his death., **Reg Anesth& Pain Med** 25:26-33.
- 12-**Goerig M, Agarwal K,& Schulte am Esch J. (2000),** The versatile August Bier (1861-1949), father of spinal anesthesia.,**J Clin Anesth** ,12:561-569.
- 13 -**Beir A.(1910),** On local anaesthesia, with special reference to vein anaesthesia., **Edinburgh Med J**;5: 103-123
- 14- **Barry LA, Balliana SA,& Galeppi AC. (2006),** Intravenous regional anesthesia (Bier block)., **Techn Reg Anesth Pain Manag**; 10:123-131.
- 15- **Paraskevas KI, Trigka AA,& Samara M. (2005),** Successful intravenous regional sympathetic blockade (Bier's Block) with guanethidine and lidocaine in a patient with advanced Buerger's Disease (thromboangiitis obliterans)–A case report., **Angiology**; 56:493-496.

-
-
- 16-**Brill S, Middleton W, Brill G,& Fisher A. (2004)**, Bier's block; 100 years old and still going strong!, *Acta Anaesthesiol Scand*;48:177–122.
- 17- **Levine DN (2007)**, "Sherrington's "The Integrative action of the nervous system": a centennial appraisal".,*J. Neurol. Sci.* 253 (1-2):
- 18-**Fields HL,Rowbotham M.and Baron R.,(1998)**, Prostherpetic nouralgia: irritable nociceptors and deafferentation, *Neurobiol. Dis.* 5(4): 209-27
- 19-**Farquhar-Smith, P. (2007)**, Anatomy, physiology and pharmacology of pain., *Anaesthesia and Intensive Care Medicine*; **9: 1, 3-7.**
- 20-**Calvino B.and Grilo, R.M. (2006)**, Central pain control.,*Joint Bone Spine*; 73: 1, 10-16.
- 21-**Willis WD & Westlund KN. J .,(1997)**, Neuroanatomy of the Pain System and of the Pathways that Modulate Pain, *Clin Neurophys* 14,2-31.
- 22-**Dickenson AH. (1997)**, NMDA receptor antagonists: interactions with opioids.,*Acta Anaes Scand* 41,112-115
- 23-**Cross SA.(1994)**, Pathophysiology of Pain.,*Mayo Clin Prog* 69,375-83.
- 24-**Malcangio M & Bowery NG. (1996)**, GABA and its receptors in the spinal cord.,*Trends in pharmacological sciences*,volume 17,issue 12, pp457-462
- 25- **Herdegen T & Leah JD (1998)**, Inducible and constitutive transcription factors in the mammalian nervous system: control of
-
-

gene expression by Jun, Fos and Krox, and CREB/ATF proteins.,
Brain Research Reviews 28,370-490.

- 26-**Yaksh TL(1997)**,Pharmacology and mechanisms of opioid analgesic activity, **Acta Anes Scand.** 41,94-111
- 27-**Cashan JN.(1996)**, The Mechanisms of Action of NSAIDs in Analgesia., **Drugs**52,S5,13-23.
- 28-**Ko, S.M.and Zhou M.,(2004)**, Central plasticity and persistent pain;
Drug Discovery Today: Disease Models;Pain and Anesthesia; **1: 2,**
101-106
- 29-**Columb M.O. and MacLennan K. (2007)**, Local anaesthetic agents,
Anaesthesia &intensive care medicine, Volume 8,Issue 4,Pages 159-
162
- 30-**Columb M.O. and D'Angelo R., (2006)**, Responding to dosing!.***Internal Journal of Obstetetric Anesthesia***,volume 15,issue 2, pp. 129–136.
- 31-**McLure H.A. and Rubin A.P., (2005)**, Review of local anaesthetic agents, ***Minerva Anestsiol*** 71, pp. 59–74.
- 32-**Hollmann W., Durieux M.E.and Graf B.H., (2001)**, Novel local anaesthetics and novel indications for local anaesthetics, ***Curr Opin Anaesthesiol*** 14 pp. 741–751
- 33- **Smith–T. (2007)**,Systemic toxic effects of local anaesthetics,
Anaesthesia &intensive care medicine,Volume 8,Issue 4,Pages 155-
158

-
-
- 34-**Mason R.A., (2001),** Anaesthesia databook (3rd edn.), Greenwich Medical Media, London 557–563.
- 35-**Kim T.,Jung C.W. and Lee K.H., (2004),** The effect of insulin on the resuscitation of bupivacaine-induced severe cardiovascular toxicity in dogs, *Anesth Analg* 99, pp. 728–733.
- 36-**Weinberg G., (2002),** Current concepts in resuscitation of patients with local anesthetic cardiac toxicity,*Reg Anesth Pain Med* 27, pp. 568–575. 20044448, J.A. McEwen Copyright, 2007, J.A. McEwen
- 37- **Laura A. Barry MD,Balliana S.A.and Galeppi A.C.(2006),** Intravenous regional anesthesia (Bier block),**Techniques in regional anesthesia and pain management.**Volume 10,Issue 3,Pages 123-131
- 38-**Chan V.W.,Peng P.W. and Kaszas Z.et al., (2001),** A comparative study of general anesthesia, intravenous regional anesthesia, and axillary block for outpatient hand surgery: clinical outcome and cost analysis, *Anesth Analg* 93, pp. 1181–1184.
- 39- **Ananthanarayan C.,Castro C. and McKee N. et al.,(2000),** Compartment syndrome following intravenous regional anesthesia, *Can J Anaesth* 47 no11, pp. 1094–1098
- 40-**Cousins M.J. and Bridenbaugm P.O., (1998),** *Neural Blockade,* Lippincott–Raven, New York, NY pp 3-25, 55-81, 97-128, 395-409.
- 41-**Perlas A.,Peng P.W.and Plaza M.B. et al., (2003),** Forearm rescue cuff improves tourniquet tolerance during intravenous regional anesthesia, *Reg Anesth& Pain Med* 28 pp. 98–102

-
- 42-**Habib NE, Mandour NM,& Balmer HG., (2004),** Effect of midazolam on anxiety level and pain perception in cataract surgery with topical anesthesia.,**J Cataract Refract Surg** 30: 437-43.
- 43-**Hasen KV, Samartzis D, Casas LA,& Mustoe TA.,(2003),** An outcome study comparing intravenous sedation with midazolam /fentanyl (conscious sedation) versus propofol infusion (deep sedation) for anesthetic surgery., **Plastic Reconstr Surg** 112: 1683-9,.
- 44-**Gesztesi Z, Sa Rego MM,&White PF., (2000),** The comparative effectiveness of fentanyl and its newer analogs during extracorporeal shock wave lithotripsy under monitored anesthesia care.,**Anesth Analg** 90: 567-70.
- 45-**Niemi TT, Neuvonen PJ,& Rosenberg PH. (2006),** Comparison of ropivacaine 0.2% and prilocaine 0.5% for intravenous regional anaesthesia in outpatient surgery.,**Br J Anaesth**; 96: 640–4.
- 46-**Eismaoglu A, Akin A,& Mizzak A.(2006),** Addition of cisatracurium to lidocaine for intravenous regional anaesthesia.,**J Clin Anaesth**; 18: 194–7
- 47-**Eismaoglu A.,Mzrak A.,Akin A.,Turk Y.,&Boyaci A..(2005),** Addition of dexatomidine to lidocaine for intravenous regional anesthesia.,**Eur J Anesthesiol.**;22(6):447-51
- 48-**McEwen J.A.,(2009),** Tourniquet overview, [tourniquets.org. http://www.tourniquets.org/tourniquet_overview.html](http://www.tourniquets.org/tourniquet_overview.html). Retrieved 2009-06-10.
- 49-**Kam P.C.,(2008),** Uses and precautions of tourniquets, **Surgery(oxford)** Volume 26,Issue 2,Pages 70-72
-