

REFERENCES

A:

Aberham, C., Pendl, C., Gross, P., Zerlauth, G., and Gessner, M. (2001): A quantitative, internally controlled real-time PCR assay for the detection of parvovirus B19 DNA. *J. Virol. Methods* 92:183-191.

Abiko, C., Mizuta, K., Itagaki, T., Katsushima, N., Ito, S., Matsuzaki, Y., Okamoto, M., Nishimura, H., Aoki, Y., Murata, T., Hoshina, H., Hongo, S., and Ootani, K. (2007): Outbreak of Human Metapneumovirus Detected by Use of the Vero E6 Cell Line in Isolates Collected in Yamagata, Japan, in 2004 and 2005. *J. Clin. Microbiol.* 45(6): 1912-1919.

Agapov, E., Sumino, K. C., Gaudreault-Keener, M., Storch, G. A., and Holtzman, M. J. (2006): Genetic variability of human metapneumovirus infection: evidence of a shift in viral genotype without a change in illness. *J. Infect. Dis.* 193:396-403.

Aldea, C., Alvarez, C. P., Folgueira, L., Delgado, R., and Otero, J. R. (2002): Rapid detection of herpes simplex virus DNA in genital ulcers by real-time PCR using SYBR green I dye as the detection signal. *J. Clin. Microbiol.* 40:1060-1062.

Al- Sonboli, N., Hart, C. A., Al-Aeryani, A., Banajeh, S. M., Al-Aghbari, N., Dove, W., and Cuevas, L. E. (2005): Respiratory syncytial virus and human metapneumovirus in children with acute respiratory infections in

References

Yemen. *Pediatr. Infect. Dis. J.* 24:734-736.

Alvarez, R., Harrod, K. S., Shieh, W. J., Zaki, S., and Tripp, R. A. (2004): Human metapneumovirus persists in BALB/c mice despite the presence of neutralizing antibodies. *J. Virol.* 78:14003-14011.

Alvarez, R., and Tripp, R. A. (2005): The immune response to human metapneumovirus is associated with aberrant immunity and impaired virus clearance in BALB/c mice. *J. Virol.* 79:5971-5978.

Andréoletti, L., Lesay, M., Dewilde, A., Lambert, V., and Wattré, P. (2000): Differential detection of rhinovirus and enterovirus RNA sequences associated with classical immunofluorescence assay detection of respiratory virus antigens in nasopharyngeal swabs from infants with bronchiolitis. *J. Med. Virol.* 61:341-346.

Aslanzadeh, J., Zheng, X., Li, H., Tetreault, J., Ratkiewicz, I., Meng, S., Hamilton, P., and Tang, Y.W. (2008): Prospective Evaluation of Rapid Antigen Tests for Diagnosis of Respiratory Syncytial Virus and Human Metapneumovirus Infections. *J Clin Microbiol*; 46(5): 1682-1685.

B:

Bankowski, M. J., and Anderson, S. M. (2004): Real-time nucleic acid amplification in clinical microbiology. *Clin. Microbiol. Newsl.* 26:9-15.

Barclay, L., Murata, P. (2006): Human metapneumovirus may be common in infants. *Medscape Medical News*: April 24 issue of the *Archives of Disease in Childhood*.

References

Barenfanger, J., Drake, C., Leon,N., Mueller,T.,and Troutt ,T. (2000): An outcomes study: clinical and financial benefits of rapid detection of respiratory viruses. 38:2824-2828.

Barenfanger, J.,Mueller, T., O'Brien J., Drake, C., and Lawhorn, J. (2008): Prevalence of Human Metapneumovirus in Central Illinois in Patients Thought To Have Respiratory Viral Infection. J. Clin. Microbiol. 46(4): 1489-1490.

Bastien, N., Liu,L., Ward, D., Taylor, T., and Li, Y.(2004): Genetic Variability of the G Glycoprotein Gene of Human Metapneumovirus. J. Clin. Microbiol. 42(8): 3532-3537.

Bastien, N., Normand, S., Taylor, T., Ward, D., Peret, T. C., Boivin, G., Anderson, L. J., and Li, Y. (2003): Sequence analysis of the N, P, M and F genes of Canadian human metapneumovirus strains. Virus Res. **93**:51-62.

Bernard, P.S., Ajioka,R.S., Kushner,J.P. and Wittwer,C.T. (1998): Homogenous multiplex – genotyping of hemochromatosis mutations with fluorescent hybridization probes. Am.J.Pathol. 135(4): 1055-1066.

Biacchesi, S., Pham, Q. N., Skiadopoulos, M. H., Murphy, B. R., Collins, P. L., and Buchholz, U. J. (2005): Infection of nonhuman primates with recombinant human metapneumovirus lacking the SH, G, or M2-2 protein categorizes each as a nonessential accessory protein and identifies vaccine

References

candidates. J. Virol. 79:12608-12613.

Biacchesi, S., Skiadopoulos, M. H., Boivin, G., Hanson, C. T., Murphy, B. R., Collins, P. L., and Buchholz, U. J. (2003): Genetic diversity between human metapneumovirus subgroups. Virology 315:1-9.

Biacchesi, S., Skiadopoulos, M. H., Tran, K. C., Murphy, B. R., Collins, P. L., and Buchholz, U. J. (2004): Recovery of human metapneumovirus from cDNA: optimization of growth in vitro and expression of additional genes. Virology 321:247-259.

Biacchesi, S., Skiadopoulos, M.H., Yang, L., Lamirande, E.W., Tran, K.C., Murphy, B.R., Collins, P.L., and Buchholz, U.J. (2004): Recombinant Human Metapneumovirus Lacking the Small Hydrophobic SH and/or Attachment G Glycoprotein: Deletion of G Yields a Promising Vaccine Candidate. J. Virol. 78(23): 12877- 12887.

Boivin, G., Abed, Y., Pelletier, G., Ruel, L., Moisan, D., Cote, S., Peret, T. C., Erdman, D. D., and Anderson, L. J. (2002): Virological features and clinical manifestations associated with human metapneumovirus: a new paramyxovirus responsible for acute respiratory-tract infections in all age groups. J. Infect. Dis. 186:1330-1334.

Boivin, G., De Serres, G., Cote, S., Gilca, R., Abed, Y., Rochette, L., Bergeron, M. G., and Dery, P. (2003): Human metapneumovirus infections in hospitalized children. Emerg. Infect. Dis. 9:634-640.

References

Boivin, G., Mackay, I., Sloots, T. P., Madhi, S., Ludewick, H., Gray, G. C., and LeBlanc, E. (2004): Global genetic diversity of human metapneumovirus fusion gene. *Emerg. Infect. Dis.* 10:1154-1157.

Bouscambert-Duchamp, M., Lina, B., Trompette, A., Moret, H., Motte, J., and Andréoletti, L. (2005): Detection of Human Metapneumovirus RNA Sequences in Nasopharyngeal Aspirates of Young French Children with Acute Bronchiolitis by Real-Time Reverse Transcriptase PCR and Phylogenetic Analysis. *J. Clin. Microb.* 43(3): 1411-1414.

Buchholz, U. J., Biacchesi, S., Pham, Q. N., Tran, K. C., Yang, L., Luongo, C. L., Skiadopoulos, M. H., Murphy, B. R., and Collins, P. L. (2005): Deletion of M2 gene open reading frames 1 and 2 of human metapneumovirus: effects on RNA synthesis, attenuation, and immunogenicity. *J. Virol.* 79:6588-6597.

Burggraf, S., and Olgemöller, B. (2004): Simple technique for internal control of real-time amplification assays. *Clin. Chem.* 50:819-825.

C:

Carr, M. J., McCormack, G. P., and Crowley, B. (2005): Human metapneumovirus-associated respiratory tract infections in the Republic of Ireland during the influenza season of 2003-2004. *Clin. Microbiol. Infect.* 11:366-371.

Chano, F., Rousseau, C., Laferriere, C., Couillard, M., and Charest, H. (2005): Epidemiological survey of human metapneumovirus infection in a large pediatric tertiary care center. *J. Clin. Microbiol.* 43:5520-5525.

Cockerill, F. R. I. (2003): Rapid detection of pathogens and antimicrobial resistance in intensive care patients using nucleic acid-based techniques. *Scand. J. Infect. Dis.* 63:34-46.

Cockerill, F. R., and Uhl, J. R. (2002):. Applications and challenges of real-time PCR for the clinical microbiology laboratory, p. 3-27. *In* U. Reischl, C. Wittwer, and F. R. Cockerill (ed.), *Rapid cycle real-time PCR methods and applications*. Springer-Verlag, Berlin, Germany.

Collins, P. L., Chanock, R. M., and Murphy, B. R. (2001): Respiratory syncytial virus, p. 1443-1485. *In* D. M. Knipe, P. M. Howley, D. E. Griffin, R. A. Lamb, M. A. Martin, B. Roizman, and S. E. Straus (ed.), *Fields virology*, 4th ed., vol 1. Lippincott-Raven Publishers, Philadelphia, Pa.

Collins, P. L., and Mottet, G. (1993): Membrane orientation and oligomerization of the small hydrophobic protein of human respiratory syncytial virus. *J. Gen. Virol.* 74:1445-1450.

Côte, S., Abed Y., and Boivin G. (2003): Comparative evaluation of Real-Time PCR Assays for Detection of the Human Metapneumovirus. *J Clin Microb*; 41(8) 3631-3635.

Crowe, J. E., Jr. (2004): Human metapneumovirus as a major cause of human respiratory tract disease. *Pediatr. Infect. Dis. J.* 23(Suppl. 11):S215-

References

S221.

Cuevas, L. E., Nasser, A. M., Dove, W., Gurgel, R. Q., Greensill, J., and Hart, C. A. (2003): Human metapneumovirus and respiratory syncytial virus, Brazil. *Emerg. Infect. Dis.* 9:1626-1628.

Cseke, G., Wright, D.W., Tollefson, S.J., Johnson, J.E., Crowe Jr, J.E., and Williams, J.V. (2007): Human Metapneumovirus Fusion Protein Vaccines That Are Immunogenic and Protective in Cotton Rats. *J. Virol.* 81(2): 698-707.

D:

Dare, R., Sanghavi, S., Bullotta, A., Keightley, M.-C., George, K. St., Wadowsky, R. M., Paterson, D. L., McCurry, K. R., Reinhart, T. A., Husain, S., Rinaldo, C. R. (2007): Diagnosis of Human Metapneumovirus Infection in Immunosuppressed Lung Transplant Recipients and Children Evaluated for Pertussis. *J. Clin. Microbiol.* 45: 548-552.

Deffrasnes, C., Hamelin, M., Prince, G.A., and Boivin, G. (2008): Identification and Evaluation of a Highly Effective Fusion Inhibitor for Human Metapneumovirus. *Antimicrobial Agents and Chemotherapy.* 52(1): 279-287.

Dollner, H., Risnes, K., Radtke, A., and Nordbo, S. A. (2004): Outbreak of human metapneumovirus infection in Norwegian children. *Pediatr. Infect. Dis. J.* 23:436-440.

E:

Easton, A. J., Domachowske, J. B., and Rosenberg, H. F. (2004): Animal pneumoviruses: molecular genetics and pathogenesis. *Clin. Microbiol. Rev.* 17:390-412.

Ebihara, T., Endo, R., Kikuta, H., Ishiguro, N., Ishiko, H., Hara, M., Takahashi, Y., and Kobayashi, K. (2004): Human metapneumovirus infection in Japanese children. *J. Clin. Microbiol.* 42:126-132.

Ebihara, T., Endo, R., Kikuta, H., Ishiguro, N., Yoshioka, M., Ma, X., and Kobayashi, K. (2003): Seroprevalence of human metapneumovirus in Japan. *J. Med. Virol.* 70:281-283.

Ebihara, T., Endo, R., Ishiguro, N., Nakayama, T., Sawada, H., and Kikuta H. (2004): Early reinfection with human metapneumovirus in an infant. *J. Clin. Microbiol.* 42:5944-5946.

Ebihara, T., Endo, R., Ma, X., Ishiguro, N., and Kikuta, H. (2005): Detection of Human Metapneumovirus Antigens in Nasopharyngeal Secretions by an Immunofluorescent-Antibody Test. *J. Clin. Microbiol.* 43(3): 1138-1141.

Edell, D., Khoshoo, V., Ross, G., and Salter, K. (2002): Early ribavirin treatment of bronchiolitis: effect on long-term respiratory morbidity. *Chest* 122:935-939.

References

Edwards, K. J., L. A., Metherell, M., and Saunders, N. A. (2001): Detection of *rpoB* mutations in *Mycobacterium tuberculosis* by biprobe analysis. *J. Clin. Microbiol.* 39:3350-3352.

Esper, F., Boucher, D., Weibel, C., Martinello, R. A., and Kahn, J. S. (2003): Human metapneumovirus infection in the United States: clinical manifestations associated with a newly emerging respiratory infection in children. *Pediatrics* 111:1407-1410.

Esper, F., Martinello, R. A., Boucher, D., Weibel, C., Ferguson, D., Landry, M. L., and Kahn, J. S. (2004): A 1-year experience with human metapneumovirus in children aged <5 years. *J. Infect. Dis.* 189:1388-1396.

Espy, M. J., Cockerill, J. F., Meyer, R. F., Bowen, M. D., Poland, G. A., Hadfield, T. L., and Smith, T. F. (2002): Detection of smallpox virus DNA by LightCycler PCR. *J. Clin. Microbiol.* 40:1985-1988.

Espy, M. J., Rys, P. N., A. D., Wold, J. R., Uhl, L. M., Sloan, G. D., Jenkins, D. M., Ilstrup, F. R., Cockerill 3rd, R., Patel, J. E., and Smith, T. F. (2001): Detection of herpes simplex virus DNA in genital and dermal specimens by LightCycler PCR after extraction using the IsoQuick, MagNA Pure, and BioRobot 9604 methods. *J. Clin. Microbiol.* 39:2233-2236.

F:

Falagas, M. E., Mourtzoukou, E. G., and Vardakasa, K. Z. (2007): Sex differences in the incidence and severity of respiratory tract infections. *J. Respiratory Medicine.* 101:1845-1863.

References

Falsey, A. R., Criddle, M. C., and Walsh, E. E. (2006): Detection of respiratory syncytial virus and human metapneumovirus by reverse transcription polymerase chain reaction in adults with and without respiratory illness. *J. Clin. Virol.* 35:46-50.

Falsey, A. R., Erdman, D., Anderson, L. J., and Walsh E. E. (2003): Human metapneumovirus infections in young and elderly adults. *J. Infect. Dis.* 187:785-790.

Falsey, A. R., Formica, M. A., Treanor, J. J., and Walsh, E. E. (2003): Comparison of quantitative reverse transcription-PCR to viral culture for assessment of respiratory syncytial virus shedding. *J. Clin. Microbiol.* 41:4160-4165.

Fauquet, C. M., Abiko, D., Ishiko, H., Hara, M., and Baldanti, M. (2004): Evidence of human metapneumovirus in children in North America. *Pediatr. Infect. Dis. J.* 20:454-459.

Fauquet, C. M., et al. (ed.). (2006): Virus taxonomy: classification and nomenclature of viruses. Eighth Report of the International Committee on Taxonomy of Viruses. Elsevier/Academic Press, Oxford, United Kingdom.

File, T. M. (2003): Community-acquired pneumonia. *Lancet* 362:1991-2001.

References

Fodha, I., Legrand, L., Vabret, A., Jrad, T., Gueddiche, N., Trabelsi, A. F., and Freymuth, F. (2004): Detection of human metapneumovirus in two Tunisian children. *Ann. Trop. Paediatr.* 24:275-276.

Freymouth, F., Vabret, A., Legrand, L., Eterradosi, N., Lafay-Delaire, F., Brouard, J., and Guillois, B. (2003): Presence of the new human metapneumovirus in French children with bronchiolitis. *Pediatr. Infect. Dis. J.* 22:92-94.

G:

Galiano, M., Videla, C., Puch, S. S., Martinez, A., Echavarria, M., and Carballal, G. (2004): Evidence of human metapneumovirus in children in Argentina. *J. Med. Virol.* 72:299-303.

Garcia-Garcia, M. L., Calvo, C., Martin, F., Perez-Brena, P., Acosta, B., and Casas, I. (2006): Human metapneumovirus infections in hospitalized infants in Spain. *Arch. Dis. Child.* 91:290-295.

Garrett, P. E. (2001): Quality control for nucleic acid tests: common ground and special issues. *J. Clin. Virol.* 20:15-21.

Gerna, G., Campanini, G., Rovida, F., Sarasini, A., Lilleri, D., Paolucci, S., Marchi, A., Baldanti, F., and Revello, M. G. (2005): Changing circulation rate of human metapneumovirus strains and types among hospitalized pediatric patients during three consecutive winter-spring seasons. *Arch. Virol.* 150:2365-2375.

References

Garrett, P. E. (2001): Quality control for nucleic acid tests: common ground and special issues. *J. Clin. Virol.* 20:15-21.

Gerna, G., Sarasini, A., Percivalle, E., Campanini, G., Rovida, F., Marchi, A., and Baldanti, F. (2007): Prospective study of human metapneumovirus infection: diagnosis, typing and virus quantification in nasopharyngeal secretions from pediatric patients. *J. Clin. Virol.* 40:236-240.

Ginocchio, C.C., Manji, R., Lotlikar, M., and Fan Zhang ,F. (2008): Clinical Evaluation of NucliSENS Magnetic Extraction and NucliSENS Analyte-Specific Reagents for Real-Time Detection of Human Metapneumovirus in Pediatric Respiratory Specimens. *J. Clin. Microbiol.* 46(4): 1274-1280.

Gonzalez, M. E., and Carrasco, L. (2003): Viroporins. *FEBS Lett.* 552:28-34.

Gray, G. C. (2006): Human metapneumovirus, Peru. *Emerg. Infect. Dis.* 12:347-350.

Greensill, J., McNamara, P. S., Dove,W., Flanagan, B., Smyth, R. L., and Hart,C. A. (2003): Human metapneumovirus in severe respiratory syncytial virus bronchiolitis. *Emerg. Infect. Dis.* 9:372-375.

Guerrero-Plata, A., Casola, A., Garofalo, R. P. (2005): Human Metapneumovirus Induces a Profile of Lung Cytokines Distinct from That of Respiratory Syncytial Virus. *J. Virol.* 79: 14992-14997 .

References

Guerrero-Plata, A., Casola, A., Garofalo, R. P. (2006): Presence of the new human metapneumovirus in children with respiratory tract infections. *Pediatr. Infect. Dis. J.* 33:94-99.

Guiver, M., Fox, A. J., Mutton, K., Mogulkoc, N., and Egan, J. (2001): Evaluation of CMV viral load using TaqMan CMV quantitative PCR and comparison with CMV antigenemia in heart and lung transplant recipients. *Transplantation* 71:1609-1615.

H:

Hamelin, M.E., Prince, G.A., and Boivin, G. (2006): Effect of Ribavirin and Glucocorticoid Treatment in a Mouse Model of Human Metapneumovirus Infection. *Antimicrobial Agents and Chemotherapy.* 50(2): 774-777.

Hamelin, M. E., Yim, K., Kuhn, K. H., Cragin, R. P., M., Blanco, J. C., Prince, G. A., and Boivin, G. (2005): Pathogenesis of human metapneumovirus lung infection in BALB/c mice and cotton rats. *J. Virol.* 79:8894-8903.

Heikkinen, T., Thint, M., and Chonmaitree, T. (1999): Prevalence of various respiratory viruses in the middle ear during acute otitis media. *N. Engl. J. Med.* 340:260-264.

Hellemans J, et al. (2007): “qBase relative quantification framework and software for management and automated analysis of real-time quantitative PCR data.” *Genome Biol.* 8(2):R197.

Herd, K.A., Mahalingam, S., Mackay, I.M., Nissen, M., Sloots, T.P., and Tindle, R.W. (2006): Cytotoxic T-Lymphocyte Epitope Vaccination Protects against Human Metapneumovirus Infection and Disease in Mice. *J. Virol.* 80(4): 2034-2044.

Herfst, S., de Graaf, M., Schrauwen, E. J. A., Ulbrandt, N. D., Barnes, A. S., Senthil, K., Osterhaus, A. D. M. E., Fouchier, R. A. M., van den Hoogen, B. G. (2007): Immunization of Syrian golden hamsters with F subunit vaccine of human metapneumovirus induces protection against challenge with homologous or heterologous strains. *J. Gen. Virol.* 88: 2702-2709.

Higuchi, R., Fockler, C., Dollinger, G., and Watson, R. (1993): "Kinetic PCR: Real time monitoring of DNA amplification reactions." *Biotechnology* 11:1026–1030.

Honda, H., Iwahashi, J., Kashiwagi, T., Imamura, Y., Hamada, N., and Morimoto, S. (2006): Outbreak of human metapneumovirus infection in elderly inpatients in Japan. *J. Am. Geriatr. Soc.* 54:177-180.

Huck, B., Neumann, H. D., Schmitt-Graeff and Alaeria, F. V. (2005): Metapneumovirus and acute wheezing in children. *J. Gen. Virol.* 85: 1663-1670.

Huck, B., Scharf, G., Neumann-Heifelin, D., Puppe, W., Weigl, J., and Falcone, V. (2006): Novel human metapneumovirus sublineage. *Emerg. Infect. Dis.* 12:147-150.

I:

IJpma, F. F., Beekhuis, D., Cotton, M. F., Pieper, C. H., Kimpen, J. L., van den Hoogen, B. G., van Doornum, G. J., and Osterhaus, D. M. (2004): Human metapneumovirus infection in hospital referred South African children. *J. Med. Virol.* 73:486-493.

Ingram, R. E., Fenwick, F., McGuckin, R., Tefari, A., Taylor, C., and Toms, G. L. (2006): Detection of human metapneumovirus in respiratory secretions by reverse-transcriptase polymerase chain reaction, indirect immunofluorescence, and virus isolation in human bronchial epithelial cells. *J. Med. Virol.* 78:1223-1231.

Irmen, K. E., and Kelleher, J. J. (2000): Use of monoclonal antibodies for rapid diagnosis of respiratory viruses in a community hospital. *Clin. Diagn. Lab. Immunol.* 7:396-403.

Ishiguro, N., Ebihara, T., Endo, R., Ma, X., Kikuta, H., Ishiko, H., and Kobayashi, K. (2004): High genetic diversity of the attachment (G) protein of human metapneumovirus. *J. Clin. Microbiol.* 42:3406-3414.

J:

Jafri, H. S., Chavez-Bueno, S., Mejias, A., Gomez, A. M., Rios, A. M., Nassi, S. S., Yusuf, M., Kapur, P., Hardy, R. D., Hatfield, J., B. B., Rogers, and Ramilo, O. (2004): Respiratory syncytial virus induces pneumonia, cytokine response, airway obstruction, and chronic

References

inflammatory infiltrates associated with long-term airway hyperresponsiveness in mice. *J. Infect. Dis.* 189:1856-1865.

Jartti, T., Lehtinen, P., Vuorinen, T., Österback, Van den Hoogen, R. B., Osterhaus, A. D., and Ruuskanen, O. (2004): Respiratory picornaviruses and respiratory syncytial virus as causative agents of acute expiratory wheezing in children. *Emerg. Infect. Dis.* 10:1095-1101

Jartti, T., van den Hoogen, B., Garofalo, R. P., Osterhaus, A. D., and Ruuskanen, O. (2002): Metapneumovirus and acute wheezing in children. *Lancet* 360:1393-1394.

K:

Kahn, J. S. (2006). Epidemiology of Human Metapneumovirus. *Clin. Microbiol. Rev.* 19: 546-557

Kaida, A., Iritani, N., Kubo, H., Shiomi, M., Kohdera, U., and Murakami, T. (2006): Seasonal distribution and phylogenetic analysis of human metapneumovirus among children in Osaka City, Japan. *J. Clin. Virol.* 35:394-399.

Karger, A., Schmidt, U., and Buchholz, U. J. (2001): Recombinant bovine respiratory syncytial virus with deletions of the G or SH genes: G and F proteins bind heparin. *J. Gen. Virol.* 82:631-640

Karron, R. A., Buonagurio, D. A., Georgiu, A. G., Whitehead, S. S., Adamus, J. E., Clements-Mann, M. L., Harris, D. O., Randolph, V. B., Udem, S. A., Murphy, B. R., and Sidhu, M. S. (1997): Respiratory

References

syncytial virus (RSV) SH and G proteins are not essential for viral replication in vitro: clinical evaluation and molecular characterisation of a cold-passaged, attenuated RSV subgroup B mutant. *Proc. Natl. Acad. Sci. USA* 94:13961-13966.

Karron, R. A., Wright, P. F., Belshe, R. B., Thumar, B., Gruber, W., Murphy, B. R., and Collins, P. L. (2005): Identification of a recombinant live attenuated respiratory syncytial virus vaccine candidate that is highly attenuated in infants. *J. Infect. Dis.* 191:1093-1104.

Kikuta, H., Sakata, C., Gamo, R., Ishizaka, A., Koga, Y., Konno, M., Ogasawara, Y., Sawada, H., Taguchi, Y., Takahashi, Y., Yasuda, K., Ishiguro, N., Hayashi, A., Ishiko, H., Kobayashi, K. (2008). Comparison of a Lateral-Flow Immunochromatography Assay with Real-Time Reverse Transcription-PCR for Detection of Human Metapneumovirus. *J. Clin. Microbiol.* 46(3): 928-932.

Kim, S., Sung, H., Im, H. J., Hong, S. J., and Kim, M. N. (2009): Molecular Epidemiological Investigation of a Nosocomial Outbreak of Human Metapneumovirus Infection in a Pediatric Hemato-Oncology Patient Population. *J. Clin. Microbiol.* 47:1221-1224.

Kochva, U., Leonov, H., and Arkin, I. T. (2003): Modeling the structure of the respiratory syncytial virus small hydrophobic protein by silent-mutation analysis of global searching molecular dynamics. *Protein Sci.* 12:2668-2674

References

Kuiken, T., Fouchier, R. A., Schutten, M., Rimmelzwaan, G. F., Chan, P. K., Tam, J. S., Zambon, M. C., Stohr, K., Peiris, J. S., and Osterhaus, A. D. (2003): Newly discovered coronavirus as the primary cause of severe acute respiratory syndrome. *Lancet* 362:263-270.

Kuiken, T., van den Hoogen, B. G., van Riel, D. A., Laman, J. D., van Amerongen, G., Sprong, L., Fouchier, R. A., and Osterhaus A. D. (2004): Experimental human metapneumovirus infection of cynomolgus macaques (*Macaca fascicularis*) results in virus replication in ciliated epithelial cells and pneumocytes with associated lesions throughout the respiratory tract. *Am. J. Pathol.* 164:1893-1900

Kuypers, J., Wright, N., Ferrenberg, J., Huang, M. L., Cent, A., Corey L., and Morrow, R. (2006): Comparison of real-time PCR assays with fluorescent-antibody assays for diagnosis of respiratory virus infections in children. *J. Clin. Microbiol.* 44:2382-2388.

Ksiazek, T. G., Erdman, D., Goldsmith, C. S., Zaki, S. R., Comer, J. A., Lim, W., Rollin, P. E., Dowell, S. F., Ling, A. E., and Anderson, L. J. (2003): A novel coronavirus associated with severe acute respiratory syndrome. *N. Engl. J. Med.* 348:1953-1966.

L:

Landry, M. L., Cohen, S., Ferguson, D. (2008): Prospective Study of Human Metapneumovirus Detection in Clinical Samples by Use of Light

References

Diagnostics Direct Immunofluorescence Reagent and Real-Time PCR. J. Clin. Microbiol. 46: 1098-1100 .

Landry, M. L., Ferguson, D., Cohen, S., Peret, T. C., and Erdman, D. D. (2005): Detection of human metapneumovirus in clinical samples by immunofluorescence staining of shell vial centrifugation cultures prepared from three different cell lines. J. Clin. Microbiol. 43:1950-1952.

Larcher, C., Geltner, C., Fischer, H., Nachbaur, D., Muller, L. C., and Huemer, H. P. (2005): Human metapneumovirus infection in lung transplant recipients: clinical presentation and epidemiology. J. Heart Lung Transplant. 24:1891-1901.

Lawless-Delmedico, M. K., Sista, P., Sen, R., Moore, N. C., Antczak, J. B., White, J. M., Greene, R. J., Leanza, K. C., Matthews, T. J., and Lambert, D. M. (2000): Heptad-repeat regions of respiratory syncytial virus F1 protein form a six-membered coiled-coil complex. Biochemistry 39:11684-11695.

Lazar, I., Weibel, C., Dziura, J., Ferguson, D., Landry, M. L., and Kahn, J. S. (2004): Human metapneumovirus and severity of respiratory syncytial virus disease. Emerg. Infect. Dis. 10:1318-1320.

Leland, D.S., and Ginocchio, C.C. (2007): Role of Cell Culture for Virus Detection in the Age of Technology. J. Clinic. Microbiol. Reviews. 20(1): 49-78.

References

Leung, J., Esper, F., Weibel, C., and Kahn, J.S. (2005): Seroepidemiology of Human Metapneumovirus (hMPV) on the Basis of a Novel Enzyme-Linked Immunosorbent Assay Utilizing hMPV Fusion Protein Expressed in Recombinant Vesicular Stomatitis Virus. *J. Clin. Microb.* 43(3): 1213-1219.

Ling, R., Sinkovic, S., Toquin, D., Guionie, O., Eterradossi, N., Easton, A. J. (2008): Deletion of the SH gene from avian metapneumovirus has a greater impact on virus production and immunogenicity in turkeys than deletion of the G gene or M2-2 open reading frame. *J. Gen. Virol.* 89: 525-533.

Livak, K.J., and Schmittgen, T.D. (2001): “Analysis of relative gene expression data using real-time quantitative PCR and the 2(-Delta Delta C(T)) method.” *Methods* 25(4):402-8.

Loens, K., Bergs, K., Ursi, D., Goossens H., and Leven, M. (2007): Evaluation of the NucliSENS easyMAG for automated nucleic acid extraction from various clinical specimens. *J. Clin. Microbiol.* 45:421-425.

Louie, J. K., Hacker, J. K., Gonzales, R., Mark, J., Maselli, J. H., Yagi, S., and Drew, W. L.. (2005): Characterization of viral agents causing acute respiratory infection in a San Francisco University Medical Center clinic during the influenza season. *Clin. Infect. Dis.* 41:822-828.

Lui L., Bastien N., Sidawy F. and Li Y. (2007): Seroprevalence of human metapneumovirus (hMPV) in the Canadian province of Saskatchewan analysed by a recombinant nucleocapsid protein-based enzyme-linked

References

immunosorbent assay. J. Med. Virol. 79:308-313.

Lyamichev,V., Brow, M.A.D., and Dahlberg, J.E. (1993): Structure-specific endonucleolytic cleavage of nucleic acids by eubacterial DNA polymerases. Science, 260, 778–783.

M:

Maaroufi, Y., N., Ahariz , M., and Crokaert, F. (2004): Comparison of different methods of isolation of DNA of commonly encountered *Candida* species and its quantitation by using a real-time PCR-based assay. J. Clin. Microbiol. 42:3159-3163.

Maertzdorf, J., Wang, C. K., Brown, J. B., Quinto, J. D., Chu, M., Osterhaus, A. D., and Fouchier, R. A. (2004): Real-time reverse transcriptase PCR assay for detection of human metapneumoviruses from all known genetic lineages. J. Clin. Microbiol. 42:981-986.

Mackie, P. L. (2003): The classification of viruses infecting the respiratory tract. Paediatr. Respir. Rev. 4:84-90.

Mackay, I. M. (2004): Real-time PCR in the microbiology laboratory. Clin. Microbiol. Infect. 10:190-212.

Mackay, I.M., Jacob, K.C., Woolhouse, D., Waller, K., Syrmis, M.W., Whiley, D.M., Siebert, D.J., Nissen, M., and Sloots, T.P. (2003): Molecular Assays for Detection of Human Metapneumovirus. J. Clin. Microb. 41(1): 100-105.

Madhi, S. A., Ludewick, H., Abed, Y., Klugman, K. P., and Boivin, G. (2003): Human metapneumovirus-associated lower respiratory tract infections among hospitalized human immunodeficiency virus type 1 (HIV-1)-infected and HIV-1-uninfected African infants. *Clin. Infect. Dis.* 37:1705-1710.

Mahony, J., Chong, S., Merante, F., Yaghoubian, S., Sinha, T., Lisle, C., and Janeczko, R. (2007): Development of a Respiratory Virus Panel Test for Detection of Twenty Human Respiratory Viruses by Use of Multiplex PCR and a Fluid Microbead-Based Assay. *J. Clin. Microb.* 45(9): 2965-2970.

Maggi, F., Pifferi, M., Vatteroni, M., Fornai, C., Tempestini, E., Anzilotti, S., Lanini, L., Andreoli, E., Ragazzo, V., Pistello, M., Specter, S., and Bendinelli, M. (2003): Human metapneumovirus associated with respiratory tract infections in a 3-year study of nasal swabs from infants in Italy. *J. Clin. Microbiol.* 41:2987-2991.

Marsik, F. J. (2000): Verification, validation of microbiology methods. *Advance Adm. Lab.* 2000:32-41.

Martinello, R. A., Esper, F., Weibel, C., Ferguson, D., Landry, M. L., and Kahn, J. S. 10 January (2006): Human metapneumovirus and exacerbations of chronic obstructive pulmonary disease. *J. Infect.* [Epub ahead of print.].

References

Matsuzaki, Yoko ., Takashita, E., Okamoto, M., Mizuta, K., Nagai, Yukio., and Nishimura, H. (2009): Evaluation of a new rapid antigen test using immunochromatography for the detection of human metapneumovirus compared with real-time PCR assay. *J. Clin. Microbiol.*10.1128/JCM.00321-09.

Mazzone, A., and Ricevuti, G. (1995): Leukocyte CD11/CD18 integrins: biological and clinical relevance. *Haematologica* 80:161-175.

Monto, A. S. (2002): Epidemiology of viral respiratory infections. *Am. J. Med.* 112(Suppl. 6A):4S-12S.

Mullins, J. A., Erdman, D. D., Weinberg, G. A., Edwards, K., Hall, C. B., Walker, F. J., Iwane, M., and Anderson, L. J. (2004): Human metapneumovirus infection among children hospitalized with acute respiratory illness. *Emerg. Infect. Dis.* 10:700-705.

Murphy, R. M., Watt, K. K., D., Cameron-Smith, C. J., and Snow, R. J. (2003): Effects of creatine supplementation on housekeeping genes in human skeletal muscle using real-time RT-PCR. *Physiol. Genomics* 12:163-174.

Muto, C. A., Jernigan, J. A., Ostrowsky, B. E., Richet ,H. M.,Boyce, W. R., and Farr, B. M. (2003): SHEA guideline for preventing nosocomial transmission of multidrug-resistant strains of *Staphylococcus aureus* and *enterococcus*. *Infect. Control Hosp. Epidemiol.* 24:362-386.

References

N:

Niesters, H. G. (2002): Clinical virology in real time. *J. Clin. Virol.* 25(Suppl. 3):S3-12.

Nissen, M.D., Sloots T.P., Mackay, I., Siebert, D. (2006): Human metapneumovirus. *EMedicine* (serial online) 2006 Apr. Available from: <http://www.emedicine.com/med/topic3564.htm>

Nissen MD, Sloots TP, Mackay I, Siebert D.(2004): Human metapneumovirus. *EMedicine* (serial online) 2004 Jun. Available from: <http://www.emedicine.com/med/topic3564.htm>

Nissen, M. D., Siebert, D. J., Mackay, I. M., Sloots, T. P., and Withers, S. J. (2002): Evidence of human metapneumovirus in Australian children. *Med. J. Aust.* 176:188.

Nolte, F. S., Marshall, D. J., Rasberry, C., Schievelbein, S., Banks, G. G., Storch, G. A., Arens, M. Q., Buller, R. S., Prudent, J. R. (2007): MultiCode-PLx System for Multiplexed Detection of Seventeen Respiratory Viruses. *J. Clin. Microbiol.* 45: 2779-2785.

O:

Ordas, J., Boga, J. A., Alvarez-Arguelles, M., Villa, L., Rodriguez-Dehli, C., de Ona, M., Rodriguez, J., Melon, S. (2006): Role of metapneumovirus in viral respiratory infections in young children.. *J. Clin. Microbiol.* 44: 2739-2742.

P:

Papadopoulos, N. G. (2004): Human metapneumovirus as a causative agent of acute bronchiolitis in infants. *J. Clin. Virol.* 30:267-270.

Paul K.S., Chan K., Tam J.S., Lam C.W., Chan E., Wu A., Lee N., David S.C., Jo L.K., Chu I., Liu E., Chung S.C.S., and Sung J.Y.J. (2003): Detection of Human Metapneumovirus in Patients with Severe Acute Respiratory Syndrome. *Emerg Infect Dis*; 9(9): 1542-49.

Peiris, J. S., Tang, W. H., Chan, K. H., Khong, P. L., Guan, Y., Lau, Y. L., and Chiu, S. S. (2003): Children with respiratory disease associated with metapneumovirus in Hong Kong. *Emerg. Infect. Dis.* 9:628-633.

Pelletier, G., Dery, P., Abed, Y., and Boivin, G. (2002): Respiratory tract reinfections by the new human metapneumovirus in an immunocompromised child. *Emerg. Infect. Dis.* 8:976-978.

Peret, T. C., Abed, Y., Anderson, L. J., Erdman, D. D., and Boivin, G. (2004): Sequence polymorphism of the predicted human metapneumovirus G glycoprotein. *J. Gen. Virol.* 85:679-686.

Peret, T. C., Boivin, G., Couillard, M., Humphrey, C., Osterhaus, A. D., Erdman, D. D., and Anderson, L. J. (2002): Characterization of human metapneumoviruses isolated from patients in North America. *J. Infect. Dis.* 185:1660-1663.

References

Peret, T. C., Hall, C. B., Schnabel, K. C., Golub, J. A., and Anderson, L. J. (1998): Circulation patterns of genetically distinct group A and B strains of human respiratory syncytial virus in a community. *J. Gen. Virol.* 79:2221-2229.

Perez, M., Garcia-Barreno, B., Melero, J. A., Carrasco, L., and Guinea, R. (1997): Membrane permeability changes induced in *Escherichia coli* by the SH protein of human respiratory syncytial virus. *Virology* 235:342-351.

Perez-Ruiz, M., Yeste, R., Ruiz-Perez, M.-J., Ruiz-Bravo, A., de la Rosa-Fraile, M., Navarro-Mari, J. M. (2007): Testing of Diagnostic Methods for Detection of Influenza Virus for Optimal Performance in the Context of an Influenza Surveillance Network. *J. Clin. Microbiol.* 45: 3109-3110

Pfaffl MW. (2001): A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res.* 29(9):e45.

Pfaffl, M. W. (2007): *Nucleic Acids Research* A new mathematical model for relative quantification in real-time RT-PCR. *Nucleic Acids Res.* 2001, 29(9):e45. 2001 29:2002-2007.

Pham, Q. N., Biacchesi, S., Skiadopoulos, M. H., Murphy, B. R., Collins, P. L., and Buchholz, U. J. (2005): Chimeric recombinant human metapneumoviruses with the nucleoprotein or phosphoprotein open reading frame replaced by that of avian metapneumovirus exhibit improved growth in vitro and attenuation in vivo. *J. Virol.* 79:15114-15122.

References

Prince, G. A., Mathews, A., Curtis, S. J., and Porter, D. D. (2000): Treatment of respiratory syncytial virus bronchiolitis and pneumonia in a cotton rat model with systemically administered monoclonal antibody (Palivizumab) and glucocorticosteroid. *J. Infect. Dis.* 182:1326-1330.

Q:

Quan, ., Rasberry, C., Schievelbein, S., Ahariz , M., and Pistello, M. (2007): Human Metapneumovirus associated with respiratory tract infections among hospitalized children. *Archives of Disease in Childhood*; 90: 250-255.

R:

Rawlinson, W. D., Waliuzzaman, Z., Carter, I. W., Belessis, Y. C., Gilbert, K. M., and Morton, J. R. (2003): Asthma exacerbations in children associated with rhinovirus but not human metapneumovirus infection. *J. Infect. Dis.* 187:1314-1318.

Regev, L., Hindiye, M., Shulman, L. M., Barak, A., Levy, V., Azar, R., Shalev, Y., Grossman, Z., and Mendelson, E. (2006): Characterization of Human Metapneumovirus Infections in Israel. *J. Clin. Microbiol.* 44(4): 1484-1489.

Richardson, P. G., Sonneveld, P., Schuster, M. W., Irwin, D., Stadtmauer, E. A., Facon, T., Dalton, W. S., Boral, A. L., Esseltine, D. L., Porter, J. B., Schenkein, D., and Anderson, K. C. (2005): Bortezomib

References

or high-dose dexamethasone for relapsed multiple myeloma. *N. Engl. J. Med.* 352:2487-2498.

Ririe, K.M., Rasmussen, R.P., and Wittwer,C.T. (1997): Product differentiation by analysis of DNA melting curves during the polymerase chain reaction. *Anal. Biochem.*, 245, 154–160.

Rovida, F., Percivalle, E., Zavattoni, M., Torsellini, M., Sarasini, A., Campanini, G., Paolucci, S., Baldanti, F., Revello, M. G., and Gerna, G. (2005): Monoclonal antibodies versus reverse transcription-PCR for detection of respiratory viruses in a patient population with respiratory tract infections admitted to hospital. *J. Med. Virol.* 75:336-347.

S:

Santos, N., Honma, S., Timenetsky, M. d. C. S. T., Linhares, A. C., Ushijima, H., Armah, G. E., Gentsch, J. R., Hoshino, Y. (2008): Development of a Microtiter Plate Hybridization-Based PCR-Enzyme-Linked Immunosorbent Assay for Identification of Clinically Relevant Human Group A Rotavirus G and P Genotypes. *J. Clin. Microbiol.* 46: 462-469.

Semple, M. G., Cowell, A., Dove, W., Greensill, J., McNamara, P. S., Halfhide, C., Shears, P., Smyth, R. L., and Hart, C. A. (2005): Dual infection of infants by human metapneumovirus and human respiratory syncytial virus is strongly associated with severe bronchiolitis. *J. Infect. Dis.* 191:382-386.

References

Schappert, S. (1999): Ambulatory care visits to physician offices, hospital outpatient departments, and emergency departments: United States, 1997, p. 1-39. *In Vital and health statistics, series 13. Data from the National Health Survey.* Centers for Disease Control and Prevention, Atlanta, Ga.

Schildgen, O., Geikowski, T., Glatzel, T., Simon, A., Wilkesmann, A., Roggendorf, M., Viazov, S., and Matz, B. (2004): New variant of the human metapneumovirus (HMPV) associated with an acute and severe exacerbation of asthma bronchiale. *J. Clin. Virol.* 31:283-288.

Schowalter, R.M, Smith, S. E., and Dutch R.E. (2006): Characterization of Human Metapneumovirus F Protein-Promoted Membrane Fusion: Critical Roles for Proteolytic Processing and Low pH. *J Virol*; 80(22): 10931-10941.

Shoji, H. K., Wakasugi, Y., Miura, T.I., and Kazuyama, Y.(2002): Herpesvirus infections of the central nervous system. *Jpn. J. Infect. Dis.* 55:6-13.

Skiadopoulos, M. H., Biacchesi, S., Buchholz, U. J., Amaro-Caarambot, E., and Murphy, B.R. (2003): Characterization of human metapneumovirus isolated from patients with acute respiratory tract infections in India. *Emerg Infect Dis*; 10(3): 1622-30.

Skiadopoulos, M. H., Biacchesi, S., Buchholz, U. J., Riggs, J. M., Surman, S. R., Amaro-Carambot, E., McAuliffe, J. M., Elkins, W. R., Claire, M. St, Collins, P. L., and Murphy, B. R. (2004): The two major human metapneumovirus genetic lineages are highly related antigenically,

References

and the fusion (F) protein is a major contributor to this antigenic relatedness. J. Virol. 78:6927-6937

Sloan, L. M., Uhl, J. R., Vetter, E. A., Schleck, C. D., Harmsen, Manahan, W. S., J., Thompson, R. L., Rosenblatt, J. E., and Cockerill 3rd, F. R. (2004): Comparison of the Roche LightCycler vanA/vanB detection assay and culture for detection of vancomycin-resistant enterococci from perianal swabs. J. Clin. Microbiol. 42:2636-2643.

Smith, T. F., Espy, M. J., and Jones, M. F. (2004): Molecular virology: current and future trends, p.543 -548. *In* D. H. Persing, F. C. Tenover, J. Versalovic, Y. W. Tang, E. R. Unger, D. A. Relman, and T. J. White (ed.), Molecular microbiology diagnostic principles and practice. ASM Press, Washington, D.C.

Stevens, W., Horsfield ,P., and Scott, L. E. (2007): Evaluation of the performance of the automated NucliSENS EasyMAG and EasyQ systems versus the Roche AmpliPrep/AMPLICOR combination for high-throughput monitoring of human immunodeficiency virus load. J. Clin. Microbiol. 45:1244-1249.

Stockton, J., Stephenson, I., Fleming, D., and Zambon, M. (2002): Human metapneumovirus as a cause of community-acquired respiratory illness. Emerg. Infect. Dis. 8:897-901.

Suzuki, A., Watanabe, O., Okamoto, M., Endo, H., Yano, H., Suetake, M., and Nishimura, H. (2005): Detection of human metapneumovirus from children with acute otitis media. *Pediatr. Infect. Dis. J.* 24:655-657.

T:

Takahashi, Y., and Kobayashi, K. (2004): Human metapneumovirus infection in Japanese children. *J. Clin. Microbiol.* 42:126-132.

Tang, R. S., Mahmood, K., Macphail, M., Guzzetta, J. M., Haller, A. A., Liu, H., Kaur, J., Lawlor, H. A., Stillman, E. A., Schickli, J. H., Fouchier, R. A., Osterhaus, A. D., and Spaete, R. R. (2005): A host-range restricted parainfluenza virus type 3 (PIV3) expressing the human metapneumovirus (hMPV) fusion protein elicits protective immunity in African green monkeys. *Vaccine* 23:1657-1667.

Terry,C.F., Shanhan,D.J., Ballam,L.D., Harris,N., McDowell,D.G. and Parkes,H.C. (2002): Real-time detection of genetically modified soya using LightCycler and ABI 7700 platforms with TaqMan Scorpion and SYBR Green I chemistries. *JAOAC. Int.*85(4): 938-440.

Thanasugarn, W., Samransamruajkit, R., Vanapongtipagorn, P., Prapphal, N., Van den Hoogen, B., Osterhaus, A. D., and Poovorawan, Y. (2003): Human metapneumovirus infection in Thai children. *Scand. J. Infect. Dis.* 35:754-756.

References

Tricarico, C., Pinzani, P., S., Bianchi ,M. P., Distanto, V., Pazzagli, M., Bustin, S.A., and Orlando, C. (2002): Quantitative real-time reverse transcription polymerase chain reaction: normalization to rRNA or single housekeeping genes is inappropriate for human tissue biopsies. *Anal. Biochem.* 309:293-300.

Tripp, R. A. (2003): Role of cytokines in the development and maintenance of memory T cells during respiratory viral infection. *Curr. Pharm. Des.* **9**:51-59.

Tripp, R. A. (2004): Pathogenesis of respiratory syncytial virus infection. *Viral Immunol.* 17:165-181.

U:

Uhl, J. R., Adamson, S. C., Vetter, E. A., Schleck, C. D., Harmsen, W. S., Iverson, L. K., Santrach, P. J., Henry, N. K., and Cockerill ,F. R. (2003): Comparison of LightCycler PCR, rapid antigen immunoassay, and culture for detection of group A streptococci from throat swabs. *J. Clin. Microbiol.* 41:242-249.

Uhl, J. R., and Cockerill, F.R.I. (2004): The fluorescence resonance energy transfer system, p. 295-306. *In* Persing, D. H., Tenover, F. C., Versalovic, Y.W., Tang, E. R., Unger, D.A., and White , T.J. (ed.), *Molecular microbiology diagnostic principles and practice*. ASM Press, Washington, D.C.

References

Ulbrandt, N.D., Ji, H., Patel, N.K., Riggs, J.M., Brewah, Y.A., Ready, S., Donacki, N.A., Folliot, K., Barnes, A.S., Senthil, K., Wilson, S., Chen, M., Clarke, L., MacPhail, M., Li, J., Woods, R.M., Coelingh, K. (2006): Isolation and Characterization of Monoclonal Antibodies Which Neutralize Human Metapneumovirus In Vitro and In Vivo. *J. Virol.* 80(16): 7799-7806.

Ulloa-Gutierrez, R., Skippen, P., Synnes, A., Seear, M., Bastien, N., Li, Y., and Forbes, J. C. (2004): Life-threatening human metapneumovirus pneumonia requiring extracorporeal membrane oxygenation in a preterm infant. *Pediatrics* 114:e517-e519.

V:

Valentine-Thon, E. (2002): Quality control in nucleic acid testing-where do we stand? *J. Clin. Virol.* 25(Suppl. 3):S13-21.

Van den Hoogen, B. G., Bestebroer, T. M., Osterhaus, A. D., and Fouchier, R. A. (2002): Analysis of the genomic sequence of a human metapneumovirus. *Virology* 295:119-132.

Van den Hoogen, B. G., de Jong, J. C., Groen, J., Kuiken, T., de Groot, R., Fouchier, R. A., and Osterhaus, A. D. (2001): A newly discovered human pneumovirus isolated from young children with respiratory tract disease. *Nat. Med.* 7:719-724.

Van den Hoogen, B. G., Osterhaus, A. D., and Fouchier, R. A. (2004): Clinical impact and diagnosis of human metapneumovirus infection. *Pediatr. Infect. Dis. J.* 23:S25-S32

References

Van den Hoogen, B. G., van Doornum, G. J., Fockens, J. C., Cornelissen, J. J., Beyer, W. E., de Groot, R., Osterhaus, A. D., and Fouchier, R. A. (2003): Prevalence and clinical symptoms of human metapneumovirus infection in hospitalized patients. *J. Infect. Dis.* 188:1571-1577.

VanderVelden,V.H., Hochhaus,A., Cazzaniga,G., Szczepanski,T., Gabert,J. and Van-Dongen,J.J.(2003): Detection of minimal residual disease in hematological malignancies by Real-time quantiyative PCR: principles, approaches, and laboratory aspects. *Leukemia.* 17(6): 1013-1047.

Vandesompele J, et al. (2002): “Accurate normalization of real-time quantitative RT-PCR data by geometric averaging of multiple internal control genes.” *Genome Biol.* 3(7): 1-12.

Van Gageldonk-Lafeber, A. B., Heijnen, M. L., Bartelds, A. I., Peters, M. F., van der Plas, S. M., and Wilbrink, B. (2005): A case-control study of acute respiratory tract infection in general practice patients in The Netherlands. *Clin. Infect. Dis.* 41:490-497.

Viazov, S., Ratjen, F., Scheidhauer, R., Fiedler, M., and Roggendorf ,M. (2003): High prevalence of human metapneumovirus infection in young children and genetic heterogeneity of the viral isolates. *J. Clin. Microbiol.* 41:3043-3045.

Vicente, D., Cilla, G., Montes, M., and Perez-Trallero, E. (2003): Human metapneumovirus and community-acquired respiratory illness in children. *Emerg. Infect. Dis.* 9:602-603.

References

Vinh, D.C., Newby, D., Charest, H., and McDonald, J. (2008): Evaluation of a Commercial Direct Fluorescent-Antibody Assay for Human Metapneumovirus in Respiratory Specimens · J. Clin. Microbiol. 46(5): 1840-1841.

Verstrepen, W., Bruynseels, P., De Smet, A., Mertens, A. (2006): Detection of human metapneumovirus in paediatric nasopharyngeal aspirates by a TaqMan minor groove binder probe assay: a one-year prospective study in Belgium. J. Clin. Microbiol. 45 (5): 1739-1743.

Von Linstow, M. L., Henrik Larsen, H., Eugen-Olsen, J., Koch, A., Nordmann Winther, T., Meyer, A. M., Westh, H., Lundgren, B., Melbye, M., and Høgh, B. (2004): Human metapneumovirus and respiratory syncytial virus in hospitalized Danish children with acute respiratory tract infection. Scand. J. Infect. Dis. 36:578-584.

W:

Whiley, D. M., Mackay, I. M., and Sloots, T. P. (2001): Detection and differentiation of human polyomaviruses JC and BK by LightCycler PCR. J. Clin. Microbiol. 39:4357-4361.

Whitehead, S. S., Bukreyev, A., Prussin, B. R., and Sloots, T. P. (1999): Human Metapneumovirus, Peru. Emerg Infect Dis:11(2): 354-368.

Williams, J.V., Chen, Z., Cseke, G., Wright, D.W., Keefer, C.J., Tollefson, S.J., Hessel, A., Podsiad, A., Shepherd, B.E., Sanna, P.P.,

References

Burton, D.R., Crowe, J.Jr., and Williamson, R.A. (2007): A Recombinant Human Monoclonal Antibody to Human Metapneumovirus Fusion Protein That Neutralizes Virus In Vitro and Is Effective Therapeutically In Vivo. *J. Virol.* 81(15): 8315-8324.

Williams, J. V., Wang, C. K., Yang, C. F., Edwards, K. M., Wright, P. F., and Crowe, J. E. (2006): The role of human metapneumovirus in upper respiratory tract infections in children: a 20-year experience. *J. Infect. Dis.* 193:387-395.

Williams, J. V., Harris, P. A., Tollefson, S. J., Halburnt-Rush, L. L., Pingsterhaus, J. M., Edwards, K. M., Wright, P. F., and Crowe, J. E. (2004): Human metapneumovirus and lower respiratory tract disease in otherwise healthy infants and children. *N. Engl. J. Med.* 350:443-450.

Williams J.V, M.D., Harris, P. A., Edwards, M.D., Wright, P. F., and Crowe, J. E. (2007): Human Metapneumovirus and Lower Respiratory Tract Disease in Otherwise Healthy Infants and Children. *N Engl J Med.* 29; 350(5): 443–450.

Williams, J. V., Tollefson, S. J., Johnson, J. E., and Crowe, J. E. (2005): The cotton rat (*Sigmodon hispidus*) is a permissive small animal model of human metapneumovirus infection, pathogenesis, and protective immunity. *J. Virol.* 79:10944-10951.

Wolf, D. G., Zakay-Rones, Z., Fadeela, A., Greenberg, D., and Dagan, R. (2003): High seroprevalence of human metapneumovirus among young children in Israel. *J. Infect. Dis.* 188:1865-1867.

References

Wyde, P. R., Chetty, S. N., Jewell, A. M., Boivin, G., and Piedra, P. A. (2003): Comparison of the inhibition of human metapneumovirus and respiratory syncytial virus by ribavirin and immune serum globulin in vitro. *Antivir. Res.* 60:51-59

Wyde, P. R., Chetty, S. N., Jewell, A. M., Schoonover, S. L., and Piedra, P. A. (2005): Development of a cotton rat-human metapneumovirus (hMPV) model for identifying and evaluating potential hMPV antivirals and vaccines. *Antivir. Res.* 66:57-66.

Wyde, P. R., Moore-Poveda, D. K., De Clercq, E., Neyts, J., Matsuda, A., Minakawa, N., Guzman, E., and Gilbert, B. E. (2000): Use of cotton rats to evaluate the efficacy of antivirals in treatment of measles virus infections. *Antimicrob. Agents Chemother.* 44:1146-1152.

Wyde, P. R., Moylett, E. H., Chetty, S. N., Jewell, A., Bowlin, T. L., and Piedra, P. A. (2004): Comparison of the inhibition of human metapneumovirus and respiratory syncytial virus by NMSO3 in tissue culture assays. *Antiviral Res.* 63:51-59.

X:

Xepapadaki, P., Psarras, S., Bossios, A., Tsolia, M., Gourgiotis, D., Liapi-Adamidou, G., Constantopoulos, A. G., Kafetzis, D., and Papadopoulos, N. G. (2004): Human metapneumovirus as a causative agent of acute bronchiolitis in infants. *J. Clin. Virol.* 30:267-270.

Y:

References

Yui, I., Hoshi, A., Shigeta, Y., Takami, T., and Nakayama, T. (2003): Detection of human respiratory syncytial virus sequences in peripheral blood mononuclear cells. *J. Med. Virol.* 70:481-489.

Z:

Zambon, J. V., Wang, C. K., Crowe, J. E., and Hogg, B. (2001): real-time PCR using SYBR green I dye and oligonucleotide probes as the detection signals. *J. Clin. Microbiol.* 39:1060-1062.

Zhong, K. J., Salas, C. J., Shafer, R., Gubanov, A.R., Gasser, A.J., Magill, A. J., Forney, J. R., and Kain, K. C. (2001): Comparison of IsoCode STIX and FTA Gene Guard collection matrices as whole-blood storage and processing devices for diagnosis of malaria by PCR. *J. Clin. Microbiol.* 39:1195-1196.

Zimmer, G., Budz, L., and Herrler, G. (2001): Proteolytic activation of respiratory syncytial virus fusion protein. Cleavage at two furin consensus sequences. *J. Biol. Chem.* 276:31642-31650.