

REFERENCES

Abd.Elraouf M., (1992) .Brain electrical activity mapping in depression, thesis M.SC . Zagazig university, faculty of medicine .

Abo Nazel, M.W (1990) .A study of depression among Alexandria preparatory school adolescent doctoral dissertation Alexandria University .

American psychiatric association(1993): practice guide lines for major depressive disorder in adults, AMJ psychiatry (suppl) 150(4):,1993 .

Angold, A. (1988) childhood and adolescent depression: Epidemiological and etiological aspects, British journal of psychiatry, 152, 601-617 .

ARO H (1994) Risk and protective factors in depression: a developmental perspective Acta psychialtr scand 1994: suppl 377:59-64 .

Bell, M.D. (1988): The national medical series for independent study, 2nd ed.; 20 - 23.

Boyd, J.H. & Weissman, M.M. (1982) The Epidemiology of depression. Handbook of affective disorders 616-895. library of congress Edinburgh London Melbourne and New York.

Brown, G.W., and Harris, T.(1978)_. social origins of depression: A study of psychiatric disorder in women .London : tavistock .

Christine S and Fawcett , (1993) Family psychiatric nursing . DNLM / DLC for library of congress . by Mosby - yearbook . Philadelbhia : 323-2 .

Eaton WE. Kessler LG (1981): Rates of Symptoms of depression in a national sample. Am J Epidemiol 1981: 114 : 528-538.

Flaherty, J.A., Gaviria, F.M., and pathak, D.S. (1983). The measurement of social support: the Social Support network inventory. Comperhensive psychiatry, 24, 521 - 529.

Fleming, J . E . and Offord , D.R. (1989) prevalence of childhood and adolescent depression in the general population .British journal of psychiatry , 155, 647 - 654 .

Galdia, J. (1974): Typologies of depressive disorder based on family history or genetic data. Brit. J. psychiat., 124: 615 - 616.

Gulbinat (1983) quoted from Garcia, R. (1986): Epidemiology of depression in latin America. Psychopathology, 19: (supp) 22 - 5 .

Halistrom, T. (1984) point prevalence of major depressive diorder in swedish urban female population , acta psychiatr scand . 69 : 52-9 .

Hankin JR. Locke BZ (1982): The persistence of depressive symptomatology among prepaid group practice enrollees: an exploratory study. Am J public Health 1982; 72: 1000 - 1007.

Howland RH : (1993): Chronic depression, hosp community psychiatry, 44 (7) : 633, 1993.

John K, Myrnam and Weissman ,(1987) . The familial and psychosocial measurment of depression Yale Unversity , New york State psychiatric institute , P.344

Kaplan, S.L., Hong, G. & wenhold, C. (1984 a): Epidemiology of depressive symptomatology in a dolescents. Journal of the american Academy of child psychiatry 23. 595 - 601.

Kashani JH, Hoeper EW, Beck Nc, etal, (1987): Personality, psychiatric disorders and parental attitude among a community sample of adolesents. J am A cad child adolesc psychiatry, 26: 879 - 889 .

Keltner NI. (1994): Handbook of psychiatrie nursing - adapted from ford CV and Falk DG: psychiatric disorders in geriatric medical / surgical patients. Review of clinical experience in consultation, soutbern med J 78 (4) 397, 1985.

Kempe AR and Rawlins RP, (1993) . Mental health psychiatric nursing . A holistic life - cycle approach .3rd . Philadelphia : Sydney Mosby - yearbook : 754

Kienhorst, C.W.M. (1991) construction of an index for predicting suicide attempts in depressed adolescents. British journal of psychiatry, 159:676 - 682 .

Klerman, G.L.(1987) : Depression associated With medical and neurological diseases, Drugs, and Alcohol, Cornell university medical center, New York.

Klerman, G.L.(1988) . The current age of youthful Melancholia. Evidence for increase in depression among adolescents and young adults british journal of psychiatry. 152 - 4 -14 .

Mahmoud, E.(1992) depressive symptoms in preschool children . M..B.B.CH. master degree of childhood study . Ain shams University .

Marsella, Anthony J. (1987) : The measurement of depression, library of congress catalog In - publication data . RC 537, M 43.

Martin G.Rozanes P, Pearce C, Allison S. (1995) Adolescent suicide, depression and family dysfunction . Acta psychiatr Scand : 92 : 336-334 .

Martinsen EW, (1994) . Physical activity and depression , clinical experience . Acta psychiatr scand . suppl 377: 23-27 .

Master ,R.S. and zung, W.W.K. (1977) . Depressive symptoms in patients and normal subjects in India. Arch.Gen. Psychiat. ,34:972-984 .

McConville BF, Boag LC, Purohit Ap(1983): Three types of childhood depression. Can psychiatr Assoc J, 18: 133 - 138.

McGuffin, P., Katz, R. and Bebbington, P. (1988): The comberwell collaborative Depression study. III. Depression and adversity in the relatives of depressed proband. British Journal of psychiatry. 52, 775 - 782.

Minghella E, (1992): A text book of psychiatric mental health nursing. Singapore Publishers pte Ltd, 355-2 .

Murphy, J.M., Sobol, A.M., Neff, R.K., Olivier, D. and leighton, A.H (1984) . Stability of prevalence . Archives of general psychiatry , 41:990-997 .

Nelson, (1992) . Textbook of pediatrics . 14th ed . Philadelphia : Saunders Co. library of congress . 62 .

Orvaschel, H., Weissman M.M., & Kidd, K.K. (1980): Children and depression: The children of depressed parents; The childhood of depressed parents; depression in children. Journal of affective disorder, 2, 1-16.

OHara, M. Kohout, F. and Wallace, R. (1985): Depression among the rural elderly. J. Nerv. Ment. Dis., 173: 582.

Okasha: (1990) Depressive morbidity in an Egyptian population. Egypt. J. psychiat., 1990. 13 : 131- 133.

Paykel, E.S (1982) Handbook of affective disorders. 616. 895. st George's hospital Medical school university of London.

Pozanaski E, Mokros HB, Grossman J, etal (1985): Diagnostic criteria in childhood depression. Am J psychiatry, 142: 1168 - 1173.

Reich, T., Van Eerdewegh, p., Rice , J. and Mullaney, J.(1987) The familial transmission of primary major depressive disorder. Journal of psychiatric review (in press) .

Rutter & quinton, D. (1984) : Parental psychiatric disorder : effects on children. Psychological medicine, 14, 853 - 880.

Sacks, C.R., Peterson, R.A., Kimmel, P.L. (1990) ; Perception of illness and depression in chronic renal disease. Am. J. Kidney, Dis. Vol: 15 (1), P. 31 - 9 .

Sartorius ,(1975) An Epidemiological and cultural study of depression . Indian- J.Psychiatr . ,12:13 .

Saylor, C.F., Finch, A. J., Baskin, C. H., etal (1984): Construct validity for measures of childhood depression: Application of multitrait multimethod methodology journal of counselling and clinical psychology, 52, 977 - 985.

Tsuang, M. T., Winokur, G. & Crowe, R.R. (1980): Morbidity risk of schizophrenia and affective disorders among first degree

relatives of patients with schizo phrenia, Mania & depression. British Journal of psychiatry, 137, 497 - 504.

Victory. Schoenbach, msph, PHD, Bertonh., Kaplan, PHD, Edward H. Wagner, md mph, Roger C. Grimson, PHD, and Francis T. Miller, PHD (1983): Prevalence of self - reported depressive symptoms in young adolescents. American Journal of public health vol. 73, No. 11.

Wallerstein, J.s.(1983) . Children of divorce : Stress and Developmental tasks . In stress , coping and developmentb in children (eds N.Garmezy, and M.Rutter) . New york : McGraw-hill.

Weissman, John, K., Merikangas, K.R. prusof b.a., Wickra Maratne, p., Gammon, g.d., Angold. a.a., Warner, v. (1986) Depressed parent and their children: General health, social. and psychiatric problems. American journal of disease of children, 140, 801 - 805 .

Weissman M.M., Lechman , J. F., Merikangas K.R., et al. ,(1984): Depression and aniety disorders in parents and children. Arch. Gren. Psychiatry , 41: 845 - 852.

Weissman, M.M., Wickramaratne, P., Merikangas, K.R., Leckman, J.F., Prusoff, B.A., Caruso, K.N., Kidd, K.K., & Gammon, G.D. (1984). Onset of major depression in early adulthood: increased familial loading and specificity. Archives of general psychiatry, 41 - 1136 - 1143.

Winokur, Donald W.B., Amelia, N. (1988): Depression Secots others psychiatric disorders and medical illnesses. am . . Psych. 145 : 2.