

References

- Abraham BK, Fritz P, McClellan M, et al.** Prevalence of CD44+/CD24-/low cells in breast cancer may not be associated with clinical outcome but may favor distant metastasis *Clin Cancer Res*, 11:1154-1159;2005.
- Acs G, Lawton TJ, Rebbeck TR, et al:** Differential expression of E-cadherin in lobular and ductal neoplasms of the breast and its biologic and diagnostic implications. *Am J Clin Pathol*. 115: 85-98; 2001.
- Adsay NV, Merati K, Nassar H, et al:** Pathogenesis of colloid (pure mucinous) carcinoma of exocrine organs. Coupling of gel-forming mucin (MUC2) production with altered cell polarity and abnormal cell-stroma interaction may be the key factor in the morphogenesis and indolent behavior of colloid carcinoma in the breast and pancreas. *Am J Surg Pathol*. 27: 571-8; 2003.
- Akimov, S.S., A. Ramezani, T.S. Hawley, et al ..** Bypass of senescence, immortalization, and transformation of human hematopoietic progenitor cells. *Stem Cells*. 23:1423–1433;2005.
- Al-Hajj, M., Wicha, M. S., Benito-Hernandez, A., et al.** Prospective identification of tumorigenic breast cancer cells. *Proc. Natl. Acad. Sci. USA* **100**, 3983-3988; 2003.
- Alison MR, Vig P, Russo F, et al .**Hepatic stem cells: From inside and outside the liver? *Cell Prolif* **37**: 1–21;2005.
- Allred, D. C., Brown, P. and Medina, D.** The origins of estrogen receptor alpha-positive and estrogen receptor alpha-negative human breast cancer. *Breast Cancer Res*. **6**, 240-245; 2004.

--**Alvi, A. J., Clayton, H., Joshi, C., et al** Functional and molecular characterisation of mammary side population cells. *Breast Cancer Res.* 5, R1-R8; 2003.

--**Amoh Y, Li L, Katsuoka K, Penman S, et al** . Multipotent nestin-positive, keratin-negative hair-follicle bulge stem cells can form neurons. *Proc Natl Acad Sci USA*; 102(15): 5530-4; 2005.

--**Antoniou A. et al.**, Average risks of breast and ovarian cancer associated with BRCA1 or BRCA2 mutations detected in case Series unselected for family history: a combined analysis of 22 studies, *Am. J. Hum. Genet* 72 , pp. 1117–1130;2003.

--**Antoniou A.C., Pharoah P.D., Narod S. et al** .Breast and ovarian cancer risks to carriers of the BRCA1 5382insC and 185delAG and BRCA2 6174delT mutations: a combined analysis of 22 population based studies. *Journal of Medical Genetics*; 42 (7): 602-603;2005.

--**Baguley Bruce C.** Tumor Stem Cell Niches: A New Functional Framework for the Action of Anticancer Drugs *Recent Patents on Anti-Cancer Drug Discovery*, 1, 121-127; 2006.

--**Balic M, Lin H, Young L, et al.** Most early disseminated cancer cells detected in bone marrow of breast cancer patients have a putative breast cancer stem cell phenotype. *Clin Can Res* ;12:5615–21; 2006.

--**Barnes DM and Hanby AM**, Estrogen and progesterone receptors in breast cancer: past, present and future. *Histopathology.* 38: 271-4; 2001.

--**Barker N, van Es JH, Kuipers J, et al.** Identification of stem cells in small intestine and colon by marker gene *Lgr5* . *Nature* ,449:1003–1007 ;2007.

- Bartley AN and Ross DW**: Validation of p53 Immunohistochemistry as a Prognostic Factor in Breast Cancer in Clinical Practice. *Arch Pathol Lab Med.* 126(4): 456–8; 2002.
- **Basu A, Rowan BG, Basu A, et al** : Genes related to estrogen action in reproduction and breast cancer. *Frontiers in Bioscience.*10:2346-72; 2005.
- Bao S, Wu Q, McLendon RE, et al.** . Glioma stem cells promote radioresistance by preferential activation of the DNA damage response. *Nature* 444: 756–760; 2006.
- Beckmann J.** Common adult stem cells in the human breast give rise to glandular and myoepithelial cell lineages: A new cell biological concept. *Lab. Invest.* 8: 737–746;2002.
- Bhargava R, Gerald WL, Li AR, et al**: EGFR gene amplification in breast cancer: correlation with epidermal growth factor receptor mRNA and protein expression and HER-2 status and absence of EGFR-activating mutations. *Mod Pathol.* 18(8):1027-33; 2005.
- Bianchi N.O . et al.**, Mitochondrial genome instability in human cancers *Mutat. Res.* **488** , pp. 9–23; 2001.
- **Bjerkvig-R., Tysnes B.B, Aboody K.S , J.et al.** Opinion: the origin of the cancer stem cell: current controversies and new insights, *Nat. Rev., Cancer* 5 , pp. 899–904;2005.
- Blanpain C, Lowry WE, Geohegan A, et al.** Self-renewal,multipotency, and the existence of two cell populations within an epithelial stem cell niche. *Cell* **118**: 530–532; 2004.
- Bonnet, D. and Dick, J. E** .Human acute myeloid leukemia is

organized as a hierarchy that originates from a primitive hematopoietic cell. *Nat. Med.* **3**, 730-737; **1997**.

--**Boulanger, C. A., Wagner, K. U. and Smith, G. H.** Parity-induced mouse mammary epithelial cells are pluripotent, self-renewing and sensitive to TGF-beta1 expression. *Oncogene* **24**, 552-560; **2005**.

--**Bratthauer G.L, Moir F, Stamatakis M.D. et al**, Combined E-cadherin and high molecular weight cytokeratin immunoprofile differentiates lobular, ductal, and hybrid mammary intraepithelial neoplasias. *Human pathology* . **33**(6):620-7; **2002**.

--**Braun S, Vogl FD, Naume B, et al.** A pooled analysis of bone marrow micrometastasis in breast cancer. *N Engl J Med* **2005**;353:793–802 ; **2005**.

--**Brennan, K. R. and Brown, A. M.** Wnt proteins in mammary development and cancer. *J. Mammary Gland Biol. Neoplasia* **9**, 119-131. **2004**.

--**Brons IGM, Smither LE, Trotter MWB, et al.** Derivation of pluripotent epiblast stem cells from mammalian embryos. *Nature*.;448:191-195; **2007**

--**Bruggeman SW, Valk-Lingbeek ME, van der Stoop PP, et al.** Ink4a and Arf differentially affect cell proliferation and neural stem cell self-renewal in Bmi1-deficient mice. *Genes Dev*;19:1438–43; **2005**.

--**Burger, P.E., X. Xiong, S. Coetzee, et al ..** Sca-1 expression identifies stem cells in the proximal region of prostatic ducts with high capacity to reconstitute prostatic tissue. *Proc. Natl. Acad. Sci. USA.* **102**:7180–7185 ; **2005**.

-- **Calabrese C., Poppleton H . Kocak M, et al.,** A perivascular niche for brain tumor stem cells, *Cancer Cell* **11** pp. 69–82; **2007**.

- Carey LA, Perou CM, Dressler LG, et al:** Race and the poor prognosis basal breast tumor (BBT) phenotype in the population-based Carolina Breast Cancer Study (CBCS). *Meeting: ASCO Annual Meeting; Abstract No: 9510*; 2004.
- Cariati M, Naderi A, Brown JP, et al:** Alpha-6 integrin is necessary for the tumorigenicity of a stem cell-like subpopulation within **the MCF7 breast cancer cell line** *Int J Cancer*, **122**:298-304.; 2008.
- **Carmichael A, Sami AS, Dixon JM:** Breast cancer risk among the survivors of atomic bomb and patients exposed to therapeutic ionising radiation. *Eur J Surg Oncol.*29:475-9; 2003.
- **Carroll JS, Swarbrick A, Musgrove EA, et al:** Mechanisms of growth arrest by c-myc antisense oligonucleotides in MCF-7 breast cancer cells: implications for the antiproliferative effects of antiestrogens. *Cancer Res.* 62:3126–31; 2002.
- **Carter MR, Lester S, Fletcher CDM:** Metaplastic (spindle cell/sarcomatoid) carcinoma of the breast: analysis of 32 cases with evidence of aggressive behavior. *Mod Pathol.* 16:24a; 2003.
- Charles B , Dana K and Timothy R :** Schwartz's Principles of Surgery vol.2 chapter 16: The breast , eighth ed., Edited by The McGraw-Hill Companies, United States,pp.453-499, 2005.
- Chlebowski RT, Chen Z, Anderson GL, et al:** Ethnicity and breast cancer: factors influencing differences in incidence and outcome. *J Natl Cancer Inst.* 97:439-48; 2005.
- Christophe Ginestier,¹ Min Hee Hur,² Emmanuelle Charafe-Jauffret,³** [Cell Stem Cell.](#) 2007 November 15; 1(5): 555–567. doi: 10.1016/j.stem..08.01; 2007.

- Chute, JP; Muramoto, GG; Whitesides, J; et al.** Inhibition of aldehyde dehydrogenase and retinoid signaling induces the expansion of human hematopoietic stem cells. *Proc Natl Acad Sci USA*.;31:11707–11712; 2006.
- Clarke MF, Dick JE, Dirks PB, et al.** Cancer Stem Cells–Perspectives on Current Status and Future Directions: AACR Workshop on Cancer Stem Cells. *Cancer Res* 66: 9339–9344; 2006
- Clarke MF, Fuller M** . Stem cells and cancer: two faces of eve. *Cell* 124: 1111–111; 2006
- Clarke, R. B., Spence, K., Anderson, E.**, A putative human breast stem cell population is enriched for steroid receptor-positive cells. *Dev. Biol.* 277, 443-456; 2005.
- **Clevers H.** Wnt/ β -catenin signaling in development and disease. *Cell*;127:469–480; 2005.
- Collins AT, Berry PA, Hyde C, et al.** Prospective identification of tumorigenic prostate cancer stem cells *Cancer Res* , 65:10946-10951; 2005.
- Copson E.R., White H.E., Blaydes J.P. et al**, Influence of the MDM2 single nucleotide polymorphism SNP309 on tumour development in BRCA1 mutation carriers. *BMC Cancer*; 6: 80-89; 2005.
- **Croker K and Allan A.L.**, Cancer stem cells: implications for the progression and treatment of metastatic disease, *J Cell Mol Med* 12, pp. 374–390; 2008.
- **Cully M, You H, Levine AJ, Mak TW.** Beyond *PTEN* mutations: the PI3K pathway as an integrator of multiple inputs during tumorigenesis. *Nat Rev Cancer*;6:184–192; 2006.
- **Cummings MC, Walsh MD, Hohn BG, et al:** Occult axillary lymph

node metastases in breast cancer do matter: results of 10-year survival analysis. *Am J Surj Pathol.* 26: 1286-95; 2002.

-**Dalerba, P. Cho R.W and Clarke M.F.**, Cancer stem cells: models and concepts, *Annu Rev Med* 58 , pp. 267–284; 2007.

-**Dalerba P, Dylla SJ, Park IK, et al.** Phenotypic characterization of human colorectal cancer stem cells. *Proc Natl Acad Sci USA*;104:10158-63; 2007.

-**Dales JP, Garcia S, Carpentier S, et al:** Long-term prognostic significance of neoangiogenesis in breast carcinomas: comparison of Tie-2/Tek, CD105, and CD31 immunocytochemical expression. *Hum Pathol.* 35(2):176-83; 2004.

-**Dangles-Marie V, Pocard M, Richon S , et al.** Establishment of human colon cancer cell lines from fresh tumors versus xenografts: comparison of success rate and cell line features. *Cancer Res* 67:398–407 ;2007

-**Damelin M., Sun Y.E., V.B. Sodja V.B et al**, Decatenation checkpoint deficiency in stem and progenitor cells, *Cancer Cell* 8 , pp. 479–484; 2005.

--**Deb-Rinker P, Ly D, Jezierski A, et al**, Sequential DNA methylation of the Nanog and Oct-4 upstream regions in human NT2 cells during neuronal differentiation. *J Biol Chem* ; 280: 6257-60;2005

--**De Coppi P, Bartsch G Jr, Siddiqui MM, et al.** Isolation of amniotic stem cell lines with potential for therapy. *Nat Biotechnol.* 25:100-106. --**Chiba T., . Miyagi**;2007.

--**DickJohn E.**, Breast cancer stem cells revealed, *PNAS* 2003 _ vol. 100 _ no. 7 _ 3547–3549,2007.

- Domen J, Wagers A, Weissman IL**. Bone marrow (hematopoietic) stem cells. *Regenerative Medicine* [/info/scireport/2006report. Accessed February 22, 2008.
- Donnenberg VS, Donnenberg AD** . Multiple drug resistance in cancer revisited: the cancer stem cell hypothesis. *J Clin Pharmacol* 45: 872–877; 2007.
- G. Dontu et al.**, Role of Notch signaling in cell-fate determination of human mammary stem/progenitor cells, *Breast Cancer Res.* **6**, pp. R605–R615.;2004.
- **Dontu Gabriela' , El-Ashry Dorraya and Wicha Max S** ,Breast cancer, stem/progenitor cells and the estrogen receptor.Trends in Endocrinology and Metapolism.,Volume 15 ,Issue 5, , Pages 193-197.2004.
- Dontu, G., Abdallah, W. M., Foley, J. M., et al**. In vitro propagation and transcriptional profiling of human mammary stem/progenitor cells. *Genes Dev.* **17**, 1253-1270: 2003.
- Dontu, G., Jackson, K. W., McNicholas, E, et al** . Role of Notch signaling in cell-fate determination of human mammary stem/progenitor cells. *Breast Cancer Res.* **6**, R605-R615: 2004.
- Downs-Kelly, EYoder B.J., Stoler M et al**. The influence of polysomy 17 on HER2 gene and protein expression in adenocarcinoma of the breast: a fluorescent in situ hybridization, immunohistochemical, and isotopic mRNA in situ hybridization study. *Am J Surg Pathol.* 29(9):1221-7 :2005.
- **ElBolkainy M**: Breast cancer in Topographic pathology of cancer 2nd edition. *Al-Asdekaa Graphics Center Cairo.* p 81-88; 2000.
- Esteller M, Silva JM, Dominguez G, et al**: Promoter hypermethylation

and BRCA1 inactivation in sporadic breast and ovarian tumors. *J Natl Cancer Inst.*92:564–9; 2000.

-- **Eyler C.E and Rich J.N.**, Survival of the fittest: cancer stem cells in therapeutic resistance and angiogenesis, *J Clin Oncol* **26** , pp. 2839–2845; 2008.

--**Fang, D. et al**, *Cancer Res.* 65: 9328–9337;2005.

--**Farnie G, Clarke RB, Spence K**, et al. : Novel cell culture technique for primary ductal carcinoma *in situ*: role of Notch and epidermal growth factor receptor signaling pathways *J Natl Cancer Inst* , 99:616-627; 2007.

-- **Fisher ER, Anderson S, Tan-Chiu E, et al**: Fifteen-year prognostic discriminants for invasive breast carcinoma: National Surgical Adjuvant Breast and Bowel Project Protocol 06. *Cancer.* 91: 1679- 88; 2001.

--**Florek, M. et al.** *Cell Tissue Res.* 319: 15–26;2005

--**Fodde R, Brabletz T, et al** Wnt/ β -catenin signaling in cancer stemness and malignant behavior. *Curr Opin Cell Biol* ;19:1–9;2007.

--**Frank, S. A, Y. Iwasa Y. and. Nowak M. A**, Patterns of cell division and risk of cancer. *Genetics* 163: 1527–1532 ;2003.

--**French A, Adams C, Anderson L, et al**, Development of human cloned blastocysts following somatic cell nuclear transfer (SCNT) with adult fibroblasts. *Stem Cells.* 2008.

--**French A, Adams C, Anderson L**, et al,. Development of human cloned blastocysts following somatic cell nuclear transfer (SCNT) with adult fibroblasts. *Stem Cells.* 2008;

-- **Fuqua SA**: Coexpression of ER- α and ER- β in breast tumors. *B. J. Cancer.* 79: 1820-35; 2000.

- Gerber, B, et al.**, Nutrition and lifestyle factors on the risk of developing breast cancer, *Breast Cance Res. Treat.* **79** ,pp. 265–276; 2003.
- Ginestier C, Hur MH, Charafe-Jauffret E**, et al. ALDH1 is amarker of normal and malignant human mammary stem cells and a predictor of poor clinical outcome. *Cell Stem Cell* ;1,555-67;2007.
- **Gong JF, Yuan YH, Song GH, et al** [Pilot study on the correlation between high incidence of CD44(+)/CD24(-/low)/ABCG2(-)cells and poor prognosis in breast cancer.] *Journal of Peking University. Health sciences* 40(5):465-70;2008
- Goodell, M. A.** Multipotential stem cells and ‘side population’ cells. *Cytotherapy* **4**, 507-508;2002.
- Gram I.T., Fankhouser E. and Nordgard L.**, Oral contraceptive use and mammographic patterns. *Eur J Cancer Prev.*; 11(3): 265-270; 2002.
- Gregorieff A, Clevers H.** Wnt signaling in the intestinal epithelium: from endoderm to cancer. *Genes Dev* ;**19**:877–890 ;2005.
- Gregory CA, Prockop DJ, Spees JL.** Non-hematopoietic bone marrow stem cells: Molecular control of expansion and differentiation. *Exp Cell Res* ; 306(2): 330-335;2005.
- **Grimshaw M J, Cooper L, Papazisis¹ k, etal**, Mammosphere culture of metastatic breast cancer cells enriches for tumorigenic breast cancer cells *Breast Cancer Research .*, **10**:R52doi:10.1186/bcr2106;2008.

- Gu G, Yuan J, Wills M, Kasper S.** Prostate cancer cells with stem cell characteristics reconstitute the original human tumor in vivo. *Cancer Res* , 67:4807–15;2007
- Gudjonsson T, Magnusson MK.** Stem cell biology and the cellular pathways of carcinogenesis. *APMIS* ;113:922–929;2005.
- Gupta DK, Huff CA, Matsui WH, et al.**(2008) Strategies to eliminate cancer stem cells: clinical implications. *Eur J Cancer* 42: 1293–1297
- **Harvie M, Howell A, Vierkant RA, et al:** Association of gain and loss of weight before and after menopause with risk of postmenopausal breast cancer in the Iowa women's health study. *Cancer Epidemiol Biomarkers Prev.*14:656-61; 2005.
- Hassan HT, Kern SE, Shibata D** , The fuzzy math of solid tumor stem cells: a perspective. *Cancer Res* 67: 8985–8988. 8 ;2004.
- He XC, Yin T, Grindley JC, , et al.** PTEN-deficient intestinal stem cells initiate intestinal polyposis. *Nat Genet* ;39:189–198 ; 2007
- Hess, DA; Wirthlin, L; Craft, TP; et al.** Selection based on CD133 and high aldehyde dehydrogenase activity isolates long-term reconstituting human hematopoietic stem cells. *Blood.* ;107:2162–2169; 2006.
- **Holland H, Peterse J, and Millis R:** Ductal carcinoma in situ: aproposal for a new classification. *Semin Diagn pathol.* 11: 167-180; 2004.

- Honeth G, Bendahl PO, Ringnér M, et al:** The CD44⁺/CD24⁻ phenotype is enriched in basal-like breast tumors. *Breast Cancer Res*, 10:R53; 2008
- Honeth G ,Fillmore, C. & Kuperwasser, C.** Human breast cancer stem cell markers CD44 and CD24: enriching for cells with functional properties in mice or in man? *Breast Cancer Res*. 9, 303; 2008.
- Huff CA, Matsui WH, Douglas et al .** Strategies to eliminate cancer stem cells: clinical implications. *Eur J Cancer* 42: 1293–1297; 2006.
- Imyamiyov,Evgeny and Hanson,Kaido,**Drug Discovery Today,Disease Mechanism,Volume 1 ,Issue 2 ;2004
- Ioakim-Liossi A, Karakitsos P, Markopoulos C, et al:** p53 protein expression and oestrogen and progesterone receptor status in invasive ductal breast carcinomas. *Cytopathology*. 12:197–202; 2001.
- Jaenisch R, Young R.** Stem cells, the molecular circuitry of pluripotency and nuclear reprogramming. *Cell*.;132:567-582;2008.
- **Jemal A ,et al.,** Cancer statistics, 2006, *CA Cancer J. Clin.* **56** ;pp. 106–130,2006.
- Jernström H, Lubinski J, Lynch HT, et al:** Breast-feeding and the risk of breast cancer in BRCA1 and BRCA2 mutation carriers. *J Natl Cancer Inst* 96 (14): 1094-8; 2004.
- Jimene RE, Wallis T, Visscher DW et al.** Centrally necrotizing carcinomas of the breast: a distinct histologic subtype with aggressive clinical behavior. *Am J Surg Pathol*. 25: 331-7, 2001.

-- **John E.** Division of Cell and Molecular Biology, M5G 2C PNAS _ April 1, vol. 100 no. 7 3549 ;2003.

--**Jones P.A and Baylin S.B.,** The fundamental role of epigenetic events in cancer *Nat. Rev. Genet.* **3** , pp. 415–428;2002.

--**Kaaks R, Lundin E, Manjer J, et al:** Prospective study of IGF-1, IGF-binding proteins and breast cancer risk, in northern and southern Sweden. *Cancer Causes Control.* **13:** 307-16; 2002.

--**Kang HJ, Kim HS, Koo BK, et al:** Intracoronary infusion of the mobilized peripheral blood stem cell by G-CSF is better than mobilization alone by G-CSF for improvement of cardiac function and remodeling: 2-year follow-up results of the Myocardial Regeneration and Angiogenesis in Myocardial Infarction with G-CSF and Intra-Coronary Stem Cell Infusion (MAGIC Cell) 1 trial. *Am Heart J* 2007, 153:237-238.

-- **Kelly PN, Dakic A, Adams JM, et al** . Tumor growth neednot be driven by rare cancer stem cells. *Science* 317: 337; 2007.

-- **Kern SE, Shibata D** . The fuzzy math of solid tumor stem cells. A perspective. *Cancer Res* 67: 8985–8988; 2007.

-- **Keyomarsi K, Tucker SL, Buchholz TA, et al:** Cyclin E and survival in patients with breast cancer. *N Engl J Med.* **347:**1566–75; 2002.

--**Kim, C. F. et al.** *Cell* 121: 823–835,2005.

- Kirby I, Samuel W and Edward M:** Diseases of the breast. In: Schwartz's principles of surgery. Vol. 2, 8th ed. Edited by the McGraw-Hill companies. New York, Chicago and London; 2005.
- Kleer C.G., van Golen K.L. and Braun T.** Persistent E-cadherin expression in inflammatory breast cancer.,*Mod Pathol.*, 14 (5):458-64; 2001.
- Klein HM, Ghodsizad A, Marktanner R, et al** Intramyocardial implantation of CD133+ stem cells improved cardiac function **without bypass surgery**. *Heart Surg Forum* , **10**:E66-E69,2007.
- Klimanskaya, I., Y. Chung, L. Meisner, J. et al.** Human embryonic stem cells derived without feeder cells. *Lancet*. 365:1636–1641 ; 2005.
- Knoop A.S., Bentzen S.M., Nielsen M.M. et al, .** Value of epidermal growth factor receptor, HER2, p53, and steroid receptors in predicting the efficacy of tamoxifen in high-risk postmenopausal breast cancer patients. *J. Clin. Oncol.*; 19: 3376–3384; 2001.
- Korkaya, H; Wicha, MS.** Selective targeting of cancer stem cells: a new concept in cancer therapeutics. *BioDrugs*. ;21:299–310; 2007.
- Kubo, M., Nakamura, M., Tasaki, A., et al.** Hedgehog signaling pathway is a new therapeutic target for patients with breast cancer. *Cancer Res*. **64**, 6071-6074; 2004.
- Kucia M, Ratajczak MZ .** Stem cells as a two edged sword – from regeneration to tumor formation.*J Physiol Pharmacol* 57: 5–16; 2006.

-- **Lah TT, Kalman E, Najjar D, et al:** Cells producing cathepsins D, B, and L in human breast carcinoma and their association with prognosis. *Hum Pathol.* 31: 149- 60; 2000.

--**Landis M.D., Seachrist D.D., and Abdul-Karim F.W.,** Sustained trophism of the mammary gland is sufficient to accelerate and synchronize development of ErbB2/Neu-induced tumors. *Oncogene*; 25: 3325–3334; 2006.

--**Lara JF, Young SM, Velilla RE, et al:** The relevance of occult axillary micrometastasis in ductal carcinoma in situ. A clinicopathological study with long-term follow-up. *Cancer.* 98: 2105- 13; 2003.

-- **Lazennec R, Rorlly J and Paunel B:** Relation of estrogen receptors expression and breast carcinoma. *Oncogene.* 410: 82-9; 2001.

-- **Lemoli M, Bertolini F., Cancedda R., M. et al,** Stem cell plasticity: time for a reappraisal?, *Haematologica* **90** , pp. 360–381; 2005.

--**Lerebours,F and R. Lidereau,** Molecular alterations in sporadic breast cancer, *Crit. Rev. Oncol. Hematol.* **44** ,pp. 121–141; 2002.

--**Leung, C., Lingbeek, M., Shakhova, O., et al..** Bmi1 is essential for cerebellar development and is overexpressed in human medulloblastomas. *Nature* **428**, 337-341; 2004.

--**Li C., Welm, B., Podsypanina,.. et al .** Evidence that transgenes encoding components of the Wnt signaling pathway preferentially induce mammary cancers from progenitor cells. *Proc. Natl. Acad. Sci. USA* 100, 15853-15858,2007.

--**Li C, Heidt DG, Dalerba P, B et al** : Identification of pancreatic cancer stem cells *Cancer Res*, 67:1030-1037. ; 2007.

--**Li L, Neaves WB**. Normal stem cells and cancer stem cells: the niche matters. *Cancer Res* ;66:4553–,2006.

--**Li X; Lewis, MT; Huang, J;** et al. Therapeutic resistance and tumor-initiation: Molecular pathways involved in breast cancer stem cell self-renewal. *J Natl Cancer Inst.*;33 ,456 2008 .

--**Liao MJ, Zhang CC, Zhou B**, et al: Enrichment of a population of mammary gland cells that form mammospheres and have *in vivo* repopulating activity *Cancer Res*, 67:8131-8138. ; 2007.

--**Lickert H, Kutsch S, Kanzler B**,. Formation of multiple hearts in mice following deletion of β -catenin in the embryonic endoderm. *Dev Cell* ;3:171–181; 2002.

--**Liu, S; Dontu, G; Mantle, ID;**et al. Hedgehog signaling and Bmi-1 regulate self-renewal of normal and malignant human mammary stem cells. *Cancer Res*. ;66:6063–71; 2006.

--**Liu B. Y., McDermott, S. P., Khwaja, S. S. et al** .The transforming activity of Wnt effectors correlates with their ability to induce the accumulation of mammary progenitor cells. *Proc. Natl. Acad. Sci. USA* **101**, 4158-4163; 2004.

-- **Loden M, Stighall M, Nielsen NH, et al**: The cyclin D1 high and cyclin E high subgroups of breast cancer: separate pathways in

tumorigenesis based on pattern of genetic aberrations and inactivation of the pRb node. *Oncogene*. 21:4680–90; 2002.

--**Loman N., Johansson O., and Kristofferson U.** Family history of breast and ovarian cancer and BRCA1&BRCA2 mutation in a population based series of early-onset breast cancer. *J. Natel. Cancer Inst.*; 93 (16):1215-1223; 2001.

--. **Lopez I., Camenisch T.D, Stevens M.V., et al** , CD 44 attenuates metastatic invasion during breast cancer progression, *Cancer Res* **65** , pp. 6755–6763,2005.

--**Lowry WE, Richter L, Yachechko R, et al.** Generation of human induced pluripotent stem cells from dermal fibroblasts. *Proc Natl Acad Sci USA*, 2008.

--. **Ma S, . Chan KW, . Hu L ,et al.** Identification and characterization of tumorigenic liver cancer stem/progenitor cells, *Gastroenterology* **132** , pp. 2542–2556,2007.

-**Mackenzie, I.C..** Stem cell properties and epithelial malignancies. *Eur. J. Cancer*. 42:1204–1212,2006.

-**MacMahon B:** Epidemiology and the causes of breast cancer. *International Journal of Cancer*. 118(10):2373-8; 2006.

--**Madhavan M., Srinivas P., Abraham E. et al,** Cadherins as predictive markers of nodal metastasis in breast cancer. *Mod Pathol.*; 14: 423-427.2001.

- Maitland Ng, Bates RC, Pursell BM. et al** Prostatic cancer stem cells Proc Natl Acad Sci U S A 93: 2414–2419. CoCSC Resist Chemotherapy PLoS,2008.
- Mant ,C and Cason,,J.** A human murine mammary tumour virus-like agent is an unconvincing aetiological agent for human breast cancer, *Rev. Med. Virol.* **14** , pp. 169–177,2004.
- Martin D. Abeloff K, Ferlay, J , et al** (American Cancer Society) . Estimates of the cancer incidence and mortality *Ann. Oncol.* **18**, 581, 2008.
- Massard, C., et al.,** Tumor stem cell-targeted treatment: elimination or differentiation. *Ann. Oncol.*, **17**, 1620-1624 ,2006.
- Matsui W,Clarke MF, Dick JE, et al.** Cancer Stem Cells–Perspectives on Current Status and Future Directions: AACR Workshop on Cancer Stem Cells. *Cancer Res* **66**: 9339–9344,2004.
- **McDonald JA, Mandel MG, Marchbanks PA, et al:** Alcohol exposure and breast cancer: results of the women’s contraceptive and reproductive experiences study. *Cancer Epidemiol Biomarkers Prev.***13**: 2106-16; 2004.
- McPherson K. et al.,** ABC of breast diseases. Breast cancer - 628.epidemiology, risk factors, and genetics, *Br. Med. J.* **321** , pp. 624,2000.
- McTiernan A., Kooperberg C. and White E.** Recreational of physical activity and the risk of breast cancer in postmenopausal women: the

Women Health Initiative Cohort Study. JAMA.; 290(10): 1331-1336,2003.

-- **Meyer JS, Alvarez C, Milikowski C, et al:** Breast carcinoma malignancy grading by Bloom-Richardson system vs. proliferation index: reproducibility of grade and advantages of proliferation index. *Mod Pathol.* 18(8):1067-78; 2005.

--**Miller C., Elmetts C.A., Vinson R.P. et al, (2005):** Cowden Disease (Multiple Hamartoma Syndrome). eMedicine from Web site MD, 2005.

-- **Mills GB, Lu Y, Fang X, et al:** The role of genetic abnormalities of PTEN and the phosphatidylinositol 3-kinase pathway in breast and ovarian tumorigenesis, prognosis, and therapy. *Semin Oncol.* 28(suppl 16):125–41; 2001.

-- **Mimeault et al.,** Recent advances in cancer stem/progenitor cell research: therapeutic implications for overcoming resistance to the most aggressive cancers, *J. Cell. Mol. Med.* **11** pp. 981–1011,2007.

--**Mitchell G., Antoniou A.C., Warren R. et al.** Mammographic density and breast cancer risk in BRCA1 and BRCA2 mutation carriers. *Cancer Research*; 66 (3): 1866-1872,2006.

--**Mitchell KE, Weiss ML, Mitchell BM, et al.** Matrix cells from Wharton's jelly form neurons and glia. *Stem Cells* **21**: 50–60,2003.

--**Mohsin S.K., Weiss H., Havighurst T. et al,** Progesterone receptor by immunohistochemistry and clinical outcome in breast cancer: a validation study. *Modern Pathology*; 17: 1545-1554,2004.

- Molofsky AV, He S, Bydon M, Morrison SJ, Pardal R.** Bmi-1 promotes neural stem cell self-renewal and neural development but not mouse growth and survival by repressing the p16Ink4a and p19Arf senescence pathways. *Genes Dev*;19:1432–7,2005
- Molofsky, A. V., Pardal, R. and Morrison, S. J.** (2004). Diverse mechanisms regulate stem cell self-renewal. *Curr. Opin. Cell Biol.* **16**, 700-707,2004.
- Moore, K.A., and I.R. Lemischka.** Stem cells and their niches. *Science.* 311:1880–1885,2006.
- Montoya UF,Schuetz, J.D., Bunting, K.D .,** et al. 2005. The ABC transporter *Bcrp1/ABCG2* is expressed in a wide variety of stem cells and is amolecular determinant of the side-population phenotype. , *Nat. Med.* 7: 1028–1034,2005.
- Mori, T., Kiyono, H. Imabayashi, Y et al.** Combination of hTERT and bmi-1, E6, or E7 induces prolongation of the life span of bone marrow stromal cells from an elderly donor without affecting their neurogenic potential. *Mol. Cell. Biol.* 25:5183–5195,2005.
- **Mylona E , Ioanna MD, Giannopoulou BSc, , et al** The clinicopathologic and prognostic significance of CD44⁺/CD24^{-/low} and CD44⁻/CD24⁺ tumor cells in invasive breast carcinomas Human Pathology, Volume 39, Issue 7,2008.
- **Nakayama K.,. Nagase H, Hiratochi M., et al** .Similar mechanisms regulated by gamma-secretase are involved in both directions of the bi-directional Notch-Delta signaling pathway as well as play a potential role

in signaling events involving type 1 transmembrane proteins, *Curr Stem Cell Res Ther* **3** , pp. 288–302;2008.

-- **Nathanson K.L et al.**, Breast cancer genetics: what we know and what we need, *Nat. Med.* **7** , pp. 552–556 ;2001.

--**Newcomb P.A., Titus-Ernstoff L., Egan K.M. et al** ,.Postmenopausal estrogen and progesterone use in relation to breast cancer risk. *Cancer Epidemiol biomarker Prev.*; 11(7): 539-600 ;2002..

--**Neuzil J, Stantic M, Zabalova R, et al**. Tumour-initiating cells vs cancer "stem" cells and CD133: what's in the name? *Biochem Biophys Res Commun* **355**:855–9, 2007.

--**Nguyen H, Rendl M, Fuchs E**. Tcf3 governs stem cell features and represses cell fate determination in skin. *Cell* ;**127**:171–183;2006.

--**Nishimura E.K, Granter S.R and Fische D.E**. Mechanisms of hair graying: incomplete melanocyte stem cell maintenance in the niche, *Science* **307** , pp. 720–724 ;2005.

--**O'Brien CA, Pollett A, Gallinger S, et al**. A human colon cancer cell capable of initiating tumour growth in immunodeficient mice. *Nature* 2007;445:106-10-- tumour growth in immunodeficient mice. *Nature* ;445:106-10,2007.

--**Ohlstein, B., Kai, T., Decotto, E. and Spradling, A** . The stem cell niche: theme and variations. *Curr. Opin. Cell Biol.* **16**, 693-699,2004.

-
- Ohyama, M., A. Terunuma, C.L. Tock, M.F. et al** . Characterization and isolation of stem cell-enriched human hair follicle bulge cells. *J. Clin. Invest.* 116:249–260, 2006.
- **Okobia MN, Bunker CH, Okobia MN, and Bunker CH:** Estrogen metabolism and breast cancer risk. *African Journal of Reproductive Health.* 10(1):13-25; 2006.
- Okochi. E. et al.,** Single nucleotide instability: a wide involvement in human and rat mammary carcinogenesis?, *Mutat. Res.* **506–507**, pp. 101–111, 2002.
- O'mally C.D., Le G.M., Glaser S.L. et al, .** Socioeconomic status and breast carcinoma survival in four racial/ethnic groups. *Cancer*; 97(5): 1303-1311, 2003.
- Osborne C, Wilson P and Tripathy D:** Oncogenes and Tumor Suppressor Genes in Breast Cancer: Potential Diagnostic and Therapeutic Applications. *The Oncologist.* 9 (4): 361–77; 2004.
- **Osin P, Lu Y-J, Stone J, et al:** Distinct genetic and epigenetic changes in medullary breast cancer. *Int J Surg Pathol.* 11: 153-8; 2003.
- Osslon H.L., Ingvar C. and Bladstorm A.,** Hormon replacement therapy containing progestins and given continuously increases breast carcinoma risk in Sweden. *Cancer*; 97(6): 1387-1392, 2003.
-
- Ottesen G, Graversen H and Blichert M :** Lobular carcinoma in situ of the female breast: short term results of a prospective nationwide study. The Danish breast cooperative group. *Am J Surg Pathol.* 17: 14-21, 2001.
-

-- **Page DL, Jensen RA, Simpson JF:** Routinely available indicators of prognosis in breast cancer. *Br Cancer Res Treat.* 51:195–208; 1998.

--**Palacios J., Sarrio D., Garcia-Macias M.C. et al.** Frequent E-cadherin gene inactivation by loss of heterozygosity in pleomorphic lobular carcinoma of the breast. *Mod Pathol*; 16: 674–678,2003.

--**Palma V, Lim DA, Dahmane N, et al.** Sonic hedgehog controls stem cell behavior in the postnatal and adult brain. *Development* , 132(2): 335-44,2005.

--**Patrawala L, Calhoun T, Schneider-Broussard R, Z ,etal.** Side population is enriched in tumorigenic, stem-like cancer cells, whereas ABCG2+ and ABCG2- cancer cells are similarly tumorigenic. *Cancer Res* ;65:6207-19,2005.

-- **Patrawala L, Calhoun T, Schneider-Broussard R, et al.** Highly purified CD44+ prostate cancer cells from xenograft human tumors are enriched in tumorigenic and metastatic progenitor cells. *Oncogene* ;25:1696–708,2006.

-- **Patrick L. Fitzgibbons, MD, David L. Page, MD, et al:** Prognostic Factors in Breast Cancer. *Archives of Pathology and Laboratory Medicine: Vol. 124, No. 7, pp. 966–78; 2000.*

--**Park IH, Zhao R, West JA, et al.** Reprogramming of human somatic cells to pluripotency with defined factors. *Nature.*;451:141-146,2008.

--**Peacock, C.D., et al.**, Hedgehog signaling maintains a tumor stem cell compartment in multiple myeloma. *Proc. Natl. Acad. Sci. USA*, **104**, 4048-4053,2007.

- **Pierre Rudolph, et al**: Concurrent overexpression of p53 and c-erbB-2 correlates with accelerated cycling and concomitant poor prognosis in node-negative breast cancer. [*Hum Pathol*.32:311-9; 2001.](#)

--**Polyak K**,Breast cancer stem cells: a case of mistaken identity? *Stem Cell Rev* 3: 107–109,2007.

--**Potten CS, Booth C, Tudor GL, et al.** Identification of a putative intestinal stem cell and early lineage marker; *musashi-1* . *Differentiation* ;**71**:28–41,2003.

--**Pomerantz and H.M. Blau**, Nuclear reprogramming: a key to stem cell function in regenerative medicine, *Nat. Cell Biol.* **6**, pp. 810–816,2004.

--**Dario Ponti¹, Aurora Costa¹, Nadia Zaffaroni¹, et al.** Isolation and *In vitro* Propagation of Tumorigenic Breast Cancer Cells with Stem/Progenitor Cell Properties[*Cancer Research* 65, 5506-5511, July 1, 2005

--**Port T** ,Mobilized peripheral blood SSCloALDHbr cells have the phenotypic and functional properties of primitive haematopoietic cells and their number correlates with engraftment following autologous transplantation. *Br J Haematol* 122: 99, 2008.

- Potten CS, Booth C, Tudor GL, Booth D, Brady G, Hurley P, et al.** Identification of a putative intestinal stem cell and early lineage marker; *musashi-1* . *Differentiation* ;**71**:28–41,2003.
- Prince, M. E. et al.** Proc. Natl. Acad. Sci. USA 104: 973–978,2007.
- Prusa AR, Marton E, Rosner M, et al.** Oct-4-expressing cells in human amniotic fluid: a new source for stem cell research? *Hum Reprod.*;18:1489-1493,2003.
- Raaschou-Nielsen O., Pavuk M., LeBlanc A. et al,** Adipose organochlorine concentration and risk factor of breast cancer among postmenopausal Danish women. *Cancer Epidemiol Biomarkers*; 14(1): 67-74,2005.
- Rao M, Condic ML,et al.** Alternative sources of pluripotent stem cells: scientific solutions to an ethical dilemma. *Stem Cells Dev.* 2008;17:1-10,2008.
- **Reed W, Sandstad B, Holm R, Nesland JM:** The prognostic impact of hormone receptors and c-erbB-2 in pregnancy-associated breast cancer and their correlation with BRCA1 and cell cycle modulators. *Int J Surg Pathol.* 11: 485-8; 2003
- Reis-Filho J.S., Savage K., Lambros M.B. et al,** Cyclin D1 protein overexpression and CCND1 amplification in breast carcinomas: an immunohistochemical and chromogenic in situ hybridisation analysis. *Modern Pathology*; 19: 999-1009,2006.
- Reya T, Duncan AW, Ailles L, Domen J, Scherer DC, Willert K, et al.** A role for Wnt signalling in self-renewal of haematopoietic

- stem cells. *Nature* ;**423**:409–414,2003.
- Reya T, Morrison SJ, Clarke MF, et al.** Stem cells, cancer, and cancer stem cells. *Nature*;414:105–11,2001.
- Reya, T., Morrison, S. J., Clarke, M. F. and Weissman, I. L.** (2001). Stem cells, cancer, and cancer stem cells. *Nature* **414**, 105-111.
- Reynolds P, Hurley S, Goldberg DE, Anton-Culver H, et al:** Active smoking, household passive smoking, and breast cancer: evidence from the California Teachers Study. *J Natl Cancer Inst.*96: 29-37; 2004.
- Riccio O, van Gijn ME, Bezdek AC, et al.** Loss of intestinal crypt progenitor cells owing to inactivation of both Notch1 and Notch2 is accompanied by derepression of CDK inhibitors p27Kip1 and p57Kip2. *EMBO Rep* ;**9**:377–383,2005.
- Ricci-Vitiani L, Lombardi DG, Pilozzi E, Biffoni M,** et al. Identification and expansion of human colon-cancer-initiating cells. *Nature* ;445:111-5,2007.
- Richardson GD, Robson CN, Lang SH, Neal DE, Maitland NJ,** Collins AT. CD133, a novel marker for human prostatic epithelial stem cells. *J Cell Sci* 2004;117:1539–45,2004.
- Richert, M. M., Schwertfeger, K. L., Ryder, J. W. and Anderson, S. M.** An atlas of mouse mammary gland development. *J. Mammary Gland Biol. Neoplasia* **5**, 227-241,2000.
- Rizvi, A. Z. and Wong, M. H.** Epithelial stem cells and their niche:there's no place like home. *Stem Cells* **23**, 150-165,2005.

-
-
- **Robson M:** Are BRCA1- and BRCA2-associated breast cancers different? Prognosis of BRCA1-associated breast cancer. *J Clin Oncol.* 18: 113S-8S; 2000.
- **Rodic N, Rutenberg MS, and N. Terada,** Cell fusion and reprogramming: resolving our transdifferences, *Trends Mol. Med.* **10** , pp. 93–96,2004.
- Rogers I, Casper RF.** Umbilical cord blood stem cells. In *Best Practice&Research Clinical Obstetrics&Gynaecology*, eds: N. Fisk & J. Itskovitz, London:Elsevier Ltd, 2004.
- Rogers C, Loveday R, Drew P and Greenman J:** Molecular prognostic indicators in breast cancer. *Eur J Surg Oncol* ; 28(5): 467-78,2002,2002.
- Romer JT, Kimura H, Magdaleno S, et al.** Suppression of the Shh pathway using a small molecule inhibitor eliminates medulloblastoma in Ptc1(+/-)p53(-/-) mice. *Cancer Cell* ;6:229–40,2004.
- Rosen PP:** Rosen's breast pathology. 2nd ed. Philadelphia: Lippincott Williams & Wilkins, 2001.
- Sakariassen, P.O., et al.,** Cancer stem cells as mediators of treatment resistance in brain tumors: status and controversies. *Neoplasia*, 9, 882-892 ,2007
- **Santisteban M, Nassar A,. Frost M H, et al,** Use of the presence of CD24^{-low}/CD44⁺ breast cancer tumor-initiating cells to predict relapse: [2008 Breast Cancer Symposium](#) ,Abstract No: 64,2008.
-
-

-- **Saraya A., et al.** The Polycomb Gene Product BMI1 Contributes to the Maintenance of Tumor-Initiating Side Population Cells in Hepatocellular Carcinoma. *Cancer Res.*, October 1, 68(19): 7742 – 7749, 2008.

--**Scholer HR., Kelley M.R., Chiang Y.H., et al .** Three to four-year-old passaged EGF-responsive neural progenitor cells: Proliferation, apoptosis, and DNA repair. *Exp. Neurology* 164: 200–208, 2007.

--**Scoville DH, Sato T, He XC, et al,** Current view: intestinal stem cells and signaling. *Gastroenterology* ;**134**:849–864, 2008.

--**Seaberg RM, Smukler S, Kieffer TJ, et al.** Clonal identification of multipotent precursors from adult mouse pancreas that generate neural and pancreatic lineages. *Nature Biotech* **22**: 1115–1124, 2004.

-**Sell S.** Stem cell origin of cancer and differentiation therapy. *Crit Rev Oncol Hematol.* ;51:1–28, 2004.

--**Shackleton M, Vaillant F, Simpson KJ, et al.** Generation of a functional mammary gland from a single stem cell. *Nature*. 489, 84-88. Pubmed, 2007.

--**Shen, R., et al.,** Precancerous stem cells can serve as tumor vasculogenic progenitors. *PLOS One*, **3**, e1652 , 2008.

--**Sheridan C, Kishimoto H, Fuchs RK, et al ,** CD44⁺/CD24⁻ breast cancer cells exhibit enhanced invasive properties, an early step necessary for metastasis *Breast Cancer Res* 2006, **8**:R59, 2006.