

REFERENCES

- Abdalla, H.S.; Hussein H S. and Kreier J.P. (1978):** *Babesia rodhaini*: Passive protection of mice with immune serum. Tropenmed. Parasitol. 29:295-306.
- Abd ElGawad, M. (1993):** Some studies on *Babesia* species in cattle in Beni-Suef Governorate Ph. D. Thesis, Fac. Vet. Med. Cairo Univ.
- Abdel-Razic, M.S.Z. (1997):** Further studies on clinical, hematological, biochemical constituents response to hemolytic anemia in clinical bovine babesiosis and therapy. *Zag. Vet. J.*, 25 (4): 72-80.
- Abo El-Khir, E.A.M. (1989):** Epidemiological aspect on the distribution of haemotropic parasites among cattle in Upper Egypt confirmed by the identification of encountered organisms. M.V.Sc. Thesis, Fac. Vet. Med. Cairo Univ.
- Adachi, K.; Kawano H. and Makimura S. (1993):** Suppressed antibody response to sheep erythrocytes in experimentally *Babesia rodhaini*-infected mice. *J. Vet. Med. Sci.* 55:189-190.
- Ahmed, A.B. (1980):** Some biological studies on blood parasites of farm animals. Ph. D. Thesis, Fac. Vet. Med. Zagazig Univ.
- Aikawa, M. and Sterling, C.R. (1974):** Intracellular parasitic Protozoa. P: 100-106, New York, Academic Press, Inc.
- Akinboade, O.A. and Dipeolu, O.C. (1984):** Comparison of blood smear and indirect fluorescent antibody techniques in detection of haemoparasite infections in trade cattle in Nigeria. *Vet. Paras.*, 14: 95-104.
- Allred, D.R. (2003):** Babesiosis: Persistence in the face of adversity. *Trends Parasitol*, 19: 51–55.

- Anderson, A.E. ; Cassaday P.B. and Healy G.R. (1974):** Babesiosis in man: Sixth documented case. *Am. J. Clin. Pathol.* 62:612-618.
- Anderson, J.F.; Mintz E.D.; Gadbaw, J.J. and Magnarelli. L.A. (1991):** *Babesia microti*, human babesiosis and *Borrelia burgdorferi* in Connecticut. *J. Clin. Microbiol.* 29:2779-2783.
- Armstrong, P.M.; Katavolos P.; Caporale D.A.; Smith R.P.; Spielman A. and Telford, III. S.R. (1998):** Diversity of *Babesia* infecting deer ticks (*Ixodes dammini*). *Am. J. Trop. Med. Hyg.* 58:739-742.
- Ayoub, A.E. (2005):** Studies on some blood parasites in farm animals in Gharbia governorate. Ph.D. thesis, Fac. Vet. Med. Kafr Elsheikh, Tanta University.
- Babes, V. (1888):** Sur l'hémoglobinurie bactérienne du boeuf. *C. R. Acad. Sci. Ser. III Sci. Vie* 107:692–694.coated from Homer MJ; Aguilar-Delfin I; Telford, S. R.; Krause, P. J.; Persing D. H. (2000): Babesiosis. *Clin Microbiol Rev*, 13: 451–469
- Bain, B.J. and Lewis, S.M. (2006):** Preparation and staining methods for blood and bone marrow films: practical haematology. Daci and Lewis. Lewis, S. M., Brain B. J. and Bates, I. (eds), 10th edition, p. 65, churchil livestone Elsevier, Philadelphia.
- Bain, B.J.; Lewis, S.M. and Bates, I. (2006):** Basic haematological techniques in: Practical haematology Daci and Lewis. Lewis, S. M., Brain B. J. and Bates, I. (eds), 10th edition, p. 48, Churchil Livestone Elsevier, Philadelphia.
- Benach, J.L. and Habicht, G.S. (1981):** Clinical characteristics of human babesiosis. *J. Infect. Dis.* 144:481.
- Benach, J.L.; Habicht, G.S. and Hamburge, M.I. (1982):** Immunoresponsiveness in acute babesiosis in humans. *J. Infect. Dis.* 146:369-380

- Bhikane, A.U.; Narladkar, B.W.; Anantwar, L.G. and Bhokre, A.P. (2001):** Epidemiology; clinico-pathology and treatment of babesiosis in cattle. *Indian Veterinary Journal*, 78 (8): 726-729.
- Bouattour, A. and Darghouth, M.A. (1996):** First report of *Babesia divergens* in Tunisia. *Vet. Parasitol.* 63: 161-165.
- Boustani, M.R.; Lepore, T.J.; Gelfand, J.A. and Lazarus, D.S. (1994):** Acute respiratory failure in patients treated for babesiosis. *AM. J. Respir. Crit. Care Med.* 149:1689-1691.
- Brandt, F.; Healy, G. R. and Welch, M. (1977):** Human babesiosis: The isolation of *Babesia microti* in golden hamsters. *J. Parasitol.* 63:934-937.
- Brasseur, P. and Gorenflot, A. (1992):** A human babesiosis in Europe. *Mem. Inst. Oswaldo Cruz*; 87: 131-132.
- Bu Jassoum, S.; Fong, I.W.; Hannach, B. and Kain, K.C. (2000):** Transfusion-transmitted babesiosis in Ontario: First reported case in Canada. *Can Commun Dis Rep* 2000, 25:9-13.
- Burgdorfer, W. (1970):** Haemolymph test. A technique for detection of *Rickettsia* in ticks. *Amer. J. Trop. Med. Hyg.*, 19 (6): 1010-1014.
- Bush, J.B.; Isaacson, M.; Mohamed, A.S.; Potgieter, F.T. and DeWaal, D.T. (1990):** Human babesiosis—a preliminary report of 2 suspected cases in South Africa. *S. Afr. Med. J.* 78:699.
- Callow, L.L. (1979):** Some aspects of the epidemiology and control of bovine babesiosis in Australia. *J. S. Afr. Vet. Assoc.* 50:353-356
- Calvo de Mora, A.; Garcia Castellano, J.M.; Herrera, C. and Jimenez-Alonso, J. (1985):** Human babesiosis: report of a case with fatal outcome. *Med. Clin.* **85**:515–516.

- Chiodini, P.L. (2003):** Babesiosis in: Manson's Tropical Diseases, Cook, G. and Zumula, A. (eds), 21 edition, p: 1297-1301, ELST, London.
- Christensson, D.A. (1989):** Inverse age resistance to experimental *Babesia divergens* infection in cattle. Acta Vet. Scand. 30:453-464.
- Clark, I.A. (1978):** Does endotoxin cause both the disease and parasite death in acute malaria and babesiosis? Lancet ii: 75-77.
- Clark, I.A. (1979):** Resistance to *Babesia* spp. and *Plasmodium* sp. in mice pretreated with an extract of *Coxiella burnetii*. Infect. Immun. 24:319-325.
- Clark, I.A.; Richmond, J.E.; Wills, E.J. and Allison A.C. (1975):** Immunity to intra-erythrocytic protozoa. Lancet ii: 1128-1129
- Clarke, C.S.; Rogers, E.T. and Egan, E.L. (1989):** Babesiosis: Underreporting or case-clustering? Postgrad. Med. J. 65:591-593.
- Commins, M.A.; Goodger, B.V. and Waltisbuhl, D.J. (1988):** *Babesia bovis*: Study of the parameters influencing microvascular stasis of infected erythrocytes. Res Vet Sci 44:266.
- Conrad, P.A.; Thomford, J.W.; Yamane, I.; Whiting, J.; Bosma, L.; Uno, T.; Holshuh, H.J. and Shelly, S. (1991):** Hemolytic anemia caused by *Babesia gibsoni* infection in dogs. J. Am. Vet. Med. Assoc. 199:601-605.
- Corrier, D.E. and Wagner, G.G. (1984):** The protective effect of pretreatment with killed *Corynebacterium parvum* against acute babesiosis in calves. Vet. Parasitol. 15:165-168 .
- Cowman, A.F.; Bernard, O.; Stewart, N. and Kemp, D.J. (1984):** Genes of the protozoan parasite *Babesia bovis* that rearrange to produce RNA species with different sequences. Cell 37:653-660.
- Daszak, P.; Cunningham, A.A. and Hyatt, A.D. (2000):** Emerging

infectious diseases of wildlife-threats to biodiversity and human health. *Science*, 287:443-452.

Denes, E.; Rogez, J.P.; Darde, M.L. and Weinbreck, P. (1999): Management of *Babesia divergens* babesiosis without a complete course of quinine treatment. *Eur. J. Microbiol. Infect. Dis* 18:672-674.

De Vos, A.J.; Dalgliesh, R.J. and Cailow, L.L. (1987): *Babesia* in: Immune Responce in Parasitic Infection: Immunology, Immunopathology and Immunoprophylaxis, Soulsby, E.J.L. (ed), p: 196-199, CRC Press, Boca Raton, Florida

Dobroszycki, J.; Herwaldt, B.L.; Boctor, F.; Miller, J.R.; Linden, J. and Eberhard, M.L. (1999): A cluster of transfusion-associated babesiosis cases traced to a single asymptomatic donor. *JAMA*, 281: 927-930.

Dos Santos, C.C. and Kain, K.C. (1999): Two tick-borne diseases in one: A case report of concurrent babesiosis and Lyme disease in Ontario. *CMAJ*; 160: 1851-1853.

Eberhard, M.L.; Walker, E.M. and Steurer, F.J. (1995): Survival and infectivity of *Babesia* in blood maintained at 25 C and 2 - 4 C. *J. Parasitol.*, **81**: 790–792.

Echaide, I.E.; Hines, S.A.; McElwain, T.F.; Suarez, C.E.; McGuire, T. C.; and Palmer, G. H. (1998): In vivo binding of immunoglobulin M to the surfaces of *Babesia bigemina*-infected erythrocytes. *Infect. Immun.* 66:2922-2927.

Egeli, A.K. (1997): Babesiosis in a six-day-old calf. *Vet. Rec.* 139:344-345.

- El-Allawy (1973):*** Some studies on bovine piroplasmosis in Assiut. M.V.Sci. Thesis, Fac. Vet. Med., Assiut Univ.
- El-Bahi, N.M. (1986):*** Some studies on tick – borne diseases among ruminants in Fayoum Governorate. M.V.Sci. Thesis, Fac. Vet. Med., Cairo Univ.
- El-Ghaysh, A.A. (1993):*** Studies on *Babesia* spp. Infecting cattle and water buffaloes in Egypt. Ph. D. Thesis; Fac. Vet. Med. Cairo Univ.
- El Haj, N.; Kachani, M.; Bouslikhane, M.; Ouhelli, H.; Ahmi, A. T.; Katenda, J. and Morazaria, S. P. (2002):*** Epidemiology of *Theileria annulata* and *Babesia bigemina* in Maroc. *Revue Med. Vet.*; 153: 189-169.
- El-Sawalhy, A.A. (1987):*** Some studies on cattle blood parasites in Qalubya province. M.V.Sci. Thesis, Fac. Vet. Med., Zagazig Univ.
- Etkind, P.; Piesman, J.; Ruebush, T., II; Spielman, A. and Juranek, D. D. (1980):*** Methods for detecting *Babesia microti* infection in wild rodents. *J. Parasitol.* 66:107-110.
- Eugui, E. M. and Allison, A. C. (1980):*** Differences in susceptibility of various mouse strains to haemoprotozoan infections: Possible correlation with natural killer activity. *Parasitol. Immunol.* 2:277-292 .
- Evenson, D. A.; Perry, E.; Kloster, B.; Hurley, R. and Stroncek, D.F. (1998):*** Therapeutic apheresis for babesiosis. *J. Clin. Apheresis* 13:32-36 .
- Ezzat, M.A.E. (1960):*** The geographical distribution and incidence of important parasite diseases in Egypt and bearing on the live stock production. *J. Egypt Vet. Med. Assoc.*; 20 (2): 127-136.

- Fadly, R.S. (1996):** Serological studies on *Babesia* in Behera province. M.V.Sc. Thesis, Pathology and parasitology, Fac. Vet. Med., Alex. Univ.
- Fahmy, M.M. (1980):** Studies on cattle ticks and parasitic ticks born diseases in Giza Governorate. M. Vet. Sc. Thesis (Parasit.), Fac. Vet. Med., Cairo University.
- Falagas, M.E. and Klempner, M.S. (1996):** Babesiosis in patients with AIDS: A chronic infection presenting as fever of unknown origin. Clin. Infect. Dis. 22:809-812.
- Friedhoff, K.T. (1988):** Transmission of *Babesia*. In: Babesiosis of Domestic Animals and Man, Ristic M. (ed.), P. 23-52, CRC Press, Boca Raton, Florida, USA.
- Friedhoff, K.T. and Smith, R.D. (1981):** Transmsision of *Babesia* by ticks. In Babesiosis, Ristic, M. and Kreier, J.P. (eds), P. 267-321, Academic Press, San Diego.
- Gattas, M.W. (1990):** Further studies on the biological aspect of *Babesia* species among cattle in the Suez Canal zone with special references to their control. Ph. D.V. Sci. Thesis, Cairo Univ.
- Gelfand, J.A. and Poutsika, D. (2000):** *Babesia*, In: Principles and practice of infectious diseases, Mandell, G.L.; Bennett, J.E. and Dolin, R. (eds), 5th edition, p: 2899-2902, Churchill Livingstone
- Golightly, L.M.; Hirschhorn, L.R. and Weller, P.F. (1989):** Fever and headache in a splenctonimized woman. Rev infect Dis 11:926.
- Gorenflot, A.; Brasseur, P.; Precigout, E.; L'Hosts, M.; March A. and Schrevel, J. (1991):** Cytological and immunological responses to *Babesia divergens* in different hosts: Ox, gerbil, man. Parasitol. Res., 77: 3-12.

- Gorenflot, A.; Moubri, K.; Precigout, E.; Carcy, B. and Schetters, T. P. (1998):** Human babesiosis. *Ann. Trop. Med. Parasitol.* **92**:489-501.
- Gray, J. S.; Langley, R. J. and Murphy, T. M. (1985):** Morphological comparisons of the bovine piroplasm, *Babesia divergens*, in cattle and jird (*Meriones unguiculatus*) erythrocytes. *J. Parasitol.* **71**:799-802
- Guglielmone, A.A.; Gaido, A.B. and Mangold, A.J. (1996):** Light microscopy diagnosis of kinets of *Babesia bigemina* and *bovis* in the haemolymph of artificially infected *Boophilus microplus* engorged female ticks. *Vet. Parasitol.*, **61**: 15-20.
- Gunders, A. E. (1977):** Piroplasmal sporozoites in the argasid *Ornithodoros erraticus* (Lucas). *Experientia* **33**:892-893
- Hatcher, J. K.; Greenberg, P.D.; Antique, J.; Jimenez-Lucho V. E. (2001):** Sever babesiosis in Long Island: Review of 34 cases and their complications. *Clin Infect Dis*; **32**:1117-1125.
- Hegazy, N.A.M.; Romany, M.M. and Daoud, A.M. (2003):** Isolation and cloning of *Babesia bovis* from infected calves with a highly virulent strain. *J. Egypt. Vet. Med. Assoc.* **63** (4): 241-253.
- Helan, J.A.; Haddadzadeh, H.; Shirani, D.; Khazrainia, P. and Mostafi, S. (2001):** Histopathologic, hematologic and clinical study on canine babesiosis. *Journal of the Faculty of Veterinary Medicine, University of Tehran*; **56** (3): 93-96.
- Hellyer, T. J.; DesJardin, L. E.; Hehman, G. L.; Cave, M. D. and Eisenach, K. D. (1999):** Quantitative analysis of mRNA as a marker for viability of *Mycobacterium tuberculosis*. *J. Clin. Microbiol.* **37**:290-295
- Hemmer, R. M.; Ferrik, D. A. and Conrad, P. A. (1996):** Role of cytokins in pathogenesis of human *Babesia* isolate in mice.

Presented at 45th annual meeting of the American society of tropical medicine and hygiene; abstract 410.

- Herwaldt, B.L. (2000):** Babesiosis. In: Hunter's Tropical Medicine and Emerging Infectious Diseases, Strickland G.T. (ed). Eighth edition. P: 688-690, W.B. Saunders Company; Philadelphia London; Tronto.
- Herwaldt, B. L.; Springs, F. A. and Roberts, P. P. (1995):** Babesiosis in Wisconsin: A potential fatal disease. AM J Trop MED Hyg 53:146-151.
- Herwaldt, B.L.; Persing, D.H.; Precigout, E.A.; Goff, W.L.; Mathiesen, D.A.; Taylor, P.W.; Eberhard, M.L. and Gorenflot, A.F. (1996):** A fatal case of babesiosis in Missouri identification of another piroplasm that infects humans. Ann. Intern. Med. 124:643-650.
- Hilton, E.; DeVoti, J.; Benach, J. L.; Halluska, M. L.; White, D. J.; and Paxton, H. (1999):** Seroprevalence and seroconversion for tick-borne diseases in a high-risk population in the northeast United States. Am J Med, 106:404-412.
- Hinaidy, H. K. (1981):** Bovine babesiasis in Austria. Studies with killed vaccines. Berl. Munch. Tierarztl. Wochenschr. 94: 121-125
- Hines, S. A.; McElwain, T. F.; Buening, G. M. and Palmer, G. H. (1989):** Molecular characterization of *Babesia bovis* merozoite surface proteins bearing epitopes immunodominant in protected cattle. Mol. Biochem. Parasitol. 37:1-9.
- Hoare, C.A. (1980):** Comparative aspects of human babesiosis. Trans. R. Soc. Trop. Mea. Hyg., 74: 143-148.
- Hofmeister, E. K.; Kolbert, C. P.; Abdulkarim, A. S.; Magera, J. M.; Hopkins, M. K.; Uhl, J. R.; Ambyaye, A.; Telford, S. R. III;**

- Cockerill, F. R. III and Persing, D. H. (1998):** Cosegregation of a novel *Bartonella* species with *Borrelia burgdorferi* and *Babesia microti* in *Peromyscus leucopus*. *J. Infect. Dis.* 177:409-416
- Homer, M. J.; Aguilar-Delfin, I.; Telford, S. R. ; Krause, P.J. and Persing, D. H. (2000):** Babesiosis. *Clin Microbiol Rev*, 13: 451–469
- Hoogstraal, H. (1956):** African *Ixodoidae* . Ticks of the Sudan (with special references to Equatorialland with a preliminary review of the genera *Boophilus*, *Margaro-pus* and *Hyalomma*. Dep. Navy. Bur. Med. Washington, D.C. 1101.
- Hunfeld, K.P.; Lambert, A.; Kampen, H.; Albert, S.; Epe, C.; Brade, V. and Tenter, A.M. (2002):** Seroprevalence of *Babesia* infections in humans exposed to ticks in Midwestern Germany. *J Clin Microbiol*; 40: 2431–2436.
- Huwer, M.; Schwarzmaier, A.; Hamel, H. D. and Will R. (1994):** The occurrence of *Babesia divergens* in the Freiburg i. Br. district and piroplasmosis prevention trials in cattle. *Berl. Munch. Tierarztl Wochenschr.*, 107:198-202.
- Igarashi, I.; Waki, S.; Ito, M.; Omata, Y.; Saito, A. and Suzuki, N. (1994):** Role of CD4+ T cells in the control of primary infection with *Babesia microti* in mice. *J. Protozool. Res.* 4:164-171 .
- Jack, R. M. and Ward, P. A. (1980):** *Babesia rodhaini* interactions with complement relationship to parasitic entry into the red cells. *J Immunol*, 124:1566-1573.
- James, M. A. (1988):** Immunology of babesiosis. In: Babesiosis of domestic animals and man. M. Ristic (ed.), p. 119-130. CRC Press, Boca Raton, Fla .
- Johnson, W. C.; Cluff, C. W.; Goff, W. L. and Wyatt, C. R. (1996):** Reactive oxygen and nitrogen intermediates and products from

- polyamine degradation are babesiacidal in vitro. Ann. N. Y. Acad. Sci. 791:136-147
- Kakoma, I. and Mehlhorn, H. (1993):** *Babesia* of domestic animals; In Parasitic protozoa, J. P. Kreier (ed.), 2nd ed., vol. 7. p. 141-216. Academic Press; San Diego, Calif.
- Kjemtrup, A. M. and Conrad, P. A. (2000):** Human babesiosis: An emerging tick-borne disease. Int. J. Parasitol. 30:1323-1337.
- Knapp, R.G. and Miller, M.C. (1992):** Clinical Epidemiology and Biostatistics. National Medical Series from Williams & Wilkins, Baltimore, Hong Kong, London, Sydney, Egyptian Edition 1992. P: 209.
- Krause, P. J.; Telford, S. R. III; Ryan, R.; Hurta, A. B.; Kwasnik, I.; Luger, S.; Niederman, J.; Gerber, M. and Spielman, A. (1991):** Geographical and temporal distribution of babesial infection in Connecticut. J. Clin. Microbiol. 29:1-4.
- Krause, P. J.; Telford, S. R. III; Ryan, R.; Conrad, P. A.; Wilson, M.; Thomford, J. W. and Spielman, A. (1994):** Diagnosis of babesiosis: Evaluation of a serologic test for the detection of *Babesia microti* antibody. J. Infect. Dis. 169:923-926.
- Krause, P. J.; Telford, S. R. III; Spielman, A.; Sikand, V.; Ryan, R.; Christianson, D.; Burke, G.; Brassard, P.; Pollack, R.; Peck, J. and Persing, D. H. (1996):** Concurrent Lyme disease and babesiosis: Evidence for increased severity and duration of illness. JAMA 275:1657-1660.
- Krause, P. J.; Spielman, A.; Telford, S. R. III; Sikand, V. K.; McKay, K.; Christianson, D.; Pollack, R. J.; Brassard, P.; Magera, J.; Ryan, R. and Persing, D. H. (1998):** Persistent parasitemia after acute babesiosis. N. Engl. J. Med. 339:160-165.

- Krause, P.J.; Lepore, T.; Sikand, V.K.; Gadbow, J, Jr.; Burke, G.; Telford, S.R.; Brassard, P.; Pearl, D.; Azlanzadeh, J.; Christianson, D.; McGrath, D. and Spielman, A. (2000):** Atovaquone and azithromycin for treatment of babesiosis. *N Engl J Med*; 343: 1454–1458
- Krause, P.J.; Mckay, K.; Gadbow, J.; Christianson, D.; Closter, L.; Lepore, T.; Telford, III S. R.; Sikand, V.; Ryan, R.; Persing, D. H.; Randolph, J.D. and Spielman, A. (2003):** Increasing health burden of human babesiosis in endemic sites; *Am. J. Trop. Med. Hyg.*; 68 (4):431-436.
- Krogstad, D. J.; Sutura, S. P. and Boylan, C. W. (1991):** Intraerythrocytic parasites and red cell deformability: *Plasmodium berghei* and *Babesia microti*. *Blood cells* 17:209.
- Kuttler, K. L.; Adams, L. G. and Todorovic, R. A. (1977):** Comparison of the complement fixation and indirect fluorescent antibody reactions in the detection of bovine babesiasis. *Am. J. Vet. Res.*, 38 (2): 153-165.
- Leiby, D.A. (2006):** Babesiosis and blood transfusion flying under the radar. *Vox Sanguinis*. 90(3):157-165.
- Leiby, D.A.; Chung, A. P.; Cable, R. G.; Trouern-Trend, J.; McCullough, J.; Homer, M. J.; Reynolds, L. D.; Houghton, R. L.; Lodes, M. J. and Persing, D.H. (2002):** Relationship between tick bites and the seroprevalence of *Babesia microti* and *Anaplasma phagocytophila* (previously *Ehrlichia* sp.) in blood donors. *Transfusion*; 42: 1585–1591
- Leiby, D. A.; Chung, A.P.; Gill, J.E.; Houghton, R.L.; Persing, D.H.; Badon, S. and Cable, R.G. (2005):** Demonstrable parasitemia among Connecticut blood donors with antibodies to *Babesia microti*. *Transfusion*; 45: 1804–1810.

- Levine, N. D. (1971):** Taxonomy of the piroplasms. Trans. Am. Microsc. Soc. **90**:2-33.
- Levine, N. D.; Corliss, J. O.; Cox, F. E.; Deroux, G.; Grain, J.; Honigberg, B. M.; Leedale, G. F.; Loeblich, A. R.; Lom, J.; Lynn, D.; Merinfeld, E. G.; Page, F. C.; Poljansky, G.; Sprague, V.; Vavra, J. and Wallace, F. G. (1980):** A newly revised classification of the protozoa. J. Protozool. **27**:37-58
- Lewis, D.; Purnell, R. E.; Shaw, S. R. and Revington, J. P. (1980):** The isolation and characterization of human and bovine strains of *Babesia divergens* from Drumnadrochit, Scotland. Parasitology **81**:145-155
- L'Hostis, M. and Chauvin, A. (1999):** *Babesia divergens* in France: Descriptive and analytical epidemiology. Parasitologia 41: 59-62.
- L'Hostis, M.; Chauvin, A.; Valentin, A.; Marchand, A. and Gorenflot, A. (1999):** Large scale survey of bovine babesiosis due to *Babesia divergens* in France. Vet. Rec . 14: 36-38.
- Loa, C. C.; Adelson, M. E.; Mordechai, E.; Raphaelli, I. and Tilton, R. C. (2004):** Serological diagnosis of human babesiosis by IgG enzyme-linked immunosorbent assay. Curr Microbiol, 49: 385–389
- Mahmoud, M. M. (1996):** Studies on blood parasites in cattle in Suez Canal area. M.V.Sc. Thesis; Fac. Vet. Med.; Suez Canal Univ.
- Mahoney, D. F. (1962):** The epidemiology of babesiasis in cattle. Aust. J. Sci.; 24: 310-313.
- Marquardt, W.C.; Demaree, R.S. and Grieve, R.B. (2000):** Piroplasmea and piroplasmosis. In: Parasitology and Vector Biology, Marquardt, W.C.; Demaree, R.S. and Grieve, R.B.(eds), 2nd edition, P. 211-220; Hakcout/Academic Press; New York London; SanDiego.

- Masson, F. E. (1922):** Egyptian fever in cattle and buffaloes. J. Comp. Path. Therap., 35: 33-39. coated from Ali, A.A. (2005): Clinicopathological studies on blood babesiasis with trials of treatment in cattle, M.V.Sc. Thesis, Fac. Vet. Med., Benha Univ.
- Matsubara, J.; Koura, M. and Kamiyama, T. (1993):** Infection of immunodeficient mice with a mouse-adapted substrain of the gray strain of *Babesia microti*. J. Parasitol. 79:783-786
- McQuiston, J. H.; Childs, J. E.; Chamberland, M. E. and Tabor, E. (2000):** Transmission of tick-borne agents of disease by blood transfusion: A review of known and potential risks in the United States. Transfusion; 40: 274–284.
- Meeusen, E.; Lloyd, S. and Soulsby, E. J. (1984a):** *Babesia microti* in mice: Subpopulations of cells involved in the adoptive transfer of immunity with immune spleen cells. Aust. J. Exp. Biol. Med. Sci. 62:567-575.
- Meeusen, E.; Lloyd, S. and Soulsby E. J. (1984b):** *Babesia microti* in mice: Adoptive transfer of immunity with serum and cells. Aust. J. Exp. Biol. Med. Sci. 62:551-566.
- Mehlhorn, H. and Shein, E. (1984):** The piroplasms: Life cycle and sexual stages. Adv. Parasitol. 23:37-103.
- Mehlhorn, H. and Schein, E. (1998):** Redescription of *Babesia equi* (Laveran, 1901) as *Theileria equi*. Parasitol. Res. 84:467-475.
- Meldrum, S. C.; Birkhead, G. S.; White, D. J.; Benach, J. L. and Morse, D. L. (1992):** Human babesiosis in New York State: An epidemiological description of 136 cases. Clin. Infect. Dis. 15:1019–1023.
- Merinfeld, F.; Page, C.; Poljansky, G.; Sprague, V.; Vavra, J. and Wallace F. G. (1980):** A newly revised classification of the protozoa. J. Protozool. 27:37-58.

- Michael, S.A.; Morsy, T.A. and Montasser, M.F. (1987):** A case of human babesiosis (preliminary case report in Egypt). J Egypt Soc Parasitol, 17: 409–410
- Moody, A.H. and Chiodinin, P.L. (2000):** Methods of detection of blood parasites; Clinical and laboratory haematology, 22: 189-202.
- Moore, J. A. and Kuntz, R. E. (1981):** *Babesia microti* infections in nonhuman primates. J. Parasitol. 67:454-456.
- Moreau, Y.; Martinod, S. and Fayet, G. (1988):** Epidemiologic and immunoprophylactic aspects of canine babesiosis in France, In: Babesiosis of domestic animals and man. M. Ristic (ed.), p. 191-196, CRC Press, Boca Raton, Florida.
- Moro, M. H.; David, C. S.; Magera, J. M.; Wettstein, P. J.; Barthold, S. W. and Persing, D. H. (1998):** Differential effects of infection with a *Babesia*-like piroplasm, WA1. in inbred mice. Infect. Immun. 66:492-498.
- Mtshali, M.S.; De Waal, D.T. and Mbatl, P.A. (2004):** A sero-epidemiological survey of blood parasites in cattle in the north-eastern Free State, South Africa. Onderstepoort J. Vet. Res. 2004 Mar; 71 (1): 67-75.
- Murray, P. K.; Jennings, F. W.; Murray, M. and Urquhart, G. M. (1974):** The nature of immunosuppression in *Trypanosoma brucei* infections in mice. 2. The role of the T and B lymphocytes. Immunology 27:825-840.
- Mzembe, S. A.; Lloyd, S. and Soulsby, E. J. (1984):** Macrophage mediated resistance to *Babesia microti* in *Nematospirides dubius*-infected mice. Z. Parasitenkd. 70:753-761.
- Nocton, J. J.; Dressler, F.; Rutledge, B. J.; Rys, P. N.; Persing, D. H. and Steere, A. C. (1994):** Detection of *Borrelia burgdorferi* DNA

- by polymerase chain reaction in synovial fluid from patients with Lyme arthritis. *N. Engl. J. Med.* 330:229-234.
- Olivier, A.; Nurton, J. P. and Guthrie, A. J. (1997):** An epizootological study of wastage in thoroughbred racehorses in Gauteng; South Africa. *J. S. Afr. Vet. Assoc.* 68:125-129.
- Olmeda, A. S.; Armstrong, P. M.; Rosenthal, B. M.; Valladares, B.; del Castillo, A. ; de Armas, F.; Miguelez, M.; Gonzalez, A.; Rodriguez Rodriguez, J. A.; Spielman, A. and Telford, S. R. III (1997):** A subtropical case of human babesiosis. *Acta Trop.* 67:229-234.
- Ong, K. R.; Stavropoulos, C. and Inada, Y. (1990):** Babesiosis; Asplenia, and AIDS. *Lancet* 336:112.
- Palmer, G. H. and McElwain, T. F. (1995):** Molecular basis for vaccine development against anaplasmosis and babesiosis. *Vet. Parasitol.* 57:233-253.
- Pancholi, P.; Kolbert, C. P.; Mitchell, P. D.; Reed, K. D.; Dumler, J. S.; Bakken, J. S.; Telford, S. R. III and Persing, D. H. (1995):** *Ixodes dammini* as a potential vector of human granulocytic ehrlichiosis. *J. Infect. Dis.* 172:1007-1012.
- Parrodi, F.; Jacobson, R. H.; Wright, I. G.; Fitzgerald, C. J. and Dobson, C. (1991):** The effect of immune serum and complement on the in vitro phagocytosis of *Babesia rodhaini*. *Parasitol. Immunol.* 13:457-471.
- Persing, D. H. and Conrad, P. A. (1995):** Babesiosis: New insights from phylogenetic analysis. *Infect. Agents Dis.* 4:182-195.
- Persing, D. H.; Mathiesen, D.; Marshall, W. F.; Telford, S. R. III; Spielman, A.; Thomford, J. W. and Conrad, P. A. (1992):** Detection of *Babesia microti* by polymerase chain reaction. *J. Clin. Microbiol.* 30:2097-2103.

- Persing, D. H.; Herwaldt, B. L.; Glaser, C.; Lane, R. S.; Thomford, J. W.; Mathiesen, D.; Krause, P. J.; Phillip, D. F. and Conrad, P. A. (1995):** Infection with a *Babesia*-like organism in northern California. N. Engl. J. Med. 332:298-303.
- Phillips, R. S. and Wakelin, D. (1976):** *Trichuris muris*: Effect of concurrent infections with rodent piroplasms on immune expulsion from mice. Exp. Parasitol. 39:95-100.
- Piesman, J. and Spielman, A. (1982):** *Babesia microti*: Infectivity of parasites from ticks for hamsters and white-footed mice. Exp. Parasitol. 53:242-248
- Piesman, J.; Karakashian, S. J.; Lewengrub, S.; Rudzinska, M. A. and Spielman A. (1986):** Development of *Babesia microti* sporozoites in adult *Ixodes dammini*. Int. J. Parasitol. 16:381-385.
- Pruthi, R. K.; Marshall, W. F.; Wiltsie, J. C. and Persing, D. H. (1995):** Human babesiosis. Mayo Clin. Proc. 70:853-862
- Pudney, M. and Gray, J.S. (1997):** Therapeutic efficacy of atovaquone against the bovine intraerythrocytic parasite; *Babesia divergens*. J. Parasitol., 83: 307-310.
- Ranque, S. (2001):** The treatment of babesiosis. N. Engl. J. Med., 344: 773-774.
- Raoult, D.; Soulayrol, L.; Toga, B.; Dumon, H. and Casanovna, P. (1987):** Babesiosis, pentamidine and cotrimaxozole. M. Intern. Med., 107:
- Reddy, G. G.; Mishra, A. K.; Rao, J. R. and Tewari, A. K. (1997):** Comparison of indirect immunofluorescence (IIF) and enzyme-linked immunosorbent assay (ELISA) in detecting *Babesia bigemina* infection in cattle. Acta Vet. Hung., 45 (1): 67-74.
- Regassa, A.;Penzhorn, B. L. and Bryson, N. R. (2003):** Attainment of endemic stability to *Babesia bigemina* in cattle on a south African

- ranch where non-intensive tick control was applied. Vet. Parasitol. 116(4):267-274.
- Rios, L.; Alveraz, G. and Blair, S. (2003):** Serological and parasitological study and report of the first case of human babesiosis in Colombia. Rev. Soc. Bras. Med. Trop., 36 (4):493-500.
- Roberts, L. S. and Janovy, J. Jr. (1996):** Phylum Apicomplexa: Malaria Organism and Piroplasms. In: Schmidt and Larry S. Roberts Foundations of Parasitology, Gerald D.; Remp. M.J. (eds); 5th edition, P. 155-161, WCB., Bogota, Boston, Chicago.
- Rosenberg, Y. J. and Evans, C. B. (1979):** Resistance of mice suppressed for IgM production to *Babesia microti* infection. Nature 281:302-304.
- Rosenblatt-Bin, H.; Klein, A. and Sredni, B. (1996):** Antibabesial effect of the immunomodulator AS101 in mice: Role of increased production of nitric oxide. Parasitol. Immunol. 18:297-306
- Rosignoli, C.; Nigrelli, A.D.; Savini, G.; Semproni, G.; Benaglia, F. and Franzini, G. (2000):** An outbreak of babesiosis (*Babesia bovis*) in a beef cattle fattening unit. Obiettivi de Documenti Veterinari; 21 (3): 65-70.
- Ruebush, M.J. and Hanson, W.L. (1980a):** Transfer of immunity to *Babesia microti* of human origin using T lymphocytes in mice. Cell. Immunol. 52:255-265.
- Ruebush, M. J. and Hanson, W. L. (1980b):** Thymus dependence of resistance to infection with *Babesia microti* of human origin in mice. Am. J. Trop. Med. Hyg. 29:507-515.
- Ruebush, M.J.; Troutman, E.H. and Kennedy, D.A. (1986):** Delayed-type hypersensitivity to *Babesia microti*-infected erythrocytes in mice. Cell. Immunol. 98:289-299.

- Ruebush, T.K.H. (1980):** Human babesiosis in North America. Trans R. Soc. Trop. Med. Hyg.; 74: 149-152.
- Ruebush, T.K.; Juranek, D.D.; Chisholm, E.S.; Snow, P.C.; Healy, G.R. and Sulzer, A.J. (1977a):** Human babesiosis on Nantucket Island. Evidence for self-limited and subclinical infections. N. Engl. J. Med., 297: 825-827.
- Ruebush, T.K.; Cassaday, P.B.; Marsh, H.J.; Lisker, S.A.; Voorhees, D.B.; Mahoney, E.B. and Healy, G.R. (1977b):** Human babesiosis on Nantucket Island: clinical features. Ann. Intern. Med. 86:6-9.
- Ruebush, T.K.; Rubin, R.H.; Wolpw, E.R.; Cassaday, P.B.; and Schultz, M.G. (1979):** Neurologic complications following treatment of human *Babesia microti* infection with dimidazene aceturate. American J. Med. Hyg. 28:184–189.
- Ruebush, T.K.; Juranek, D.D.; Spielman, A.; Piesman, J. and Healy, G.R. (1981):** Epidemiology of human babesiosis on Nantucket Island. Am. J. Trop. Med. Hyg. 30:937-941.
- Ryan, R.; Krause, P.J.; Radolf, J.; Freeman, K.; Spielman. A.; Lenz, R. and Levin. A. (2001):** Diagnosis of Babesiosis Using an Immunoblot Serologic Test. Clinical and Diagnostic Laboratory Immunology, 8(6): 1177-1180.
- Saeki, H. and Ishii, T. (1996):** Effect of silica treatment on resistance to *Babesia rodhaini* infection in immunized mice. Vet. Parasitol. 61:201-210 .
- Saito-Ito, A.; Tsuji, M.; Wei, Q.; He, S.; Matsui, T.; Kohsaki, M.; Arai, S.; Kamiyama, T.; Hioki, K. and Ishihara, C. (2000):** Transfusion-acquired, autochthonous human babesiosis in Japan: Isolation of *Babesia microti*-like parasite with hu-RBC-SCID mice. J Clin Microbiol, 38: 4511–4516

- Sakla, A. A. (1975):** Studies on ticks in Assiut Governorate with special reference to their role in transmission of parasitic diseases. Ph.D. Thesis, Fac. Vet. Med., Assiut Univ.
- Salem, G. H. (1999):** Diagnosis of both *Babesia bovis* and *Babesia bigemina* infections among carrier cattle by using extra chromosomal DNA-based polymerase chain reaction test in Egypt .Assuit Vet. Med. J., 42 (83): 38-50.
- Scholtens, R. G.; Braff, E. H.; Healy, G. R. and Gleason, N. (1968):** A case of babesiosis in man in the United States. Am J Trop Med Hyg, 17: 810–813.
- Schuster, F. L. (2002):** Cultivation of *Babesia* and *Babesia*-like blood parasites the agents of an emerging zoonotic disease. Clin. Microbiol. Rev. Vol. 15 (3): 365-373.
- Shabbir, A. and Ali, F. A. (1995):** Babesiosis in cross-bred cattle (*Bos indicus* x *Bos taurus*) and buffaloes (*Bubalus bubalis*). *Punjab University Journal of Zoology*; 10: 33-37.
- Shaio, M. F. and Lin, P. R. (1998):** A case study of cytokine profiles in acute human babesiosis. Am. J. Trop. Med. Hyg. 58:335-337.
- Shih, C. M.; Liu, L. P.; Chung, W. C.; Ong, S. J. and Wang, C. C. (1997):** Human babesiosis in Taiwan: Asymptomatic infection with a *Babesia microti*-like organism in a Taiwanese women. J Clin Microbiol, 35: 450–454.
- Shimada, T.; Shikano, S.; Hashiguchi, R.; Matsuki N. and Ono, K. (1996):** Effects of depletion of T cell subpopulations on the course of infection and anti-parasite delayed type hypersensitivity response in mice infected with *Babesia microti* and *Babesia rodhaini*. J. Vet. Med. Sci. 58:343-347

- Skrabalo, Z. (1971):** Babesiosis. In: Pathology of protozoal and helminthic diseases. Mardials-Rojas R. A. (ed), p 232. Baltimore, Williams& Wilkins.
- Skrabalo, Z. and Deanovic, Z. (1957):** Piroplasmosis in man: Report of a case. Doc. Med. Geogr. Trop. **9**:11-16. Coated from Kjemtrup, A.M. and Conrad, P.A. (2000): Human babesiosis: an emerging tick-borne disease. Int. J. Parasitol. 30:1323-1337.
- Slovut, D. P.; Benedetti, E. and Matas, J. (1996):** Babesiosis and hemophagocytic syndrome in an asplenic renal transplant recipient. Transplantation 62:537.
- Smith, B.P. (1990):** Large animal internal medicine, 1st Ed. Printed in the united state of America the CV Mosby company 11830 westline Industrial orire; st. louis; Missouri 63146
- Smith, R.D.; Molinar, E.; Larios, F.; Monroy, J. and Ristic, M. (1980):** Bovine babesiosis: Pathogenecity and heterologous species immunity of tick-borne *Babesia bovis* and *B.bigemina* infections. Am. J. Vet. Res., 41 (12): 1957-1965.
- Smith, T. and Kilbourne, F. L. (1893):** Investigation into the nature; causation and prevention of Texas or southern cattle fever. Washington; DC: US Department of Agriculture, coated from Kjemtrup, A. M. and Conrad, P. A. (2000): Human babesiosis: an emerging tick-borne disease. Int. J. Parasitol. 30:1323-1337.
- Solomon, J. B.; Forbes M. G. and Solomon, G. R. (1985):** A possible role for natural killer cells in providing protection against *Plasmodium berghei* in early stages of infection. Immunol. Lett. 9:349-352.
- Spielman, A.; Etkind, P.; Piesman, J.; Ruebush, T. K. II; Juranek, D. D. and Jacobs, M. S. (1981):** Reservoir hosts of human

- babesiosis on Nantucket Island. Am. J. Trop. Med. Hyg. 30:560-565.
- Stafford, K. C. (1991):** Effectiveness of carbaryl applications for the control of *Ixodes dammini* (Acari: Ixodidae) nymphs in an endemic residential area. J. Med. Entomol. 28:32-36.
- Suarez, M.; Alonso, M.; Pelaez, R.; Sanchez, B.; Bravo, J.R.; Sanchez, A. (1997):** Investigation of *Babesia* in farm workers and blood donors in the province of Ciego de Avila; Revista Cubana de Medicina Tropical 49:130-135.
- Suh, K. N. and Keystone, J. S. (2004):** Malaria and Babesiosis. In: Infectious Diseases, Gorbach; S.L.; Bartlett; J.G. and Blacklow; N.R. (eds), 3rd edition, P. 2303-2308; Lippincott Williams and Wilkins; A Wolters Kluwer Company; Philadelphia; New York; London.
- Sun, T.; Tenenbaum, M. J.; Greenspan, J.; Teichberg, S.; Wang, R. T.; Degnan, T. and Kaplan, M. H. (1983):** Morphologic and clinical observations in human infection with *Babesia microti*. J. Infect. Dis. 148:239-248.
- Takahashi, M.; Omata, Y.; Oikawa, H.; Claveria, F.; Igarashi, I.; Saito, A. and Suzuki, N. (1993):** Protective immune response of *Isospora felis*-infected mice against *Babesia microti* infection. J. Vet. Med. Sci. 55:587-590
- Telford, S.R. and Maguire, J.H. (1999):** Babesiosis. In: Tropical Infectious Diseases Principles; pathogens and practice, Guerrant, R.L.; Walker, D.H. and Weller, P.F. (eds). 1st edition, Vol. I, P. 767-773, Churchill Livingstone Co.
- Telford, S.R. and Spielman, A. (1998):** Babesiosis of humans, In Topley and Wilson's microbiology and microbial infections, L.

- Collier; A. Balows; and M. Sussman (ed.); 9th ed, vol. 5, p. 349-359. Arnold, London, England .
- Telford, S. R.; Gorenflot, A.; Brasseur, P. and Spielman A. (1993):** Babesial infections in humans and wildlife, In Parasitic protozoa, J. P. Kreier (ed.), 2nd ed.; vol. 5. p. 1-47. Academic Press, San Diego, Calif .
- Telford, S. R.; Dawson, J. E.; Katavolos, P.; Warner, C. K.; Kolbert, C. P. and Persing, D. H. (1996):** Perpetuation of the agent of human granulocytic ehrlichiosis in a deer tick-rodent cycle. Proc. Natl. Acad. Sci. USA 93:6209-6214.
- Tetzlaff, C. L.; McMurray, D. N. and Rice-Ficht, A. C. (1990):** Isolation and characterization of a gene associated with a virulent strain of *Babesia microti*. Mol. Biochem. Parasitol. 40:183-192.
- Tewari, A. K.; Sharma, N. N.; Rao, J. R.; Mishra, A. K. and Das, S. K. (1996):** Effect of *Mycobacterium phlei* on the development of immunity to *Babesia bigemina*. Vet. Parasitol. 62:223-230.
- Thomford, J. W.; Conrad, P. A.; Telford, S. R. ,III; Mathiesen, D.; Bowman, B. H.; Spielman, A.; Eberhard, M. L.; Herwaldt, B. L.; Quick, R. E. and Persing D. H. (1994):** Cultivation and phylogenetic characterization of a newly recognized human pathogenic protozoan. J. Infect. Dis. 169:1050-1056.
- Tice, G.A.; Bryson, N.R.; Stewart, C.G.; Du Plessis, B. and DE Waal, D.T. (1998):** The absence of clinical disease in cattle in communal grazing areas where farmers are changing from an intensive dipping programme to one of endemic stability to tick-borne diseases. Onderstepoort Journal of Veterinary Research; 65: 169-175.
- Tomassone, L.; Camicas, J.L.; Pagani, P.; Diallo, O.T.; Mannelli, A. and De Meneghi, D. (2004):** Monthly dynamics of ticks

- (*Acari: Ixodida*) infesting N'Dama cattle in the Republic of Guinea. Exp. APpl. Acarol; 32 (3): 209-227.
- Torina, A.; Vicente, J.; Alongi, A.; Scimeca, S.; Turla, R.; Nicosia, S.; Di Marco, V.; Caracappa, S. and de la Fuente, J. (2007):** Observed Prevalence of Tick-borne Pathogens in Domestic Animals in Sicily; Italy during 2003–2005. J. Zoonoses and Public Health. 54: 8–15.
- Uhnöo, I.; Cars, O.; Christensson, D. and Nystrom-Rosander, C. (1992):** First documented case of human babesiosis in Sweden. Scand J Infect Dis; 24: 541–547
- Urquhart, G.M.; Armour, J.; Duncan, J.L.; Dunn, A.M. and Jennings, F.W. (1996):** Veterinary Protozoology In: Veterinary Parasitology; Urquhart, G.M.; Armour, J.; Duncan, J.L.; Dunn, A.M. and Jennings, F.W. (eds), 2nd edition, P. 242-246. Blackwell Science Ltd., London, Paris, Cambridge.
- Vidotto, O.; Andrade, G.M.; Amaral, C.H.S.; Barbosa, C.S. and Freire, R.L. (1997):** Frequency of antibodies against *Babesia bigemina*; *Babesia bovis* and *Anaplasma marginale* in dairy farms of Parana State; Brazil. Med. Vet. Zoot.; 49: 655-659.
- Villar, B.F.; White, D.J. and Benach, J.L. (1991):** Human babesiosis. Prog Clin Parasitol 2:129.
- Weinberg, G. A. (2001):** Laboratory diagnosis of ehrlichiosis and babesiosis. Pediatric Infectious Disease Journal. 20(4):435-437.
- Weiss, L.M.; Wittner, M. and Tanowitz, H. (2001):** The treatment of babesiosis. N. Engl. J. Med., 344: 773.
- White, D.J.; Talarico, J.; Chang, H.G.; Birkhead, G.S.; Heimberger, T.; Morse, D.L. (1998):** Human babesiosis in New York State. Review of 139 hospitalized cases and analysis of prognostic factors. Arch Intern Med; 158: 2149–2154 .

- Williams, H. (1980):** Human babesiosis. Trans R. Soc. Trop. Med. Hyg., 74: 157
- Wozniak, E. J.; Barr, B. C.; Thomford, J. W.; Yamane, I.; McDonough, S. P.; Moore, P. F.; Naydan, D.; Robinson, T. W.; and Conrad, P. A. (1997a):** Clinical, anatomic and immunopathologic characterization of *Babesia gibsoni* infection in the domestic dog (*Canis familiaris*). J. Parasitol. 83:692-699.
- Wozniak, E.J.; Lowenstine, L.J. and Hemmer, R. (1997b):** Comparative pathogenesis of human WA-1 and *Babesia microti* isolates in a Syrian hamster model. Lab. Anim sci 46:507.
- Yabrov, A. A. (1980):** Interferon and non-specific resistance. Human Sciences Press, New York, N.Y.
- Yeruham, I.; Avidar, Y.; Aroch, I. and Hadani, A. (2003):** Intra-uterine infection with *Babesia bovis* in a 2-day –old calf. Journal of Veterinary Medicine. B; 50 (2): 60-62
- Zintl, A.; Mulcahy, G.; Skerrett, H.E.; Taylor, S.M. and Gray, J.S. (2003):** *Babesia divergens*, a bovine blood parasite of veterinary and zoonotic importance. Clin Microbiol Rev; 16: 622–636.
- Zivkovic, D.; Seinen, W.; Kuil, H.; Albers-van Bemmelen, C. M. and Speksnijder, J. E. (1984):** Immunity to *Babesia* in mice. Adoptive transfer of immunity to *Babesia rodhaini* with immune spleen cells and the effect of irradiation on the protection of immune mice. Vet. Immunol. Immunopathol. 5:343-357.
- Zivkovic, D.; Speksnijder, J.E.; Kuil, H. and Seinen. W. (1985):** Immunity to *Babesia* in mice. The effects of corticosteroids and anti-thymocyte serum on mice immune to *Babesia rodhaini*. Vet. Immunol. Immunopathol. 9:131–142.

Zwart, D. and Brocklesby, D.W. (1979): Babesiosis: Non-specific resistance, immunological factors and pathogenesis. *Adv. Parasitol.* 17:49-113.