

CONTENTS

Items	Page
I- Introduction	1
II- Aim of the essay	6
III- Review of literature :	
○ Chapter 1: Basic anatomy of pelvic organ support	7
○ Chapter 2: Etiology of pelvic organ prolapse.	33
○ Chapter 3: Classifications of pelvic organ prolapse.	42
○ Chapter 4: Diagnosis of pelvic organ prolapse.	52
○ Chapter 5: Prevention ,and conservative treatment of pelvic organ prolapse.	83
○ Chapter 6: Indications of surgical treatment and indications of surgical treatment of pelvic organ prolapse.	90
○ Chapter 7: Repair of the anterior vaginal compartment prolapse.	93
○ Chapter 8: Surgical repair of the posterior vaginal compartment prolapse.	121
○ Chapter 9: Surgical repair of the middle compartment prolapse .	144
IV- Summary	200
V- References	209
VI- Arabic summary	

List of Figures

Items	Page
Chapter 1:	
Fig.(1-1): Lateral view of the pelvic sidewall and floor.	10
Fig.(1-2): Schematic representation of connective tissue support of the uterus and upper two thirds of the vagina (levels I and II support).	14
Fig.(1-3): The attachments of the pubocervical fascia (PCF) and the rectovaginal fascia (RVF) to the pelvic sidewall.	14
Fig.(1-4): Formation of pericervical ring.	15
Fig.(1-5): Support structures of the vagina after hysterectomy.	17
Fig.(1-6): Inferior view of the pelvic floor.	17
Fig.(1-7): The pelvic diaphragm viewed from above.	24
Fig.(1-8): Sagittal view of the pelvis.	25
Fig.(1-9): Muscles of the pelvic floor, lateral view.	25
Fig.(1-10): Relationship of pelvic viscera and levator ani muscles at rest and with increases in intraabdominal pressure.	26
Fig.(1-11): Levator plate, urogenital hiatus (UGH), and vaginal axis in the presence of levator ani muscle dysfunction..	26
Fig.(1-12): Pelvic organs ,sagital view.	32
Chapter3:	
Fig.(3-1): Types of vaginal prolapse.	43
Fig.(3-2): The nine specific sites of measurement used in the Pelvic Organ Prolapse-Quantification System (POP-Q).	48

Fig.(3-3): The tic tac toe grid used to record measurements in the Pelvic Organ Prolapse- Quantification System (POP-Q).	49
Fig.(3-4): Posthysterectomy pelvic organ prolapse quantitative (POPQ) examination	49
Chapter4:	
Fig.(4-1): Inspection of stage II prolapse	62
Fig.(4-2): Inspection of stage II prolapse of the vaginal apex	70
Fig.(4-3): The rectovaginal “bimanual examination”	70
Chapter5:	
Fig.(5-1): Types of pessaries	89
Chapter7:	
Fig.(7-1): Anterior colporrhaphy.	98
Fig.(7-2): Anterior colporrhaphy plus mesh	99
Fig.(7-3:7-5): Abdominal paravaginal repair.	103
Fig.(7- 6):Fig.(7-9): Vaginal paravaginal repair.	109
Fig.(7-10):Fig.(7-18): Transvaginal -paravaginal technique with mesh.	111
Fig.(7-19):Fig.(7-26): Transobturator repair.	117
Chapter8:	
Fig.(8-1): Posterior colporrhaphy.	125
Fig.(8-2):Fig.(8-5): Site-specific defect repair.	128
Fig.(8-6): Transanal rectocele repair.	132
Fig. (8-7): Intravaginal Slingplasty	137
Chapter9:	
Fig.(9-1): Algorithm for planning apical suspension surgery.	145

Fig.(9-2): Le Fort partial colpocleisis.	147
Fig.(9-3): Colpectomy and complete colpocleisis.	149
Fig.(9-4):Fig.(9-6): Abdominal sacral colpopexy.	153
Fig.(9 -7)&Fig.(9-8): Uterosacral ligament suspension.	158
Fig.(9-9): A: Long handled Deschamps ligature carrier and nerve.hook. B: Briesky Navratil retractors, various sizes.	162
Fig.(9-9): Miya hook, notched speculum, and suture hook.	163
Fig.(9-11): Sacrospinous ligament suspension.	163
Fig.(9-12): Technique of ileococcygeus fascia suspension	167
Fig.(9-13): Technique of uterosacral ligament suspension	170
Fig. (9-14)&Fig.(9-15): Posterior tissue fixation system (TFS) sling	174
Fig.(9-16): Manchester procedure	177
Fig.(9-17):Fig.(9-19): Transvaginal sacrospinous uterine fixation	183
Fig.(9-20): Plicated uterosacral ligaments	191
Fig.(9-21): McCall culdoplasty.	196
Fig.(9-22)&Fig.(9-23): Modified McCall culdoplasty.	196
Fig.(9-24): Vaginal Moschcowitz type method.	198

List of Tables

Items	Page
Table(3-1): Classification of the severity of pelvic organ prolapse	45
Table(3-2): Quantitative Description of Pelvic Organ Position	50
Table(3-3): Ordinal staging system for pelvic organ prolapse/ICS stages	51
Table(4-1): Symptoms Associated With Pelvic Organ Prolapse	54

Items	Page
<p>Arcus tendineus levator ani (ATLA)</p> <p>Arcus tendinous fascia pelvis (ATFP)</p> <p>Chronic obstructive pulmonary disease (COPD)</p> <p>Computed tomography CT</p> <p>Electromyography (EMG)</p> <p>Genital hiatus GH</p> <p>International Continence Society(ICS)</p> <p>Intravaginal Slingplasty (IVS)</p> <p>Levator ani (LA) muscles</p> <p>Magnetic resonance imaging MRI</p> <p>Obturator internus (OI) muscle</p> <p>Pelvic Floor Muscles (PFM)</p> <p>Pelvic organ prolapse POP</p> <p>Pelvic organ prolapse-quantification system (POP-Q)</p> <p>Pelvic Organ Support Study (POSST)</p> <p>Perineal body (pb)</p> <p>Rectovaginal space (RVS)</p> <p>Sacrospinous ligament suspension (SSLS)</p> <p>Urethral vesical junction (UVJ)</p> <p>Total vaginal length TVl</p> <p>Urinary tract infection UTI</p> <p>Urogenital hiatus (UGH)</p> <p>Tension free vaginal tape (TVT)</p>	