



References

- Abramov, Y.; Gandhi, S.; Goldberg, R.P. et al. (2005):***Site specific rectocele repair compared with standard posterior colporrhaphy. Obstet Gynecol. 105:314–318.
- Addison, W.A.; Bump, R.C.; Cundiff, G.W. and Harris, R.L. (1996):*** Sacral colpopexy is the preferred treatment for vaginal vault prolapse.J Gynecol Tech 2:69–74.
- Addison, W.A.; Livengood, C.H.; III; Sutton, G.P. et al. (1985):*** Abdominal sacral colpopexy with Mersilene mesh in the retroperitoneal position in the management of posthysterectomy vaginal vault prolapse and enterocele. Am J Obstet Gynecol.;153:140–146.
- Allahbadia, G.N. and Ambiyee, V.R. (1992) :*** Reproductive performance following Shirodkar's abdominal sling operation. J Indian Med Assoc 90(2):31-2, 30
- Altman, D.; Zetterstrom, J.; Lopez, A. et al (2005):*** Functional and anatomic outcome after transvaginal rectocele repair using collagen mesh: a prospective study. Dis Colon Rectum 48:1233–1241; discussion 1241–1242; author reply, 1242.
- Arnold, M.W.; Stewart, W.R. and Aguilar, P.S. (1990):*** Rectocele repair:four years' experience. Dis Colon Rectum 33:684 –7.



References

- Arthure, H.E. and Savage, D. (1957):** Uterine prolapse and prolapse of the vaginal vault treated by sacral hysteropexy. J Obstet Gynaecol Br Emp 64:355-60.
- Athanasiou, S.; Boos, K.; Khullar, V.; Anders, K. and Cardozo, L. (1996) :** Pathogenesis of genuine stress incontinence and urogenital prolapse. Neurourol Urodyn 15:339-340 .
- Baden, W.F. and Walker, T.A. (1992):** Fundamental symptoms and classification. In: Baden WF, Walker T, eds. Surgical Repair of Vaginal Defects. Philadelphia, PA: Lippincot :9–23.
- Baggish, M.S. and Karram, M.M. (2001):**Atlas of pelvic anatomy and gynecologic surgery. New York: Saunders.
- Banu, L.F. (1997):** Synthetic sling for genital prolapse in young women. Int JGynaecol Obstet 57:57-64.
- Barber, M.; Walters, M. and Bump, R. (2003) :**Association of the magnitude of pelvic organ prolapse and presence and severity of symptoms. Jrnl of Pelvic Med & Surg 9:208.
- Barber, M.D. (2005):** Symptoms and outcome measures of pelvic organ prolapse .Clinical Obstetrics and Gynecology 48(3) :648–661.
- Barber, M.D.; Bremer, R.E.; Thor, K.B. et al. (2002):** Innervation of the female levator ani muscles.Am J Obstet Gynecol. 187:64–71.
- Barber, M.D.; Lambers, A.; Visco, A.G. et al. (2000):** Effect of patient position on clinical evaluation of pelvic organ prolapse. Obstet Gynecol. 96:18–22.



References

- Barber, M.D.; Visco, A.G.; Weidner, A.C. et al. (2000):** Bilateral uterosacral ligament vaginal vault suspension with site-specific endopelvic fascia defect repair for treatment of pelvic organ prolapse. *Am J Obstet Gynecol.* 183:1402–1410; discussion 1410–1411.
- Barber, M.D.; Visco, A.G.; Wyman, J.F. et al. (2002):** Sexual function in women with urinary incontinence and pelvic organ prolapse. *Obstet Gynecol.* 99:281–289.
- Barranger, E.; Fritel, X.M.D. and Pigne, A. (2003):** Abdominal sacrohysteropexy in young women with uterovaginal prolapse: Long-term follow-up *Am J Obstet Gynecol* 189(5):1245-1250.
- Beck, R.P. (1983):** Pelvic relaxation prolapse. In Kase: NG, Weingold AB, eds. *Principles and practice of clinical gynecology.* New York: John Wiley, 677-685.
- Bensingher, G.; Lind, L.; Guess, M. et al. (2005):** Abdominal sacral suspensions: analysis of complications using permanent mesh. *J Pelv Med Surg.* 11:66.
- Benson, J.T. (1996):** Clinical neurophysiological techniques in urinary and fecal incontinence. In: Ostergard DR, Bent A, eds. *Urogynecology and Urodynamics.* 4th ed. Baltimore, MD: Williams & Wilkins :223–250.
- Benson, J.T. and Walters, M.D. (1999):** Neurophysiology of the lower urinary tract. In: Walters MD, Karram MM, eds. *Urogynecology*



References

and Reconstructive Pelvic Surgery, 2ed edition. St. Louis: Mosby:15–24.

Benson, J.T. and McClellan, E. (1993): The effect of vaginal dissection on the pudendal nerve. *Obstet Gynecol.* 82:387–389.

Benson, J.T.; Lucente, V. and McClellan, E. (1996): Vaginal versus abdominal reconstructive surgery for the treatment of pelvic support defects: a prospective randomized study with long-term outcome evaluation. *Am J Obstet Gynecol.*;175:1418–1421; discussion 1421–1422.

Bernstein, I.T. (1997): The pelvic floor muscles: muscle thickness in healthy and urinary-incontinent women measured by perineal ultrasonography with reference to the effect of pelvic floor training. *Estrogen receptor studies. Neurourol Urodyn* 16, 237-275.

Biller, D. and Davila, W. (2004): Choosing the best technique for vaginal vault prolapse. *OBG Management · Vol. 16, No. 12* [published online December 2004].

Block, I.R. (1986): Transrectal repair of rectoceles using obliterative suture. *Dis Colon Rectum* 29:707–11.

Bo, K. and Finckenhagen, H.B. (2001): Vaginal palpation of pelvic floor muscle strength: inter-test reproducibility and comparison between palpation and vaginal squeeze pressure. *Acta Obstet Gynecol Scand.* 80:833–837.



References

- Bo, K. and Finckenhagen, H.B.(2003):** Is there any difference in measurement of pelvic floor muscle strength in supine and standing position? *Acta Obstet Gynecol Scand.* 82:1120–1124.
- Bonney`s, (2004):** Operations for prolapse of the uterus and vagina. In; Monaghan JM, Lopes AD, Naik R(eds), *Bonney`s Gynaecological Surgery*, 10th edition. Blackwell Science Ltd Malden pp.238-252.
- Boreham, M.; Zaretsky, M.; Corton, M. et al. (2005):** Appearance of the levator ani muscle in pregnancy as assessed by 3-D magnetic resonance imaging. *J Pelvic Medicine & Surgery*, 11:58.
- Boyles, S.H. and Edwards, S.R. (2005):** Repair of the anterior vaginal compartment *Clinical Obstetrics and Gynecology*, 48(3):682–690.
- Brubaker, L. and Norton, P. (1996):** Current clinical nomenclature for description of pelvic organ prolapse. *J Pelv Surg.* 2:257–259.
- Brubaker, L. ; Bump, R.; Jacquentin, B. et al. (2002):** Pelvic organ prolapse. In: Abrams P, Cardozo L, Khoury S, Wein AJ, eds. 2nd International Consultation on Incontinence. Plymouth, UK: Health Publication Ltd: 243–265.
- Buller, J.L.; Thompson, J.R.; Cundiff, G.W, et al. (2001):** Uterosacral ligament: description of anatomic relationships to optimize surgical safety. *Am J Obstet Gynecol.* 97:873–879.



References

- Bump, R.C.; Mattisson, A.; Bo, K. et al. (1996):** The standardization of terminology of female pelvic organ prolapse and pelvic floor dysfunction. *Am J Obstet Gynecol.* 175:10–17.
- Burrows, L.J.; Meyn, L.A.; Walters, M.D. et al. (2004):** Pelvic symptoms in women with pelvic organ prolapse. *Obstet Gynecol.* 104:982–988.
- Cardozo, L. (1995):** Prolapse and urinary incontinence. In Dewhurst's Text Book of Obstet. Gynecol. for postgraduates. C.R. Whitfield 5th edition. Blackwell Science Ltd.
- Chou, Q. and DeLancey. J.O.L. (2001):** A structured system to evaluate urethral support anatomy in magnetic resonance images. *Am J Obstet Gynecol* 185:44–50.
- Claydon, C.S.; Maccarone, J.M.; Grody, H.T.; Steinberg, A. Oyama, I.; Holzberg, A.S. and Caraballo, R. (2005):** The distance between the perceived and the actual arcus tendineus fascia pelvis during vaginal paravaginal repair. *American Journal of Obstetrics and Gynecology*, 192, 1707–11
- Claydon, S.C.(2004):** The Evaluation of pelvic organ prolapse. *Journal of pelvic medicine and surgery* 10(4) pp 173-192.
- Coates, K.W.; Harris. R.L.; Cundiff, G.W. et al. (1997):** Uroflowmetry in women with urinary incontinence and pelvic organ prolapse. *BJU* 80:217–221.



References

- Colombo, M. and Milani, R. (1998):** Sacrospinous ligament fixation and modified McCall culdoplasty during vaginal hysterectomy for advanced uterovaginal prolapse. *Am J Obstet Gynecol.* 179:13–20.
- Corton, M.M. (2005):** Anatomy of the Pelvis:How the pelvis is built for support. *Clinical Obstetrics and Gynecology* ,48 (3) 611–626
- Costantini, E.; Lombi, R.; Micheli, C.; Parziani, S. and Porena, M. (1998):** Colposacropexy with Gore-tex mesh in marked vaginal and uterovaginal prolapse. *Eur Urol* 34:111-7.
- Cruikshank, S.H. and Kovac, S.R. (1999):** Randomized comparison of three surgical methods used at the time of vaginal hysterectomy to prevent posterior enterocele. *Am J Obstet Gynecol* 180:859–865.
- Culligan, P.J.(2005):** Surgical Repair of the Posterior Compartment.Clinical Obstet.Gynecol.Volume 48, Number 3, 704–712.
- Culligan, P.J.; Murphy, M.; Blackwell, L. et al. (2002):** Long-term success of abdominal sacral colpopexy using synthetic mesh. *Am J Obstet Gynecol.*;187:1473–1480; discussion 1481–1482.
- Cundiff, G.W. (2005):** An 80-year-old woman with vaginal prolapse. *JAMA*, 293(16):2018–2027.
- Cundiff, G.W. and Bent, A. (1996):** Endoscopic evaluation of the lower urinary tract. In: Walters MD, Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery*. 2nd ed. St. Louis, MO: Mosby:111–122.



References

- Cundiff, G.W.; Harris, R.L.; Coates, K. et al. (1997):** Abdominal sacral colpoperineopexy: a new approach for correction of posterior compartment
- Cundiff, G.W.; Weidner, A.C.; Visco, A.G.; Bump, R.C. and Addison, W.A. (2000):** A survey of pessary use by members of the American urogynecologic society. *ObstetGynecol*; 95: 931 - 5.
- Davilla, G.W. (1996):** Vaginal prolapse: management with nonsurgical techniques. *Postgrad Med* 99:171-85.
- Davis, G.D. (1996):** Uterine prolapse after laparoscopic uterosacral transaction in nulliparous airborne trainees: a report of three cases. *J Reprod Med* .,41:279-82.
- De Mola, J. and Carpenter, S. (1996):** Management of genital prolapse in neonates and young women. *Obstet Gynecol Surv*51:253-60.
- Delancey, J.O. (1992):** Anatomy of female pelvis .In Thompson J.D.Telinde`s operative Gynecology,7th ed.Philadelphia J.B.Lippincot,P. 33 –65.
- Delancey, J.O. (2003):** Surgical anatomy of the female pelvis". In Rock JA and Jones HW. Telinde`s operative Gynecology, 9th Edition .Philadelphia. Lippincott Williams & Wilkins,p-43-78.
- DeLancey, J.O. (1994):** Structural support of the urethra as it relates to stress urinary incontinence: the hammock hypothesis. [comment].*Am J Obstet Gynecol*. 170:1713.



References

- DeLancey, J.O. and Strohbehn, K. (2003):** Pelvic organ prolapse In:Scott JR., Gibbs RS, Karlan BY and Haney AF. Danforth's Obstetrics & Gynecology,9th Edition. Philadelphia, Lippincott Williams & Wilkins P.792-817.
- DeLancey, J.O.L. (1992):** Anatomic aspects of vaginal eversion after hysterectomy. Am J Obstet Gynecol. 166:1717.
- DeLancey, J.O.L. and Hurd, W.W. (1998):** Size of the urogenital hiatus in the levator ani muscles in normal women and women with pelvic organ prolapse. Obstet Gynecol. 91:364–368.
- DeLancey, J.O.L. and Starr, R.A. (1990):** Histology of the connection between the vagina and levator ani muscles: implications for the urinary function. J Reprod Med. 35:765–771.
- DeLancey, J.O.L.; Kearney, R.; Chou, Q., et al. (2003):** The appearance of levator ani muscle abnormalities in magnetic resonance images after vaginal deliveries. Obstet Gynecol. 101:46–53.
- Dell, J.R. and O'Kelley, K.R. (2005):** Pelvisoft Biomech augmentation of rectocele repair: the initial clinical experience in 35 patients. Int J Urogynecol 16:44–47.
- Deng, D.Y.; Matthew, R.; Larissa, R. and Shlomo, R. (2005):** Surgical atlas correction of cystocele. B J U International ,96:691 – 709 .
- Dietz, H.P.; Eldridge, A.; Grace, M. and Clarke, B. (2004) :** Pelvic organ descent in young nulligravid women. American Journal of Obstetrics and Gynecology 191: 95-9.



References

- Dietz, H.P.; Haylen, B.T. and Vancaillie, T.G. (2002):** Female pelvic prolapse and voiding function. *Int Urogynecol J.* 13:284–288.
- Digesu, G.A.; Khullar, V.; Selvaggi, L. et al. (2004):** A case of laparoscopic uterosacral ligament plication: a new conservative approach to uterine prolapse? *Eur J Obstet Gynecol* 2004; 114:112–115
- Drake, N.L.; Weidner, A.; Webster, G.D. et al. (2005):** Patient characteristics and management of dermal allograft extrusions. *Int J Urogynecol.* [published online January 13, 2005].
- Dubernard, G.; Roman Rouzier, R.; Haddad, B.; Dubois, P. and Bernard-Jean, P. (2003):** Correction of uterine prolapse by the vaginal route using the uterosacral ligaments: Shirodkar procedure. *Eur J obstet Gynaecol Reprod Biol* 109: 214–218.
- Ellerkmann, M.R.; Cundiff, G.W.; Melick, C.F. et al. (2001):** Correlation of symptoms with location and severity of pelvic organ prolapse. *Am J Obstet Gynecol.* 185:1332–1338.
- Erata, Y.E.; Kilic, B.; Guclu, S. et al. (2002):** Risk factors for pelvic surgery. *Arch Gynecol Obstet.*,267:14–18.
- Fantl, J.A.; Hurt, W.G.; Bump, R.C.; Dunn, L.J. and Choi, S.C. (1986):** Urethral axis and sphincteric function. *Am J Obstet Gynecol.* 155:554-558.
- Farnsworth, B.N. (2002):** Posterior intravaginal slingplasty (infracoccygeal sacropexy) for severe posthysterectomy vaginal vault prolapse-apreliminary report on efficacy and safety. *IntUrogynecol J.*13:4-8.



References

- Farrell, S.A.; Singh, B. and Aldakhil, L. (2004):** Continence pessaries in the management of urinary incontinence in women. *J Obstet Gynaecol* 26:113–117.
- Fialkow, M.F.; Gardella, C.; Melville, J. et al. (2002):** Posterior vaginal wall defects and their relation to measures of pelvic floor neuromuscular function and posterior compartment prolapse. *Am J Obstet Gynecol.*187:1443–1449.
- FitzGerald, M.P. and Brubaker, L. (2003):** Colpocleisis and urinary incontinence. *Am J Obstet Gynecol.*;189:1241–1244.
- FitzGerald, M.P. and Kotarinos, R. (2003):** Rehabilitation of the short pelvic floor: background and patient evaluation. *Int Urogynecol J Pelvic Floor Dysfunct.* 14:261–268.
- FitzGerald, M.P.; Kulkarni, N. and Fenner, D. (2000):** Postoperative resolution of urinary retention in patients with advanced pelvic organ prolapse. *Am J Obstet Gynecol.* 183:1361–1364.
- Fox, S.D. and Stanton, S.L. (2000):** Vault prolapse and rectocele: assessment of repair using sacroclpopexy with mesh interposition. *Br J Obstet Gynaecol* 107: 1371-1375
- Garry, R. et al. (2004):** The eVALuate study: Two parallel randomised trials, one comparing laparoscopic with abdominal hysterectomy, the other comparing laparoscopic with vaginal hysterectomy. *BMJ*, 328(7432): 129.



References

- Geoffrey, W.; Cundiff, M.D. and Dee, Fenner. (2004):** Evaluation and treatment of women with rectocele: Focus on associated defecatory and sexual dysfunction. *Obstetrics & Gynecology* 104(6): 1403-1421.
- George, w. (1996):** Treatment of uterine and vaginal prolapse .*Clinical opinion in obstetrics and gynecology*. Volume 39(4), December 1996, pp 959-969 [Geriatric Gynecology].
- Gerrard, E.R. ; Lloyd, L.K.; Kubricht, W.S. et al. (2003):** Transvaginal ultrasound for the diagnosis of urethral diverticulum. *J Urol*. 169:1395–1397.
- Goh, J.T.; Tjandra, J.J. and Carey, M.P. (2002):** How could management of rectoceles be optimized? *ANZ J Surg* 72:896 –901.
- Goh, J.T.W. and Dwyer, P.L. (2001):** Effectiveness and safety of polypropylene mesh in vaginal prolapse surgery. *Int Urogynecol J* 12:S90.
- Grody, M.H. (1995):** Posterior pelvis prolapse: analysis and findings in enterocele and massive vaginal eversion. In: Grody, MHT. *Benign Postreproductive Gynecologic Surgery*. New York, NY: McGraw-Hill:207–217.
- Grody, M.H. (2003):** Posterior compartment defects. In Rock JA and Jones HW. *Telinde`s operative Gynecology*, 9th Edition .Philadelphia. Lippincott Williams & Wilkins, 966-985.



References

Hale, D. (2003): Surgery for pelvic organ prolapse. In: David M. Gershenson., et al (eds). Operative Gynecology, 2nd edition. Philadelphia W.B. Saunders Company, p377-397.

Hall, A.F.; Theofrastous, J.P.; Cundiff, G.W. et al. (1996): Interobserver and intraobserver reliability of the proposed International Continence Society, Society of Gynecologic Surgeons, and American Urogynecologic Society pelvic organ prolapse classification system. Am J Obstet Gynecol. 175:1467–1471.

Heit, M.; Benson, T.; Russell, B. et al. (1996): Levator ani muscle in women with genitourinary prolapse: indirect assessment by muscle histopathology.

Heit, M.; Culligan, P.; Rosenquist, C.; et al. (2002): Is pelvic organ prolapse a cause of pelvic or low back pain? Obstet Gynecol 99:23–28.

Hendrix, S.L.; Clark, A.; Nygaard, I. et al. (2002): Pelvic organ prolapse in the Women's Health Initiative: gravity and gravidity. Am J Obstet gynecol.; 186:1160–1166.

Hilger, W.; Poulson, M. and Norton, P. (2003): Long-term results of abdominal sacrocolpopexy. Am J Obstet Gynecol. 189:1606–1611.

Hoffman, M.S.; Cardosi, R.J.; Lockhart, J. et al. (2003): Vaginectomy with pelvic herniorrhaphy for prolapse. Am J Obstet Gynecol. 189:364–370; discussion 370–371.



References

- Hoyte, L.; Schierlitz, L.; Zou, K. et al. (2001):** Two and 3 dimensional MRI comparison of levator ani structure, volume and integrity in women with stress incontinence and prolapse. *Am J Obstet Gynecol* 185:11–19.
- Hull, T. (1996):** Fecal incontinence. In: Walters MD, Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery*. 2nd ed. St. Louis, MO: Mosby :259–268.
- Inmon, W.B. (1963):** Pelvic relaxation and repair including prolapse of the vagina following vaginal hysterectomy. *South Med J* 56:577–2.
- Isherwood, P.J. and Rane, A. (2000):** Comparative assessment of pelvic floor strength using a perineometer and digital examination. *BJOG*. 107:1007–1011.
- Jackson, S. and Smith, P. (1997):** Diagnosing and managing genitourinary prolapse. *BMJ* 314: 875 – 880.
- Janssen, L.W.M. and Van Dijke, C.F. (1994):** Selection criteria for anterior rectal wall repair in symptomatic rectocele and anterior rectal wall prolapse. *Dis Colon Rectum*;37:1100 –7.
- Jeffcoate, T. (1987):** Principles of Gynecology. 2:17, 16:620. Butterworth, London and Boston
- Jelovsek, J.E. Sokol, A.I.; Walters, M.D. et al. (2005):** Anatomic relationships of infracoccygeal sacropexy (posterior intravaginal slingplasty) trocar insertion. *J Pelv Med Surg*. 11:60.



References

- Jenkins, V.R. (1997):** Uterosacral ligament fixation for vaginal vault suspension in uterine and vaginal vault prolapse. *Am J Obstet Gynecol* 177:1337–44.
- Jorgensen, S.; Hein, H.O. and Gyntelberg, F. (1994):** Heavy lifting at work and risk of genital prolapse and herniated lumbar disc in assistant nurses. *Occup Med.*44:47-9
- Kahn, M.A. and Stanton, S.L. (1997):** Posterior colporrhaphy:its effects on bowel and sexual function.*Br J Obstet Gynaecol.* 104:82–86.
- Karaus, M.; Neuhaus, P. and Wiedenmann, T.B. (2000):** Diagnosis of enteroceles by dynamic anorectal endosonography. *Dis Colon Rectum* 43(12): 1683-8.
- Karram, M. (1996):** Urodynamics: cystometry. In: Walters MD, Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery*. 2nd ed. St. Louis, MO: Mosby :55–68.
- Karram, M.; Goldwasser, S.; Kleeman, S. et al. (2001):** High uterosacral vaginal vault suspension with fascial reconstruction for vaginal repair of enterocele and vaginal vault prolapse. *Am J Obstet Gynecol.* 185:1339–1342;discussion 1342–1343.
- Karram, M.M. and Kleeman, S.D. (2003):** Vaginal Vault Prolapse In Rock JA and Jones HW. *Telinde`s operative Gynecology*, 9th Edition .Philadelphia. Lippincott Williams & Wilkins,p. 1000-1025
- Kegel, A. (1948):** Progressive resistance exercise in the functional restoration of the perineal muscles. *Am J Obstet Gynecol.* 56:238–246.



References

Kelvin, F. and Maglinte, D. (2003) :Dynamic evaluation of female pelvic organ prolapse by extended proctography. Radiol Clin North Am. 41:395–407.

Kenton, K. and Muller, E. (2005):Surgical Repair of the Middle Compartment Clinical Obst.Gyneecol. 48 (3):691–703.

Kenton, K.; Shott, S. and Brubaker, L. (1999): Outcome after rectovaginal fascia reattachment for rectocele repair. Am J Obstet Gynecol 181:1360–4.

Kerney, R.; Sawhney, R. and DeLancey, J.O. (2004): Levator ani muscle anatomy evaluated by origin-insertion pairs. Obstet Gynecol 104:168–173.

Kohli, N. and Miklos, J.R. (2003): Dermal graft-augmented rectocele repair. Int J Urogynecol. 14:146–149.

Kohli, N. ; Walsh, P.M. et al. (1998) :Mesh erosion after abdominal sacrocolpopexy. Obstet Gynecol. 92: 999–1004.

Kovac, R.S. (2004): Clinical opinion: Guidelines for hysterectomy.American Journal of Obstetrics and Gynecology 191: 635-40.

Kovac, S.R. and Cruikshank, S.H. (1993): Successful pregnancies and vaginal deliveries after sacrospinous uterosacral fixation in five of nineteen patients. Am obstet Gynecol 168 : 1778 – 83.

Leffler, K.S.; Thompson, J.R.; Cundiff, G.W. et al .(2001): Attachment of the rectovaginal septum to the pelvic sidewall. Am J Obstet Gynecol.185:41–43.



References

LeFort, L. (1877): Nouveau procede pour la guerison du prolapsus uterin.
Bull Gen Ther.,92:237

Leron, E. and Stanton, S.L. (2001): Sacrohysteropexy with Synthetic mesh
for the management of uterovaginal prolapse. Br J Obstet
Gynaecol 108: 629 – 633.

Lienemann, A. and Fischer, T. (2003): Functional imaging of the pelvic
floor. Eur J Rad. 47:117–122.

Lim, Y.N.; Rane, A. and Muller, R. (2005): An ambispective observational
study in the safety and efficacy of posterior colporrhaphy with
composite Vicryl-Prolene mesh. Int Urogynecol J Pelvic Floor
Dysfunct 16:126–131.

**Lin, L.L.; Ho, M. H.; Haessler, A. L.; Betson, L.H.; Alinsod, R. M.; Liu,
C.Y. and Bhatia, N.N.; (2005):** A review of laparoscopic uterine
suspension procedures for uterine preservation. Clinical openion in
obstetrics and gynecologyVolume 17(5), p 541–546

Lubowski, D.Z.; Swash, M.; Nichols, J. and Henry, M.M. (1988):
Increases in pudendal nerve terminal motor latency with defecation
straining.Br J Surg.,75:1095-7.

Lyons, T.L. and Winer, W.K. (1995): Vaginal vault suspension.Endosc
Surg. 3:88–92.

Lyons, T.L. and Winer, W.K. (1997): Laparoscopic rectocele repair using
polyglactin mesh. J Am Assoc Gynecol Laparosc 4:381– 4.



References

- Maher, C.F.; Carey, M.P. and Murray, C.J. (2001):*** Laparoscopic suture hysteropexy for uterine prolapse. *Obstet Gynecol* 97: 1010 – 4.
- Maher, C.F.; Murray, C.J.; Carey, M.P.; Dwyer, P.L. and Ugoni, A.M. (2001):*** Iliococcygeus or sacrospinous fixation for vaginal vault prolapse. *Obstet Gynecol* 98:40–4.
- Maher, C.F.; Qatawneh, A.M.; Dwyer, P.L. et al. (2004):*** Abdominal sacral colpopexy or vaginal sacrospinous colpopexy for vaginal vault prolapse. A prospective randomized trial. *AmJ Obstet Gynecol.*;190:20–26.
- Mant, J.; Painter, R. and Vessey, M. (1997):*** Epidemiology of genital prolapse: observations from the Oxford Family Planning Association Study. *Br J Obstet Gynaecol* 104:579–585.
- Marchionni, M.; Bracco, G.L.; Checcucci, V.; Carabaneanu, A.; Coccia, E.M.; Mecacci, F. and Scarselli, G. (1999):*** True incidence of vaginal vault prolapse: thirteen years experience. *J Reprod Med* 44:679-84.
- Margossian, H.; Walters, M.D.; Falcone, T. (1999):*** Laparoscopic management of pelvic organ prolapse. *Eur J Obstet Gynaecol Reprod Biol* 85:57–62.
- Marks, M.M. (1967):*** The rectal side of the rectocele. *Dis Colon Rectum*.10:387–388.



References

Matsumoto, T.; Mutsumasa, N.; Yokota, M. and Ito, M.(1999):

Laparoscopic treatment of uterine prolapse during pregnancy.
Obstet Gynecol , 93:849

McBride, A.W.; Janet, L. and Gutman, R. (2003): Anatomy of the Pelvis .J

Pelvic Med Surg 9:103–123.

McCall, M.L. (1957): Posterior culdoplasty: surgical correction of

enterocele during vaginal hysterectomy;a preliminary report.
Obstet Gynecol 10:595–602.

Meeks, G.R.; Washburne, J.F. McGehee, R.P. and Wiser, W.L. (1994):

Repair of vaginal vault prolapse by suspension of the vagina to the
iliococcygeus (prespinous) fascia. Am J Obstet Gynecol 171:1444–
54.

Menefee, S.A. and Wall, L.L. (2002): Prolapse ,and disorders of the pelvic

floor.In:Berek JS. Thirteenth edition. Novak`s Gynecology
Philadelphia,Lippincott Williams &Wilhins.Incontinence 645-710

Miklos, J.R.; Moore, R.D. and Kohli, N. (2004): Laparoscopic pelvic floor

repair. Obstet Gynecol Clin.;31.

Milani ,R.; Salvatore,S.; Soligo,M. et al. (2005): Functional and anatomical

outcome of anterior and posterior vaginal prolapse repair with
prolene mesh. BJOG Int J Obstet Gynaecol 112:107–111.

Miyazaki, F.S. (1987): Miya hook ligature carrier for sacrospinous ligament

suspension. Obstet Gynecol. 70:286–288.



References

- Montella, J.M. and Morrill, M.Y. (2004):** Effectiveness of the McCall culdoplasty in maintaining support after vaginal hysterectomy. Int J Urogynecol. [published online October 2004].
- Mueller, E.; Kenton, K.; FitzGerald, M.P. et al. (2004):** Striated urethral sphincter activity is not affected by pelvic organ prolapse despite changes in maximal urethral closure pressure. Neurourol Urodyn 23:422–423.
- Navarro-Luna, A.; Garcia-Domingo, M.I.; Ruis-Macias, J. et al. (2004):** Ultrasound study of anal fistulas with hydrogen peroxide enhancement. Dis Colon Rectum. 47:108–114.
- Neugebauer, L.(1881):** Einige Worte uber die medaine Vaginalnaht als Mittel zur Beseitigung des Gebarmuttervorfalls. Zentralbl Gyndk.;1–2:3.
- Newcomer, J. (2000):** Pessaries for the treatment of incompetent cervix and preterm delivery. Obstet Gynecol Surv. 55:443–448.
- Nezhat, C.H.; Nezhat, F. and Nezhat, C. (1994):** Laparoscopic sacral colpopexy for vaginal vault prolapse. Obstet Gynecol 84:885–888.
- Nguyen, J.K. (2001):** Current concepts in the diagnosis and surgical repair of anterior vaginal prolapse due to paravaginal defects. Obstetrical and Gynecological. Volume 56(4): 239:246
- Nguyen, J.K.; Hall, C.D.; Taber, E. and Bhatia, N.N. (2000):** Sonographic diagnosis of paravaginal defects: a standardization technique. Int Urogynecol 11: 341-345.



References

- Nichols, D. and Randalls, C. (1989):** Vaginal surgery. 3rd ed. Baltimore. Williams and Wilkins p. 313–27.
- Nichols, H. (2000):** Cystocele, Rectocele and Perinal Defect, Enterocoele and Massive eversion of the vagina .In Cynecologic, Obstetric, and related Surgery. 2nd edition Mosby. St. Louis. Baltimore.
- Nichols, H. and Randall, C. (1996):** Vaginal Surgery, 4th edition. Baltimore. Williams and Wilkins. p. 313–27
- Nichols, N.M.; Gill, E.J.; Nguyen, T. et al. (2004):** Anal sphincter injury in women with pelvic floor disorders. Obstet Gynecol. 104:690–696.
- Nygaard, I.; Bradley, C. and Brandt, D. (2004):** Pelvic organ prolapse in older women: prevalence and risk factors. Obstet Gynecol., 104:489–497.
- Nygaard, I.; McCreery, R.; Brubaker, L.; et al (2004):** Abdominal sacrocolpopexy: a comprehensive review. Obstet Gynecol. 104:805 – 823.
- O’Boyle, A.L.; O’Boyle, J.D.; Ricks, R.E. et al. (2003):** The natural history of pelvic organ support in pregnancy. Int Urogynecol J Pelvic Floor Dysfunct. 14:46–49.
- O’Brien, P.M.S. and Ibrahim, J. (1994):** Failure of laparoscopic uterine suspension to provide a lasting cure for uterovaginal prolapse. Br J Obstet Gynaecol; 101:707–708



References

- Olsen, A.L.; Smith, V.J.; Bergstrom, J.O.; Colling, J.C. and Clark, A.L. (1997):** Epidemiology of surgically managed pelvic organ prolapse and urinary incontinence. *Obstet Gynecol* 89:501-6.
- Oster, S. and Astrup, A. (1981) :** A new vaginal operation for recurrent and large rectocele using dermis transplant. *Acta Obstet Gynecol Scand* 60:493–495.
- Palma, P.; Riccetto, C.; Dambros, M.; Netto, N. and Rodrigues, J. (2006):** Surgical Atlas: New trends in the transobturator management of cystoceles. *British Journal of Urology*. Volume 97(1), p 201–210
- Panda, S.N. (2002):** Management of genital prolapse. *Indian medical journal* 324: 1258-1262.
- Pannu, H. (2003):** Dynamic MR imaging of female organ prolapse. *Radiol Clin North Am* 41:409–423.
- Pannu, H.; Genadry, R.; Kaufman, H. et al. (2003):** Computed tomography evaluation of pelvic organ prolapse: techniques and applications. *J Comput Assist Tomogr.* 27:779–785.
- Peschers, U.M.; Gingelmaier, A.; Jundt, K. et al. (2001):** Evaluation of pelvic floor muscle strength using four different techniques. *Int Urogynecol J Pelvic Floor Dysfunct.* 12:27–30.
- Petros, P.E. (2001):** Vault prolapse II: restoration of dynamic vaginal supports by infracoccygeal sacropexy, an axial day-case vaginal procedure. *Int Urogynecol J.* 12:296–303.



References

- Petros, P.E. and Richardson, P.A. (2005):** Tissue fixation system posterior sling for repair of uterine/vault prolapse-A preliminary report. Australian and New Zealand Journal of Obstetrics and Gynaecology;45:376-379.
- Petros, P.E. and Ulmsten, U. (1993):** The posterior fornix syndrome: a multiple symptom complex of pelvic pain and abnormal urinary symptoms deriving from laxity in the posterior fornix of the vagina. An integral theory and its method for the diagnosis and management of female urinary incontinence. Scand J Urol Nephrol. Suppl 153:89–93.
- Pierce, L.M.; Reyes, M.; Thor, K.B. et al. (2003):** Innervation of the levator ani muscles in the female squirrel monkey. Am J Obstet Gynecol. 188:1141–1147.
- Piya-Anant, M.; Therasakvichya, S.; Leelaphatanadit, C. et al. (2003):** Integrated health research program for the Thai elderly: prevalence of genital prolapse and effectiveness of pelvic floor exercise to prevent worsening of genital prolapse in elderly women. J Med Assoc Thai. 86:509–515.
- Pollak, J. and Davila, W.G. (2003):** Rectocele Repair: The Gynecologic Approach. Clinics in Colon and Rectal Surgery; 16(1):61-69.
- Porter, W.E.; Steele, A.; Walsh, P.; Kohli, N. and Karram, M.M. (1999):** The anatomic and functional outcomes of defect-specific rectocele repairs. Am J Obstet Gynecol 181:1353–9.



References

- Pott, G.E. and New Comer, J.R. (2001):** Gynecologist's patterns of prescribing pessaries. J Reprod Med 46 : 205 – 208.
- Powers, K.; Lazarou, G.; Connell, K. and Mikhail, M. (2005):** Paravaginal repairs done by laparoscopy versus laparotomy. J Pelv Med .Volume 11(6), pp 317-320.
- Prietto, N.,; Luber, K. and Nager, C. (2003):** Simple yet thorough office evaluation of pelvic floor disorders. OBG Management. Vol. 15, No. 5 [published online November 2005]
- Progetto Menopausa Italia Study Group (2000):** Risk factors for genital prolapse in non-hysterectomized women around menopause D results from a large cross-sectional study in menopausal clinics in Italy. Eur J Obstet Gynecol Reprod Biol 93:125-40.
- Richardson, A.C. (1995):** The anatomic defects in rectocele and enterocele. J Pelvic Surg. 1:214–221.
- Richardson, A.C. and Saye, W.B. (1996):** The uterosacral ligaments in vaginal vault prolapse. In: Albuquerque (Ed.), Proceedings of the Twenty-second Annual Meeting of the Society of Gynecologic Surgeons, vol. 1996,4–6 March. New Mexico: Albuquerque, The Society
- Richardson, A.C.; Lyon, J.B. and Williams, N.L. (1976):** A new look at pelvic relaxation. Am J Obstet Gynecol 126:568–573.



References

Richardson, C.A. (1993): The rectovaginal septum revisited. Its relationship to rectocele and its importance to rectocele repair. Clin Obstet Gynecol 36:976–983.

Richardson, D.A.; Scotti, R.J. and Ostergard, D.R. (1989): Surgical management of uterine prolapse in young women. J Reprod Med 34:388–92.

Rinne, K.M. and Kirkinen, P.P. (1999): What predisposes young women to genital prolapse?. Eur J Obstet Gynecol Reprod Biol 84:23-5.

Ross, J.W. (1996): Two techniques of laparoscopic Burch repair for stress incontinence: a prospective randomized study. J Am Assoc Gynecol Laparosc, 3:351.

Sampselle, C. (1996): Pelvic muscle exercise: effective patient teaching. The Female Patient. 21:29–36.

Samuelsson, E.C.; Victor, F.T.A.; Tibblin, G. et al. (1999): Signs of genital prolapse in a Swedish population of women 20 to 59 of age and possible related factors. Am J Obstet Gynecol. 180:299–305.

Sand, P.K.; Koduri, S.; Lobel, R.W. et al. (2001): Prospective randomized trial of polygalactin 910 mesh to prevent recurrence of cystoceles and rectoceles. Am J Obstet Gynecol. 184:1357–1364.

Schaffer, J.; Clifford, Y.W. and Muriel, K.B. (2005): Etiology of pelvic organ prolapse. Clinical Obstetrics and Gynecology. Volume 48, Number 3, 639–647 .



References

- Scotti, R.J.; Garely, A.D.; Greston, W.M. et al. (1998):** Paravaginal repair of lateral vaginal wall defects by fixation to the ischial periosteum and obturator membrane. *Am J Obstet Gynecol.* 179:1436–1445.
- Segal, J.L. and Mickey, M. (2002):** Evaluation and management of rectoceles. *Karram Current Opinion in Urology*, 12:345±352
- Sehapayak, S. (1985):** Transrectal repair of rectocele: an extended armamentarium of colorectal surgeons. A report of 355 cases. *Dis Colon Rectum* 28:422–33.
- Seman, E.I.; Cook, J.R. and O'Shea, R.T. (2003):** Two-year experience with laparoscopic pelvic floor repair. *J Am Assoc Gynecol Laparosc*;10:38–45.
- Seraccholi, R.; Hourcabie, J.A.; Vianello, F. et al.(2004):** Laparoscopic treatment of pelvic floor defects in women of reproductive age. *J Am Assoc Gynecol Laparosc* 2004; 11:332–335
- Shafiik, A.; El-Sibai, O.; Shafik, A.A. et al. (2003):** On the pathogenesis of rectocele: the concept of rectovaginal pressure gradient. *Int Urogynecol J Pelvic Floor Dysfunct.* 14:310–315.
- Shalev, E.; Bustan, M. and Peleg, D. (1996):** Laparoscopic ventrofixation: an alternative treatment approach for uterine prolapse. *J Gynecol Surg* 12:105–107
- Shaw`s, (2001):** Operation of genital prolapse and uterine displacement. In: Hudson CN and Setchell ME (eds ). *Shaw`s*



References

Textbook of Operative Gynecology, 6th edition. New Delhi, B.I. Churchill Livingstone Pvt Ltd, p201-223.

Shirodkar, V.N. (1960): Contribution to obstetrics and gynecology. Edinburgh: ES Livingstone.

Shull, B. (2003): Paravaginal defect repair. In: Rock JA and Jones HW. Telinde's operative Gynecology, 9th Edition. Philadelphia, Lippincott Williams & Wilkins, 956-966

Shull, B.L.; Bachofen, C.; Coates, K.W. et al. (2000): A transvaginal approach to repair of apical and other associated sites of pelvic organ prolapse with uterosacral ligaments. Am J Obstet Gynecol 183:1365–1374.

Shull, B.L.; Benn, S.J. and Kuehl, T.J. (1994): Surgical management of prolapse of the anterior vaginal segment: an analysis of support defects, operative morbidity, and anatomic outcome. Am J Obstet Gynecol. 171:1429–1436; discussion 1436–1439.

Shull, B.L.; Capen, C.V.; Riggs, M.W. and Kuehl, T.J. (1992): Preoperative and postoperative analysis of site-specific pelvic support defects in 81 women treated with sacrospinous ligament suspension and pelvic reconstruction. Am J Obstet Gynecol 166:1764–71.

Shull, B.L.; Capen, C.V.; Riggs, M.W. and Kuehl, T.J. (1993): Bilateral attachment of the vaginal cuff to iliococcygeus fascia: An effective method of cuff suspension. Am J Obstet Gynecol 168:1669–77.



Silva, F.A.L. ; Triginelli, S.A. ; Santos-Filho, A.S. ; Cândido, E. B. ;Traiman, P. and Cunha-Melo, J. R. (2004):Sacrospinous fixation for treatment of vault prolapse and at the time of vaginal hysterectomy for marked uterovaginal prolapse.. Volume 10(4): 213-218

Silvaa, W.A. and Karramb, M.K. (2005): Scientific basis for use of grafts during vaginal reconstructive procedures. Current Opinion in Obstetrics and Gynecology 17:519–529

Singh, K. Jakab, M.; Reid, W.M. et al. (2003): Three dimensional magnetic resonance imaging assessment of levator ani morphologic features in different grades of prolapse. Am J Obstet Gynecol. 188:910–915.

Singh, K.; Cortes, E. and Reid, W.M.N. (2003): Evaluation of the fascial technique for surgical repair of isolated posterior vaginal wall prolapse.Obstet Gynecol. 101:320–324.

Singh, K.; Reid, W. and Berger, L. (2001): Assessment and grading of pelvic organ prolapse by use of dynamic magnetic resonance imaging. Am J Obstet Gynecol. 185:71–77.

Smilen, S.W.; Saini, J.; Wallach, S.J. and Porges, R.F. (1998): The risk of cystocele after sacrospinous ligament fixation. Am J Obstet Gynecol 179:1465–72.

Smith, A.R.B.; Hosker, G.I. and Warrel, D.W. (1989): The role of partial denervation of the pelvic floor in the etiology of genitourinary



References

prolapse and stress incontinence of urine: a neurophysiologic study. Br J Obstet Gynaecol. 96:24–28.

Smout C (1969): Gynecological and obstetrical anatomy. Descriptive and applied 4th edition. London .H.K.Lewis and Co .ltd

Spence-Jones, C.; Kamm, M.A.; Henry, M.M. and Hudson, C.N. (1994): Bowel dysfunction: a pathogenic factor in uterovaginal prolapse and urinary stress incontinence. Br J Obstet Gynaecol 101:147-52.

Stanton, S. (1996): Imaging techniques for evaluation of bladder urethra and pelvic floor. In: Ostergard D, Bent A, eds. Urogynecology and Urodynamics. 4th ed. Baltimore, MD: Williams & Wilkins:203–212.

Steele, A.; Mallipeddi, P.; Welgoss, J. et al. (1998): Teaching the pelvic organ prolapse quantification system. Am J Obstet Gynecol. 179:1458–1464.

Strohbehn, K.(1998): Normal pelvic floor anatomy .In Obstet. Gynecol.Clinics of North America.Vol.25,no.4.

Strohbehn, K. and Delancey, J. (1997): The anatomy of stress incontinence. Tech. Oper. Gynecol. Surg 2:5-16.

Sullivan, E.S.; Longaker, C.J. and Lee, P.Y. (2001): Total pelvic mesh repair: a ten-year experience. Dis Colon Rectum 44:857–63.

Swift, S.E. and Herring, M.(1998) : Comparison of pelvic organ prolapse in dorsal lithotomy compared with standing position. Obstet Gynecol. 91:961–964



References

Swift, S.E. (2000): The distribution of pelvic organ support in a population of female subjects seen for routine gynecologic health care. *Am J Obstet Gynecol.*,183:L277-85

Swift, S.E.; Tate, S.B. and Nicholas, J. (2003): Correlation of symptoms with degree of pelvic organ support in a general population of women: what is pelvic organ prolapse. *Am J Obstet Gynecol.* 189:372–379.

Swift, S.E.; Woodman, P.; O’Boyle, A. et al. (2005): Pelvic Organ Support Study (POSST): the distribution, clinical definition and epidemiology of pelvic organ support defects. *Am J Obstet Gynecol.*,192:795–806.

Sze, E. (1996): Radiologic studies of the lower urinary tract. In: Walters MD, Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery*. 2nd ed. St. Louis, MO: Mosby :123–134.

Sze, E.H. and Karram, M.M. (1997): Transvaginal repair of vault prolapse: a review. *Obstet Gynecol* 89:466–75.

Tamara, B. (2003): Diagnosing and managing pelvic organ prolapse. *Am obstet Gynecol*, 189 : 1360-1368.

Tarnay, C.M. and Dorr, C.H. (2003): Relaxation of pelvic supports. In: DeCherney AH and Nathan L. *Current Obstetric, Gynecologic Diagnosis & treatment*, 9th edition. New York, McGraw-Hill. 776-797.



References

- Taskin, O.; Wheeler, J.M.; Yalcinoglu, A.I. and Coksenim, S. (1996):** The effects of episiotomy and Kegel exercises on postpartum pelvic relaxation: a prospective controlled study. J Gynecol Surg 12:123-7
- Telinde`s, (1997):** Surgical correction of defects in pelvic support.In : Telind`s Operative Gynecology, 8ed edition.By Thompson JD and Rock JA(eds).. Lippincott-Raven ,Philadelphia, New York.
- Telinde`s, (2003):** Surgical correction of defects in pelvic support.In Telinde`s operative Gynecology, 9th Edition . Lippincott Williams & Wilkins, Philadelphia.
- Thaker, R. and Stanton, S. (2002):** Management of genital prolapse. British Medical journal 324: 1258-1262.
- Theobald, P.V and Labbe (2003) :** Three-way prosthetic repair of the pelvic floor.Journal of Obs.Gynecol and biology of the Reproduction.Vol.32(6): 562 - 570
- Theofrastous, J. and Swift, S. (1998):**Clinical evaluation of pelvic floor dysfunction.In Obstet.Gynecol.Clinics of North America.Vol.25 no.4pp.783.
- Thompson, J.D. (1997):** Surgical correction of defects in pelvic support.In : Thompson JD and Rock JA(eds).Telind`s Operative Gynecology, 8ed edition. Lippincott-Raven ,Philadelphia,New York,p.951-1085.



References

- Thompson, J.R. ; Chen, A.H. ; Pettit, P.D. et al. (2002):** Incidence of occult rectal prolapse in patients with clinical rectoceles and defecatory dysfunction. Am J Obstet Gynecol. 187:1494–1500.
- Tindall, V. (1987):**Anatomy ,genital prolapse,other displacement of the uterus in Jeffcoat`s principles of gynecol .V.R. Tindall,5th edition.Butterworth ,London and Boston.
- Torricelli, P.; Pecchi, A.; Caruso Lombardi, A. et al.(2002):** Magnetic resonance imaging in evaluating functional disorders of female pelvic floor. Radiol Med (Torino). 103:488–500.
- Troeger, C.; Gugger, M.; Holzgreve, W. et al. (2003):** Correlation of perineal ultrasound and lateral bead chain urethrocystography in the anatomical evaluation of the bladder neck. Int Urogynecol J Pelvic Floor Dysfunct 14:380–384.
- Trowbridge, E.R. and Fenner, D. (2005):** Conservative management of pelvic organ prolapse Clinical Obstetrics And Gynecology.Volume 48, Number 3, 668–681.
- Tunn, R.; DeLancey, J.O.L.; Howard, D. et al.(1999):**MR imaging of levator ani muscle recovery following vaginal delivery. Int Urogynecol J., 10:300–307.
- Van Dam, J.H.; Huisman, W.M.; Hop, W.C.J. et al. (2000):** Fecal continence after rectocele repair: a prospective study. Int J Colorectal Dis. 15:54–57.



References

Versi, E.; Harvey, M.A.; Cardozo, L.; Brincat, M. and Studd, J.W. (2001): Urogenital prolapse and atrophy at menopause: a prevalence study. *Int Urogynecol J* 12:107-10.

Visco, A.G.; Wei, J.T.; McClure, L.A. et al. (2003): Effects of examination technique modifications on pelvic organ prolapse quantification (POP-Q) results. *Int Urogynecol J.* 14:136–140.

Visco, A.G.; Weidner, A.C.; Barber, M.D.; Myers, E.R.; Cundiff, G.W.; Bump, R.C. et al. (2001): Vaginal mesh erosion after abdominal sacral colpopexy. *Am J Obstet Gynecol* 184:297–302.

Von Pechmann, W.S. ; Mutone, M. ; Fyffe, J. et al. (2003): Total colpocleisis with high levator plaction for the treatment of advanced pelvic organ prolapse. *Am J Obstet Gynecol.*;189: 121–126.

Walters, M.D. (1996): Evaluation of urinary incontinence: history, physical exam and office tests. In: Walters MD, Karram MM, eds. *Urogynecology and Reconstructive Pelvic Surgery.* 2nd ed. St. Louis, MO: Mosby:221–234.

Walters, M.D. and Karram, M.M. (1999): *Urogynecology and reconstructive pelvic surgery*, 2nd ed. St. Louis: CV Mosby,1999.

Watson, S.J. Loder, P.B.; Halligan, S.; Bartram, C.I.; Kamm, M.A. and Phillips, R.K.S. (1996): Transperineal repair of symptomatic rectocele with Marlex mesh: a clinical, physiological and radiologic assessment of treatment. *J Am Coll Surg*; 183:257–261.



References

- Webb, M.J.; Aronson, M.P.; Ferguson, K.L. et al. (1998):** Posthysterectomy vaginal vault prolapse: primary repair in 693 patients. *Obstet Gynecol* 92:281-285.
- Webber, A.W. (2000):** Surgical correction of anterior vaginal wall prolapse. In: Walters MD, Karram MM. eds. *Urogynecology and reconstructive surgery*. 2nd ed. Toronto: Mosby ,211-219.
- Weber, A.M. ; Walters, M.D.; Piedmonte, M.A. et al. (2001):** Anterior colporrhaphy: a randomized trial of three surgical techniques. *Am J Obstet Gynecol*. 185:1299–1306.
- Weber, A.M.; Walters, M.D. and Piedmonte, M.R. (2000):** Sexual function and vaginal anatomy in women before and after surgery for pelvic organ prolapse and urinary incontinence. *Am J Obstet Gynecol*. 182:1610–1615.
- Weber, A.M.; Walters, M.D.; Ballard, L.A. et al. (1999):** Posterior vaginal prolapse and bowel function. *Am J Obstet Gynecol*. 1998;179:1446–1449.9. Romanzi LJ, Chaikin DC, Blaivas JG. The effect of genital prolapse on voiding. *J Urol*. 161:581–586.
- Weber, A.M.; Walters, M.D.; Schover, L.R.; et al. (1995):** Sexual function in women with uterovaginal prolapse and urinary incontinence. *Obstet Gynecol*. 85:483–487.
- Weber, M.A. and Richter, E.H. (2005):** Pelvic Organ Prolapse. *Obstet.Gynecol*. 106(3):615-634.



References

- Wei, J.T.; Delancey, and, John, O.I. (2004):** Functional Anatomy of the Pelvic Floor and Lower Urinary Tract Clinical Obstet and Gynecol. Volume 47(1): 3-17.
- Weidner, A.C.; Barber, M.D.; Visco, A.G. et al. (2000):** Pelvic muscle electromyography of levator ani and external anal sphincter in nulliparous women and women with pelvic floor dysfunction. Am J Obstet Gynecol. 183:1390–1401.
- White, G.R. (1909):** A radical cure by suturing lateral sulci of vagina to white line of pelvic fascia.JAMA:1707–1710.
- Whiteside, J.L.; Barber, M.D.; Paraiso, M.F. et al. (2004):** Clinical evaluation of anterior vaginal wall support defects: interexaminer and intraexaminer reliability.Am J Obstet Gynecol. 191:100–104.
- William, I. and Kathie, H. (2005):**Surgical management of vaginal vault prolapse. OBG Management · Vol. 17, No. 11. [published online November 2005)
- Williams, B.J.P. (1966):** Surgical treatment in uterine prolapse in young women. Am J Obstet Gynecol 95:967-72.
- Wu, M.P. (1997):** Laparoscopic uterine suspension for the treatment of uterovaginal prolapse. Int J Gynecol Obstet ,59:259–260.
- Young, S.B.; Daman, J.J. and Bony, L.G. (2001):** Vaginal paravaginal repair: one-year outcomes. Am J Obstet Gynecol. 185:1360–1367.



References

Zbar, A.P.; Leinemann, A.; Fritsch, H.; Beer-Gabel, M. and Pescatori, M. (2003): Rectocele: pathogenesis and surgical management. *Int J Colorectal Dis* 18:369–84.

Zimmerman, C.W. (2003): Pelvic organ prolapse and site –specific repair of cystourethrocele In Rock JA and Jones HW. *Telinde`s operative Gynecology*, 9th Edition . Lippincott Williams & Wilkins, Philadelphia, 927-948 and 948-955.