

References

- Abou-Setta AM, AI-Inany HG, Mansour RT, Serour G, Aboulghar MA. Soft versus firm embryo transfer catheters for assisted reproduction: a systematic review and meta-analysis. *Hum. Reprod* 2005; 20(11): 3114-21.
- Abou-Setta AM. Finn embryo transfer catheters for assisted reproduction: a systematic review and meta-analysis using direct and adjusted indirect comparisons. *Reprod Biomed Online* 2006; 12(2): 191-8.
- Afzalpurkar, A., Shibakara, H. and Hasegawa, A. (1997): Immunoreactivity in invitro effect on human sperm egg binding of antibodies against peptides corresponding to bonnet monkey zona pellucida-3 glycoprotein. *Hum. Reprod*, 12: 2664-2670.
- Agustsson T, Geirsson RT, Mires G. Obstetric outcome of natural and assisted conception twin pregnancies is similar. *Acta Obstet Gynecol Scand* 1997; 76: 45—9.
- Akagbosu FT. The use of GnRH agonists and antagonists in infertility in Brinsden PR (ed.), *A textbook of in vitro: fertilization & assisted reproduction*, New york, london: parthenonpublishing, 1999: 83-89.
- Albano C, Smitz J, Camus, M et al. Comparison of different doses of gonadotropin-releasing hormone antagonist cetrorelix during controlled ovarian hyperstimulation. *Fertil. Steril.* 1997, 67. 917-922.
- Alexander CM, Werbs Z: Extracellular matrix degradation. In: *Cell Biology of Extracellular Matrix* (Hay ED, ed). New York: Plenum Press 1991; PP: 255-302.
- Alikani M, Cohen J, Tomkin G, Garrisi GJ, Mack , Scott RT. Human embryo fragmentation in-vitro and its implications for pregnancy and implantation. *Fertil Steril* 1999; 71: 836.
- Alikani, N. and Cohen, J. (1995): Patterns of cell fragmentation in vitro and implications in the human embryo. *J Assist Reprod Genet*; 12:285.

- Almeida PA, Bolton VN The effect of temperature fluctuation on the cytoskeletal organization and chromosomal constitution of the human oocyte Zygote 1996; 3:357-65.
- Al-Shawaf T, Dave R, Harper J, Linehan D, Riley P, Craft I. Transfer of embryos into the uterus: how much do technical factors affect pregnancy rates? J Assist Reprod Genet 1993; 10:31– 6.
- Al-Shawaf T, Yang D, al-Magid Y, Seaton A, Iketubosin F, Craft I. Ultrasonic monitoring during replacement of frozen/ thawed embryos in natural and hormone replacement cycles. Hum Reprod 1993; 8:2068–74.
- Al-Shawaf, T, Dave, R, Harper, J. et al. Transfer of embryos into the uterus: how much do technical factors affect pregnancy rates? J. Assist. Reprod. Genet., 1993; 10, 31-36.
- Alvero R, Hearn-Stokes RM, Catherino WH, Leondires MP, Segars JH. The presence of blood in the transfer catheter negatively influences outcome at embryo transfer. Hum Reprod 2003;18:1848 –52.
- Anderson, E, Albertini, D.F. (1976): Gap junctions between the oocyte and companion follicle cells in the mammalian ovary. J. Cell Biol. 71: 680.
- Anderson, R.E., Nugent, N.L., Gregg, A.T., Nunn, S.L. and Behr, B.R. (2002) Transvaginal ultrasound-guided embryo transfer improves outcome in patients with previous failed in vitro fertilization cycles. Fertil. Steril., 77, 769–775.
- Angelini A, Brusco GF, Barnocchi N, El-Danasouri I, Pacchiarotti A, Selman HA. Impact of physician performing embryo transfer on pregnancy rates in an assisted reproductive program. J Assist Reprod Genet. 2006 Jul-Aug;23(7-8):329-32.
- Arici A, Head JR, MacDonald PC, Casey ML: Regulation of interleukin-8 gene expression in human endometrial cells in culture. Mol Cell Endocrinol 1993; 94: 195-204.
- Austin C.R. (1951): Observations of the penetration of the sperm into the mammalian egg. Aust. J. Sci. Res. 134: 581.
- Awonuga A, Govindbhai J, Zierke S, Schnauffer K. Continuing the debate on empty follicle syndrome: can it be associated with normal bioavailability of P-human chorionic gonadotropin on the day of oocyte retrieval? Hum Reprod 1998; 13: 1281-4.
-

- Aytoz A, Ubaldi F, Toumaye H, Nagy Zr, van Steirlghem A, Desrdey P: The predictive value of uterine artery blood flow measurements for uterine receptivity in an intracytoplasmic sperm injection program. *Fertil Steril* 1997; 68: 935-7.
- Baba K, Ishihara O, Hayashi N, Saitoh M, Taya J, Kinoshita K. Three-dimensional ultrasound in embryo transfer. *Ultrasound Obstet Gynecol* 2000;16:372–3.
- Barber D, Egan D, Ross C. Nurses performing embryo transfer: successful outcome of in-vitro fertilization. *Hum Reprod* 1996; 11:105-8.
- Barros C and Yanagimachi R (1971). Induction of zona reaction in golden hamster eggs by conical granule material. *Nature* 233: 268.
- Baruffi R, Mauri AL, Petersen CG. Effects of vaginal progesterone administration starting on the day of oocyte retrieval on pregnancy rates. *J Assist Reprod Genet* 2003; 20: 517-20.
- Bayer, S.R., Ransil, B.J. and Shelton, S.J.(1990): Spectrophotometric analysis of follicular fluid related to oocyte fertilization, embryo cleavage and follicular fluid protein and hormone content. *Fertil Steril*; 54 : 606.
- Belchetz PE, Plant TM, Nakai Y, Keogh EJ, et al: Hypophyseal response . to continuous and intermittent delivery of hypothalamic gonadotrophin releasing hormone. *Science* 1987; 202:631.
- Ben-Rafael, Z., Ashkenazi, J., Shelef, M., Farhi, J., Voliovitch, I., Feldberg, D. and Orvieto, R. (1995): The use of fibrin sealant in in vitro fertilization and embryo transfer. *Int. J. Fertil. Menopausal Stud.*, 40, 303–306.
- Bergh PA, Brenner C, Denis AL, Guido M, Adler RD, Scott RT Jr: Antiphospholipid antibodies and pregnancy rates and outcome in in vitro fertilization patients. *Fertil Steril* 1997; 67: 1084.
- Bernardus, R.E, Jones, G.S., Acosta, A.A., et al The signification of the ratio in follicle-stimulation hormone and luteinizing hormone in induction of multiple follicular growth, *Fertil. Steril* 1985; 43,373.
- Biggers, J.D., In vitro fertilization, embryo culture and embryo transfer in the human. Review prepared for Ethics Advisory Committee, U.S. Dept of Health, Education and Welfare, : Washington, E.C, 1978.
-

- Bird, J.M. and Houghton, J.A. (1991): The activation of mammalian sperm. *Sperm. Sci. prog. (Oxf)*, 75, 107.
- Bischof P: Blastocyst implantation from the physiology of the experimental model. In: Yoshinaga K, Roa AJ, Adiga PR (eds). *Perspectives in Primate Reproductive Biology*. New Delhi Wiley Eastern 1991; P: 62.
- Bjuresten K, Hreinsson JG, Fridstrom M- Embryo transfer by midwife or gynecologist: a prospective randomized study. *Ada Obstet Gynecol Scand* 2003; 82: 462-6.
- Blake D, Proctor M, Johnson N, Olive D. Cleavage stage versus blastocyst stage embryo transfer in assisted conception. *Cochrane Database Syst Rev* 2005; (4): CD002118.
- Blandau RJ (1969). Gamete transport comparative aspects. In: *The mammalian oviduct*, eds: ESE Hafez and R.J Blandau. University of Chicago Press. Chicago, p 129.
- Bolechle M, Schreiner T, Kuchler I, Schurenkamper P, Lisse K: Color Doppler assessment of ascendant uterine artery perfusion in an in-vitro fertilization-embryo transfer program after pituitary desensitization and ovarian stimulation with human recombinant follicle stimulating hormone. *Hum Reprod* 1997; 12: 1772-7.
- Bolton VN Pregnancies after in vitro fertilization and transfer of human blastocysts. *Fertil Steril* 1991; 55:830-2.
- Bonilla-Musoles, F., Raga, F. and Osborne, N.G. (1995c) Three-dimensional ultrasound evaluation of ovarian masses. *Gynecol. Oncol.*, 59, 129–135.
- Boone, W.R., Johnson, J.E., Blackhurst, D.M. and Crane, M.M. (2001) Cook versus Edwards–Wallace: are there differences in flexible catheters? *J. Assist. Reprod. Genet.*, 18, 15–17.
- Borrell U. Nilsson O and Westman A (1957). Ciliary activity in the rabbit fallopian tubes during oestrous and after copulation. *Acta Obstet Gynaecol Scand* 36: 22.
- Botta G. and Grudzinskas G. Is a prolonged bed rest following embryo transfer useful? *Mum. Reprod.*, 1997; 12,2489-2492.

- Brinsden PR, Akagbosu F, Gibbons L, et al. Gonal. F versus Puregon: results from a randomized, assessor-blind-comparative study in women undergoing assisted reproductive technologies. *Hum Reprod* 1998; 13:0-140.
- Brinsden, P.R. (1999) Oocyte recovery and embryo transfer. In Brinsden, P.R. (ed.) *A Textbook of In Vitro Fertilization and Assisted Reproduction*, 2nd edn. Parthenon, London, pp. 171–184.
- Buckett WM and Tan SL. Alternative assisted reproduction techniques. In Brinsden PR, Rainsbury PA, eds. *A textbook of In Vitro Fertilization and Assisted Reproduction, the Bourn Hall guide to clinical and laboratory practice*. UK: Parthenon publishing, 1999; 243.
- Buckett W. M. Predictive value of hypo-osmotic swelling test to identify viable non-motile sperm, *Asian J Androl* 2003; 5: 209-212.
- Buckett WM. A meta-analysis of ultrasound-guided versus clinical touch embryo transfer. *Fertil Steril* 2003; 80(4): 1037-41.
- Buckett WM. A review and meta-analysis of prospective trials comparing different catheters used for embryo transfer. *Fertil Steril* 2006; 85(3): 728-34.
- Burke LM, Davenport AT, Russell GB, Deaton JL. Predictors of success after embryo transfer: experience from a single provider. *Am J Obstet Gynecol*. 2000 May; 182(5):1001-4.
- Burke LM, Davenport AT, Russell GB, Deaton JL. Predictors of success after embryo transfer: experience from a single provider. *Am J Obstet Gynecol*. 2000 May; 182(5):1001-4.
- Callahan TL, Hall JE, Ettner SL, Christiansen CL, Greene MF, Crowley WF Jr. The economic impact of multiple-gestation pregnancies and the contribution of assisted-reproduction techniques to their incidence. *N Engl J Med* 1994; 331: 244- 9.
- Carbillon L, Perrot N, Uzan M, Uszan S: Doppler ultrasonography and implantation: a critical review. *Fetal Diagn Timer* 2001; 166: 327-32.
- Carrillo, A.J., Lane, B., Pridman, D.D., Risch, P.P., Pool, T.B., Silverman, I.H. and Cook, C.L. (1998) Improved clinical outcomes for in vitro fertilization with delay of embryo transfer from 48 to 72

- h after oocyte retrieval: use of glucose- and phosphate-free media. *Fertil. Steril.*, 69, 329–334.
- Cavagna M and Mantese JC: Biomarkers of endometrial receptivity, a review. *Placenta* 2003; 24 (Suppl B): 539-47.
- Chang M.C. (1951): Fertilizing capacity of spermatozoa deposited in the fallopian tubes. *Nature (London)*. 168: 697.
- Check, J.H., Nowroozi, K., Choe, J. and Dietterich, C. (1991) Influence of endometrial thickness and echo patterns on pregnancy rates during in vitro fertilization. *Fertil. Steril.*, 56, 1173–1175.
- Chen SC, Lai TH, Lee FK. The influence of abdominal ultrasound-guided embryo transfer on pregnancy rate: a preliminary report. *Fertil Steril*. 2007 May;87(5):1235-7.
- Coetsier T, Dhont M. Embryo transfer and multiple gestation. Avoiding multiple pregnancies in in-vitro fertilization: Who is afraid of single embryo transfer? *Hum Reprod* 1998;13: 2663-4.
- Cohen J, Alikani M, Trowbridge J, Rosenwaks Z: Implantation enhancement using zona drilling of human embryos with poor prognosis. *Hum Reprod* 1992; 7: 685.
- Cohen J, Inge KF, Suzman M, et al (1989). Videoinematography of fresh and cryopreserval embryos: a retrospective analysis of embryonic morphology and implantation. *Fertil Steril* 51: 820.
- Cohen J. Embryo replacement technology. 31st Annual Postgraduate Programme of the American Society for Reproductive Medicine, San Francisco, California, October 3-4, 1998: 177-184.
- Cohen, J. (1999) Ooplasmic transfer in mature human oocytes. *Human Reproduction* 13 (Suppl. 3).
- Cohen, J., Scotl, R., Alikani, M., Schimmel, T. Munne, S. and Levron, J. (1998): Ooplasmic transfer in matue human oocytes. *Mol Hum Reprod* 4:269-80.
- Copperman AB, Selick CE, Grunfeld L, Sandler B, Bustillo M. Cumulative number and morphological score of embryos resulting in success: realistic expectations from in vitro fertilization embryo transfer. *Fertil Steril* 1995;64:88-92.

- Coroleu B, Barri PN, Carreras O, et al. The influence of the depth of embryo replacement in to the uterine cavity on implantation rate after IVF: A controlled, ultrasound-guided study. *Hum Reprod* 2002;17(2):341–6.
- Coroleu B, Carreras O, Veiga A, Martell A, Martinez F, Belil I, et al. Embryo transfer under ultrasound guidance improves pregnancy rates after in-vitro fertilization. *Hum Reprod* 2000;15:616–20.
- Coroleu B. Barri PN, Carreras O, Belil I. Buxaderas R, Veiga A, Balasch J. Effect of using an echogenic catheter for ultrasound-guided embryo transfer in an IVF programme: a prospective, randomized, controlled study. *Hum Reprod* 2006; 21(7): 1809-15.
- Critchlow JD. Quality control in an in-vitro fertilization laboratory:use of human sperm survival studies. *Hum Reprod* 1989;4:545-9.
- Cruz, J.R., Dubey, A.K., Patel, J., Peak, D., Hartog, B. and Gindoff, R. Is blastocyst transfer useful as an alternative treatment for patients with multiple in vitro fertilization failures? *Fertil. Steril.*,1999.. 72. 218-220.
- Dawson, K.J., Conaghan, J., Ostera, G.R. et al. Delaying transfer to the third post-insemination, to select non-arrested embryos, increases development to the fetal heart stage. *Hum. Reprod.*, 1995; 10, 177-182.
- Daya S, Gunby }. Luteal phase support in assisted reproduction cycles. *Cochrane Database Syst Rev* 2004; (3): CD004830.
- Days, S. (1998) : HMG versus FSH : is there any difference ? : in Filicori, M. and Flamigni , C. (eds) : Ovulation induction update 98 . The proceedings of the 2nd world conference on ovulation induction Bologna , Italy , 12-13 September , 1997 . Parthenon publishing group , New Yourk , P . 183 .
- De Kretser, D.M. and Kerr,J.B. (1994): The cytology of the testis. In: Knobil, E. and Neill J.D. (eds.): *Physiology and reproduction*. Raven press, New York, p. 1177-1290.
- De Neubourg D, Gerris J, Mangelschots K, Van Royen E, Vercruyssen M, Elseviers M. Single top quality embryo transfer as a model for prediction of early pregnancy outcome. *Hum Reprod* 2004;19:1476–9.
-

- De Ziegler D., Cedars MI, Randle D, et al: Suppression of the ovary using a gonadotrophin-releasing hormone agonist prior to stimulation for oocyte retrieval. *Fertil Steril* 1987; 48:807.
- Dekel N. Spatial relationship of follicular cells in the control of meiosis. In Haseltine FB, First NL, eds. *Progress in clinical and Biological Research*. New York; Alan R Lis-s, 1988;1267:87-1:)1
- Dellenbach P, Nisand I, Moreau L, et al. Transvaginal sonographically controlled ovarian follicle puncture for egg retrieval *Lancet* 1984; 1:1467.
- Demirel L.C., Evir; CMO, Aydos K and Unlii C. The impact of the source of spermatozoa used for ICS! on pronuclear morphology. *Human Reprod.* 2001 16,2327-2332.
- Devroey P, Van Streiteghem A, Mannaerts B, Coelingh-Bennink HJT: Successful in vitro fertilization and embryo transfer after treatment with recombinant FSH. *Lancet* 1992; ; 339:1170.
- Diedrich K, Diedrich C, Santose, et al. Suppression of the endogenous luteinizing hormone surge by the gonadotrophin-releasing hormone antagonist Cetorelix during ovarian stimulation *Hum' Rcprod* 1994; 9: 788-91.
- Dittkoff, E.C., Cassidenti, D.L. and Paulson, R.J. (1991): The gonadotrophin – releasing hormone antagonist (Nal-Glu): acutely blocks the luteinizing hormone surge but allows for resumption of folliculogenesis in normal women. *Am J Obstet Gynecol*; 165 : 1811.
- Dokras A, Sargent IL, Barlow DH. Human blastocyst grading: an indicator of developmental potential? *Hum. Reprod.*, 1993, 8: 2119-
- Dorn, C., Reinsberg, J., Schlebusch, H., Prietl, G., Van der Ven, H. and Krebs, D. Serum oxytocin concentration during embryo transfer procedure. *Eur. J. Obstet. Gynecol. Reprod. Biol.*, 1999; 87, 77-80.
- Ebner T, Yaman C, Moser M, Sommergruber M, Polz W, Tews G. Embryo fragmentation in-vitro and its impact on treatment and pregnancy outcome. *Fertil Steril* 2001 76: 281-285.
- Eddy, E.M. (1996): The germ line and development. *Dev Genet*, 19: 4,287-289.
-

- Edwards RG, In vitro fertilization and embryo replacement : Opening lecture. Ann NY Acad Sci, 442:1, 1985. Quoted from : Laufer N. In vitro fertilization. In : Machel M Seibel. Comprehensive Text. Appleton and Lange, 1990.
- Edwards R, Steptoe P. A Matter of life,-the story of a medical Breakthrough 1st edn. London: Muchinson, 1980:40.
- Edwards, R.G. (1995a) Clinical approaches to increasing uterine receptivity during human implantation. Hum. Reprod., 10 (Suppl. 2), 60–66.
- Egbase, P E, Udo, E, Al Sharhan, M and Grudzinskas, J. G. Prophylactic antibiotics and endocervical microbial inoculation of the endometrium at embryo transfer. Lancet, 1999; 354, 651-652.
- Egbase, PE, Al-Sharhan M and Grudzinskas J G. Influence of position and length of uterus on implantation and clinical pregnancy rates in 1VF and embryo transfer treatment cycles Human Reprod.; 2000; 15, 1943-1946.
- Elder K, Dale B. In-vitro fertilization, 2nd ed. Cambridge, Cambridge University Press, 2000.
- Elder KT, Laboratory techniques:Oocyte collection and embryo culture in Brinseden PR(ed.), In vitro fertilization and assisted reproduction, Newyork, London: Parthenon publishing, 1999:185:201
- El-Eishi, H., Z.Mahran, Y. Mikhail, & M.Nor El-Din. Principles of human embryology (1983). The scientific book centre, Cairo, Egypt. 1st edition, chapter XII, P: 113.
- Elsner CW, Tucker MJ, Sweitzer CL. Multiple pregnancy rate and embryo number transferred during in vitro fertilization. Am. J Obstet Gynecol 1997; 177: 350-7.
- Englert, Y., Puissant, F., Camus, M., Van Hoeck, J. and Leroy, F. (1986) Clinical study on embryo transfer after human in vitro fertilization. J. In Vitro Fert. Embryo Transf., 3, 243–246
- Eppig JJ , Downs SM , the effect of hypoxanthine on mouse oocyte growth and development in vitro: maintenance of meiotic arrest and gonadotropin-induced oocyte maturation. Dev Biol 1987; 119: 313-21.

- Ertzeid, Dale, P O, Tanbo, T et al. Clinical outcome of day 2 versus day 3 embryo transfer using serum-free culture media: a prospective randomized study. *J. Assist. Reprod. Genet.*, 1999; 16, 529-534.
- Eytan O, Elad D, Zaretsky U, Jaffa AJ. A glance into the uterus during in vitro simulation of embryo transfer. *Hum Reprod* 2004; 19:562-9.
- Fanchin R, Righini C, de Ziegler D. Effects of vaginal progesterone administration on uterine contractility at the time of embryo transfer. *Fertil Steril* 2001;75:1136-40.
- Fanchin R, Righini C, Olivennes F, Taylor S, de Ziegler D and Frydman R (1998) Uterine contractions at the time of embryo transfer alter pregnancy rates after in-vitro fertilization. *Hum Reprod* 13, 1968–1974
- Fasouliotis S J, Schenker J G. Failure in assisted reproductive technology. *Eur J Obstet Gynecol Reprod Biol* 2003; 107: 4-18.
- Feichtinger, W., Strohmer, H., Radner, K.M. and Goldin, M. (1992) The use of fibrin sealant for embryo transfer: development and clinical studies. *Hum. Reprod.*, 7, 890–893.
- Felberbaum R, Diedrich K: Ovarian stimulation in ART : use of GnRH-antagonist. In: RD Kempers, J Cohen, AF Haney, JB Younger (eds.). *Fertility and Reproductive Medicine*, Elsevier Science, 1998.
- Felberbaum, R., Rabe, T. and Diedrich D (1997): Gonadotrophin-releasing hormone agonists and antagonists: In Rabe, T., Diedrich D. and Runnebaum, B. (eds.): *Manual on Assisted Reproduction*. Springer-verlag; Berlin; Heidelberg, P. 132.
- Ferraretti AP, Garcia J E, Acosta A A and Jones GS: Serum luteinizing hormone during ovulation induction with human menopausal gonadotrophin for in vitro fertilization in normally menstruating women. *Fertil Steril* (1983) 40: 742.
- Fishel, S.B. and Edward, R.G. (1982): Essential fertilization, in: Edwards, R.G., Purdy, J.M (eds.): *Human Conception in Vitro*. Academic Press, London, p 157-179.
- Franchi, I.I., Mandl, A.M. Zuckerman, S. (1962): The development of the ovary and the process of oogenesis. In Zuckermann S. Mandl
-

- AM, Eckstein P (eds): The Ovary. New York, Academic Press.
- Fraser, L.R. and Ahuja, K.K. (1988): Metabolic and surface events in fertilization. *Gamete Res.*, 20: 491.
- Friedler, S., Schenker, J., Herman, A. et al. The role of ultrasonography in the evaluation of endometrial receptivity following assisted reproductive treatments: a critical review. *Hum. Reprod. Update*, 1996; 2, 323-35.
- Garcia J E, Acosta AA, Hsiu J G, et al: Advanced endometrial maturation after ovulation with human menopausal gonadotrophin/human chorionic gonadotrophin for in vitro fertilization. *Fertil Steril* (1984) 41: 31.
- Garcia-Velasco JA, Isaza V, Martinez-Salazar J, Landazabal A, Requena A, Remohi J, et al. Transabdominal ultrasound-guided embryo transfer does not increase pregnancy rates in oocyte recipients. *Fertil Steril* 2002;78:534 –9.
- Gardner D K, Lane M: Culture of viable human blastocysts in defined serum-free sequential media. *Hum Reprod*, 1998a; 13: 148-59.
- Gardner D K et al. Blastocyst score affects implantation and pregnancy outcome: towards a single blastocyst transfer. *Fertil. Steril.*, 2000; 73: 1155-1158.
- Gardner D K, Schoolcraft W B, Wagley L, et al: A prospective randomized trial of blastocyst culture and transfer in in-vitro fertilization. *Hum Reprod*, 1998b; 13: 3434-40.
- Gardner D K, Schoolcraft W B. In-vitro culture of human blastocyst. In: Jarisen R, Mortimer D, eds. *Towards reproductive certainty: infertility and genetics beyond*. Carnforth, Parthenon Press, 1999: 378-388.
- Gardner DK, Vella P, Lane M, Wagley L, Schlenker T, Schoolcraft WB. Culture and transfer of human blastocysts increases implantation rates and reduces the need for multiple embryo transfers. *Fertil Steril* 1998;69:84–8.
- Garel M, Salobir C, Blondel B. Psychological consequences of having triplets: a 4-year follow-up study. *Fertil Steril* 1997; 67: 1162-5.

- Germond M, Dessole S, Senn A, et al. Successful in vitro fertilization and embryo transfer after treatment with recombinant human FSH. *Lancet* 1992; 339:1170-1.
- Ghazzawi I M, Al-Hasani S, Karaki R and Souso S. Transfer technique and catheter choice influence the incidence of transcervical embryo expulsion and the outcome of IVF. *Hum. Reprod.*, 1999; 14, 677-682.
- Gianaroli E et al. Advantages of day 4 embryo transfer in patients undergoing preimplantation genetic diagnosis of aneuploidy. *J Assis Reprod Genet*, 1999, 16: 170-175.
- Gilja, O.H., Thune, N., Matre, K. et al. (1994) In vitro evaluation of three dimensional ultrasonography in volume estimation of organs. *Ultrasound Med. Biol.*, 20, 157–165.
- Giorgetti C, Terriou P, Auquier P, Hans E, Spach JL, Salzmann J, et al. Embryo score to predict implantation after in-vitro fertilization: based on 957 single embryo transfers. *Hum Reprod* 1995;10: 2427–31.
- Givins' CR, Schriock ED. Dandekar PV, Martin : Elevated serum progesterone levels on the day of human chorionic gonadotropin administration do not predict outcome in assisted reproduction cycles. *Fertil Steril* 1994; 62:1011.
- Gleicher N., Friberg J, Fullan J, Giglia R. V., Mayden K, Kesky T., and Siegel I.; 1983: Egg retrieval for in vitro fertilization by sonographically controlled vaginal culdocentesis. *Lancet.*, 2:508.
- Goa KL, wagstaff AJ. Follitropin alpha in infertility. A review. *Bio Drugs* 1998; 9: 235-60.
- Godwin, I. Meniru (2001): Cambridge guide to infertility management and assisted reproduction. United Kingdom at the University Press, Cambridge.
- Gonzales DS, Jones JM, Pinyopummintr T, Carnevale EM, Ginther OJ, Shapiro SS, Bavister BD: Trophoctoderm projection: a potential means for locomotion, attachment and implantation of bovine, equine and human blastocyst. *Hum Reprod* 1996; 11: 2739.

- Goodman AL, Hodgeii GD: The ovarian triad in the primate menstrual cycle. Recent Prog Horm Res, 39: 1, 1983. Quoted from: Damewood MD (ed.). The Johns Hopkins Handbook of In Vitro Fertilization and Assisted Reproductive Technologies, Little.Brown and Company, 1990.
- Goswamy R, Parsons J, Sallam HN et al (1984). In-vitro fertilization as an outpatient procedure. J IVF & ET 1: 111.
- Goto Y et al. Relationship between the day of embryo transfer and the outcome in human in-vitro fertilization and embryo transfer. J Assist Reprod Genet, 1994, 11: 401-404.
- Gott AL, Hardy K, Winston RML, Leese HZ. Non-invasive measurement of pyruvate and glucose uptake and lactate production by single human preimplantation embryos. Hum Reprod 1990;5:104-10.
- Goudas VT, Hammitt DG, Damario MA, Session DR, Singh AP, Dumesic DA. Blood on the embryo transfer catheter is associated with decreased rates of embryo implantation and clinical pregnancy with the use of in vitro fertilization-embryo transfer. Fertil Steril 1998;70:878-82.
- Graham CH, Lysiak JJ, McCrae KR, Lal PK: Localization of transforming growth factor-beta at the human fetal interface: role in trophoblast growth and differentiation. Biol Reprod 1992; 46: 561.
- Gregory, L. & Leese, HJ. (1996) Determinants of oocyte and pre-implantation embryo quality metabolic requirements and the potential role of cumulus cells. Journal of the British Fertility Society 1(2), Human Reproduction 11, Natl Suppl.:96-102.
- Gregory, L. (1998) Ovarian markers of implantation potential in assisted reproduction. Human Reproduction Supplement 13, 4: 117-32.
- Gronowski AM and Landau-Levine M. Reproductive Endocrine function. In: Tietz textbook of clinical chemistry. Burtis CA and ashwood ER (eds). 3rd edition. WB saunders company: Philadelphia, p.1627; 1999.
- Groutz A, Lessing J, Wolf Y, Azem F, Yovel I and Amit A. Comparison of transmyometrial and transcervical embryo transfer in patients with previously failed in-vitro fertilization-embryo transfer

- cycles and/or cervical stenosis. *Fertil. Steril.*, 1997; 67, 1073-1076.
- Guidice E, Crisci C, Altarocca V, O'Brien M. Characterisation of a partially purified human menopausal gonadotropin preparation. *J Clin Res.* 2001; 4: 27-933.
- Guidice LC, Dsupin BA and Irwin JC: Steroid and peptide regulation of insulin-like growth factor binding protein secreted by human endometrial stromal cells is dependent on stromal differentiation. *Journal of Clinical Endocrinology and Metabolism* (1992) 75: 1235 -1241.
- Gwatkin RBL (1977). *Fertilization mechanisms in man and mammals.* Plenum Press, New York.
- Gwatkin RBL, Andersen OF and Hutchison CF (1972). Capacitation of hamster spermatozoa in-vitro: the role of cumulus components. *J Reprod Fertil* 30: 389
- Gysler M, March CM, Mishell DFL Jr, et al: A decade's experience with an individualized clomiphene treatment regimen including its effect on the post coital test. *Fertil Steril* 1982; 37: 161.
- Hafez, E.S.E. (1979): *Human ovulation. Mechanisms, Prediction, Detection and induction.* Amsterdam, North Holland Publishing Co.
- Hardy K, Stark J and Winston R M L. Maintenance of the Inner Cell Mass in Human Blastocysts from Fragmented Embryos. *Biol. Reprod.* 2003; 68, 1165-1169.
- Harper JC, Coonan E, Ramaekers FCS. Identification of the sex of human preimplantation embryos in two hours using an improved spreading method and fluorescent in-situ hybridization (FISH) using directly labelled probes. *Hum Reprod* 1994; 9:721-4
- Healy D, Out HJ: Stimulation regimes: the use of fixed dosages of recombinant FSH. Abstract Book. 14th Annual Meeting of the ESHRE. Organon Sponsored Symposia. Goteborg, Sweden 1998;23,.
- Heape, W. (1891): Preliminary note on the transplantation and growth of mammalian ova within a uterine foster mother. *Proc. R. Soc.*; 48-457. Quoted from Jones H W; (1995).
-

- Hearns-Stokes R M, Miller B T, Scott L, Creuss D, Chakraborty P K and Segars J H. Pregnancy rates after embryo transfer depend on the provider at embryo transfer. *Fertil. Steril.*, 2000; 74, 80-86.
- Herrler A , Beier (1997): Assessment of oocyte and embryo morphology with regard to embryonic development and the outcome of assisted reproduction: In Rabe T, Diedrich K and Runnebaum B (eds.): *Manual on Assisted Reproduction*. Springer-verlag. Berlin, Heidelberg, P. 210.
- Hesla JS: Follicular maturation-and monitoring for IVF-ET. In Damewood MD (ed.). *The Johns Hopkins Handbook of In Vitro Fertilization and Assisted Reproductive Technologies*, Little, Brown and Company, 1990.
- Hill, G.A., Freeman, M. and Bastais, M.(1989): The influence of oocyte maturity and embryo quality on the pregnancy rate in program for In vitro fertilization-embryo transfer. *Fertil Steril*; 52 : 801.
- Hoozemans DA, Schats R, Lambalk CB, Homburg R, Hompes PG. Human embryo implantation: current knowledge and clinical implications in assisted reproductive technology. *Reprod Biomed Online* 2004; 9:692–715.
- Horung D, Tseng JF, Ryan IP, et al: Transcriptional regulation of gene expression in human endometrial cells. XIII Annual Meeting of the ESHRE. *Hum Reprod Abstract Book* 1997; 0-009: 55-6.
- Hösli, I.M., Tercanli, A., Herman, M. et al. (1998) In vitro volume measurement by three-dimensional ultrasound: comparison of two different systems. *Ultrasound Obstet. Gynecol.*, 11, 17–22.
- Hubbard MJ, Weikert L: Laboratory preparation for human IVF-ET. In Damewood MD (ed.). *The Johns Hopkins Handbook of In Vitro Fertilization and Assisted Reproductive Technologies*, - Little, Brown and Company, 1990.
- Hughes EG, Fedorkow DM, Daya S, et al: The routine use of gonadotropin-releasing hormone agonists prior to in vitro fertilization and gamete intrafallopian transfers meta-analysis of randomized controlled trials. *Fertil Steril* 1992; 58:888.

- Huisman, G. J., Alberda, A. T., Leerentveld, R. A. et al. A comparison of in-vitro fertilization results after embryo transfer after 2, 3, and 4 days of embryo culture. *Fertil. Steril.*, 1994; 61, 970-971.
- Hurley VA, Osborn JC, Leoni MA, Leeton J. Ultrasound-guided embryo transfer: a controlled trial. *Fertil Steril* 1991;55:559–62.
- Ijland, M.M., Evers, J.L.H., Dunselman, G.A.J. et al. (1996) Endometrial wave-like movements during the menstrual cycle. *Fertil. Steril.*, 65, 746–749.
- Irving JA, Lala PV: Functional role of cell surface integrins on human trophoblast cell migration: regulation by TGF-B, IGF-II and IGFBP-1. *Exp Cell Res* 1995; 217: 419.
- Ito A, Sato T, Iga T: Tumor necrosis factor bifurcationally regulates matrix metalloproteinases and tissue inhibitor of metalloproteinases production by human fibroblasts. *FEBS Lett* 1990; 269: 93.
- Iwamatsu T and Chang NIC (1971). Factors involved in the fertilization of mouse eggs in-vitro. *J Reprod Fertil* 26:197.
- Jain T, Missmer SA, and Hornstein M. D. Trends in Embryo-Transfer Practice and in Outcomes of the Use of A R T in the United States. *NEJM*. 2004; 350: 1639-45.
- Johnson C, Hofmarin G, Scott R. The use of oil overlay for in vitro fertilisation and culture *Assist Reprod Rev* 1994;4: 198-201
- Jones GM, Figueiredo F, Osianlis T, Pope AK, Rom hau ts L, et al. Embryo culture, ssessment, selection and transfer. In *Medical, Ethical and Social Aspects of Assisted Reproduction* (2001: Geneva, Switzerland) Current practices and controversies in assisted reproduction: report of a WHO meeting . WHO 2002; Geneva.
- Jones G M. Growth and viability of human blastocyst in-vitro. *Reprod.Med. Rev.*,2000,8: 203-49.
- Jones GM, Trounson A O, Lolatgis N, Wood C. Factors affecting the success of human blastocyst development and pregnancy following in vitro fertilization and embryo transfer. *Fertil. Steril.*, 1998,70: 1022-1029.
- Jones H. W., Acosta AA., and Garcia; 1982: A technique for the aspiration of oocytes from human ovarian follicles. *Fertil. Steril.*, 37(1):26.
-

- Jones, G.S., Muasher, S.J., Rosenwaks, Z., et al. The perimenopausal patient in in-vitro fertilization : the use of gonadotrophin, relasing hormon , Fertil. Steril 1986; 46,885.
- Jones, H.W. (1988) In vitro fertilization. In Behrman, S.J., Kistner, R.W. and Patton, G.W. (eds), Progress in Infertility, 3rd edn. Little, Brown and Co., Boston, pp. 543–561.
- Jones, JR H.W. (1995): History of In vitro fertilization: In Keye, JR. WR, Chang R.J, Rebar R.W, Soules M.R (eds.): Infertility evaluation and treatment. W.B Saunders Company Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, P. 736.
- Kahraman S. et al. Relationship between granular cytoplasm of oocytes and pregnancy outcome following intracytoplasmic sperm injection. Hum. Reprod., 2000, 15: 2390-3.
- Kamal, J.S.A.(2004): Zygote transfer of day 1 versus cleavage stage embryo transfer on day 3: a prospective randomized trial Human Reproduction Vol. 19, No.3 pp. 645-648, (2004).
- Kämmerer U, von Wolff M, Markert UR: Immunology of human endometrium. Immunobiology 2004; 209: 569-574.
- Kan AKS, Abdalla HI, Gafar AH, Nappi L, Ogonyemi BO, Thomas A and Ola-ojo OO (1999) Embryo transfer: ultrasound-guided versus clinical touch. Hum Reprod 14,1259–1261.
- Karande VC, Morris R, Chapman C, Rinehart J, Gleicher N. Impact of the “physician factor” on pregnancy rates in a large assisted reproductive technology program: do too many cooks spoil the broth? Fertil Steril 1999;71:1001–9.
- Kerjn JF, Liu JH, Phillipou G, et al: Evidence for a hypothalamic site of action ofclomiphene citrate in women. J Clin Endocrinol Metab, 61:265,1985. Quoted from March CM: Induction of ovulation . In: Regerio A, Lobo, Daniel R, Mishell Jr, Richard J, Paulson, Donna Shoupe (eds.). Infertility, Contraception and Reproductive Endocrinology, Blackwell ; Science,, 1997.
- Khorram, O., Shapiro, S. S. and Jones, J. M. Transfer of non-assisted hatched and hatching human blastocysts after in-vitro fertili/ation. Fertil. Steril., 2000; 74, 163-5.

- Kobayashi, T., Oda, T. and Yoshimura, Y.(1991): Androstenedione and progesterone concentration in preovulatory follicular fluid correlate with successful fertilization and cleavage of human oocytes In vitro. *Fertil Steril*; 56 : 301.
- Kojima K, Nomiya M, Kumamoto T, Matsumoto Y, Iwasaka T. Transvaginal ultrasound-guided embryo transfer improves pregnancy and implantation rates after IVF. *Hum Reprod* 2001;16:2578–82.
- Koniori S, Kasumi H, Horiuchi I, Hamada Y, Suzuki C, Shigeta M, Koyama K. Prevention of multiple pregnancies by restricting the number of transferred embryos: randomized control study. *Arch Gynecol Obstet* 2004; 270(2): 91-3.
- Kosmas IP, Janssens R, De Munck L, Al Turki H, Van der Elst J, Tournaye H, Devroey P. Ultrasound-guided embryo transfer does not offer any benefit in clinical outcome: a randomized controlled trial. *Hum Reprod*. 2007 May;22(5):1327-34.
- Kovacs GT (1999) What factors are important for successful embryo transfer after in-vitro fertilization? *Hum Reprod* 13, 590–592.
- Krampl, E., Zegermacher, G., Eichler, C. et al. (1995) Air in the uterine cavity after embryo transfer. *Fertil. Steril.*, 63, 366–370.
- Kruger. TF, Menkveld R, Stander FS, et al: Sperm morphology features as a prognostic factor in in-vitro fertilization, *Fertil Steril* 1986; 84: 551.
- Kupesic S, Bekavac I, Bjelos D, Kurjak A: Assessment of endometrial receptivity by transvaginal color Doppler and three-dimensional power Doppler ultrasonography in patients undergoing in vitro fertilization procedures. *J Ultrasound Med* 2001; 202: 125-34.
- Kurjak, A. and Biljan, M. (1989): *Ultrasound and Infertility*. CRC press, Boca Raton, Florida, P 138.
- Lambers MJ, Dogan E, Kosteljik H, Lens JW, Schats R, Hompes PG. Ultrasonographic-guided embryo transfer does not enhance pregnancy rates compared with embryo transfer based on previous uterine length measurement. *Fertil Steril*. 2006 Oct;86(4):867-72.

- Laufer, N., Grunfeld, L. and Garrisi, G.J. (1990): In vitro fertilization: In Seibel MM (ed.): Infertility, A Comprehensive Text. Appieton and Lange, Norwalk, Connecticut, P. 408.
- Laufer, N., JpeCherney, A.H., Haseltine, F.P., Polan , M.L., Mezer, H.C., Dlugi, A.M., Sweeney, D., Nero, F., and Naftolin, F., The use of high-does human menopausal gonadotrophin in an in vitro fertilization program, *Fertil. Steril* 1983; 40, 734.
- Laverge H., De Sutter P., Van der Elst J. and Dhont M. A prospective, randomized study comparing day 2 and day 3 embryo transfer in human IVF. *Hum. Reprod.* 2001, 16, 476-480.
- Lee HC, Seifer DB, Shelden RM. Impact of retained embryos on the outcome of assisted reproductive technologies. *Fertil Steril* 2004; 82: 334-7.
- Lee PD, Giudice LC, Conover CA, Powell DR: Insulin-like growth factor binding protein-1: recent findings and new directions. *Proc Soc Exp Biol Med* 1997; 216: 319-357.
- Lee, A., Kratochwill, A., Stümpflen, I. et al. (1996) Fetal lung volume estimation by three-dimensional ultrasound. *Am. J. Obstet. Gynecol.*, 175, 588–592.
- Lee, M.S., Ben-Rafaeli, Z. and Meloni, F.(1987): Relationship of human oocyte maturity, fertilization and cleavage to follicular fluid prolactin and steroids. *JIVF-ET*;4:168.
- Leibovitz Z, Griffin V, Rabia R, Degani S, Shapiro T, Tat J, Eibschilz I, Ilarari O, Palticli Y, Aharoni A, Zeevi J, Ohel C: Assessment of endometrial receptivity for gestation in patients undergoing in vitro fertilization, using endometrial thickness and time endometrium-myometrium relative cohenogenicity coefficient. *Ultrasound Obstet Gynecol* 1999; 143: 194-9.
- Lemay A, Faure N, Labrie F, Fazekas AT : Gonadotroph and corpus luteum responses to two successive intranasal doses of gonadotropin releasing hormone agonist at different days after the midcycle luteinizing hormone surge. *Fertil Steril* 1983; 36:661.
- Lenz, S., Lauritsen, J.G. and Kjellow, M. (1981): Collection of human oocytes for IVF by ultrasonically guided follicular puncture. *Lancet*, 1, 1163.

- Leong M, Leung C, Tucker M, Wong C, Chan H. Ultrasound-assisted embryo transfer. *J In Vitro Fert Embryo Transfer* 1986;3:383–5.
- Leong M, Leung C, Tucker M, Wong C, Chan H. Ultrasound-assisted embryo transfer. *J In Vitro Fert Embryo Transfer* 1986;3:383–5.
- Lesny P, Killick S, Tetlow RL, Robinson J and Maguniness SD (1998) Embryo transfer—can we learn anything new from the observation of junctional zone contractions? *Hum Reprod* 13, 1540–1546.
- Lesny, P., Killick, S.R., Robinson, J. and Maguiness, S.D. (1999b) Transcervical embryo transfer as a risk factor for ectopic pregnancy. *Fertil. Steril.*, 72, 305–309.
- Lesny, P., Killick, S.R., Robinson, J., Raven, G. and Maguiness, S.D. (1999a) Junctional zone contractions and embryo transfer: is it safe to use a tenaculum? *Hum. Reprod.*, 14, 2367–2370.
- Letterie GS. Three-dimensional ultrasound-guided embryo transfer: a preliminary study. *Am J Obstet Gynecol.* 2005 Jun; 192(6):1983-7
- Leung PCS, Gronow MJ, Kellow NJ, et al: Serum supplement in human in vitro fertilization and embryo development. *Fertil Steril* 1984; 41:36.
- Lewin A, Schenker JG, Avrech O, Shapria S, Safran A and Friedler S (1997) The role of uterine straightening by passive bladder distention before embryo transfer in IVF cycles. *J Assist Reprod Genet* 14,32–34.
- Li T, Lee F, Chen S. The influence of abdominal ultrasound-guided embryo transfer on pregnancy rate. *Fertility and Sterility*. May 2007, Volume 87, Issue 5, Pages 1235-1237.
- Lindhard A, Bentin-Ley U, Ravn V, Islin H, Hviid T and Rex S, et al: Biochemical evaluation of endometrial functional at the time of implantation. *Fertil Steril* 2002; 78: 221-233.
- Litscher, E.S. and Wassarman, P.M. (1996): Characterization of a mouse ZP3-derived glycoprotein, that exhibits sperm receptor and acrosome reaction inducing activity in vitro. *Biochemistry*, 35: 3980-3985.

- Liu HC, Mele CA, Noyes N, et al, (1994): Endometrial secretory proteins enhance early embryo development. *J Assist Reprod Genet*; 11: 217.
- Lobo RA, Granger LR, Davajan V, et al: An extended regimen of clomiphene citrate in women unresponsive to standard therapy .*Fertil Steril* 1982; 37:762.
- Lockwood CJ, Krikun G, Papp C: The role of progestationally regulated stromal cell tissue factor and type I plasminogen activator inhibitor (PAI-I) in endometrial haemostasis and menstruation. *Ann N Y Acad Sc* 1994; 734: 57.
- Lonergan P, Fair T, Corcoran D, Evans AC. Effect of culture environment on gene expression and developmental characteristics in IVF-derived embryos. *Theriogenology* 2006;65:137–52.
- Lopata A, Brown JB, Leeton JF, Talbot J, Wood C: In vitro fertilization of preovulatory oocytes and embryo transfer in infertile patients treated with clomiphene and human chorionic gonadotropin . *Fertil Steril* 1978; 30:27.
- Lopata A, et al: Collection of human oocytes with laparoscopy and laparotomy. *Fertil Steril*, 25:1030, 1974. Quoted from: Damewood MD (ed.). *The Johns Hophins Handbook of In Fertilization and Assisted Reproductive Technologies*, Little, Brown and Company, 1990.
- Lopata A, Johnston IW , Hoult, I.H. (1980) : Pregnancy following intrauterine implantation of an embryo obtained by in vitro fertilization of a preovulatory egg. *Fertil Steril* ; 33:117.
- Lopata A: Conceptus in human in vitro fertilization and embryo transfer *Fertil Steril* 1983; 40:289.
- Loumaye E , Mowels c. Superovulation for assisted conception: the new gonadotropins . in Brinsden PR (ed.). *A textbook of In vitro fertilization & assisted reproduction*. New york, London : parthenonpublishing ; 1999: 104-107.
- Loumaye E, Van Krieken L, Depreester S, Psalti I, et al: Hormonal changes induced by shorter term administration of a gonadotropin releasing hormone agonist during ovarian hyperstimulation for in vitro fertilization and their consequences for embryo development.*Fertil Steril* 1989; 51:105.
-

- Loumaye E., Dreano M, Galazka A, et al Recombinant follicle stimulating hormone: development of the first biotechnology product for the treatment of infertility *Mol Hum Reprod* 1998; in press
- Loumaye, E. (1990): The control of endogenous secretion of LH by gonadotrophin-releasing hormone agonists during ovarian hyperstimulation for In vitro fertilization and embryo transfer. *Hum Reprod*; 5 : 357.
- Loutradis D, Drakakis P, Dalianidis K. A double embryo transfer on days 2 and 4 or 5 improves pregnancy outcome in patients with good embryos but repeated failures in IVF or ICSI. *Int J Exp Obstet Gynecol* 2004; 31: 63-6.
- Ludwig M, Schopper B, Al-Hasani S, and Diedrich K. Clinical use of a pronuclear stage score following ICSI: impact on pregnancy rates under the conditions of the German embryo protection law. *Hum. Reprod.*, 2000, 15: 325-9.
- Lundin K, Bergh C and Hardarson T. Early embryo cleavage is a strong indicator of embryo quality in human IVF. *Hum Reprod*, 2001; 16,2652-7.
- Lunenfeld B, Lunenfeld E, Insler V: Human gonadotropins. In: T Rabe, K Diedrich, B Runnebaum (eds.). *Manual on Assisted Reproduction*. Springer Verlag Berlin-Heidelberg, 1997.
- Luo J, Xu YW, Zhou CQ, Fang C, Zhang MF, Zhuang GL. [Influence of the depth of embryo transfer on pregnancy outcome in in vitro fertilization-embryo transfer] *Zhonghua Fu Chan Ke Za Zhi*. 2006 Aug;41(8):533-6.
- MacNamee MC and Brinsden PR, Superovulation strategies in assisted conception, in Brinsden PR (ed.), *A textbook of in vitro fertilization and assisted reproduction*. New York, London: Parthenon publishing, 1999; 91-102.
- Magli M, Jones G, Gras L, Gianaroli L, Korman I, Armstrong T, Trounson A. Chromosome mosaicism in day 3 neuploid embryos that develop to morphologically normal blastocysts in-vitro. *Hum. Reprod.*, 2000, 15: 1781-1786.
- Manotaya, T., Potter, E.L. (1963): Oocytes in prophase of meiosis from squash preparations of human fetal ovaries. *Fertil. Steril.*, 14:375.

- Mansour R. Minimizing embryo expulsion after embryo transfer: a randomized controlled study. *Hum Reprod* 2005; 20(1): 170-4.
- Mansour RT and Aboulghar MA (2002) Optimizing the embryo transfer technique. *Hum Reprod* 17,1149–1153.
- Mansour, R.T., Aboulghar, M.A., Serour, G.I. and Amin, Y.M. (1994) Dummy embryo transfer using methylene blue dye. *Hum. Reprod.*, 9, 1257–1259.
- March CM: Induction of ovulation .In: Rogcrio A, Lobo, Daniel R, Mishell Jr, Richard J, Paulson, Donna shoupe (eds.). *Infertility, Contraception and Reproductive Endocrinology*,1 Blackwell Science, 1997.
- Marcus SF, Brinsden PR., Macramee MC, et al; A comparative trial between as ultrashort & long stimulation protocol of(LH-RH) -analogue with gonadotrophin for in vitro fertilization. *Hum Reprod* 1993;8: 238-43.
- Marrs, R.P. (1986): Does the method of oocyte collection have a major influence on IVF. *Fertil. Steril*, 46: 193-96.
- Marrs, R.P., Saito, H. and Yee, B., (1984): Effect of variation of In vitro culture techniques upon oocyte fertilization and embryo development in human In vitro fertilization procedures. *Fertil Steril*; 41 : 519.
- Martinez F, Coroleu B, Parriego M, Carreras O, et al. Ultrasound-guided embryo transfer: immediate withdrawal of the catheter versus a 30 second wait. *Hum. Reprod.*, 2001; 16, 871-874.
- Matorras R, Mendoza R, Exposito A, Rodriguez-Escudero FJ. Influence of the time interval between embryo catheter loading and discharging on the success of IVF. *Hum Reprod*2004; 19: 2027-30.
- Matorras R, Mendoza R, Exposito A, Rodriguez-Escudero FJ. Influence of the time interval between embryo catheter loading and discharging on the success of IVF. *Hum Reprod* 2004;19:2027–30.
- Matorras R, Urquijo E, Mendoza R, Corcostegui B, Exposito A, Rodriguez-Escudero FJ. Ultrasound-guided embryo transfer improves pregnancy rates and increases the frequency of easy transfers. *Hum Reprod* 2002;17:1762–6.
-

- Matrisian LM: Metalloproteinases and their inhibitors in matrix remodeling. Trends Genet 1990; 6: 121-5.
- McNamee PI. Embryo transfer techniques: is cervical mucus more important than we thought? In: Postgraduate course 11th World Congress on In-vitro Fertilization and Human Genetics. Sydney, 1999; 38-48.
- Medawar PB: Some immunological and endocrinological problems raised by evolution of viviparity in vertebrates. Symp Soc Exp Biol 1953; 7: 320.
- Medical Research international Society for Reproductive Technology: The American Fertility Society. In vitro fertilization embryo transfer (IVF-BT) in the United States: 1990 results from the IVF registry Fertil Steril 1992; 57:15.
- Meldrum DR, Wisot A, Hamillton F, Gutlay AL, Huynh D, W: Timing of initiation and does schedule of leuprolide influence the time course of ovarian suppression. Fertil Steril 1998; 50:400.
- Meldrum DR, Wisot A, Hamillton F, Gutlay AL, Kempton W, Huynh D: Routine pituitary suppression with leuprolide before ovarian stimulation for oocyte retrieval. Fertil Steril 1989; 51:455,.
- Meldrum, D.R. (1991) Factors affecting embryo implantation after human in vitro fertilization. Am. J. Obstet. Gynecol., 165, 1896–1897.
- Meldrum, D.R., Chetkowski, R., Steingold, K.A. et al. (1987) Evolution of a highly successful in vitro fertilization–embryo transfer program. Fertil. Steril., 48, 86–93.
- Menezo, Y., Veiga, A. & Benkhalifa, M. (1998) Improved methods for blastocyst formation and culture. Human Reproduction Supplement 13, Suppl. 4:256-65.
- Meniru G, Craft 1. Evidence from a salvaged treatment cycle supports an aetiology for the empty follicle syndrome that is related to terminal follicular developmental events. Hum Reprod 1997; 12: 2385-7.
- Meriano J et al. The choice of embryo transfer catheter affects embryo implantation after IVF. Fertility and Sterility, 2000, 74: 678-682.

- Mikkelsen TJ, Krobth PD, Cameron WJ, et al: Single dose pharmacokinetics of clomiphene citrate in normal volunteers. *Fertil Steril* 1986; 46:392,.
- Milki A A, Fisch J D and Behr B. Two-blastocyst transfer has similar pregnancy rates and a decreased multiple gestation rate compared with three-blastocyst transfer. *Fertil. Steril.*, 1999; 72, 225-228.
- Milki A A, Hincley M D, Fisch J D et al. Comparison of blastocyst transfer with day 3 embryo transfer in similar patient populations. *Fertil. Steril.*, 2000; 73, 126-129.
- Mills, C.L. (1992): Factors affecting embryological parameters and embryo selection for IVF-ET: In Brinsden, P.R. and Rainsbury, P.A. (eds.): *A Textbook of In vitro Fertilization and Assisted Reproduction*. Parthenon Publishing Group U.K, P. 187.
- Moreno V, Balasch J, Vidal E, Calafell JM, Civico S, Vanrell JA. Air in the transfer catheter does not affect the success of embryo transfer. *Fertil Steril* 2004; 81(5): 1366-70.
- Moriwaki T, Suganuma N, Hayakawa M, Hibi H, Katsumata Y, Oguchi H, et al. Embryo evaluation by analysing blastomere nuclei. *Hum Reprod* 2004;19:152– 6.
- Morrell V. Basic infertility assessment. *Primary care woman's health*.24: 195-204; 1997.
- Morris PS, Paulson RJ: Ovarian hyperstimulation syndrome: classification and management. *Obstet Gynecol* 1994; 39-43
- Mortiner, S.T.(1997): A critical review of the physiological importance and analysis of sperm movement in mammals. *Human Reproduction Update* 3, 403-440
- Mugford M, Henderson J. Resource implications of multiple births. In: Ward HR, Whittle M, editors. *Multiple births*. London (UK): RCOG, 1995; 334-45.
- Naaktgeboren, N., Broers, F.C., Heijnsbroek, I., Oudshoorn, E., Verburg, H. and Van der Westerlaken, L. (1997) Hard to believe, hardly discussed, nevertheless very important for the IVF/ICSI results: embryo transfer technique can double or halve the pregnancy rate. *Hum. Reprod.*, 12 (Abstract Book 1), 149.
-

- Naaktgeboren, N., Dieben, S., Heijnsbroek, I. et al. (1998) Embryo transfer, easier said than done. Abstracts of the 16th World Congress on Fertility and Sterility and 54th Annual Meeting of the American Society for Reproductive Medicine, San Francisco, CA, USA, S352.
- Nabi, A., Awonuga, A., Birch, H., Barlow, S. and Stewart, B. Multiple attempts at embryo transfer: does this affect in-vitro fertilization treatment outcome? *Hum. Reprod.*, 1997; 12, 1188-1190.
- Nargund, G., Bourne, T. and Doyle, P.(1996): Associations between ultrasound indices of follicular blood flow, oocyte recovery and preimplantation embryo quality. *Hum Reprod*; 11 : 109.
- Nawroth, Frank, Ludwig, Michael. What is the 'ideal' duration of progesterone supplementation before the transfer of cryopreserved—thawed embryos in estrogen/progesterone replacement protocols? *Hum Reprod* 2005; 20(5): 1127-34.
- Nazari A, Askari HA, Check JH, O'Shaughnessy A. Embryo transfer technique as a cause of ectopic pregnancy in in-vitro fertilization. *Fertil Steril* 1993; 60: 919-21.
- Ndukwc C, Thornton S, Fischel S, et al. Predicting empty follicle syndrome. *Fertil Steril* 1996; 66: 845-7.
- Oatway C, Gunby J, Daya S. Day three versus day two embryo transfer following in vitro fertilization or intracytoplasmic sperm injection. *Cochrane Database Syst Rev* 2004; (2): CD004378.
- Oehninger S, Acosta AA, Veek LL, et al. Delayed fertilization during in vitro fertilization and embryo transfer cycles: analysis of cause and impact of overall results *Fertil Steril* 1989; 52:991-7.
- Ogawa T, Marrs RP. The effect of protein supplementation of single cell mouse embryos in vitro. *Fertil Steril* 1987; 47:156.
- Ohno, S. and Smith, J.B. (1964): Role of fetal follicular cells in meiosis of mammalian oocytes. *Cytogenesis* 3:324.
- Oliveira JB, Martins AM, Baruffi RL, Mauri AL, Petersen CG, Felipe V, et al. Increased implantation and pregnancy rates obtained by placing the tip of the transfer catheter in the central area of the endometrial cavity. *Reprod Biomed Online* 2004;9:435– 41.

- Oliverness F, Fanchin R, Bouchard P, et al. The single or dual administration of the gonadotrophin releasing hormone antagonist Cetrorelix in an in vitro fertilization embryo transfer program. *Fertil Steril* 1994; 62:468.
- Olivennes F, Fanchin, R., Bouchard, P. et al. Scheduled administration of GnRH antagonist (Cetrorelix) on day 8 of IVF cycles: a pilot study. *Hum. Reprod.* 1995, 10, 1382-1386.
- Out HJ, Mannaerts BMJL, Driessen SgaJ, Colingh-Bennink HJT:A prospective randomized, assessor-blind, multicenter study, comparing recombinant and urinary follicle stimulating hormone (Puregon vs. Metrodin)in invitro fertilization. *Hum Reprod* 1995; 10:2534,
- Pacchiarotti A, Mohamed MA, Micara G, Tranquilli D, Linari A, Espinola SM, Aragona C. The impact of the depth of embryo replacement on IVF outcome. *J Assist Reprod Genet.* 2007 May;24(5):189-93.
- Pacey, A.A., Ladbroke, M.B., Barratt, C.L.R. and Cooke, I.D.(1997): The potential shortcomings of measuring hyperactivated motility by computer aided sperm analysis when sperm motion is multiphasic. *Human Reproduction Update*, 3, 186- 193.
- Pados, G., Tarlatzis, B.C. and Bontis, J.(1991): Ovarian stimulation with buserelin / HMG / HCG : prospective study of short vs long protocol. In Substract book of the 7th Annual meeting of the ESHRE, Paris, 28 – 30 June 1991. *Hum Reprod* 364.
- Page, E.W., Villee, C.P.A., Villee, D.B. (1981): *Human Reproduction Essentials of Reproductive and perinatal Medicine.* Philadelphia, WB Saunders.
- Pandian Z. Templeton A, Serour G, Bhattacharya S. Number of embryos for transfer after IVF and 1CSI: a Cochrane review. *Hum Reprod* 2005; 20(10): 2681-7.
- Pantos, K., Athanasiou, V., Stefanidis, K. et al. Influence of advanced age on the blastocyst development rate and pregnancy rate in assisted reproductive technology. *Fertil. Steril.*, 1999; 71, 1144-1146.

- Parsons J , pampington Js, Campbell S. ultrasound directed follicle aspiration for oocyte collection using perurethral technique. *Fertil Steril* 1990; 53:97-102
- Parsons J , Riddle A, Booner M, Sharma V , Goswamy R, wilson L, for in-vitro fertilization by ullrasonirally guided needle aspiration via the urethra *lancet* 1985; 1:1076
- Pattinson HA, Mortimer D, Mortimer ST: The new Reproductive Technologies. In, Copeland LJ (ed.). *Textbook of Gynecology*, WB Saunders Company, 1993.
- Paulson RJ, Sauer MV, Francis MM, et al: A prospective controlled evaluation of TEST-yolk buffer in the preparation of sperm for human in vitro fertilization in suspected cases of male infertility. *Fertil Steril* 1992; 58:551.
- Paulson RJ, Thornton MH: In Vitro Fertilization and Related Assisted Reproductive Technologies. In : Rogerio A, Lobo, Daniel R, Mishell Jr, Richard J, Paulson, Donna Shoupe (eds.). *lihcililily, Contraception and Reproductive Endocrinology*, Blackwell Science, 1997.
- Paulson, R.J. and Francis, M.M. (1997): Laboratory techniques for assisted reproductive technologies: In Lobo RA, Mishell JR DR, Paulson, R.J.(eds.): *Mishell's Textbook of Infertility, Contraception and Reproductive Endocrinology*. 4th edition. Blackwell Science USA, P. 769.
- Pedro , N. , Jose , M . , Francisca , M . and Anna , V . (2005) : Influence of spermatogenic profile and meiotic abnormalities on reproductive outcome of infertile patients. *RBM online*. Vol. 10. No 6 , 735–739.
- Petrozza J. C. Assisted Reproduction Technology. In *e-medicine medical textbooks, obstetric/gynecology*. 2003.
- Petterson B, Nelson KB, Watson L, Stanley F. Twins, triplets .and cerebral palsy in births in Western Australia in the 1980s. *BMJ* 1993; 307: 1239-43.
- Phillips SJ, Dean NL, Buckett WM, Tan SL. Consecutive transfer of day 3 embryos and of day 5-6 blastocysts increases overall pregnancy rates associated with blastocyst culture. *J Assist Reprod Genet* 2003; 20: 461-4.
-

- Plachot M, Mandelbaum J, Junca, AM, Cohen J, salat-Baraux J. coculture of human embryo with granulosa cells. *Contracept. Fertile sex* 1993; 19: 632-4.
- Plachot M, Veiga A, Montagut J, et al. Are clinical and biological IVF parameters correlated with chromosomal disorders in early life: a multi centric study. *Hum Reprod* 1988;3: 627:35.
- Plachot, M. (1989): Choosing the right embryo: The challenge of the nineties. *J. IVF-ET*; 6 : 193.
- Pope CS, Cook EK, Army M, Novak A, Grow DR. Influence of embryo transfer depth on in vitro fertilization and embryo transfer outcomes. *Fertil Steril* 2004;81:51– 8.
- Porter, R.N., Smith, W., and Craft, I.L. (1984): Induction of ovulation for IVF using buserlin and gonadotrophins. *Lancet*: 1284.
- Prapas N, Prapas Y, Panagiotidis Y, Prapa S, Vanderzwalmen P, Makedos G. Cervical dilatation has a positive impact-on the outcome of IVF in randomly assigned cases having two previous difficult embryo transfers. *Hum Reprod* 2004; 19(8): 1791- 5.
- Prapas Y, Prapas N, Hatziparasidou A, Vanderzwalmen P, Nijs M, Prapa S, et al. Ultrasound-guided embryo transfer maximizes the IVF results on day 3 and day 4 embryo transfer but has no impact on day 5. *Hum Reprod* 2001;16:1904–8.
- Puissant, S., Van Ryssilberge, M. and Barlow, P.(1987): Embryo scoring as a prognostic tool in IVF treatment. *Hum Reprod* 2 : 705.
- Puistola U, Ronnberg L, Martikainen H, Turpeenniemi-Hujanen T: The human embryo produces basement membrane collagen (type IV collagen) degrading protease activity. *Hum Reprod* 1989; 4: 304.
- Queenan JT, Kao LC, Arboleda CE, Ulloa-Aguirre A, Golos TG, Gines DB, Suduss JF: Regulation of urokinase-type plasminogen activator production by cultured human cytotrophoblasts. *J Biol Chem* 1987; 262: 1093.
- Quinn, P.C., Kerin, J.F.and Warnes, G.M. (1985): Improved pregnancy rates in human in vitro fertilization with the using a medium based on the composition of human tubal fluid. *Fertil Steril*; 44 : 493.

- Rabe, T., Diedrich, K. and Eberhardt, I. (1997): In vitro fertilization : In Rabe T, Diedrich K and Runnebaum B (eds.): Manual on Assisted Reproduction Springer-verlag. Berlin, Heidelberg. P. 364.
- Raga, F., Bonilla-Musoles, F., Casan, E.M. et al. Assessment of endometrial volume by three-dimensional ultrasound prior to embryo transfer: clues to endometrial receptivity. Hum. Reprod., 1999; 14, 2851-2854.
- Reinthaller, A., Bieglmayer, C. and Deutinger, J. (1988): Transient hyperprolactinemia during cycle stimulation : influence on the endocrine response and fertilization rate of human oocytes and effects of bromocriptin treatment . Fertil Steril; 49 : 432.
- Remohi, J., Ardiles, G., Garcia-Velasco, J.A. et al. (1997) Endometrial thickness and serum oestradiol concentrations as predictors of outcome in oocyte donation. Hum. Reprod., 12, 2271–2276.
- Roeb E, Graeve L, Mullberg J: TIMP-1 protein expression is stimulated by IL-1 beta and IL-6 in primary rat hepatocytes. FEBS Lett 1994; 349: 45.
- Romer T. Hysteroscopic myoma resection of submucous myomas with largely intramural components. Zentralbl Gynakol 1997-119:374.
- Ron-EL, R., Golan, A. and Herman A. (1993): Assisted reproductive technologies: In Insler V, Lunenfeld B (eds.): Infertility male and female. Chirchill Livingstone. Edinburgh London, Madrid, Melbourne, New York and Tokyo, P. 525.
- Rosenlund, B., Sjoblom, P. and Hillensjo, T. (1996) Pregnancy outcome related to the site of embryo deposition in the uterus. J. Assist. Reprod. Genet., 13, 511–513.
- Russel JB, de cherney AM , Hobbins JC : A new trans vaginal probe and biopsy guide for oocyte retrieval. Fertil Steril 1987;47:350.
- Rutherford, A.J., Picton, H.M. and Wynn, P. (1999): In vitro maturation of human oocyte: In Shoham Z, Howles CM, Jacobs HS (eds.): Female Infertility Therapy Current Practice. Martin Dunitz Ltd, The Livery House, 7-9 Prah street London, P. 235.
- Saddler, T.W. (1993): Gametogenesis. In: Medical Embryology, Saddler T.W. ed. Williams & Willkins, Baltimore, London, p. 3-10.
-

- Sakkas D, Shoukir Y, Chardonnens D, Bianchi PG, and Campana A. Early cleavage of human embryos to the two-cell stage after intracytoplasmic sperm injection as an indicator of embryo viability. *Hum Reprod*, 1998a, 13: 182-87.
- Sakkas, D., Urner, K., Bizzaro, D., Minicardi, G., Bianchi, P.G., Shoukir, Y. & Campana, A. (1998) Sperm nuclear DNA damage and altered chromatin structure: effect on fertilization and embryo development. *Human Reproduction* 13, Suppl, 4: 11-19.
- Saldeen P, Sundstrom P. Nuclear status of four-cell preembryos predicts implantation potential in in vitro fertilization treatment cycles. *Fertil Steril* 2005;84:584 –9.
- Salha, O.H., Lamb, V.K. and Balen, A.H. (2001) A postal survey of embryo transfer practice in the UK. *Hum. Reprod.*, 16, 686–690.
- Sallam HN, Agameya AF, Rahman AF, Ezzeldin F, Sallam AN. Ultrasound measurement of the uterocervical angle before embryo transfer: a prospective controlled study. *Hum Reprod* 2002;17:1767–72.
- Sallam HN, Sadek SS. Ultrasound-guided embryo transfer: a meta-analysis of randomized controlled trials. *Fertil Steril*. 2003 Oct;80(4):1042-6.
- Sallam, H.N. (2001): Infertility and assisted conception, ed 2. Alexandria, Alpha-Graph Printing Nouse.
- Salumets A, Hyden-Granskog C, Suikkari A, Tiitinen A and Tuuri T. The predictive value of pronuclear morphology of zygotes in the assessment of human embryo quality *Human Reprod*, 2001; 16, 2177-2181.
- Sandow: Chemistry and metabolism of LHRH and its analogues. In Shaw RW, Marshall JC (eds.). *LHRH and its analogues*, Butterworth-Heinemann, Oxford, Ch.3,pp:35,1989. Quoted from Ron-El et al: *Assisted Reproductive Technologies*. In Insler V, Lunenfeld B (eds.). *Infertility: Male and Female*, Second edition. Churchill Livingstone, 1993.
- Sapino AP, Huarte J, Belin D: Plasminogen activators in tissue remodeling and invasion: mRNA localization in mouse ovaries and implanting embryos. *J Cell Biology* 1989; 109: 2471.

- Schild, R.L., Indefrei, D., Eschweiler, S. et al. (1999) Three-dimensional endometrial volume calculation and pregnancy rate in an in-vitro fertilization program. *Hum. Reprod.*, 14, 1255–1258.
- Schoolcraft W, Sintpn E, Schlenker T, et al: Lower pregnancy rate with premature luteinization during pituitary suppression with leuprolide acetate. *Fertil Steril* 1991; 55:563.
- Schoolcraft, W.B., Surrey, E.S. and Gardner, D.K. (2001) Embryo transfer: techniques and variables affecting success. *Fertil. Steril.*, 76, 863–870.
- Schultz R M., Williams C J. The Science of ART. *Science* 2002, 296,2188-2190.
- Scott L et al. The morphology of human pronuclear embryos is positively related to blastocyst development and implantation. *Human Reproduction*, 2000, 15: 2394-2403.
- Scott L. A., Smith S. The successful use of pronuclear embryo transfers the day following oocyte retrieval. *Human Reproduction*, 1998, 13: 1003-1013.
- Serhal P, Ranieri DM, Khadum I, Wakim RA. Cervical dilatation with hygroscopic rods prior to ovarian stimulation facilitates embryo transfer. *Hum Reprod* 2003; 18:2618-20.
- Serour, G.I., Aboulghar, M., Mansour, R., Sattar, M.A., Amin, Y. and Aboulghar, H. (1998) Complications of medically assisted conception in 3,500 cycles. *Fertil. Steril.*, 70, 638:642.
- Shapiro, S. S. Khorram, O., and Jones, J. M. Transfer of non-assisted hatched and hatching human blastocysts after in-vitro fertilization. *Fertil. Steril.*, 2000; 74, 163-5.
- Sharara FI, Lim J, McClanmrock HD: Endometrial pattern on the day of oocyte retrieval is more predictive of implantation success than the pattern or thickness on the day of hCG administration. *J Assist Reprod Genet* 1999; 16(10): 523-8.
- Sharif, K., Afnan, M., Lashen, H., Elgendy, M., Morgan, C. and Sinclair, L. Is bed rest following embryo transfer necessary? *Fertil. Steril.*, 1998; 69, 478-481.
- Sharif, K., Afnan, M. and Lenton, W. (1995) Mock embryo transfer with a full bladder immediately before the real transfer for in-vitro
-

- fertilization treatment: the Birmingham experience of 113 cases. *Hum. Reprod.*, 10, 1715–1718.
- Sharkey AM, Smith SK: Local regulators of embryo-endometrial interaction at implantation. In: Brinsden PR ed. *A Textbook of in Vitro Fertilization and Assisted Reproduction* (2nd ed) Parthenon Publishing Group Inc. New York, London 1999; 19: 267.
- Shoukir, Y., Chardonnens, D., Campana, A. and Sakkas, D. (1998): Blastocyst development from supernumerary embryos after intracytoplasmic sperm injection: a paternal influence? *Hum. Reprod.*, 13, 1632-1637.
- Silber, S.J., Balmaceda, J., Borrero, C., Ord, T. and Asch, R. (1998): Pregnancy with sperm aspiration from the proximal head of the epididymis: a new treatment for congenital absence of the vas deferences. *Fertil. Steril.*, 50: 525.
- Silberstein T, Weitzen S, Frankfurter D, Trimarchi JR, Keefe DL, Plosker SM. Cannulation of a resistant internal os with the malleable outer sheath of a coaxial soft embryo transfer catheter does not affect in vitro fertilization-embryo transfer outcome. *Fertil Steril* 2004; 82(5): 1402-6.
- Simon A, Safran A, Revel A. Hyaluronic acid can successfully replace albumin as the sole macromolecule in a human embryo transfer medium. *Fertil Steril* 2003;79:1434-8.
- Simon C, Gimeno MJ, Mercader A, et al: Cytokines-adhesion molecules-invasive proteinases. The missing paracrine/autocrine link in embryonic implantation? *Mol Hum Reprod* 1996; 2: 405-24.
- Simon C, Landeras J, Zuzuarregui J, et al: Early embryonic losses after oocyte donation. LIII Annual Meeting of the ASRJM. *Fertil Steril* 1997; 145(Suppl): 114.
- Simon C, Moreno C, Remohi J, Beyth Y, Fisch ID: Molecular interactions between embryo and uterus in the adhesion phase of human implantation. *Hum Reprod* 1998; 13 Suppl 3: 219-32.
- Sinclair L, Morgan C, Lashen H. Nurses performing embryo transfer: the development and results of the Birmingham experience. *Hum Reprod* 1998; 13: 699— 702.
- Smits J, Devroey P, Feguer B, Bourgain C, et al: A prospective ' randomized comparison of intramuscular or intravenous
-

- natural progesterone as a luteal phase and early pregnancy supplement. *Hum Reprod* 1992; 7:168,.
- Sokol RZ : Male factor in infertility. In : Mishell' s Textbook of Infertility, Contraception and Reproductive Endocrinology . Lobo RA, Mishell DR, Paulson RJ and Shoupe D (eds), 4th edition, Blackwell Science: England, p.547.1997.
- Spandorfer SD, Goldstein J, Navarro J, Veeck L, Davis OK, Rosenwaks Z. Difficult embryo transfer has a negative impact on the outcome of in vitro fertilization. *Fertil Steril*. 2003 Mar;79(3):654-5.
- Speroff L, Glass RH, Kase NG: Sperm and egg transport, fertilization and implantation. In *Clin Gynecol Endocrin and Infertil* (6th ed) Lippincott William and Wilkins 1999; 1(7): 247.
- Staessen C, Van den Abeel E, Carle M Khan I, et al. Comparison between human serum and AL buminar-20 TM supplement for in vitro fertilization *Hum' Reprod* 1990; 5: 336-41.
- Steer CV, Tan SL, Dillon D, Mason HA, Campbell S: Vaginal color Doppler assessment of uterine artery impedance correlates with immuno histochemical markers of endometrial receptivity required for the implantation of an embryo. *Fertil Steril* 1995; 63: 101-8.
- Step toe P C, Edwards R G. Reimplantation of a human embryo with subsequent tubal pregnancy. *Lancet* 1976; 1: 880-882.
- Step toe PC, Edwards RG. Birth after the reimplantation of a human embryo. *Lancet* 1978;2:366 –71.
- Step toe, P.C., Laparoscopy: diagnostic and therapeutic uses *JProc. R.Soc.Med* 1969 62,439.
- Step toe, PC, Edwards RG , Walters DE . Observations on 767 clinical pregnancies and 500 births after human in vitro fertilization . *Hum Reprod* 1986; 1:89-94
- Strickler RC, Christianson C, Crane JP, Curato A, Knight AB, Yang V. Ultrasound guidance for human embryo transfer. *Fertil Steril* 1985;43: 54–61.

- Sundström, P. (1998) Establishment of a successful pregnancy following in-vitro fertilization with an endometrial thickness of no more than 4 mm. *Hum. Reprod.*, 13, 1550–1552.
- Szekeres-Bartho J, Autran B, Debre P, Andreu G, Denver L, Chaouat G: Immunoregulatory effects of a Suppressor factor from healthy pregnant women's lymphocytes after progesterone induction. *Cell Immunol* 1989; 122: 281-294.
- Szekeres-Bartho J, Wegmann TG: A progesterone dependent immunomodulatory protein alters the Th1/Th2 balance. *J Reprod Immunol* 1996; 31: 81-95.
- Tan S-L, Water stone J, Wren M, Parsons J: A prospective randomized study comparing aspiration only with aspiration and flushing for transvaginal ultrasound-directed oocyte recovery. *Fertil Steril* 1992; 58:356.
- Tang OS, Ng EH, So WW, Ho PC. Ultrasound-guided embryo transfer: a prospective randomized controlled trial. *Hum Reprod* 2001;16:2310 –5.
- Tarlatzis BC, Bili H. Impact of the use of recombinant follicle stimulating hormone. In: RD Kempers, J Cohen, AF Haney, JB Younger (eds.). *Fertility and Reproductive Medicine*. Elsevier Science. 1998.
- Tesarik J, Greco E. The probability of abnormal preimplantation development can be predicted by a single static observation on pronuclear stage morphology. *Hum Reprod*, 1999, 14: 1318-1323
- Tesarik, J., Junca A.M., Hazz out, A. and Aubriot, F.X. (2000): Embryos with high implantation potential after LCSi can be recognized by a simple, non- invasive examination of pronuclear morphology. *Hum Reprod* 15, 1396-1399.
- Tesarik, K. (1985): Comparison of acrosome reaction inducing activities of human cumulus oophorus, follicular fluid, and ionophore A23187 in human sperm population of proven fertilizing ability in vitro. *J. Reprod. Fertil.*, 74: 383.
- The ESHRE Capri Workshop Group Multiple gestation pregnancy. *Hum. Reprod.*, 2000; 15, 1856-64.
- Tjaden BL, Rock JA: Technologies of oocyte retrieval. In: Dame wood MD (eds.). *The Johns Hopkins Handbook of In Vitro*
-

- Fertilization and Assisted Reproductive Technologies, Little, Brown and Company, 1990.
- Tomas C, Tikkinen K, Tuomivaara L, Tapanainen JS, Martikainen H. The degree of difficulty of embryo transfer is an independent factor for predicting pregnancy. *Hum Reprod* 2002;17:2632–5.
- Toner JP, Hassiakos DK, Muasher SJ et al. Endometrial receptivities after leuprolide suppression and gonadotrophin stimulation: histology steroid receptor concentrations and implantation rates, *Ann NY Acad Sci* (1991) 622: 220 - 224.
- Trounson AO, Pushett D, Maclellan LJ, et al. Current status of IVM/IVF and embryo culture in humans and farm animals. *Theriogenology* 1994; 41: 57-66.
- Trounson A, Mohr L: Human pregnancy following cryopreservation; thawing and transfer of an eight-cell stage human embryo. *Nature*, (London) 1983; 305: 707-9
- Trounson, A.O., Leeton, J.E. and Wood, C. (1981): Pregnancies in human by IVF-ET in controlled ovulatory cycle. *Science*, 212: 681.
- Tummon IS, Henig I, Radwanska E, et al. WP: Persistent ovarian cyst following administration of human menopausal and chorionic gonadotrophins: an attenuated form of ovarian hyperstimulation syndrome. *Fertil Steril* 1988; 49:244.
- Tur-Kaspa I, Yuval Y, Bider D, Levron J, Shulman A, and Dor J. Difficult or repeated sequential embryo transfers do not adversely affect in-vitro fertilization pregnancy rates or outcome. *Hum Reprod*, 1998. 13: 2452-5.
- Turnbull LW, Rice CF, Horseman A, Robinson J, Killick Sr: Magnetic resonance imaging and transvaginal ultrasound of the uterus prior embryo transfer. *Hum Reprod* 1994; 9: 2438-48.
- Turnbull, L.W., Lesny, P. and Killick, S.R. (1995) Assessment of uterine receptivity prior to embryo transfer: a review of currently available imaging modalities. *Hum. Reprod. Update*, 1, 505–514.
- Van Blerkom, J., Davis, P., Merriam, J. and Sinclair, J. (1995): Nuclear and cytoplasmic dynamics of sperm penetration, pronuclear formation and microtubule organization during fertilization
-

- and early preimplantation development in the human. *Hum Reprod Update*, 1, 429-461.
- Van Blerkom, J. & Henry, G. (1992) Oocyte dysmorphism and aneuploidy in meiotically mature human oocytes after ovarian stimulation. *Human Reproduction* 7: 379-90.
- Van Blerkom, J. (1996) The influence of intrinsic and extrinsic factors on the developmental potential of chromosomal normality of the human oocyte. *Journal of the Society of Gynecological Investigation* 3: 3-11.
- Van Os HC, Roozenburg BJ, Janssen-Capers HA, et al: Vaginal disinfection with povidone iodine and the outcome of in-vitro fertilization. *Hum Reprod* 1992; 7: 349.
- Van Os, H. C., Alberda, A. T., Janssen-Caspers, H. A. B. et al. The influence of the interval between in-vitro fertilization and embryo transfer and some other variables on treatment outcome. *Fertil. Steril.*, 1989; 51, 360-362.
- Van Steirteghem AC, Van der Elst J, Van der Addele E, et al. Cryopreservation of supernumerary multicellular human embryos obtained after intracytoplasmic sperm injection programs. *Fertil Steril* 1994; 62: 775-80.
- Van Weering HG, Schats R, McDonnell J, Vink JM, Vermeiden JP, Hompes PG. The impact of the embryo transfer catheter on the pregnancy rate in IVF. *Hum Reprod* 2002;17:666 –70.
- Vaught, L. K., Stratton, C. J., Julain, P. et al. An improved system for catheter loading during embryo transfer. *J. In-vitro Fertil. Embryo Transfer*, 1987; 4, 346-348.
- Veeck, L.L. (1986): Morphological estimation of mature oocytes and their preparation for insemination: In Jones H.W, Jones GS, Hodgen GD, et al., (eds.): *In vitro fertilization* Norfolk. Williams Wilkins. Baltimore, London, Los Angeles, Sydney, P.81.
- Veeck, L.L. (1990): The morphology assessment of human oocytes and early conception. In Keel B.A. and Webster B.W. (eds). *Handbook of laboratory diagnosis and treatment of infertility*. CRC Press. Boca Raton. F.L. pp. 353.

- Veeck, L.L., Wortham, J.W. and Witmyer, J.(1983): Maturation and fertilization of morphologically immature human oocytes in program of In vitro fertilization. *Fertil Steril*; 39 : 594.
- Veiga A et al. Laser blastocyst biopsy for preimplantation diagnosis in the human. *Zygote*, 1997,5:351-354.
- Vlaisavljevi V, Kovai B, Relji M, Lovrec V G and Sajko M. is there any benefit from the culture of a single oocyte to a blastocyst-stage embryo in unstimulated cycles? *Hum Reprod*, 2001, 16, 2379-2383.
- Waldenstrom U, Hellberg D, Nilsson S. Low-dose aspirin in a short regimen as standard treatment in in-vitro fertilization: a randomized, prospective study. *Fertil Steril* 2004; 81: 1560-4.
- Waterstone, J., Curson, R. and Parsons, J. Embryo transfer to low uterine cavity. *Lancet*, 1991; 337, 1413.
- Weakley, U.S.: Electron microscopy of the oocyte and granulosa cells in the developing ovarian follicles of the golden hamster (*Mesocricetus auratus*). *J. Anat* 100: 503.
- Webster, J. (1986) Embryo replacement. In Fishel, S. and Symonds, E.M. (eds) *In Vitro Fertilization: Past, Present and Future*. IRL Press, Oxford, p. 127–134.
- Wikland M, Hamberger L, ultrasound as a diagnostic and operative tool for in vitro fertilization and embryo replacement(IVF/ER) programs. *J IVF & ET* 1984; 1:213-16.
- Wisanto A, Janssens R, Deschacht J, Camus M, Devroey P, Van Steirteghem AC. Performance of different embryo transfer catheters in a human in vitro fertilization program. *Fertil Steril* 1989;52:79–84.
- Wittermer C, Bettahar-Lebugle K, Ohl J, Rongieres C, Nisand I and Gerlinger P. Zygote evaluation: an efficient tool for embryo selection *Human Reprod*. 2000 15, 2591-7.
- Wolf DP, et al: Sperm concentration and the fertilization of human eggs in vitro. *Biol Reprod*, 31:837, 1984.Quoted from: Damewood MD (ed.). *The Jons Hopkins Handbook of In Vitro fertilization and Assisted Reproductive Technologies*, Little-rBrown and Company, 1990.

- Wood c ., Trounson A.o.: Historical prespectives of IVF in Trounson A.O., Gardner D.K (eds) Handbook of IVF, Boca Raton, . london, New yourk, washing ton, 1999 ; 1:1-14
- Wood G, Hausmann E, Cloudluri R: Relative role of CSF-1, MCP-I/JE and RANTES in macrophage recruitment during successful pregnancy. *Mol Reprod Develop* 1997; 46: 62-70.
- Wood, E. G., Batzer, F. R., Go, K. J., Gutmann, J. N. and Corson, S. L. Ultrasound-guided soft catheter embryo transfers will improve pregnancy rates in in-vitro fertilization. *Hum. Reprod.*, 2000; 15, 107-112.
- Woolcott, R. and Stanger, J. Potentially important variables identified by transvaginal ultrasound-guided embryo transfer. *Hum. Reprod.*, 1997; 12, 963-966.
- Woolcott, R. and Stanger, J. (1998) Ultrasound tracking of movement of embryo-associated air bubbles on standing after transfer. *Hum. Reprod.*, 13, 2107–2109.
- Wrambsy, H., Kullander, K. and Liedholm, P.(1981): The success rate of In vitro fertilization of human oocytes in relation to the concentration of different hormones in follicular fluid and peripheral plasma. *Fertil Steril*; 36:448.
- Wu CH, Winkel CA:The effect of therapy initiation day and clomiphene citrate therapy. *Fertil Steril*; 1989; 52:564.
- Yanagimachi R and Noda YD (1970). Ultrastructural changes in the hamster sperm head during fertilization. *J Ultrastruct Res* 31: 465.
- Yang WH, Lin LL, Wang JR and Chang MC (1972). Sperm penetration through zona pellucida and perivitelline space in the hamster. *J Exp Zool* 179: 191.
- Yaniv S, Eitan O, Jaffa AJ, Elad D. Biofluid aspect of embryo transfer. *Bioengineering Conference ASME* 2001; BED-Vol 50, 2001.
- Zamboni, L. (1974): Fine morphology of the follicle wall and follicle cell-oocyte association. *Biol Reprod.* 10:125.
- Zech, H., Stecher, A., Riedler, I. et al. High implantation rate with a fast and atraumatic embryo transfer technique. *Hum. Reprod.*, 1997; 12, 156.
-

- Zhang X, C. Chen, E. Confino, R. Barnes, M. Milad, R. Kazer: Increased endometrial thickness is associated with improved treatment outcome for selected patients. *Fertility and Sterility*, Volume 83, Issue 2, 2005, 336-340.
- Zhou Y, Damsky CH, Chiu K, et al: Preeclampsia is associated with abnormal expression of adhesions molecules by invasive cytotrophoblast. *J Clin Invest* 1993; 91: 950-60.
- Zollner K P, Zollner U, Schneider M, Dietl J, Steckacd T. Comparison of two media for sequential culture after IVF and ICSI shows no differences in pregnancy rates: a randomized trial. *Med Sci Monit*, 2004; 10: 1-7.
- Zreik TG, Garcia-Velasco JA, Vergara TM, Ariel A, Olive D, Jones EE. Empty follicle syndrome: evidence for recurrence. *Hum Reprod* 2000; 15: 999-1002.