

REFERENCES

(A)

Adams, J.; franks, S. and Polson, D.W. (19985) :

Cystic ovaries, clinical and endocrine features and response to pulsatile LH-RH in women with polycystic and multicystic ovaries. Clinical in obstet. Gynecol., 12:625.

Adams, J.; Polson, D.W. and Franks, S. (1986) :

Prevalence of polycystic ovaries in women with anovulation and idiopathic hirsutism. BMJ., 293 : 355-359, 1986.

Adashi, E.Y.; Hsueh, A.J.W. and Yen, S.S.C. (1981) :

Insulin enhancement of luteinizing hormone and follicle-stimulating hormone release by cultured pituitary cells. Endocrinology, 108 : 1441.

Agarwal, S.K.; Judd, H.L. and Magoffin, D.A. (1996) :

A mechanism for the suppression of estrogen production in polycystic ovary syndrome. J. Clin. Endocrinol. Metab., 81(10): 3686-91.

Aleem, F.A. and Predanic, M. (1996) :

Transvaginal color Doppler determination of the ovarian and uterine blood flow characteristics in polycystic ovarian disease. Fertil. Steril., 65(3) : 510-6.

American Diabetes Association (ADA) (2002) :

Screening for diabetes, Diabetes Car, 25 : s21-4.

Ardaens Y., Robert Y., Lemaitre L., Fossatre P., Dweailly D. (1991) :

Polycystic ovarian syndrome : Contribution of vaginal endosonography and reassessment of ultrasonic diagnosis. Fertil. Steril. 55 : 1062-8.

Arslanian SA., Lewy VD, Danadian K. (2001) :

Glucose intolerance in obese adolescents with polycystic ovary syndrome : roles of insulin resistance and beta-cell dysfunction and risk of cardiovascular disease. *J. Clin Endocrinol Metab* 86(1) : 66.

Ausems, EWMA; van der Kamp, J.K. and Baak, J.P.A.(1985) :

Nuclear morphometry in the determination of the prognosis of marked atypical endometrial hyperplasia. *Int. J. Gynecol. Pathol.*, 4 : 180-185.

Aziz R., Black V., Hines G.A., Fox L.M. and Boots L.R., (1998) :

Adrenal androgen excess syndrome in the PCO : Sensitivity and responsivity of the hypothalamic-pituitary-adrenal axis.

Azziz R., Ehrmann D., Legro RS., Whitcomb RW, Hanley R., Fereshetian AG, O'Keefe M., Ghazzi MN (2001) :

Troglitazone improves ovulation and hirsutism in the polycystic ovary syndrome:a multicenter, double blind,placebo-controlled trial. *J. Clin Endocrinol Metab* 86(4) : 1626.

Azziz R., Kashar-Miller MD., (2000) :

Family history as a risk factor for the polycystic ovary syndrome. *J. Pediat Endocrinol metabol*, 13 : 1303-6.

(B)

Baird DT, Kelly R. W. and Smith S.K. (1981) :

Endocrinology of dysfunctional uterine bleeding. The role of endometrial prostaglandins in : Crosingnani PG and Rubin BL (eds). *Endocrinology of human infertility* P.339-417. (London Academic press UK).

Balen A., (2001) :

Polycystic ovary syndrome and cancer. *Hum Reprod Update*, 7: 522-5.

Balen A., Michelmores K. (2002) :

What is polycystic ovary syndrome? Are national views important? Hum Reprod, 17 : 2219-27.

Balen, A.H. (1999) :

Polycystic ovary syndrome : Mode of treatment. In : Female Infertility Therapy Current Practice (Shohem, A., Howles, C., Jacobs, H., Eds.), Martin-Dunitz, Ltd. London, P.45.

Balen, A.H., Conway, G.S. and Kallias, G. (1995) :

Polycystic ovary syndrome : The spectrum of the Disorder in 1741 patients. Hum. Reprod.; 8 : 2107-11.

Barbieri R.L., Smith S. and Ryan K.J., (1988) :

The role of hyperinsulinaemia in the pathogenesis of ovarian hyperandrogenism. Fertil Steril; 50; 197.

Battaglia, C.; Artini, P.; D'Ambrogio, G. and Genazzani, A. (1995) :

The role of color Doppler ultrasonography in the diagnosis of polycystic ovarian syndrome. Am. J. obstet. Gynecol., 172:108.

Battaglia, C.; Artini, P.G.; D'Ambrogio, G.; Genazzani, A.D. and Genazzani, A.R. (1995) :

The role of color Doppler imaging in the diagnosis of polycystic ovary syndrome. Am. J.Obstet.Gynecol.,172:108-13.

Battaglia, C.; Larocca, E.; Lanzoni, A.; Valentini, M. and Genazzani, A. (1990) :

Doppler ultrasound studies of the uterine arteries in spontaneous and IVF stimulated ovarian cycles. Gynecol. Endocrinol., 4 : 245.

Battaglia C, Artini P. G. and Salvatori M. (1998) :

Ultrasonographic patterns in polycystic ovaries : color Doppler and hormonal correlations, Ultrasound, Obstet. Gynecol. 11:332-6

Battalglia C, Artini P. G. and Genazzani A.D. (1996) :

Color Doppler analysis in lean and obese women with polycystic ovary syndrome. *Ultrasound Obstet. Gynecol.* 7, 342-346.

Ben-Rafael Z. and Orvieto R., (2000) :

Polycystic ovary syndrome : a single gene mutation or an evolving set symptoms. *Curr opin Obstet Gynecol* 12(3) : 169.

Bergh C, Carrison B, Olson J, Sellekog U and Hillens JO (1993):

Regulation of androgen production in cultured human thecal cells by insulin like growth factor I and insulin. *Fertil. Steril.* 59: 323.

Beutler, H.H.; Dockerty, M.B.; and Randall, L.M. (1983) :

Precancerous lesions of the endometrium. *Am. J. Obstet. Gynecol.*, 86 : 433-443.

Birdsall, M. A.; Fraquhar, C.M. and White, H.D. (1997) :

Association between polycystic ovaries and extent of coronary artery disease in women having cardiac catheterization. *Ann. Intern. Med.*, 126 : 32-35.

Bjercke S., Dale PO., Tanbo T., Storeng R., Ertzeid G., Abyholm T., (2002) :

Impact of insulin resistance on pregnancy complications and outcome in women with polycystic ovary syndrome. *Gynecol Obstet Invest*, 54 : 94-8.

Boham-Velez, M. and Mendelson, E.B. (1992) :

Transvaginal sonography applications, equipment and technique. In *Transvaginal ultrasound*, 1st ed., Eds. Nyberg, D.A., Hill, L.M., Bohman-velez, M. and Mendelson, E.B., Mosby Year Book, New York, P-P. 1-20.

Bonney R.C., Watson H., Beesley J.S., Higham J., Rogers V. and Frankes S., (1992) :

“Endometrial phospholipases A2, Polycystic Ovaries”, Br. J. Obstet. Gynecol; 99 : 484-91.

Botsis, D.; Kassanos, D.; Pyrgiotis, E. and Zourlas, P.A. (1995) :

Sonographic incidence of polycystic ovaries in a gynecological population. Ultras. Obstet. Gynecol., 6(3) : 182-185.

Burghen G.A., Givens J.R. and Kitabachi A.E., (1980) :

Correlation of hyperandrogenism with hyperinsulinism in polycystic ovarian disease. J. Clin. Endocrinol. Metab.; 50: 113-6.

(C)

Carmina, E. and Lobo, R.A. (1999) :

Polycystic ovary syndrome (PCOS) : Arguably the most common endocrinopathy is associated with significant morbidity in women. J. Clin. Endocrinol. Metab., 84(6):1897-1899

Carmina, E.; Koyama, T.; Change, L.; et al., (1992) :

Does ethnicity influence the prevalence of adrenal hyperandrogenism and insulin resistance in polycystic ovary syndrome? Am. J. Obstet. Gynecol., 167 : 1807-1812.

Chabab A., Hedon B., Arnal F., Diafouka F., Bressot N. and Flandre O., (1986) :

Follicular steroids in relation to oocyte development in human stimulation protocols. Hum. Reprod.; 1 : 449.

Chang R.J., Nakamura R.M., Judd H.L. and Kaplan S.A., (1983):

Insulin resistance in non-obese patients with polycystic ovarian disease. J. Clin Endocrinol Metab; 57 : 356.

Chang, R.J. and Katz, S.E. (1999) :

Diagnosis of polycystic ovary syndrome. Endocrinol. Metab. Clin. North. Am., 28(2) : 397-408.

Change, R.J., Mandel, F.P.; Lu, K.H. and Judd, H.L. (1982) :

Enhanced disparity of gonadotropin secretion by estrone in women with polycystic ovary disease. J. Clin. Endocrinol. Metab., 54 : 1265.

Chappel S.C., Resko J.A., Norman R.L. and Spies H.G., (1981) :

Studies on rhesus monkeys on the site where estrogen inhibits gonadotropins : delivery of 17-B estradiol to the hypothalamus and pituitary gland. J. Clin. Endocrinol. Metab.; 52: 1-8.d

Cheung, A.P. (2001) :

Hyperplasiam and polycystic ovary syndrome. The American College of Obst. & Cyn., Vol. 98, No.2, August, 2001.

Cheung, A.P. and Change, R.J. (1995) :

Pituitary responsiveness to gonadotropin-releasing hormone agonist stimulation. A dose-response comparison of luteinizing hormone / follicle-stimulating hormone secretion in women with polycystic ovary syndrome and normal women. Hum. Reprod., 10 : 1054.

Ciampelli, M.; Guido, M.; Cueinelli, F.; Cinque, B.; Barini, A. and Lanzone, A. (2000) :

Hypothalamic-pituitary-adrenal axis sensitivity to opioids in women with polycystic ovary syndrome. Fertil. Steril., 73(4) : 712-7.

Ciarldi T.P., Morales A.J. and Hickman M.G., (1998) :

Reduction of gonadotropinm releasing hormone pulse frequency is associated with subsequent selective follicle stimulating hormone secretion in women with PCOD. J. Clin. Endocrinol Metab; 72 : 1278.

Clayton, R.N.; Ogden, V.; Hodgkinson, J.; Worswick, L.; Rodin, D.A.; Dyer, S. and Meade, T.W. (1992) :

How common are polycystic ovaries in normal women and what is their significance for the fertility of the population? Clin. Endocrinol, 379 : 127-134.

Coleman, B.G.; Arger, P.H. and Grumbach, K. (1988) :

Transvaginal and transabdominal sonography : Prospective comparison. Radiology, 168 : 639.

Colgan, T.J.; Norris, J.H.; Foster, W.; Kurman, R.J. and Fox, C.H. (1983) :

Predicting the outcome of endometrial hyperplasia by quantitative analysis of nuclear features using a linear discriminate function. Int. J. Gynecol. Pathol., 1 : 347-352.

Conway, G.S.; Agrawal, R.; Betteridge, D.J. and Jacobs, H.S. (1992) :

Risk factors for coronary artery disease in lean and obese women with the polycystic ovary syndrome. Clin. Endocrinol., 37 : 119-125.

Cooper, H.E.; Spellacy, W.N.; Prem, K.A. and Cohen, W.D. (1968) :

Hereditary factors in Stein-Leventhal syndrome. Am. J. Obstet. Gynecol., 100 : 371-378.

Costello MF, Eden JA., (2003) :

A systematic review of the reproductive system effects of metformin in patients with polycystic ovary syndrome. Fertil Steril, 79 : 1-13.

Costello Michael F. (2005) :

Polycystic ovary syndrome, a management update, Australian family physician Vol. 34, No.3, March 2005.

Cullberg, G.; Hamberger, L.; Mattsson, L.A.; Mobacken, H. and Samsioe, G. (1985) :

Lipid metabolic ovary syndrome during treatment with a low-dose desogestrel-ethinylestradiol combination. Acta Obstet. Gynecol. Scand., 64 : 203-207.

(D)

Dahlgren, E.; Janson, P.O.; Johansson, S.; Lapidus, L. and Oden, A. (1992) :

Polycystic ovarian syndrome and risk for myocardial infarction. Evaluated from a risk factor model based on a prospective population study of women. Acta. Obstet. Gynecol. Scand., 71 : 599-604.

David S. Guzisk, MD, PhD. (2001) :

Polycystic ovary syndrome, obstetric and gynecology clinics of north America. March 2001.

Dewailly, D.; Robert, and Hellin, I. (1994) :

Ovarian Stromal Hypertrophy in hyperandrogenic women. Clinic Endocrinal.; 1 : 557-562.

Diamanti-Kandarakis E., Baillargeon, JP, Iuorno MJ, Jakubowicz DJ, Nestler JE., (2003) :

A modern medical quandary : polycystic ovary syndrome, insulin resistance, and oral contraceptive pills. J Clin Endocrin Metab, 88 : 1927-32.

Dickerman, Z.; Grant, D.R.; Faiman, C.; et al., (1984) :

intradermal steroid concentrations in man: zonal differences and developmental changes. J. clin. Endocrinol. Metab., 59: 1031-1036.

Donesky BE, Adashi EY. (1996) :

Surgical ovulation induction : the role of ovarian diathermy in polycystic ovary syndrome. Bailliere's Clin Obstet Gynaecol 10 : 293.

Donesky BW and Adashi EY. (1995) :

Surgically induced ovulation in the polycystic ovary syndrome: Wedge resection revisited in the age of laparoscopy. Fertil Steril 63 : 439.

Dunaif A and Thomas A (2001) :

Current concepts in the polycystic ovary syndrome. Annu Rev. Med 52 : 401.

Dunaif, A. (1997) :

Insulin resistance and the polycystic ovary syndrome : mechanisms and implications for pathogenesis . Endocr. Rev., 18 : 774-780.

Dunaif, A.; Graf, M.; Mandeli, J.; Laumas, V.; Dobrjansky, A. (1987) :

Characterization of groups of hyperandrogenic women with acanthosis nigricans, impaired glucose tolerance and/or hyperinsulinemia. J. Clin. Endocrinol. Metab., 65 : 499-507.

Dunaif, A.; Xia, J.; Book, C.B., et al., (1995) :

Excessive insulin receptor serine phosphorylation in cultured fibroblasts and skeletal muscle : a potential mechanism for insulin resistance in the polycystic ovary syndrome. J. Clin. Invest., 96 : 801-810.

(E)

Eden J. A., Jan Place E., Grahame D, Jones J, Alaghband-Zadeh J. and Pawson M. (1989) :

The diagnosis of Polycystic ovary in subfertile women. Br. J. Obstet. Gynecol. 96 : 809-15.

Eden J.A., Carter G.D., Place J., Jones, J., Alghband-Zadeh and Pavson M., (1989) :

“Elevated free androgen index in an indicator of polycystic ovaries in oligomenorrhea without obesity or hirsutism” Ann. Clin. Biochem. 25, 364, 1988. Br. J. Obstet. Gynecol.; 96 : 809.

Edman C.D. and MacDonald P.C., (1988) :

“Effect of Obesity on conversion of plasma androstenedione to estrone in ovulatory and anovulatory young women”, Am. J. of Obstet, Gynecol.; 130-456.

Ehrmann D.A., Cavaghan M.K. and Imperial J., (1997b) :

Effects of metformin on insulin secretion, insulin action, and ovarian steroidogenesis in women with polycystic ovary syndrome. J. Clin. Endocrinol. Metab.; 82, 524-530.

Ehrmann DA (1999) :

Insulin-Lowering therapeutic modalities for polycystic ovary syndrome. Endocrinol Metab Clin North Am Jun 28(2) : 423.

Erickson G.F., (1986) :

An analysis of follicle development and ovum maturation. Semin Reprod. Endocrinol.; 46 : 55-9.

(F)

Farquhar C.;Birdsall, Manning P., Mitchell J. and France J., (1994):

The prevalence of polycystic ovaries on ultrasound scanning in a population of randomly selected women. Aus. NZ J Obstet Gynaecol; 34 : 67.

Ferenczy, A.; and Gelfand, M. (1989) :

The biological significance of cytological atypia in progestogentreated endometrial hyperplasia. Am. J. Obstet. Gynecol., 160 : 126-133.

Ferrannini, E. (1993) :

Syndrome X. Horm. Res., 39 (Supp. 3) : 107-111.

Feriman D., Gallwey JD., (1961) :

Clinical assessment of body hair growth in women. J clin Endocrinal metab 21 : 1440-1447.

Fiad, I.M.; Cunningham, S.K. and McKenna, T.J. (1996) :

Role of progesterone deficiency in the development of LH and androgen abnormalities in polycystic ovary syndrome. Eur. J. Endocrinol., 135 (3) : 335.

Findlay J.K., (1993) :

An update on the roles of inhibin, activin and follistatin as local regulators of folliculogenesis. Biol. Reprod.; 48, 15-23.

Fleischer, A.C. and Kepple, D.M. (ed) (1991) :

Normal pelvic anatomy as depicted by Transvaginal sonography, New York, P-P. 529-549.

Franks, J.; Gharani, N.; Waterworth, D.; et al., (1997) :

The genetic basis of polycystic ovary syndrome. Hum. Reprod., 12 : 2641-2648.

Franks, S. (1995) :

Polycystic ovary syndrome. N. Engl. J. Med., 333 : 853-861.

Franks, S. and White, D. (1999) :

Gonadotropin regimens. In : Evidence based fertility treatment. Templeton, A.; Cooke, I. and O'Brein, P.M.S. Editors, R.C.O.G. Press, P.178.

Fruzzetti, F.; Delorenzo, D.; Ricci, C.; et al., (1995) :

Ovarian influence on adrenal androger secretion in polycystic ovary syndrome. Fertil. Steril. 63 : 734-741.

(G)

Gaede, P.; Vedel, P.; Parving, H.H. and Pedersen, O. (1999) :

Intensified multifactorial intervention in patients with type 2 diabetes mellitus and microalbuminuria : the steno type 2 randomized study. Lancet, 353 : 617-622.

Gambrell, R. Jr.; and Bagnoll, C.A. (1983) :

Role of oestrogen and progesterone the etiology of prevention of endometrial cancer review. Am. J. Obstet. Gyn., 146 : 696-707.

Giudice IC., (1992) :

Follicular fluid insulin like growth factor binding protein profiles in polycystic ovarian syndrome Clin. Endocrinol. Metab. 74 : 695.

Glueck CJ, Wang P. Kobayashi S., Phillips H., Sieve-Smith L., (2002):

Metformin therapy throughout pregnancy reduces the development of gestational diabetes in women with polycystic ovary syndrome. Fertil Steril, 77 : 520-5.

Goldhiezer J. W. (1982) :

Polycystic ovarian disease. IN : Wallach E. and Kemper R. (ed). Modern trends in infertility and conception control, 65-82.

Goldhiezer J. W., (1981) :

Polycystic ovarian disease. Fertil. Steril. 35 : 371.

Goldhiezer J.W. and DiZereg G. S. (1985) :

Polycystic ovary disease. In Shearman RP. (ed). Clinical Reproductive Endocrinology. Churchil Lifvingstone-UK. P.406.

Goldzieher, J. W. (1981) :

Polycystic ovarian disease. Fertil. Steril., 35 : 371.

Goldzieher, J.W.; Pena, A. and Aivaliotis, M.M. (1978) :

RIA of androstenedione, testosterone and hydroxyandrostenedione after chemotherapy on lipidex. J. Steroid Biochem., 9:169.

Gordon C. M. (1999) :

Menstrual disturbances in adolescents. Excess androgens and the polycystic ovary syndrome. *Pediatr. Clin. North. Am.* 46 (30 : 519-43).

Govind, A.; Obhrai, M.S. and Clayton, R.N. (1999) :

Polycystic ovaries are inherited as an autosomal dominant trait : analysis of 29 polycystic ovary syndrome and 10 control families. *J. Clin. Endocrinol. Metab.*, Jan., 84 (1) : 38.

Grandberg, S.; Wilkand, M.; Karlsson, B.; Norstrom, A. and Friberg, L.G. (1997) :

Endometrial thickness as measured by endovaginal us for identifying endom. Obnormalities, *AM. J. Obstet. Gynecol.*; 164: 47-52.

Grant, E. G. (1992) :

Benign Conditions of the ovaries. Mosby Year Book, New York, P-P. 187-208.

Gratton, D. : Harrington, C.; Holt, S.C. and Lyons, E.A. (1991) :

Normal Pelvic anatomy using Transvaginal scanning obstet. *Gynecol. Clinics of North America*; 18 : 693-711.

Grunwald K., Rabe T. and Runnebaum B. (2000) :

Physiology of the menstrual cycle. In manual on assisted reproduction. Rabe T., Piedrich K. and Runnebaum B (Eds.) Springer-Verk G., Berlin, P.23.

Grunwald, K.; Rabe, T. and Runnebaum, B. (2000) :

Physiology of the menstrual cycle. In manual on assisted reproduction. Rabe, T.; Diedrich, K.; Runnebaum, B. (Eds.). Springer-Verlag, Berlin, P.23.

(H)

Haffner S. M., Stern M. P. and Hazuda H. P. (1986) :

Role of Obesity and fat distribution in non-insulin dependent diabetes mellitus. Diabetes 9. : 153.

Halpin D.M.G., Jones A., Fink G. and Charlton H.M., (1986) :

Postnatal ovarian follicle development in hypogonadal (HPG) and normal mice associated changes in the hypothalamic-pituitary axis. J. Reprod. Fertil.; 77 : 287-96.

Hamilton-Fairley D. and Pearce J., (1993) :

Polycystic ovary syndrome. In ASCHR, Studd J. editors. Annual progress in reproductive medicine; PP. 71.

Hancock, K.W.; Oakey, R.E. and Glass, M.R. (1987) :

Treatment of PCOD. Recent advances in Obstetrics and Gynecology, No. 15 : 239-253.

Harris, M.I. (1993) :

Undiagnosed NIDDM : Clinical and Public Health Issues. Diabetes Care, 16 : 642-643.

Harris, M.I.; Klien, B.E.; Welborn, T.A. and Knusman, M.N. (1992) :

Onset of NIDDM occurs at least 4-7 years before clinical diagnosis. Diabetes Care, 15 : 815-819.

Hassan MA, Killick SR., (2003) :

Ultrasound diagnosis of polycystic ovaries in women who have no symptoms of polycystic overay syndrome is not associated with subfecundity or subdfertility. Fertil Steril, 80 : 966-75.

Hendrickson, M.R. and Kempson, R.L. (1980) :

Surgical pathology of the uterine corpus. In : Major problems in pathology. Edited by Bennington. JL. WB Saunders, Philadelphia and London : 285.

Hershlag A. and Peterson C.M., (1996) :

Endocrine disorders. In Berek JS, Adashi EY, Hillard PA editors. Novak's Gynecology (12th edition). Baltimore Maryland : Williams and Wilkins; 837.

Hillier S.G., Van Den Boogard A.M.J., Reichert L.E. and Van Hall E.B., (1980) :

Interaovarian sex steroid acute hormone interaction and the regulation of follicular maturation : aromatization of androgens by human granulosa cells in vitro. J. Clin. Endocrinol. Metab.; 50 : 640-7.

Hoeger K. (2001) :

Obesity and weight loss in polycystic ovary syndrome. Obstet Gynecol clin north Am Mar; 28(1) : 85.

Hoff J.D., Quigley N.E. and Yen S.S.C., (1983) :

Hormonal dynamics in mid-cycle : are evaluation. J. Clin. Endocrinol. Metab.; 57 : 792-6.

Hoffman, D.I.; Klove, K. and Lobo, R.A. (1984) :

The prevalence and significance of elevated dhydro-epiandrosterone sulfate levels in anovulatory women. Fertil. Steril., 42 : 76-81.

Honegger, A. and Bundell T., (1983) :

A computer graphics study of insulin-like growth factor and their receptor interactions. In Spencer E.M. (ed), insulin like growth factor I somatomedins. (W. de Gruyter. Berlin. New York. 97).

Hseuh A.J., Adashi E.Y., Jones P.B. and Welsh T.H.Jr., (1984) :

Hormonal regulation of the differentiation of cultured ovarian granulosa cells. Endocr.; Rev. 5 : 76-127.

Hughersdon P. E. (1982) :

Morphology of the Stein-Leventhal ovary and of So-called “hyperthecosis”. *Obstet. Gynecol. Survey* 37 : 59.

(I)

Ibanez, L.; Potau, N.; Virdis, R.; et al., (1993) :

Postpubertal outcome in girls diagnosed of premature pubarche during childhood : Increased frequency of functional ovarian hyperandrogenism. *J.Clin.Endocrinol.Metab.*, 76 : 1599-1603.

(J)

Jacobs H. S. (1991) :

The LH hypothesis. In : Shaw R. W. (ED) *Polycystic ovaries : a disorder or a syndrome?* P. 91-8 (Canforth : Parthenon- USA).

Jacobs H.S., (1987) :

“Polycystic ovaries and polycystic ovary syndrome”, *Gynecological Endocrinology*; 1 : 113.

Jakubowicz DJ, Iuorno MJ., Jakubowicz S., Roberts KA., Nestler JE (2002) :

Effects of metformin on early pregnancy loss in the polycystic ovary syndrome. *J. Clin Endocrinol Metab*, 87 : 524-5.

Jeffcoate T. N. A. (1980) :

The androgenic ovary, with special reference to the Stein-Leventhal syndrome. *Clin. Endocrinol.*, 12 : 177.

Jones G. and Janers T. (1981) :

Regulation of folliculogenesis. *Endocrinal*; 100 : 155.

Judd, H.L.; Shamonk, J.M. and Lagasee, L.D. (1982) :

Origin of serum estradiol in postmenopausal women. *Obstet. Gynecol.*, 59 : 680.

(K)

Kaltsas, G.A.; Korbonits, M.; Isidorl, A.M.; Webb, J.A.; Trainer, P.J.; Monson, J.P.; Besser, G.M. and Grossman, A.B. (2000) :

How common are polycystic ovaries and the polycystic ovarian syndrome in women with Cushing's syndrome? Clin. Endocrinol. (Oxf.), Oct.; 53(4) : 493-500.

Kazer, R.R. (1995) :

Current concepts in polycystic ovary syndrome. In : Rock, J.A.; Faro, S.; Gant, N.F.; Horowitz, I.R. and Murphy, A.A.(eds.) : Advances in Obstetrics and Gynecology (Vol. 20, Mosby-Year Book, Inc., Chicago Illinois, PP.199-218.

Kazer, R.R.; Liu, C. and Yen, S. (1987) :

Dependence of mean levels of circulating luteinizing hormone upon pulsatile amplitude and frequency. J. Clin. Endocrinol. Metab., 65 : 796.

Kiddy, D.; Hamilton-Fairley, D.; Bush, A.; Short, F.; Anyaoku, V. and Reed, M. (1992) :

Improvement in endocrine and ovarian function during dietary treatment of obese women with polycystic ovarian syndrome. Clin. Endocrinol., 36 : 105.

Knochehauer, E.S.; Key, T.J.; Kahsar-Miller, M.; et al., (1998) :

Prevalence of the polycystic ovary syndrome in unselected black and white women of the south-eastern United States : A prospective study. J. Clin. Endocrinol. Metab., 83 : 3087-3082.

Knowler WC., Barrett-Conner E., Fowler SE, Hamman RF, Lachin JM, Walker EA, Nathan DM. (2002) :

Diabetes prevention program research Group. Reduction in the incidence of type 2 diabetes with lifestyle intervention or metformin, N Engl J. Med, 346 : 393-403.

Kobayashi M., Nakano R. and Obshima A., (1990) :

Immunohistochemical localization of pituitary gonadotropin and gonadal steroids confirms the two cells two gonadotropins hypothesis of steroidogenesis in human ovary. J. endocrinol.; 126 : 483-8.

Kovacs, G. and Wood, C. (2001) :

The current status of polycystic ovary syndrome. Aust. N.Z.J., Obstet. Gynecol., Feb.; 41 (1) : 65-8.

Kurman, R.J.; and Norris, H. J. (1982) :

Evaluation of criteria for distinguishing atypical endometrial hyperplasia from well-differentiated carcinoma. Cancer, 49 : 2547-2559.

Kurman, R.J.; Kaminski, P.F.; and Norris, N.J. (1985) :

The behavior of endometrial hyperplasia : A long term study of "Untreated" hyperplasia in 170 Patients. Cancer, 56 : 403-412.

(L)

Laatikainen, T.J.; Apter, D.L. and Paavonen, J.A. (1980) :

Steroids in ovarian and peripheral venous blood in polycystic ovarian disease. Clin. Endocrinol., (Oxf.), 13 : 125.

Lanchelin G. (1984) :

The polycystic ovarian syndrome. Progress in Obstet. Gynecol. 4 : 290.

Lapidus, L.; Bengtsson, C.; Larsson, B.; et al., (1984) :

Distribution of adipose tissue type and risk of cardiovascular disease and death : A 12-year follow up of participants in the population study of women in Gottenburg, Sweden. BMJ., 289: 1257-1261.

Lating, F.C. (1991) :

Technical aspects of vaginal ultrasound, semin us; 11 : 4-11.

Lavery, M.J. and Benson, B.C. (1991) :

Transvaginal versus transabdominal ultrasound. In : Transvaginal sonography, (2nd ed.) Edited by Timor-Tritsch I.E. and Rottem, S. Elseviere, New York, Amsterdam and Tokyo, 77.

Lee, K.R. and Scully, R.F. (1989) :

Complex endometrial hyperplasia and carcinoma in adolescents and young women 15-20 years of age : A report of 10 cases. J. Obstet. Gynecol. Pathol., 8 : 201-213.d

Lefebvre, P.; Binger, J.; Renard, E.; et al., (1997) :

Influences of weight body fat patterning and nutrition on the management of PCOS. Hum. Reprod., 12 (Suppl.1) : 72-81.

Legro RS., (2000) :

The genetics of obesity. Lessons for polycystic ovary syndrome. Ann NY Acad Sci : 900 : 193.

Legro RS., (2001) :

Diabetes prevalence and risk factors in polycystic ovary syndrome. Obstet Gynecol clin Nth America, 28 : 99-109.

Legro RS., Strauss JF., (2002) :

Molecular progress in infertility : Polycystic ovary syndrome. Fertil Steril, 78 : 569-76.

Legro, R.S.;Kunselman, A.R. and Dodson, W.C. and Dunaif, A. (1999):

Prevalence and predictors of risk for type 2 diabetes mellitus and impaired glucose tolerance in polycystic ovary syndrome : a prospective, controlled study in 254 affected women. J. Clin. Endocrinol. Metab., 84 : 165-169.

Leibman, A. J.; Krus, B. and Sweeneg, M.B. (1988) :

Transviaginal sonography : Comparison with Transabdominal sonography in the diagnosis of Pelvic masses, A.J.R.; 151:89-92.

Lenton E.A., Landgren B. and Sexton L., (1994) :

Normal variation in the length of the luteal phase of the menstrual cycle : identification of the short luteal phase. Br. J. obstet. Gynecol.; 91 : 685.

Levebevre P., Raingeard I., Renard E. and Bringer J. (2004) :

Long term risks of polycystic ovaries syndrome Gynecol Obstet Fertil. 32 (3) : 93-107.

Lillioja, S.; Mott, D.; Spraul, M.; et al., (1988) :

Insulin resistance and insulin secretory dysfunction as precuresors of non-insulin dependent diabetes mellitus. N. Engl.J. Med., 1988-1992.

Lithell, H.; Nillius, S.J.; Bergh, T. and Selinus, I. (1987) :

Metabolic profile in obese women with the polycystic ovary syndrome. Int. J. Obes. Relat. Etab. Disord., 11 : 1-8.

Lobo, R.A. (1995) :

Chronic anovulation and polycystic ovary syndrome. Treatment for infertility. In : Keye, W.R.Jr.; Chang, R.J.; Rebar, R.W.; et al., (eds.) : Infertility : Evaluation and Treatment. Philadelphia, W.B. Saunders, P.168.

Lord JM, Flight IHK, Norman RJ. (2004) :

Insulin sensitising drugs (metformin, troglitazone, rosiglitazone, pioglitazone, D-chiro-inositol) for polycystic ovary syndrome (Cochrance Review). In : The Cochrane library, Issue 2. Chichester, UK : John Wiley & Sons, Ltd.

Loverro G., Vicno M. Loruson F., Vimercati A., Greco P. and Selvaggi J. (2001) :

Polycystic ovary syndrome : relationship between insulin sensitivity, Sex hormone levels and ovarian stromal blood flow. Gynecol. Endocrinol. 15 : 147-149.

Lyons, E.A.; Gratton, D.; Harrington, C. (1992) :

Transvaginal sonography of normal pelvic anatomy. Radiologic clinics of North American; 30 : 663-675.

(M)

Magoffin D.A. and Jakimiuk A.J., (1997) :

Inhibin A, Inhibin B and Activin A in the Follicular fluid of regularly cycling women. Hum. Reprod.; Vol. 12, No.8, PP.1714-1719.

Mattsson, L.A.; Cullberg, G.; Hamberger, L.; Samsioe, G. and Silfverstolpe, G. (1984) :

Lipid metabolism in women with polycystic ovary syndrome : Possible implications for an increased risk of coronary heart disease. Fertil. Steril., 42 : 579-584.

Mc Donald K., Javahet G. and Z. G. (1978) :

Endometrial adenocarcinoma and Stein-Leventhal Syndrome. Obstet. Gynecol. 51 : 97.

Milewicz, A.; Silber, D. and Mielecki, T. (1983) :

The origin of androgen synthesis in polycystic ovarian syndrome. Obstet. And Gynecol., 61 : 601.

Mishell, D.R. (1992) :

Menopause.In:Comprehensive Gynecology,2nded. Droegemueller W, Werbst AL, Mishell DR, Stenchever MA (eds) : St. Louis, Mosby-Year Book, PP.1983-1984.

Moller, D.E. and Flier, J.S. (1991) :

Insulin resistance-mechanisms syndromes and implications. N. Engl. J. Med., 325 : 938-948.

Moran L., Norman R.J., (2004) :

Understanding and managing disturbances in insulin metabolism and body weight in women with polycystic ovary syndrome. Best Pract Res Clin Obstet Gynaecol, 18 : 719-36.

Moran, C. and Azziz, R. (2001) :

The role of the adrenal cortex in polycystic ovary syndrome. Obstet. Gynecol. Clin. North Am., Mar.; 28 (1) : 63-75.

Mowszowicz I, Raihi M. and Wright M. (1981) :

Androgen receptors in human skin J. Endocrinol. Metab. 52 : 338.

Must,A.,Jacques P.F.,Dallal G.E.,Bajema C.J.and Dietzet W.H.(1992) :

Long term morbidity and mortality in overweight adolescents : a follow-up of the Harvard growth study from 1922 to 1935. NW England J. Med. 327 : 1350.

(N)

Nardo LG., Rai R., Backos M, El-Gaddal S., Regan L., (2002) :

High serum luteinizing hormone and testosterone concentrations do not predict pregnancy outcome in women with recurrent miscarriage. Fertil Steril, 77 : 348-52.

Nardo, G., William M. B., Davina W., Alessandro G., Stephen F and Vik Khullar (2002) :

Three-dimensional assessment of ultrasound features in women with clomiphene citrate-resistant polycystic ovarian syndrome (PCOS) : ovarian stromal volume does not correlate with biochemical indices Human Reproduction 17 : 1052-1055.

National Health and Medical Research Council (2001) :

National evidence based based guidelines for the managment of type 2 diabetes mellitus, Available at : www.adea.com.au/resources/nhmrc2.html.

Nestler, J. E. (1998) :

Polycystic ovary syndrome : a disorder for the generalists. *Fertil. Steril.*, 70 : 811-812.

Nestler, J.E.; Clore, J.N.; Strauss, J.F., III, et al., (1987) :

The effect of hyperinsulinemia on serum testosterone, progesterone, dehydroepiandrosterone sulfate, and cortisol levels in normal women and in a woman with hyperandrogenism, insulin resistance and acanthosis nigricans. *J. Clin. Endocrinol. Metab.*, 64 : 180-184.

Nestler, J.E.; Jakubowicz, D.J.; Reamer, P.; et al., (1999) :

Ovulatory and metabolic effects of D-chiro-inositol in the polycystic ovary syndrome. *N. Engl. J. Med.*, 340 : 1314-1320.

Nolan JJ., Ludvik B., Beerdsen P. et al., (1994) :

Improvement in glucose tolerance and insulin resistance in obese subjects treated with troglitazone. *N.Engl.J.Med*331:1188

Norman RJ, Davies MJ, Lord J., et al., (2002) :

The role of lifestyle modification in polycystic ovary syndrome. *Trends Endocrinol metab*, 13 : 251-7.

Norman RJ, Wu R and Stankiewicz MT. (2004) :

Polycystic ovary syndrome. *MJA*, 180(2) : 132-137.

(O)

O’Rahilly S. and Moller D.E., (1992) :

Mutant insulin receptors in syndromes of insulin resistance. *Clin Endocr*; 36 : P.121.

Odwin, C.S.; Fleischer, A.C.; Keeple, D.M. and Chiang, D.T. (1990) :

Probe cover and disinfectants for Transvaginal transducers, J. Diag. Med. Sonography; 6 : 130-135.

Oei, M. and Kazer, R. (1992) :

Variability of Serum gonadotropins and dehydroepiandrosterone sulfate concentrations over time in women with polycystic ovarian. J. Reprod. Med., 12 : 974.

Orsini L.F. et al., (1985) :

Ultrasonic findings in polycystic ovarian disease. Fertil. Steril. 43 : 709.

Ovalle F., Azziz R. (2002) :

Insulin resistance, polycystic ovary syndrome, and type 2 diabetes mellitus. Fert steril, 77 : 1095-105.

(P)

Pache, T.D.; De Jong, F.H.; Hop, W.C. and Fauser, B.C.J.M. (1993) :

Association between ovarian changes assessed by Transvaginal sonography and clinical endocrine signs of Pcos. Fertil. Steril, 59 : 544-547.

Palter S.F. and Olive D.L., (1999) :

Reproductive physiology. In Novak's gynecology 12th edition; Vol. I : 149-172.

Pan H. A., Wu. M. H., Cheng Y. C., Li C. H. and Change F. M. (2002) :

Quantification of Doppler Signal in Polycystic ovary syndrome using three dimensional power Doppler ultrasonography A possible new marker for diagnosis. Human.Reprod.17;201-206.

Paoletti, A.M.; Cagnacci, A.; Soldani, R.; Orru, M.; Ajossa, S.; Pittorra, G.; Mulas, P. and Melis, G. (1995) :

Evidence that an altered prolactin release is consequent to abnormal ovarian activity in polycystic ovary syndrome. Fertil. Steril., 64(6) : 1094-8.

Paradisi, G.; Steinberg, H.O.; Hook, G.; et al., (1999) :

Troglitazone therapy improves endothelial function in women with polycystic ovary syndrome. *Diabetes*, 48 (Suppl. 1) : A128-A129.

Parisi L. et al., (1982) :

The role of ultrasound in the study of polycystic ovarian disease. *J. Clin. Ultrasound* 10 : 167.

Parisi L. et al., (1984) :

Polycystic ovarian disease : ultrasonic evaluation and correlation with clinical and hormonal data. *J. Clin Ultrasound* 12 : 21.

Pasquali, R.; Casmirri, F.; Venturoli, S.; et al., (1994) :

Body fat distribution has weight-independent effects on clinical, hormonal and metabolic features of women with polycystic ovary syndrome. *Metabolism*, 43 : 706-713.

Pasquali, R.; Vicennati, V. and Gambineri, A. (1998) :

Influence of weight and distribution of adipose tissue in functional hyperandrogenism. *Contracept. Fertil. Sex*, May; 26 (5) : 372.

Peisner, D.B. (1991) :

Transvaginal Sonography equipment, El. Sevier Publishing, New York, P-P. 29-47.

Penttilä T.A., Anttila L., Torma A., Koskinen P., Erkkola R., Irjala K. (1996) :

Serum free testosterone in PCOS measured with a new reference. *Fertil. Steril.* 65(1) : 55-60.

Podczaki, E.; Kaminiski, P.F.; and Zaino, R. (1993) :

CA 125 and CA 19-9 immunolocalization in normal, hyperplastic, and carcinomatous endometrium. *Cancer*, 71 : 2251-2556.

Poretsky L and Kalin H. F., (1987) :

The gonadotropin functions of insulin. Endocr. P. ev. 8 : 132.

Portensky, L. (1991) :

On the paradox of insulin-induced hyperandrogenism insulin resistant states. Endocr. Rev., 12 : 3-13.

(R)

Rai R., Backos M., Rushworth F., Regan L. (2000) :

Polycystic ovaries and recurrent miscarriage : a reappraisal. Hum Reprod, 15 : 612-5.

Rajkhowa, M.; Neary, R.H.; Kumpatla, P.; et al., (1997) :

Altered composition of high density lipoproteins in women with the polycystic ovary syndrome. J. Clin. Endocrinol. Metab., 82 : 3389-3394.

Reaven G. M. (1991) :

Insulin resistance and compensatory hyperinsulinemia : role in hypertension, dyslipidemia and coronary heart disease. Am. Heart J., 121 : 1283-1288.

Reaven, G.M. (1988) :

Banting lecturer 1988. Role of Insulin resistance in human disease. Diabetes, 37 : 1595-1607.

Reece, E.A.; Goldstein, I. and Hobbins, J.C. (1994) :

Gynesonagrphy. In : Fundamentals of Obstet. And Gyneco, Us Prentic-Hall International, London, P-P. 243-265.

Reven, G.M. (1991) :

Insulin resistance and compensatory hyperinsulinemia : role in hypertension, dyslipidemia and coronary heart disease. Am. Heart J., 121 (4 pt 2) : 1283-1288.

Roldan B., San Millan JL. And Escobar-Morreale HF. (2004) :

Genetic basis of metabolic abnormalities in polycystic ovary syndrome : implications for therapy. Am J. Pharmacogenomics. 4 : 93-107.

Rosenbaum, M.; Leibel, R.L. and Hirsch, J. (1997) :

Obesity. N. Engl. J. Med., 337 : 396-407.

Rosenfield, R.L. (1999) :

Ovarian and adrenal function in polycystic ovary syndrome. Endocrinol. Metab. Clin. North Am., Jun.; 28 (2) : 265.

(S)

Sampson, M.; Kong, C.; Patel, A.; Unwin, R.; Jacobs, H.S. (1996) :

Ambulatory blood pressure profiles and plasminogen activator inhibitor (PAI-1) activity in lean women with and without the polycystic ovary syndrome. Clin. Endocrinol., 45 : 623-629.

Sara V. R., Carlsson-Skurrutt C. and Andersson C., (1987) :

Circulating forms of human fetal somatomedin. Acta. Endocrinol (Copenh.); 114-37.

Schreiber E., Johnson J.E., Plotz E.J. and Weiner M., (1996) :

Studies with C¹⁴ labeled clomiphene citrate. Clin. Res.; 14 : 287-90.

Seibel, M.M. (1990) :

Polycystic ovary disease. In : Seibel, M.M. (ed.) : Infertility : A comprehensive Texts. Appleton and Lange. Norwalk Connecticut, PP.61 : 81.

Sengos, C.; Andreakos, C. and Iatrakis, G. (2000) :

Sonographic parameters and hormonal states in lean and obese women with polycystic ovary syndrome. Clin. Exp. Obstet. Gynecol., 27 (10 : 35-8).

Slowey MJ., (2001) :

Polycystic ovary syndrome : new perspective on an old problem. South Med J. 94 (2) : 190.

Smith G.C. and Franks S., (1993) :

“Polycystic ovary syndrome”, Reproductive Medicine Review; 2 : 15-32.

Soule S.G. (1996) :

Neuroendocrinology of the polycystic ovary syndrome. Bailleres. Clin. Endocrinol. Metab. 10(2). 205-19.

Sozen I, Arici A. (2000) :

Hyperinsulinism and its interaction with hyperandrogenism in polycystic ovary syndrome. Obstet Gynecol Surv 55(5) : 321.

Speroff L. Glass R.H. and Kase N. G. (1994) :

Anovulation. In : Clinical Gynecological Endocrinology and Infertility (5th edition). Williams and Wilkins Co. Baltimore Maryland. 185-198.

Speroff L., Ease R. H. and Glass N. G. (1999) :

Clinical Gynecologic Endocrinology and Infertility. Baltimore, Lippincott, Williams and Wilkins, 6th Ed. P. 487-522.

Speroff L.J., Kase N.G. and Glass R.H., (1999) :

Insulin Like growth factor 1 and 2 and their binding proteins. Clinical gynecologic endocrinology and infertility, P.398-400 (Lippincott Williams & Wilkins, USA).

Speroff, L.; Glass, R. and Kase, N.G. (1994) :

Anovulation and the polycystic ovarian. In : Speroff, L.; Glass R., Kase, N.G., (eds.). Clinical Gynecologic Endocrinology and Infertility (Fifth edition), Williams and Wilkins, Baltimore Maryland, PP.457-482.

Speroff, L.; Kase, R.H. and Glass, N.G. (1999) :

Clinical Gynecologic Endocrinology and Infertility. Baltimore, Lippincott, Williams and Wilkins, 6th Ed., PP.487-522.

Steer C. V., Campbell S., Pampiglione J. S., Kingstand C.R., Manson B.A. and Collins W.P. (1992) :

Transvaginal color flow imaging of the uterine arteries during the ovarian and menstrual cycles. Hum. Reprod. 5 : 391-5.

Stein, I.F. and Leventhal, M.L. (1935) :

Amenorrhea associated with bilateral polycystic ovaries. Am. J. Obstet. Gynecol., 29 : 181-191.

(T)

Takai I., Tau S., Takakura K. and Mari T., (1991) :

Three Types of polycystic ovarian disease in relation to androgenic function. Fertil Steril; 56 : 5, 856.

Taylor, A.E.; McCourt, B.; Martin, K.A.; et al., (1997) :

Determinants of abnormal gonadotropin secretion in clinically defined women with polycystic ovary syndrome. J. Clin. Endocrinol. Metab., 82 : 2248.

Tessler, F.N.; Schiller, V.L.; Perrella, R.R.; Sutherland, M.L. and Grant, E.G. (1989) :

Transabdominal versus endovaginal pelvic sonography : prospective study. Radiology, 170 : 553-561.

The Rotterdam ESHRE/ASRM-Sponsored PCOS consensus workshop group (2004) :

Revised 2003 consensus on diagnostic criteria and long term health risks related to polycystic ovary syndrome (PCOS). Hum Reprod, 19 : 41-7.

Thompson, I.E. and Taymor, M.L. (1980) :

Endocrine physiopathology of the ovary. Clinics in Obstet. Gynecol., 12 (3): 616.

Timor-Tritsch, I.E.; Bar-Yan, Y.; Elgalis, S. and Rottem, S. (1988) :

The technique of transvaginal sonography with the use of a 6.5 MHz probe. Am. J. Obstet. Gynecol., 158 : 1019-26.

(V)

Van Hoof M. H., Voorhorst F. J., Kaptein M. B, Hirasing R. A., Koppenaar C. and Schoemaker J. (2000) :

Polycystic Ovaries in adolescents and the relationship with menstrual cycle pattern, luteinizing hormone, androgens and insulin. Fertil. Steril. 74 : 49-58.

Van Itallie, T. (1985) :

Health implications of overweight and obesity in the United States. Ann. Intern. Med., 103 : 983-988.

Vellios, F. (1984) :

Endometrial hyperplasia and carcinoma in Situ. Gynecol. Oncol., 2 : 152-161.

Vermesh M. and Kletzky O.A., (1987) :

Longitudinal evaluation of the luteal phase and its transition into the follicular phase. J. Clin. Endocrinol. Metab.; 65 :653-8.

Voutilainen, R.; Franks, S.; Mason, H.D.; et al., (1996) :

Expression of Insulin-like growth factor (IGF), IGF-binding protein, and IGF receptor messenger, ribonucleic acids in normal and polycystic ovaries. J. Clin. Endocrinol. Metab., 81 : 818-822.

(W)

Wang JX, Davies MJ, Norman RJ., (2001) :

Polycystic ovarian syndrome and the risk of spontaneous abortion following assisted reproductive technology treatment. Hum Reprod, 16 : 2606-9.

Wiegerinck, M.A.H.H. (1991) :

Early pregnancy loss in chronic hyperandrogenic anovulation. In : Coelingh-Bennink, H.J.T.; Vemer, H.M.; Van Keep, P.A. (eds.) : Chronic hyperandrogenic anovulation, Carnforth, UK, The Parthenon Publishing Group, P.169.

Wild RA. (2002) :

Long term health consequences of PCOS. Humn Reprod Update, 8 : 231-41.

Wild, R.A.; Grubb, B.G.; Hartz, A.; Van Norten, J.J.; Bachman, W. and Bartholomew, M. (1990) :

Clinical signs of androgen excess as risk factors for coronary artery disease. Fertil. Steril., 54 : 255-259.

Willis D. and Franks S., (1995) :

Insulin action in human granulosa cells from normal and polycystic ovaries is mediated by the insulin receptor and not the type I insulin like growth factor receptor ... Clin. Endocrinol. Metab.; 80 : 3788-90.

Willis,D.; Mason, H.; Gilling-Smith, C. and Franks, S. (1996):

Modulation by insulin of follicle-stimulating hormone and Luteinizing hormone actions in human granulosa cells of normal and polycystic ovaries. J. Clin. Endocrinol. Metab., 81 : 302-309.

Woodruff T.K., Lyon R.J. and Hansen S.E., (1990) :

Inhibin and activin locally regulate rate ovarian folliculogenesis. Endocrinology; 127 : 3196-3205.

(Y)

Yamoto M., Shima K. and Nakano R., (1992) :

Gonadotropin receptors in human ovarian follicles and corpora lutea throughout the menstrual cycle. Horm. Res.; 37 (suppl I) : 5-11.

Yen, S.S.C. (1980) :

The polycystic ovary syndrome. Clin. Endocrinol., 12:177-208.

Yen, S.S.C.; Chaney, C. and Judd, H.L. (1976) :

Functional aberrations of the hypothalamic-pituitary system in polycystic ovary syndrome : A consideration of the pathogenesis. In James, V.H.T.; Serio, M. and Guisty, G. (eds.): The endocrine function of the human ovary. New York, Academic Press, PP.373-385.

Yenkatesan AM, Dunaif A., Corbould A. (2001) :

Insulin resistance in polycystic ovary syndrome : progress and paradoxes. Recent Prog Horm Res 56 : 295.

Yildiz B. O., Gedik O., (2004) :

Assessment of glucose intolerance and insulin sensitivity in polycystic ovary syndrome. Reprod Biomed Online. 8(6):649-56

Yoshimura Y. and Wallach E.E., (1987) :

Studies on the mechanism (s) of mammalian ovulation. Fertil. Steril., 47 : 22-34.

Yoshimura Y., Snatulli R., Atlas S.J., Fujil S. and Wallach E.E., (1987):

The effects of proteolytic enzymes on in vitro ovulation in the rabbit. Am. J. Obstet. Gynecol.; 157 : 468-75.

(Z)

Zachow R.J. and Magoffin D.A., (1995) :

Granulosa cell modulation of luteinizing hormone dependent androgen production by ovarian theca interstitial cells, a temporal switch from suppression to augmentation stimulated by follicle stimulating hormone in vitro. Biol. Reprod.; 53 : 758-765.

Zachur HA., (2001) :

Polycystic ovary syndrome, hyperandrogenism, and insulin resistance. Obstet Gynecol. Clin North Am 28 : 21-33.

Zawadzki, J.K. and Dunaif, A. (1992) :

Diagnostic criteria for polycystic ovary syndrome : Towards a rational approach. In : Dunaif, A.; Given, J.R.; Haseltine, F.P.; et al. (eds.) : Polycystic ovary syndrome. Oxford, Blackwell Scientific, P.377.

Zelevnik A.J. and Fairchild-Benyo D., (1994) :

Control of follicular development, corpus luteum function, and the recognition of pregnancy in higher primates. In Knobil, E and Neill, J.D. (eds). The physiology of reproduction. Raven Press, New York, P.751.

Zimmer, E.Z.; Timor-Tritsch, I.E. and Rottem, S.A. (1991) :

Transvaginal sonography techniques. In : Transvaginal sonography, 2nd ed., Eds. Timor-Tritsch, I.E. and Rottom, S., El-Seiver Publishing, New York, P-P. 69-85.