

REFERENCES

- Abdul-Karim R. And Assali N.S. (1961) : Pressor response to angiotensin in pregnant and non-pregnant women. Am. J. Obs. Gyn. 82:246.
- Amgrimsson R., Bjormsson S., and Geirsson R.T. (1990) : Genetics and familial predisposition to eclampsia and pre-eclampsia in a defined population Br. J. Obstet. Gyn. 97:762-769.
- Antoniphillia L., Nadler J. and Horton R. (1988) : Angiotensin feed back inhibition on renin is expressed via lipooxygenase pathway Endocrinology 122. 1277.
- Aquitlera G. and Marusic E. (1971) : Role of the renin-angiotensin system in biosynthesis of aldosterone. Endocrinology 89, P.1524.
- Ardialou N., Hagege J. and Nivez M. (1985) : Vasoconstrictor-evoked prostaglandin synthesis in cultured human mesangial cells Am. J. physiol. 248, F240.
- August, Tomas lenz and Kathy L. (1990) : Longitudinal study of the renin-angiotensin-aldosterone system in hypertensive pregnant women. Am. J. Obst. Gyn. November p 1612-1621.
- Baird D. (1977) : Epidemiologic aspects of hypertensive pregnancy in clinics in obstetrics and gynecology ed. symonds. E.M. vol 4 Number 3 P. 535 London, Philadelphia, Toronto W.B.

- Baker P.N., Broughton Pipkin F., and Symonds E.M. (1992) : Changes in human platelet angiotensin II binding sites associated with early pregnancy, *Am. J. Obst. Gyn.* 166:255-256.
- Balleermann B.J. and Zeidel M.L. (1991) : Gunning M.E. and Brenner B.M. Vaso active peptides and kidney in the kidney eds (Brenner B.M. editor F.C. P. 151).
- Ballozmann B.J. (1989) : Regulation of bovine glomerular endothelial cell growth in vitro. *Am. J. Physiology* 256 C 182.
- Barajas L. (1979) : Anatomy of the Juxtaglomerular apparatus *Am. J. physiol.* 237 F 333.
- Benham C.D. Hass P. and Tsein R.W. (1987) : Two types of calcium channels in single smooth muscle cells from rabbit ear artery studies with whole cell and single channel recordings *Cir. Res.* 61:110.
- Benigni A., Orsio S. and Gaspari F. (1992) : Evidence against a pathogenic role for endothelin in pre-eclampsia *Br. J. Obst. Gyn.* 99, pp 798-802.
- Bing, J. and Faarup, P. (1986) : A qualitative and quantitative study of renin in different layers in the rabbit uterus. *Acta pathologica et Microbiologica Scandinarica*, 65, 169 - 180.

- Blain E.H., Davis J.O. and witty R.T. (1970) : Renin release after hemorrhage and after supra-renal aortic constriction in dogs without sodium delivery to the macula dens Circ. Res. 27:1081.
- Blair-West J., Coghlan J., Denton D. and Funder J. (1971) : Inhibition of renin secretion by systemic and internal angiotensin in fusion Am. J. Phys. 220 pp1309-1315.
- Bouhnilé J., Galen E.X. and Caluser E. (1981) : The renin angiotensin system in thyroidectomized rats-endocrine. 108, 647.
- Britton S.L. (1981) : Intra-renal vascular effect of angiotensin I and angiotensin II Am. J. Phys. 240 H 914.
- Broughton Pipkin, P.C. and Rubin (1994) : pre-eclampsia the disease of theories. Br. Med. Bulletin 50(2) pp 381-396.
- Broughton Pipkin F. and Syndoms E.M. (1986) : Pregnancy induced hypertension in Bygdeman W₁ Berger G.S. Keith L.G. eds. prostaglandins and their inhibitors in clinical Obst. and Gyn. Loncaster MTP.pp 337-366.
- Broughton Pipkin F. (1988) :The renin-angiotensin system in normal and hypertensive pregnancies. Amsterdam Elsevier pp 118-151.

Broughton Pipkin F. and Lawrence M.R. (1989) : The effect of calcium channel blocker (CCB) nitrendipine (NIT) on the presser response to angiotensin II (A II) in pregnant and non pregnant women Clin. Exp. Hyper tens B8, 188

Broughton Pipkin F. (1992) : The renin-angiotensin aldosterone system and pregnancy. Fet Med. Rev. 4, 59-71.

Brown J.J., Davis D.L., Doak P.B. and Lever A.F.(1963) : renin in normal pregnancy lancet 2:900.

Brown J.J., Davis D.L., Doak P.B., Lever A.F., Robertson J.I. and tree M. (1964) : The presence of renin in human amniotic fluid, Lancet II 64:66.

Brown M.A. and Gallary E.D.M. (1986) : Sodium excretion in human pregnancy a role of arginine vaso pressin. Am. J. Phys. 154, 914.

Brown M.A., Nichalson E., Ross M.R., Norton H.E. and Gallary E.U.M. (1987) : progressive resetting of sodium-renin-aldosteron relation ships in human pregnancy, Clin. exp. Hyper. B. 5 349.

Brown M.A., Gallary E.D.M., Ross M.R. and Esber R.P. (1988) : Sodium excretion in normal and hypertensive pregnancy : a prospective study Am. J. Obst. Gyn. Val. 159 pp. 297-307.

- Brown M.A. Nicholson E. Gallery E.D.M. (1988) : Sodium-renin-endosterone relationships in normal and hypertensive pregnancy Br. J. Obst. Gyn.
- Bunning P. and Riordan J.F. (1983) : Activation of angiotensin converting enzyme by monovalent anions Biochemistry 22 p 110
- Chands, Gant N.F. and Daley G.L. (1973) : A study of angiotensin II pressor response throughout primigravidae pregnancy. J. Clin. Investing. 52:2682-2689.
- Chesley L.C. and Cooper D.W. (1986) : Genetics of hypertension in pregnancy : Possible single gene control of pre-eclampsia and eclampsia in the descendants of eclamptic women. Br. J. Obst. Gyn. 93:898-908.
- Chesley L.C. and Sibai B.M. (1988) : Clinical significance of elevated mean arterial pressure in the second trimester Am. J. Obst. Gyn. 159 275.
- Chesley L.C., (1972) : Plasma and red cell volumes during pregnancy Am. J. Obst. Gyn. 112, pp 440-9.
- Cheung H.S., Wang F.L. and Ondetti, M.A. (1980) : Binding of peptide substrates and inhibitors of angiotensin-converting enzyme. Importance of COOH - terminal dipeptide sequence J. Biol. Chem. 255:401,

- Clauser E., Bouhnik J. and Jaramillo H.N. (1985) : Angiotensinogen production and consumption in the adrenalectomized rat. *Endocrinology* 116:274.
- Conrad K.P., Morganelli D.M., Brinck-Johnson T. and Colpoys M.C. (1989) : The renin-angiotensin system during pregnancy in chronically instrumented conscious rats *Am. J. Obstet. Gynecol.* 161 :pp 1065-72.
- Cook S. F., Craven D. J. and Symonds E.M. (1981): A study of angiotensin II binding sites in human placenta, Chorion and amnion. *Am. J. Obstet. Gynecol.* 140: 689.
- Cunningham F.G., Mac Donald P.C. and Gant N.F. (1989) : Hypertensive disorders pregnancy in williams *Obst. (ed.)* 18th ed. Appleton and lan P. 653-694.
- Cushman D.W. and Andetti M.A. (1980) : Inhibitors of angiotensin-converting enzyme. *Prog. Med. Chem.* 17:41.
- Data J.L., Gerber J.G. and Crump, W.J. (1978) : The prostaglandin system a role in canine baroreceptor control of renin release. *Circ. Res.* 42:454.
- Doney D.A. (1986) : Hypertensive disorders of pregnancy in Dewhurst's *Textbook of Obst. and Gyn. for postgraduates* 4th. (ed.) London Backwell Scientific publications

Davey D.A. and MacGillivray I (1986) : The classification and definition of the hypertensive disorders of pregnancy Clin. Exp. Hypertens. B5 pp 97-133.

Davies R., Wiggines R., Slater J.O., and geddes D. (1978) : Nature of the adrenoreceptor that mediates renin release in man. Cardiovasc Med. 3:571-575.

Davis J.O. and Freeman R.H. (1976) : Mechanisms regulating renin release. Physiol Rev 56:1.

Demers L.M. and Gabbe S.G. (1981) : Prostaglandins in the etiology of pre-eclampsia Am. J. Obst. Gyn. 88-274

Derkx E.H.M., Alberda A.T., Dejong F.H., Zeil maker F.H., Makovitz J.W. and Schalekamp M.A.D.H., (1986) : Source of observations in a patients with primary ovarian failure J. Clin Endocrinal Metab 65:349.

Dexter L. and Haynes F.W. (1944) :Relation of renin to human hypertension with particular reference to eclampsia, preeclampsia and acute glomerulonephritis. Proc Soc Exp. Biol; 55: 288 in Hafez S.S. (MD thesis) the estimation of renin-angiotensin activity in pre-eclampsia and eclampsia (1984).

- Eneroth-Grimfors E., Bevegard S., Nilsson B.A. and stterstrom G.,
(1989) : Effect of exercise on catecholeamines and plasma
renin activity in pregnant women (Abs) Acta Obstet Gynecol
Second 67-(6) : 519-23.
- Espiner E.A, Christlieb A.R. and Amsterdam E.A. (1971) : The pattern
of plasma renin activity and aldosterone secretion in normal
and hypertensive subjects before and after saline infusions.
Am. J. Cardiol. 27:585.
- Franco-Saenz R., Suzuki S., Tan S.Y. and Mulrow, P.J. (1980) :
Prostaglandin-stimulation of renin release : Independence
of b-adrenergic receptor activity and possible mechanism of
action endotheliology 106:1400.
- Freeman, R.H. and Rostorfer, H.H. (1972) : Hepatic changes in renin
substrate biosynthesis and alkaline phosphates activity in
the rat. Amn. J. Physiol. 223:364.
- Friedman S.A. (1988) : Pre-eclampsia A review of the role of
prostaglandins. Obst. and Gyn. 71, 122.
- Furuhashi-N, Tsujiei. M. and Kimura-H. (1990) : Plasma renin activity
angiotensin II prostacyelin and thromboxan A2
concentration in 139 pre-eclamptic patients. Tohoku-J-Exp-
Med. Nov. 162(3) 235-41.

- Furuhashi-N., Tsujiei-M. and Kimura-H (1991) : Maternal and fetal atrial natriuretic peptide levels, maternal plasma renin activity, angiotensin II prostacycline and thromb-xane A2 levels in normal and pre-eclamptic pregnancies. *Tohoku J. Etp. Med.* Oct. 165(2): 79-86.
- Ganong, W.F. (1984) : Neuropeptides in cardiovascular control *J. Hypertension* 2 (supp. 3) 15.
- Gant N.F., Daley G.L., and chand S. (1973) : A study of angiotensin II pressor response throughout primigravidae pregnancy. *J. Clin. investing.* S2:2682-2689.
- Gant N.F., Vhand S., and Worley R.J. (1974) : A clinical test useful for predicting the development of acute hypertension in pregnancy *Am. J. Obst. Gyn.* 120:1.
- Genain, C.P., Van Loon, G.R. and Kotchen, T.A. (1985) : Distribution of renin activity and angiotensinogen in rat brain. Effects of dietary sodium chloride intake on brain renin. *J. Clin. Invest.* 76: 1939.
- Gerber, J.G., Nies, A.S., and Olsen, R.D. (1981) : Control of canine renin release Macula dense requires prostaglandin synthesis. *J. Physiol.* 319:419.
- Godard, C., Gaillard, R. & Vallotton, M.B. (1976) : The renin-angiotensin-aldosterone system in mother and fetus at term. *Nephron* 17, 353-360.

Gordon D.B. and Sachin I.N. (1977) : Chromatographic separation of multiple renin substrate in women effect of pregnancy and oral concentration proc. Soc. Exp. Biol. Med. 156-401.

Gorden P.; Ferris T and Nulrow P. (1987) : Rabbit uterus as a possible site of renin synthesis. American Journal of physiology, 212, 703-706.

Gorgas K. : Innervation of the J. G. app. In Coupland R. E. and Forssman, W. G. (eds) : Springer-verlag, New York p. 144 (1978)

Grandjean B, Annat, G. Vincent, M. and Sessard, J. (1978) : Influence of renal nerves on renin secretion in the conscious dog. Pflugers Arch. 373:161.

Graven and Broughton Pipkin- unpublished work : Quoted from Hazelz Tellow and Fiona. Broughton Pipkin studies on the effect of mode of delivery on the renin angiotensin system in mother and fetus at term Br. J. Obst. Gyn. 1983, 90, pp. 220-226.

Gunther, S., Alexander, R.W., Atkinson, W.J. and Gimbrance, M.A., Jr. (1982) : Functional angiotensin II receptors in cultured vascular smooth muscle cells. J. Cell Biol., 92:289.

Guzick D.S. Klein V.R. Tyson J.E. (1987) : Risk factor for the occurrence of pregnancy induced hypertension Clin. Exp. Hyper. Pregn. B6:281 (Quoted from cunnigham 1989).

- Hadeed A. and Sigel. SR. (1984) : Plasma renin activity after birth and in the early newborn period. Am. J. prenatal- Jul :1(4) 285-7.
- Haller H., Oeney T. and Hauck U. (1989) : Increased infra cellular free calcium and sensitivity to angiotensin II in platelets of pre-eclampsia women Am. J. Hypertens. 2 : 238-243.
- Harbinder S., Brar M. D., Yung-Shun D. O. and Willa A. (1987) : Increased retro-placental active renin production in pregnancy induced hypertension. Am. J. Obs. Gyn. August 1987, 363-367
- Hayward C., Livingstone J. and Halloways (1992) : An exclusion map for pre-eclampsia assuming autosomal recessive inheritance Am. J. Hum. Genet. 50:749-757.
- Helmer O.M. and Judson W.E. (1967) :Influence of high renin substrate levels on the renin-angiotensin system in pregnancy Am. J. Obst. Gyn. 99:9.
- Hibbard, B. (1988): hypertensive disorders with pregnancy in principles of Obstetrics. Butterworths, London, 194-218.
- Hillier, K., and smith M.D., (1988) : The role of prostaglandins in pre-eclampsia Br. J. Obst. Gyn, 88:274
- Hiner, R., Gruskin, A., Baluarte, H. and Cote M. (1976) : Plasma renin activity and internal blood flow distribution in a child with pheochromocytoma, J. Pediat. 89:950-952.

- Høj Nielsen, A., and Hinudsen, F. (1987) : Angiotensinogen is an acute phase protein in man. Scand. J. Clin. Lab. Invest. 47:175.
- Hsueh W.A., Luetscher J.A., Carlson E.J., Grislis G., Fraza E., McHargue A. (1982) : Changes in active and inactive renin throughout pregnancy. J. Clin. Endocrine. Metab. 54:1010-6.
- Hsueh W.A. and Tuch, M.L. (1990) : Alsoterone and the renin-angiotensin-aldosterone system in Endothelinology and Metabolism ed. (Kenneth L. Becker), Pages 627.
- Hubel CA., Roberts. J.M. and Taylor R.N. (1989) : Lipid peroxidation in pregnancy new perspectives on pre-eclampsia Am. J. Obst. Gyn. 161-1025 1034.
- Hughes, E.C. (ed.) (1972) : Obstetric and Gynaecologic Terminology Philadelphia. Davis.
- Hustin J. and Schaaps J.P., (1987) : Echo-cardiographic and anatomic studies of the materno-tropho blastic border during the first trimester of pregnancy Am. J. Obst. Gyn. 157, 162-168.
- Immonen I., Siimes, A. and Stenman U.H. (1983) : Plasma renin substrate and oestrogens in normal pregnancy. Scand. J. Clin. Lab Invest 43: 61.

- Ingelfinger J.R., Fon E.A. Ellison K.E. and Dzau V.J. (1988) : Localization of the internal renin angiotensin system (RAS) by in situ hybridization renin angiotensinogen (Ang-N) mRNAs (abstr.) Kidney Int. 33: 269.
- Ingelfinger, J.R., Pratt, R.E., Ellison, K., and Dzau, V.J. (1986) : Sodium regulation of angiotensinogen mRNA expression in rat kidney cortex and medulla J. Clin. Invest. 78:1311.
- Jaramaillo H.N., Sambhi M.P. and bouhnik, J., (1987) : Liver angiotensinogen system and release during captopril treatment in sodium depleted rats Endothelinology 120: 1384.
- Jeffcoate T.N. and Scott J.S., : Hyperplacenta-tosis as a cause of pre-eclampsia ibid 66 : 475 1969 (quoted from Redman et al., 1989).
- Kageyama, R., Ohkubo, H., and Nakanishi, S. (1984) : Primary structure of human preangiotensinogen deduced from the cloned cDNA sequence (abstr.). Biochemistry 23:3603.
- Kamoi et al., (1990) : Quoted from Benigoni et al., (1992).
- Keeton T.K. and Campbell W.B. (1981) : The pharmacologic alteration of renin release. Pharmacol. Rev. 32:81.
- Kilby M.D., Broughton Pipkin F. and symonds EM (1993) : Changes in platelet intra-cellular free calcium in normal pregnancy. Br. J. Obst. Gyn. 100, pp 375-379.

- Kistersk, Niedner W. and Fafera I (1990) : Plasma and intracellular Mgzt concentrations in pre-eclampsia J. Hypertens 8 303-306.
- Kopp, U.C., and Dibona, G.F. (1984) : Interaction between neural and non neural mechanism controlling renin secretion rate. Am. J. Physiol. 246: F620.
- Katz F. H. Beckp. and Makowski E.L. (1974) : Am. J. Obst. Gyn. 118, 51.
- Kotehen T.A., Strickland A.L., Rice T.W. and Walters. D.R. (1972) : J. of pediatric 80. 933.
- Kunapuli, S.P., and Kumar, A. (1987) : Molecular cloning of human angiotensinogen cDNA and evidence for the presence of its mRNA in rat heart. Circ. Res. 60: 786.
- Kuriyama, H., Ito, Y., and Suzuki, H. (1982) : Factors modifying concentration relaxation cycle in vascular smooth muscles. Am. J. Physiol 243:H641.
- Lammintausta R. and Erkkola R., (1977) : Renin aldosteronw system and sodium in normal pregnancy, a longitudinal study. Acta Obstet Gynecol Scand 56; 221.

- Lenz T., Sealey J.E., August P., James G.D. and Largh J.H., (1989) :
Tissue Levels of activity and total renin, angiotensinogen,
human chronic gonadotrophin, estradiol and progesterone
in human placentas from different methods of delivery. J.
Clin. Endocrinol. Metab. 69:31.
- Lieberman, J., and Stre, A. (1983) : Angiotensin-converting enzyme
activity in postmortem human tissue. Lab. Invest. 48:71.
- Lieberman, J.G., and Leary, W.P. (1974) : Catabolism of angiotensin II.
In page, J.H., and Bumpus, F.M. (eds) : Angiotensin,
Springer, New York, P. 111.
- Lieberman, A., Tarlatzis B.C., and Rzasa P.J. (1987) : The Ovarian
renin-angiotensin system: renin-like activity and angiotensin
II/III immunoreactivity in gonadotropin stimulated and
unstimulated human follicular fluid. Am. J. Obst. Gynecol.
156:808.
- Lightman A., Talatais B. C. And Rzasa P. J. (1987) : The ovarian renin-
angiotensin system : renin-like activity and angiotension
II, III immune-reactivity in gonadotropic stimulated and
unstimulated follicular fluid. Am. J. Obst. Gyn. 156:808
- Lin, C.S, Iwao, H., Puttkommer, S., and Mechelakis, A.M. (1981) :
Prostaglandins and renin release in vitro. Am. J. Physiol.
240 : E 609.

- Lopez Jaramillo, Narvaez M., and Weigel RM (1989) : Calcium supplementation reduces the risk of pregnancy induced hypertension in an Andes population Br. J. Obst. Gyn. 96, 648-655.
- Lumbers E.R., (1971) : Activation of renin in human amniotic fluid by low pH. Enzymologia. 40-329.
- Lumme R., Laatikainen T. and Vulteenaho O. (1992) : Plasma endothelin, atrial natriuretic peptide (ANP) and uterine and umbilical artery flow velocity wave forms in hypertensive pregnancies Br. J. Obst. Gyn. 99 : 761-764.
- Massani, Z, M., Sanguinity, R., Gallegos, R., and Raimondi, D. (1967): American Journal of Obstetrics and Gynecology, 99, 213.
- McAreevey D., Cumming A.M.M., and Boddy K. (1983) : The renin-angiotensin system and total body sodium and potassium in hypertensive women taking oestrogen-progestagen oral contraceptives. Clin. Endocrinol; 18: 111-118.
- Mendelsohn, F.A, Allen, A.M., and Chai, S.Y. (1987) : Overlapping distribution of receptors for atrial natriuretic peptide and angiotensin II visualized by invitro auto radiography, Morphological basis of physiological antagonism. Can. J. Physiol. Pharmacol. 65:1517.
- Miller et al., (1989). :Quoted from Benigni et al., (1992)

- Mizoguchi H, Dzau V.J, Siewek L.G, and Barger A.C. (1983) : Effects of internal administration of dopamine on renin release in conscious dogs. *Am. J. Physiol.* 244: H 39.
- Montoneri C Lo-Presti L., and Giardinella S. (1985) : Serum aldosterone and plasma renin activity in normal and toxemic pregnancies *clin. exp. Obst. Gyn.* 12(3-4) 64-6.
- Morgan, Boyd, R., Stewart, J.M., Vavrek, R.J., and Hassid, A. (1987) : Effect of brady-Kinin and angiotensin II on intracellular Ca^{2+} dynamics in endothelial cells. *Am. J. Physiol.* 253:C588.
- Morris B, Cantanzaro D, and Hardman J. (1984) : Human renin gene sequence, gene regulation and prorenin processing *J. Hypertens*, 2 : (Suppl. 3) 231.
- Naftilan, A.J. and Oparil S. (1978) : Inhibition of renin release from rat kidney slices by the angiotensins. *Am. J. Physiol* 235:F 62.
- Oates, H.F., Storer, L.M., Monaghan, J.C. and Stokes G.S. (1978) : The beta-adrenoreceptor controlling renin release. *Arch. Int. Pharmacodyn. Ther.* 234:205-213.
- Oats J.J., Broughton Pikin F., Symonds E.M. and Craven D.J., (1981) : A prospective study of plasma angiotensin-converting enzyme in normotensive primigravidae and their infants. *Br. J. Obstet. Gynaecol.* 88 : 1204.

- Oney T. and Kaulhausen H. (1982) : the value of the angiotensin sensitivity test in the early diagnosis of hypertension disorders in pregnancy Am. J. Obst. Gyn. 142. 17-20.
- Peach, M.J., Bumpus, F.M. and Khairallah, P.A. (1971) : Release of adrenal catecholamines by angiotensin I. J. Pharmacol. Exp. Ther. 176 : 366.
- Pellicer A., Palumbo A., De Cherney A.H. and Naftolin F., (1988) : Blockade of ovulation by an angiotensin antagonist. Science 240 : 1660.
- Phyllis August, Terrico, and John H. (1990) :longitudinal study of renin-angiotensin-aldosterone system in hypertension pregnant women : Deviations related to the development of superimposed pre-eclampsia - Am. J. Obst. Gyn. 163-1612- 12.
- Pijnenborg R. Anthony J. and Davey D.A. (1991) : Placental bed spiral arteries in the hypertensive disorders of pregnancy. Br. J. Obst. Gyn 98, 648-655.
- Pipkin, F. and Symonds, E. (1987) : Factors affecting angiotensin II levels in the human infant at birth. Clinical Science and Molecular Medicine, 52, 449-456.

- Pratt, R.E., Ouellette, A.J. and Dzau, V.J. (1983) : Biosynthesis of renin : Multiplicity of active and intermediate forms Proc. Natl. Acad. Sci. USA 80 : 6809.
- Pratt R.E. Dzau U.J. (1993) : Trophic effect of angiotensin on blood vessels and heart in Robertson J.I.S. Nicholas M.G. eds. The renin-angiotensin system vol. I London Gower 31., 1-31, 7.
- Rae, G. A. Trybulec, M., De Nucci, G. and Vane J.R. (1990) : Endothelial release eicosonoids from rabbit isolated perfused kidney and spleen. J. Cordiovasc. Pharmacol. 13 (suppl. 5) : S 89.
- Rakugi, H., Naka, aru, M., and saito, H. (1988) : Endothelin inhibits renin release from isolated rat glomeruli Biochem. Biophys. Res. Commune. 155: 1244.
- Redman C. S. (1989) : Hypertension in pregnancy in Michael De Sweit (ed.) Medical disorders in Obst. practice 2nd. ed. Backwell scientific publications P. 249-305.
- Reid J.L., and Rubin P. C. (1987) : Peptides and central neural regulation of the circulation physiol. Rev. 67:725.
- Roberts J.M. Tayler R.N. and Freedmon S.A. (1990) : New developments in pre-eclampsia Fet. Med. Rev.: 2 : 125-141.

- Saruta, T, Saade, G.A. and Kaplan N.M. (1970) : A possible mechanism for hypertension induced by oral contraceptives Arch. Intern. Med. 126 : 621.
- Seely J.F. and M. Levy (1981) : Control of extra cellular fluid volume. In the Kidney, edited by B.M. Branner and F.C.; Rector, Jr. Philadelphia : W.B. Saunders. P. 371-407.
- Sheehan H.L. and Lynch J.P. (1973) : Pathology of toxemia of pregnancy in shehans H.L. (ed.) Hypertensive disorders in pregnancy 2nd Ed., Churchill-Livingstone, London P. 524-53.
- Sheppard BL. and Bonnar J. (1980) : Ultra structural abnormalities of placental villi in placentas from pregnancies complicated by intrauterine fetal growth retardation : their relation to decidual spiral arterial lesions placenta 1 : 145-156.
- Sheth K.J., Tang T.T., and Blaedel M.E. (1978) : Polydipsia polyuria and hypertension associated with renin-secreting Wilms tumor. J. Pediatric 92: 921-924.
- Show K.J., Do Y. S., Kjos S., Anderson P.W., Shingawa T., Dubeau L. and Hsueh W.A., (1989) : Human decidua is a major source of renin. J. Clin. Invest. 83: 2085-2092.
- Simonson MS. and Dunn MJ. (1991) : Endothelins a family of regulatory peptides. Hypertens. 17 : 856-863.

- Skaja K. Dorvp I. and Sand strom B.M. (1991) : Magnesium intake and status and outcum in a Danish population Br. J. Obst Gyn. 98, 919-921.
- Skinner, S. L., E., R., and Symonds, E. M. (1988) : Renin concentration in human fetal and maternal tissues. Am. J. Obst. Gyn. 101 : 529.
- Skinner, S. L., Lumber, E.R. and Symonds, E. M. (1972) : Clinical Scince, 42, 479.
- Smith J.M, Mouw, D.R. and Vander, A. J. (1979) : Effect of parathyroid hormone on plasma renin activity and sodium excretion. Am. J. Physiol. 236: F 311.
- Soveri, F. Fyhrquist, O. Wioholm (1975) : Plasma renin activity in maternal and umbilical cord blood during parturition. Am. J. Obst. Gyn. Feb 15.
- Spellacy W.N. Miller, S.J. and Winger A. (1986) : pregnancy after 40 years of age Obt. Gyn. 68: 452.
- Spielman, W.S. and Thompson C.I. (1982) : A proposed role for adenosine in the regulation of renal hemodynamics and renin release. Am. J. Physiol. 242:F 923.
- Spies S.L., Weiner C.P., Gellhaus T.M. and good Speed J.D. (1989) : The plasma renin-angiotensin system in pre-eclampsia effects of magnesium sulfate. Obstet. Gynecol. 73(b) :934-7.

Steege EAP (1991) : Atrial natriuretic peptide during human pregnancy and puerperium Fet. Med. Rev. 3 : 185-196.

Strittmatter S.M. and Snyder S.H. (1987) : Angiotensin-converting enzyme immunohistochemistry in rat brain and pituitary gland : Correlation of isozyme type with cellular localization. Neuroscience 21 : 4070.

Sutherland A. Cooper D.W., and Howie P.W. (1981) : Aetiology of pre-eclampsia Br. J. Obst. Gyn. 88, 785.

Suzuki, S., Franco-Saenz, R. and Mulrow, P.J. (1981) : The role of renal prostaglandins in the renin response to isoproterenol in the rat in vitro Endothelinology 108 : 1654.

Symonds, E.M. and Furler, I. (1973) : Plasma renin levels in the normal and anaphoric fetus at birth. Biol Neonate 23, 133-138.

Symonds E.M., Broughton Pipkin F. and Craven D.J., (1975) : Changes in the renin angiotensin system in primigravidae with hypertensive disease of pregnancy. Brit. J. Obstet. Gynecol. 82 : 643-650.

Symonds E.M. (1979) : Hypertension in pregnancy. In: Recent advances in Obst. And Gyn. Vol 13-155-172.

Symonds E.M. (1988) : Renin and reproduction. Am. J. Obst. Gyn. 158 : 754-761.

- Symonds E.M., Lamming G. D. and Craven D.J. (1984) : The fetal renin-angiotensin system in pregnancy induced hypertension. Br. J. Obs. Gyn. 91:3-6.
- Symonds E.M. and Craven D.J. (1985) : Foetal plasma renin and renin substrate in mid-trimester pregnancy Br. J. Obst. Gyn. 92, pp. 618-621.
- Talledo. O.E, Chesley L.C. and Zuspan F.P. (1968) : Renin-angiotensin system in normal and toxæmic pregnancy III. Differential sensitivity to angiotensin II and norepinephrine in toxæmia of pregnancy. Am. J. Obst. and Gyn 100 - 218 - 21.
- Tetlow H. J., Broughton Pipkin F., (1983) : The effect of changes in blood gases tension upon the renin angiotensin system of the human newborn. Br. J. Obst. Gyn. 90 - 898.
- Taufield, P.A., Brugin, M.L., Sealey, J.E. and Laragh, J.H. (1986): Correlation between plasma renin activity and birth weight in hypertensive pregnancy. J.Hypertens. Suppl. 4(5):596-8,
- Taylor Oney, Helmut Kaulhausen and Harold Schlebusch (1982) : The reliability of four different methods for predicting pregnancy induced hypertension and preeclampsia pregnancy induced hypertension and pre-eclampsia. 20 : 175 Pregnancy Hypertension. Ain Shmas University press, Cairo, Egypt.
- Tranquilli Al Mariani MI. and Mazzanti L. (1992) : Magnesium pyrrolidone carboxylate infusion reduces angiotensin II pressor response in pregnant women at risk for hypertension. Am. J. Obst. Gyn. 167 : 885-888.
- Tsai-Y.L., Chen-Ym and Hsieh, B.S. (1993) : Changes in renin activity, aldosterone level and electrolytes in pregnancy induced hypertension J. Formos-Med. Assoc. Jun. 92(6) 514-8.

- Ueda, J., Nakanishi, H., Miyazaki M., and Abe, Y. (1977) : Effects of glycogen on the renal hemodynamics of dogs. *Eur. J. Pharmacol.* 41: 209.
- Unger T., Badoer E., and Gonten D. (1988) : Brain angiotensin pathways and pharmacology. *Circulation* 77 (suppl. I) 140.
- Vallotton M.B., Godard and Gaillard R. (1976) : Assessment of the renin-angiotensin system, aldosterone and cortisol in mother and fetus at term hypertension in pregnancy (Lindheimer M., Kott A. and Zuspan F.) (ed.), J. Wiley and Sons. Chichester pp. 281-286.
- Wang Y, Walsh SW and Key HH. (1992) : Placental lipid peroxides and thromboxane are increased and prostacyclin is decreased in women with pre-eclampsia *Am. J. Obst. Gyn.* 167, 946-949.
- Ward K. Hata A. and Jeunemaitre X (1993) : A molecular variant of angiotensinogen associated with pre-eclampsia *Nature Genetics* 4 : 59-61.
- Weenik G. H., Borm J. J. and Tencate J. W. (1983) : Antithrombin III levels in normotensive and hypertensive pregnancy. *Gyn. Obst. Invest.* 16-230.
- Weir R.J., Fraser R., and Lever A.F. (1973) : Plasma renin substrate, angiotensin II and aldosterone in hypertensive of pregnancy, *Lancet* i, 291-294.

- Weir R.J. (1982) : Hypertensive secondary to contraceptive agents. In Amery A., Fagard R., Lijnen P. et al., eds. : Hypertensive Cardiovascular disease : Pathology and treatment. The Hague Martinus Nijhoff publishers, : 612-628.
- Wilson M., Morganti A.A., and Zervoudak I. (1980) : Blood pressure, the renin-angiotensin system and sex steroids through normal pregnancy. Am. J. Med. 68 : 97-104.
- Yanagisawa M., Kurihara H., and Kimura S. (1988) : A novel potent vasoconstrictor peptide produced by vascular endothelial cells. Nature 332, 411.