

REFERENCES

REFERENCES

- Alford, C.A.; Schaefer, T.; Blankenship, W.J.; Straumfjord, J.V. and Cassady, G. (1967): A correlative immunologic, microbiologic and clinical approach to the diagnosis of acute and chronic infections in newborn. *N. Engl. J. Med.*, 227 : 437.
- Alford, C.A. (1971): Immunoglobulin determinations in the diagnosis of fetal infection. *Pediat. Clin. N. Am.*, 18 : 99.
- Altemier, W.A. and Smith, R.T. (1965): Immunologic aspects of resistance in early life. *pediat. Clin. N. Am.*, 12 : 663.
- Alvarez, R.R. and Afonso, J.K. (1964): Serum protein changes in pregnancy. *Am. J. Obstet. Gynecol.*, 88 : 774.
- Amino, N.; Kuro, R.; Tanizawa, O.; Tanaka, F.; Hayashi, C.; Kotani, K.; Kawa, M.; Miyai, K. and Kumahara, Y. (1978): Changes of serum anti-thyroid antibodies during and after pregnancy in autoimmune thyroid diseases. *Clin. Exp. Immunol.*, 31 : 30.

Amino, N.; Tanizawa, O.; Miyai, K.; Tanaka, F.; Hayashi, C.; Kawashima, M. and Ichihara, K. (1978): Changes of serum immunoglobulins IgG, IgA, IgM and IgE during pregnancy. *Obstet. Gynecol.*, 52 : 415.

Bardawil, W.A. and Toy, B.L. (1959): The natural history of choriocarcinoma, *Annals of the New York Academy of Sciences*, 80 : 197. (Quoted from Need, J.A., 1979).

Barnstable, C.J. and Bodmer, W.F. (1978): Immunology and the fetus, *Lancet*, I : 326.

Barret, J.T. (1974): *Text Book of Immunology. An introduction to immunochemistry and Immunobiology.* The C.V. Mosby Company. Saint Louis. P. 48 , 97.

Bazaral, M.; Orgel, H.A. and Hamburger, R.N. (1971): IgE levels in normal infants and mothers and an inheritance hypothesis. *J. Immunol.*, 107 : 794.

Beer, A.E. and Billingham, R.E. (1971): Immunology of human
Reproduction. Adv. Immunol., 14 : 1.

Beer, A.E. and Billingham, R.E. (1974): Fetuses as homog-
rafts: Vulnerability to maternal immunological attack.
In the Placenta: Biological and clinical aspects. (Ed.)
Moghissi, K.S. and Hafez, E.S. Springfield: Thomas P.346.

Benster, B. and Wood, E.J. (1970): Immunoglobulin levels
in normal pregnancy and pregnancy complicated
by hypertension. J. Obstet. Gynaecol. Brit. Cwlth.,
77 : 518.

Bonnar, J.; Mc Nicol, G.P. and Douglas, A.S. (1971): Coagul-
ation and fibrinolytic systems in preeclampsia
and eclampsia. Brit. Med. J., 2 : 12.

Boss, J.H. (1965): Antigenic relationships between place-
enta and kidney in humans. Am. J. Obstet. Gynecol.,
93 : 574.

Brambell, F. W.R. (1966): The transmission of immunity from mother to young and the catabolism of immunoglobulins. *lancet*, 2 : 1087.

Brambell, F.W.R. (1970): The transmission of passive immunity from mother to young. North Holland: Amsterdam. (Quoted from Jenkinson et al., 1976).

Brambell, F.W.R.; Hemmings, W.A.; Oakley, C.L. and Porter, R.R. (1960): The relative transmission of the fractions of papain hydrolyzed homologous gamma-globulin from the uterine cavity to the fetal Cirrulation in the rabbit. *Proc.R. SOC. B.*,151:478.

Buckley, R.H.; Younger, J.B. and Brumley, G.W. (1969): Elevation of serum immunoglobulin concentrations in the perinatal period by use of a standardized method of measurement. *J. Pediat.* 75 : 1143.

Burdash, N.M.; Blake, J.M., and Hester, L.L., (1973): Immunoglobulin levels and liver function tests in normal and toxemic pregnancies. *Am. J. Obstet. Gynecol.*,116 : 827.

Carr, M.C.; Stites, D.P. and Fudenberg, H.H. (1973): Cellular immune aspects of the human feto-maternal relationship. II In vitro response of gravida lymphocyte to phytohaemagglutinin. *Cellular Immunology* , 8 : 448. (Quoted from Need, J.A., 1979)

Carretti, N.; Charamonte, P.; Pasini, C.; Zanetti, M. and Fagiolo, U. (1974): Association of anti-HLA antibodies with toxemia of pregnancy. In *Immunology in Obstetrics and Gynecology*. (Ed.) Centaro, A. and Carretti, N. Amsterdam. P. 221.

Cederqvist, L.L.; Francis, L.C.; Zerovoudakis, I.A.; Becker, C.G. and Litwin, M.D. (1976): Fetal immune response following prematurely ruptured membranes. *Am.J. Obstet. Gynecol.*, 126 : 321.

Cederqvist, L.L.; Ewool, L.C. and litwin, S.D. (1978): The effect of fetal age, birth weight and sex on cord blood immunoglobulin values. *Am. J. Obstet. Gynecol.*, 131 : 520.

Cepellini, R.; Bonnard, G.D.; Coppo, F., Miggiano, V.C.;

Pospisil, M., Curtoni, E.S. and Pellegrino, M.

(1971): Mixed leucocyte cultures and HLA antigens

I. Reactivity of young fetus, newborn and mothers
at delivery. Transplantation Proceedings, 3 : 58.

(Quoted from Need, J.A., 1979).

Cinader, B. and Weck, A. (1976): In Immunological response
of the female reproductive tract: Workshop, W.H.O.,
Geneva, Copenhagen P. 44.

Cooperband, S.R.; Bondevik, H.; Schima, K. and Maninek,

J.A. (1968): Transformation of human lymphocytes:
inhibition by homologous alphaglobulin. Science,
159 : 1243.

Cooper, D.W. and Liston, W.A. (1979): Genetic control of
severe preeclampsia. J. Med. Genetics , 16 : 409.

Dancis, J.; Braverman, N. and Lind, J. (1957): Plasma protein
synthesis in the human fetus and placenta. J. Clin.
Invest., 36 : 398.

Dancis, J., Lind, J.; oratz, M.; Smolens, J. and vara,
P. (1961): Placental transfer of proteins in human
gestation. *Am. J. obstet. Gynecol.*, 82 : 167.

Edozien, J.S. (1965): Radio-isotope techniques in the study
of protein metabolism. International Atomic Energy
Agency, Vienna. P. 203.(Quoted From Gitlin, D.and Koch,
C., 1968).

El-Batawi, Y.A. (1981): Manual of microbial infections
of man. 3rd edition. Vol. II Infection and immunity.
El-Nasr Modern Bookshop, Modern Egyptian Press;
Cairo. P. 73.

El-Gamal, Y.; El-Kabarity, H. and Aly, R.H. (1975): Immun-
ological status of infants of toxemic mothers.
Ain-Shames Med. J., 26 : 185.

Elson, J.; Jenkinson, E.J. and Billington, W.D. (1975):
Fc receptors on mouse placenta and yolk sac cells.
Nature, 225 : 412.

Evans, H.E.; Akpata, S.O. and Glass, L. (1971): Serum immu-
noglobulin level in premature and fullterm infants.
Am. J. Clin Path., 56 : 416.

Exon, P.D.; Dixon, K. and Malins, J.M. (1974): Insulin antibodies in diabetic pregnancy. *Lancet*, 2 : 126.

Fahey, J.L. and Robinson, A.G. (1963): *J.Exp. Med.*, 118:845.
(Quoted from Maroulis et al., 1971).

Faulk, W.P.; Jeaunet, M. and Creighton, W.D. (1974):
Immunochemical studies of the human placenta. Characterisation of immunoglobulin on trophoblastic basement membrane. *J. Clin. invest.*, 54 : 1011.

Finn, R.; St. Hill, C.A.; Govan, A.J.; Ralfs, I.G.; Gurney, F.J. and Denye, V. (1972): immunological responses in pregnancy and survival of fetal homograft. *Brit. Med. J.*, 3 : 150.

Fingleton, A.M. (1971): Leucocytotoxic antibodies and preeclamptic toxæmia of pregnancy. *Transplantation*, 12:319.

Gitlin, D. (1971): Development and metabolism of the immunoglobulins, In *Immunological Incomptence*. (Ed.) Kagan, B.M. and Stiehm, E.R. Chicago, Year Book Medical Publishers. P. 3 - 13.

Gitlin, D. (1974): Maternofetal immunoglobulin transfer mechanisms, In *Immunology in Obstetrics and Gynecology*. (Ed.) Centaro, A. and Carretti, N. Amsterdam P. 240.

Gitlin, D.; Rosen, F.S. and Micheal, J.G. (1963): Transient 19S gamma-globulin deficiency in the newborn infants ant its significance. *Pediat.*, 31 : 197.

Gitlin, D.; Kummate, J.; Urrusti, J. and Morales, C. (1964): The selectivity of the human placenta in the transfer of plasma proteins from mother to fetus. *J.Clin. Invest.* , 43 : 1938.

Gitlin, D., Kummate, J.; Urrusti, J. and Morales, C. (1964): Selective and directional transfer of 7S γ 2-globulin across the human placenta. *Nature*, 203 : 86.

Gitlin, D. and Koch, C. (1968): The mechanism of materno-fetal transfer of human albumin and IgG in the mouse. *J. Clin. Invest.*, 47 : 1204.

Gitlin, D. and Biasucci, A. (1969): Development of IgG, IgA, IgM, ceruloplasmin, transferrin, Haptoglobin, plasminogen and β lipoprotein in the human conceptus. *J. Clin. Invest.*, 48 : 1433.

Goodfellow, P.N.; Barnstable, C.J.; Bodmmer, W.F.; Snary, D. and Crumpton, M.J. (1976): Expression of HLA system antigens on placenta. *Transplantation*, 22:995.

Goodman, H.S. and Masaitis, L. (1967): Analysis of iso-immune response to leucocytes. I Maternal cytotoxic response to fetal lymphocytes. *Proc. Soc. Exp. Biol. Med.*, 126 : 599.

Gowland, G. (1976): The basic principles of immunology, In *Immunology of Human Reproduction*. (Ed) Scott, J.S. and Jones, W.R. Academic Press London P. 12

Griffin, J.F. T. and Wilson, E.W. (1978): Abnormal immune reactivity in preeclamptic patients. Proceedings of University of Otago Medical School , 56 : 9.
(Quoted from Need, J.A. 1979).

Gusdon, J.P. (1969): Fetal and maternal immunoglobulin levels during pregnancy. Am. J. Obstet, Gynecol., 103 : 895.

Gusdon, J.P. (1976) Maternal immune responses in pregnancy, In Immunology of Human Reproduction (Ed.) Scott, J.S. and Jones, W.R. Academic Press London P. 103.

Gusdon, J.P. and Pritchard, D. (1972): Immunoglobulin D in pregnancy. Am. J. Obstet. Gynecol., 112 : 867.

Hardie, G. and Kench, J.E. (1967): Lancet, 1: 809.
(Quoted from Benster and wood, 1970).

Hardie, G. and Kench, J.E. (1969): Archives of disease in childhood., 44 : 747. (Quoted from Benster and wood, 1970).

Hemmings, W.A. (1974): The relative decay of Fc and Fab fragments of homologous IgG from the circulation of the fetal rabbit. I.R.C.S., 2 : 1453. (Quoted from Jenkinson et al., 1976).

Herva, E. (1976): Mixed lymphocyte culture reactivity in neonatal lymphocytes. *Lancet*, 1 : 919.

Hobbs, J.R. and Davis, J.A. (1967): Serum gamma-G globulin levels and gestational age in premature babies. *Lancet*, 1 : 757.

Horne, C.H.; Howie, P.W. and Goudie, R.B. (1970): Serum α_2 macroglobulin, transferrin, albumin and IgG levels in preeclampsia. *J. Clin. Pathol.*, 23 : 514.

Howarth, J.C.; Narris, M. and Dilling, L. (1965): *Archives of disease in childhood*, 40 : 243. (Quoted from El-Gamal et al., 1975).

Howie, P.W., Prentice, C.R.H. and McNicol, G.P. (1971): Coagulation, fibrinolysis and platelet function in preeclampsia, essential hypertension and placental insufficiency. *J. Obstet. Gynaecol. Brit. Cwlth.*, 78 : 992.

Hughes, E.C. (Ed.) (1972): *Obstetric-Gynecologic Terminology*. Philadelphia, Davis. (Quoted from Pritchard, J.A. and MacDonald, P.C., 1981).

Hulka, J.F. and Mohr, M. (1968): Trophoblast antigenicity demonstrated by altered challenge graft survival. *Science*, 161 : 696.

Hulka, J.F.; Hus, K.C. and Beiser, S.M. (1961): Antibodies to trophoblasts during the post partum period. *Nature*, 191 : 510.

Ishizaka, T.; Ishizaka, K.; Orange, R.P. and Austen, R.R. (1970): The capacity of human IgE to mediate the release of histamine and slow reacting substance of anaphylaxis from monkey lung. *J. Immunol.*, 104:335.

Jenkins, D.M. (1972): Immunological studies of the lymphocyte in human pregnancy. In *Immunology of Reproduction*. Sofia; Bulgaria Academy of Science P. 429.

Jenkins, D.M. and Hancock, K.W. (1972): Maternal unresponsiveness to placental histocompatibility antigens in human pregnancy. *Transplantation*, 13 : 619.

Jenkins, D.M., Need, A.J. and Rajah, S.M. (1977): Deficiency of specific HLA antibodies in severe preeclampsia and eclampsia. Clin. Exp. Immunol., 27 : 485.

Jenkinson, E.T., Billington, W.D. and Elson, J. (1976): Detection of receptors for immunoglobulin on human placenta by EA rosette formation. Clin. Exp. Immunol., 23 : 456 .

Jones, W.R. (1976): Fetal and neonatal immunology. In Immunology of Human Reproduction. (Ed.) Scott, J.S. and Jones, W.R. London : Academic press. P. 127.

Jones, E.A. and Waldmann, T.A. (1972): The mechanism of intestinal uptake and transcellular transport of IgG in the neonatal rat. J.Clin. Invest., 51:2916.

Jones, E., Curzen, P. and Gaugas, J.M. (1973): Suppressive activity of pregnancy plasma on the mixed lymphocyte reaction. J. Obstet. Gynaecol. Brit. Cwlth., 80:603.

- Jones, W.R. and Payene, R.B. (1967): Effect of mode of delivery on immunoglobulin G concentration in the newborn. *Am. J. Obstet. Gynecol.*, 99 : 1160.
- Jordan, M.S. and Mongau, E.H. (1967): *Biochem. Biophys. Acta*, 174 : 373. (Quoted from Maroulis et al., 1971).
- Kaliss, N. and Dagg, M.K. (1964): Immune response endangered in mice by multiparity. *Transplantation*, 2 : 416.
- Kasakura, S. (1970): A factor in maternal plasma during pregnancy that suppresses the reactivity of mixed leucocyte cultures *J. Immunol.*, 107 : 1296.
- Kasakura, S. (1971): The inhibitory effect of pregnant plasma on the reactivity of mixed leucocyte cultures. *Proceeding of the 6th leucocyte culture conference* (Ed.) Schwarz, M.R. NewYork P. 711. (Quoted from Need, J.A. 1979).
- Kasakura, S. (1973): Is cortisol responsible for inhibition of mixed lymphocyte reactions by pregnancy plasma? *Nature*, 246 : 496.

Kaplan, K.C.; catsoulis, E.A. and Franklin, E.C. (1965):
Materno-fetal transfer of human immunoglobulins
and fragments in rabbits. *Immunol.*, 8 : 354. (Quoted
from Jones, E.A. and Waldmann, T.A., 1972).

Kayé, M.D., Jones, W.R. and Anderson, D.T. (1972):
Studies of possible immunosuppressive action of
human chorionic gonadotrophin. *J. Reprod. Fertil.*,
31 : 335. (Quoted from Need, J.A., 1979).

Kelley, A.M. and McEwan, H.P. (1973): Proteinuria in preecl-
amptic toxæmia of pregnancy. *J. Obstet. Gynaecol.*
Brit. Cwlth., 80 : 520.

Kitzmilller, J.L. and Benirschke, K. (1973): Immunofloures-
cent study of placental bed vessels in preeclampsia
of pregnancy *Am. J. Obstet. Gynecol.* 115 : 248.

Kitzmilller, J.A. (1977): Immunological approaches to the
study of preeclampsia. *Clinical Obstetrics and*
Gynecology, 20 : 717.

- Klapper, D.G. and Mendenhall, H.W. (1971): Changes of Serum IgD During pregnancy. *J. Immunol.*, 107 : 912.
- Knobloch, V.; Jouja, V. and Sternova, H. (1974): IgE in serum Von Schwangeren frauen. *Zentralbl Gynaekol*, 96: 1190. (Quoted from Amino et al., 1978).
- Kochwa, S., Rosenfield, R.E., Tallal, L. and Wasserman, L.R. (1961): Isoagglutinins associated with ABO Erythroblastosis. *J. Clin. Invest.*, 40 : 874.
- Kohler, P.F. and Farr, R.S. (1966): Elevation of cord over maternal IgG immunoglobulin. Evidence for an active placental IgG transport. *Nature*, 210 : 1070.
- Lawler, S.D., Ukaejiofo, E.O. and Reeves, B.L. (1975): Interaction of maternal and neonatal cells in mixed leucocyte cultures. *Lancet*, 2 : 1185.
- Lesile, C.A. and Swate, T.E. (1972): Structure and biologic functions of human IgD I The presence of immunoglobulin D in human cord sera, *J. Immunol.* 109:47.

Little, C.C. (1924): The genetics of tissue transplantation in mammals *J. Cancer Research* 8 : 75. (Quoted from Need, J.A., 1979).

Mach, H.C. (1960): Serum protein changes in pregnancy. *Obstet. Gyn.* 3 : 336.

Mac Gillivray, I. and Tovey, J.E. (1957): A study of Serum protein changes in pregnancy and toxæmia using paper strip electrophoresis. *J. Obstet. Gynaecol. Brit. Empire.* 64 : 361.

Mac Gillivray, I. (1958): Some observations on the incidence of preeclampsia *J. Obstet. Gynaecol. Brit. Cwlth.* 65 : 536. (Quoted from Need, J.A., 1979).

Maroulis, G.B., Buckley, R.H. and Younger, J.B. (1971): Serum immunoglobulin concentrations during normal pregnancy. *AM. J. Obstet. Gynecol.* 109 : 971.

Martensson, L. and Fundenberg, H.H. (1965): Gm genes and gamma-globulin synthesis in the human fetus. *J. Immunol.* 94 : 514.

- Marti, J.J. and Herrmann, U. (1977): Immunogestosis : a new aetiological concept of gestosis with special consideration of the primigravid patient. *Am. J. Obstet. Gynecol.* 128 : 489.
- McFarlene, A. and Scott, J.S. (1976): Preeclampsia/eclampsia in twin pregnancies. *J. Med. genetics*, 13 : 208.
- McKay, D.G. (1972): Toxaemia-intravascular coagulation. *Obstet. Gynecol. Surv.* 27 : 399. (Quoted from Need, J.A. 1979).
- Masson, P.L., Delire, M. and Cambiaso, C.L. (1977): Circulating immune complexes in normal human pregnancy. *Nature*, 266 : 542.
- Mendenhall, H.W. (1970): Serum protein concentrations in pregnancy. I. Concentration in maternal serum. *Am. J. Obstet. Gynecol.*, 106 : 388.
- Mendenhall, H.W. (1970): Serum protein concentrations in pregnancy II concentration in cord serum and amniotic fluid. *Am. J. Obstet. Gynecol.*, 106 : 581.
- Mendenhall, H.W. (1970): Serum protein concentrations in pregnancy III Analysis of maternal-cord serum pairs. *Am. J. obstet. Gynecol.*, 106 : 718.

Miller, D.L.; Hirvonen, T. and Gitlin, D. (1973): Synthesis of IgE by the human conceptus. J. All. Clin. Immunol., 52 : 182.

Miller, M.J.; Sunshine, P.J. and Remington, J.S. (1969): Quantitation of cord serum IgM and IgA as screening procedure to detect congenital infection. J. Pediat., 75 : 1287.

Mitchison, N.A. (1964): Induction of immunological paralysis in two zones of dosage. Proc. Roy. Soc. Biol., 161:275.

Morris, I.G. (1963): Interference with the uptake of guinea-pig agglutinins in mice due to fractions of papain hydrolyzed rabbit gamma-globulin. proc. R. Soc. B. 157 : 160. (Quoted from Jones, E.A. and Waldmann, T.A., 1972).

Morris, I.G. (1964): The transmission of antibodies gamma-globulin across the young mouse gut Proc. R. Soc. B., 160 : 276. (Quoted from Jenkinson et al., 1976).

Need, J. A. (1975): Preeclampsia in pregnancies by different fathers: Immunological studies, Brit. Med. J., 1 : 548.

Need, J.A. (1978): Immunogenetic aspects of preeclamptic toxemia. MD Thesis. The university of Adelaide.
(Quoted from Need, J.A., 1979).

Need, J.A. (1979): Immunological phenomena in preeclamptic toxemia. Clinics in Obstetrics and Gynecology ,
6 : 443.

Need, J.A., Jenkins, D.M. and Scott, J.S. (1976): The response of lymphocytes to phytohemagglutinin in women with toxemia. Brit. J. Obstet. Gynaecol. 83 : 438.

Nelson, W.E.; Vaughn, V.C.; McKay, R.J. and Behrman, R.E.
(1979): Nelson Text Book of Pediatrics 11th edition.
W.B. Saunders Co., Philadelphia. London. Toronto
P. 404 , 582.

Ohama, K. and Kajii, T. (1974): Mixed cultures of adult and fetal lymphocytes. Am. J. Obstet. Gynecol.,
119 : 552.

Olding, L.B. and Oldstone, M.B.A. (1974): Lymphocytes from human newborn abrogate mitosis of their mother's lymphocytes Nature , 249 : 161.

Osborn, J.J.: Dancis, J. and Rosenberg, B.V. (1952):

Studies of the immunology of the newborn infant:
III permeability of the placenta to maternal antibody during fetal life. *Pediatric*, 10 : 540.

Paaby, P. (1960): Changes of serum proteins during pregnancy *J. Obstet. Gynaecol. Brit. Emp.*, 67 : 43.

Paterson, W.G.; Hobson, B.M.; Smart, G.E. and Bain, A.D.
(1971): Two cases of hydatidiform degeneration of the placenta with fetal abnormality and triploid chromosome constitution. *J. Obstet. Gynaecol. Brit. Cwlth* , 78 : 136.

Patricia, A.L.K.; Hawkins, D. and Shuster, J. (1976):
The biology of the immune response. In *Clinical Immunology*. Second edition. (ed.) Samuel, O. Faedman and Philbold. Medical department, Harper and Row publishers. New York, San Francisco, London, P.5.

Pence, H., Petty, W.M. and Rocklin, R.E. (1975): Suppression of maternal responsiveness to paternal antigen by maternal plasma. *J. Immunol.*, 114 : 525.

- Perkins, F.T., Yetts, R. and Gaisford, W. (1958): Serological response of infants poliomyelitis vaccine
Brit. Med. J., 2 : 68. (Quoted from Gitlin et al., 1964).
- Petit, J.C., Galinha, A. and Salomon, J.C. (1973): Immunoglobulins in the intestinal content of the human fetus with special reference to IgA. Eur. J. Immunol., 3 : 373. (Quoted from Cederqvist et al., 1976).
- Petrucchio, O.M.; Thomson, N.M., Lawrence, J.R. and Weldon, M.W. (1974): Immunofluorescent studies in renal biopsies in preeclampsia. Brit. Med., J. 1 : 473.
- Polani, P.E.; (1969): Autosomal imbalance and its syndromes excluding Down's. Brit. Med. Bull., 25 : 81. (Quoted from Need, J.A., 1979).
- Pritchard, J.A. and Macdonald, P.C. (1981): William's Obstetrics. 16th edition Appleton-Century-Crofts, New York P. 665.

Purtilo, D.T.; Hallgren, H.M.; Yunis, E.J. (1972): Depressed maternal lymphocyte response to phytohaem agglutinin in human pregnancy. *Lancet*, 1 : 769.

Remington, J.S. and Schafer, I.A. (1968): Transport Piece in the urines of premature infants. *Nature*, 217:364.

Robertson, W.B.; Brosens, I. and Dixon, G. (1976): Maternal uterine vascular lesions in hypertensive complications of pregnancy. In *Hypertension in pregnancy* (Ed.) Lindheimer, M.D.; Katz, A.I. and Zuspan, F.P. P. 115.

Rocklin, R.E.; Zuckerman, J.E., Alpert, E. and David, J.R. (1973): The effect of multiparity on human maternal hypersensitivity to fetal antigen. *Nature*, 241 : 130.

Rocklin, R.E.; Kilzmler, J.L., Carpenter, C.B., Garovoy, M.R. and David, J.R. (1976): Maternal - fetal relations. Absence of an immunologic blocking factor from the serum of women with chronic abortions. *N. Engl. J. Med.*, 295 : 1209.

- Roitt, I.M. (1974): *Essential Immunology*. 3rd edition,
Blackwell Scientific Publications, London. P.36.
- Scott, J.S. (1958): Pregnancy toxæmia associated with
hydrops fetalis, hydatidiform mole and hydramnios.
J. Obstet. Gynaecol. Brit. Cwlth., 65 : 689.
- Scott, J.S. and Beer, A.E. (1976): Immunological aspects
of preeclampsia *Am. J. Obstet. Gynecol.*, 125:418.
- Scott, J.S. and Jenkins, D.M. (1976): Immunogenetic factors
in aetiology of preeclampsia and eclampsia. *J.
Med. Genetics*, 12 : 200.
- Seymour, A.E.; Petrucco, O.M.; Clarkson, A.R.; Haynes,
W.D.G., Lawrence, J.R.; Jackson, B., Thompson,
A. J. and Thomson, N. (1976): *Hypertension in
Pregnancy*. (Ed.) Lindhiemer, M.D.; Katz, A.I.
and Zuspan, F.P. New York : Willey. P. 139.

Smithies, O. (1955): Zone electrophoresis in starch jels:
group variations in the serum proteins of normal
human adults, *Biochem. J.*, 61 : 629. (Quoted from
Gitlin et al., 1964).

Song, C.S.; Merkatz, I.R.; Rifkind, A.B.; Gillette,
P.N. and Kappas, A. (1970): The influence of
pregnancy and contraceptive steroids on the conc-
entration of plasma proteins. *Am. J. Obstet.*
Gynecol., 18 : 227.

Sowards, D.L. and Monif, G.R.G. (1972): Serum immunog-
lobulin M levels between weeks 22 and 37 of
gestation. *Am. J. Obstet. Gynecol.*, 112:394.

Stearn, R.H. (1963): The adolescent primigravida. *Lancet*
2 : 1083.

Stiehm, E.R.; Ammann, J.A. and cherry, J.D. (1966): Elevated
cord macroglobulins in the diagnosis of intraut-
erine infections *N. Engl. J. Med.*, 275 : 971.

Stiehm, E.R. (1973): Immunodeficiency disorders: general considerations. In Immunological disorders in infants and children (Ed.) Stiehm, E.R. and Fulginiti, V.A. Philadelphia: W.B. Saunders P. 145.

Stiehm, E.R. (1975): Fetal defense mechanisms. Am. J. Dis. Child., 129 : 438.

Stirrat, G.M., Redman, C.W. and Levinsky, R.J. (1978): Circulating immune complexes in preeclampsia. Brit. Med. J. 1:1450.

Studd, J.W.W. (1971): Immunoglobulins in normal pregnancy, preeclampsia and pregnancy complicated by the nephrotic syndrome. J. Obstet. Gynecol. Brit. Cwlth., 78 : 786.

Studd, J.W.; Shaw, R.W. and Bailey, D.E. (1972): Maternal and fetal serum protein concentration in normal pregnancy and pregnancy complicated by proteinuric preeclampsia. Am. J. Obstet. Gynecol., 114 : 582.

Studd, J.W.W.; Strakie, C.M. and Blainey, J.D. (1970):
Serum protein changes in the parturient mothers,
fetus and newborn infant. J. Obstet. Gynaecol.
Brit. Cwlth., 77 : 511.

Tamerius, J.; Hellstrom, I. and Hellstrom, K.E. (1975):
Evidence that blocking factors in the sera of
multiparous mice are associated with immunoglo-
bulins. Intern. J. Canc., 16 : 465.

Tatarinow, Y.S. (1965): Fed. Proc., 24 : 916.
(Quoted from Maroulis et al., 1971).

Taylor, P.V. and Hancock, K.W. (1975): Antigenicity of
Trophoblast and some possible antigen masking
effects during pregnancy. Immunol. 28 : 973.

Thong, Y.H.; Steele, R.W.; Vincent, M.M.; Hensen, S.
and Bellanti, J. (1973): Impaired in vitro cell-
mediated immunity to Rubella virus during pregn-
ancy. N. Engl. J. Med., 289 : 604.

Tiilikainen, A. (1971): Feto-maternal histocompatibility
in toxemia of pregnancy. In Human Anti-human
Gammaglobulins. (Ed.) Crubb, R. and Samuelsson,
G. Oxford; Pergamon press., P. 223.

Toaf, R. and Peyser, M.R. (1976): Mid trimester preecl-
amptic toxæmia in triploid pregnancies. Israel.
J. Med. Science., 12 : 234 (Quoted from Need, J.A.,
1979).

Tovey, L.A. and Scott, J.R. (1977): Immunological studies
in preeclamptic toxæmia. Brit. Med. J., 1:1016.

Van Rood, J.J.; Van Leeuwen, A. and Ernise, J. (1959):
Leucocyte antibodies in sera of pregnant women. Vox
Sanguinis, 4 : 427. (Quoted from Need, J.A., 1979).

Walter, J.B. and Israel, M.S. (1979): General pathology.
5th edition. Churchill living stone, Edinburgh,
London and New York P. 197.

Wynn, R.M. (1967): Comparative electron microscopy of
the placental, Junctional zone. Obstet, Gynecol.,
29 : 644.

Weir, D.M. (1983): Immunology, An Outline for Students
of Medicine and Biology. 5th edition. The English
Language Book Society and churchill livingstone,
London. P. 36.

Yang, S.L., Kleinman, A.M., and WEL. P-Y (1975): Immuno-
logical aspects of term pregnancy toxemia,
A study of immunoglobulin and Complement. Am.
J. Obstet. Gynecol., 122 : 727.

Yang, S.L., Kleinman, A.M.; Rosenberg, E.B. and WEL.P-Y
(1971): The effect of labour and mode of delivery
on immunoglobulin concentrations in the neo-nates.
Am. J. Obstet. Gynecol., 109 : 78.

Yeung, C.Y. and Hobbs, J.R. (1968): Serum IgG levels
in normal, premature, postmature and small for
dates newborn babies Lancet, 1 : 1167.

Yousef, H.H.; Gali, A.A. and Said, A. (1981): Immunoglo-
bulin levels in the serum of Egyptian women in
the course of normal and toxemic pregnancies,
Zagazig Univ, J., 4 : 39.

Youtanaukorn, V. and Matangkasombut, P. (1972): Human

maternal cell-mediated immune reaction to placental antigens. *Clin. Exp. Immunol.*, 11 : 549.

Youtanaukorn, V. and Matangkasombut, P. (1973): Specific plasma factors blocking human maternal cell-mediated immune reaction to placental antigens *Nature*, 242 : 110.

Youtanaukorn, V., Matangkasombut, P. and Osathanondh, V. (1974): Onset of human maternal cell-mediated immune reaction to placental antigens during the first pregnancy. *Clin. Exp. Immunol.*, 16 : 593.

Zak, S.T. and Good, R.A. (1959): Immunochemical studies of human serum Gamma-globulins. *J. Clin. Invest.*, 38 : 579.