



REFERENCES

- Abbas A, Irvine LM (1997):** Uterine rupture during labour after hysteroscopic myomectomy. *Gynaecol Endosc* ; 6(4):245– 6.
- ACOG (2005):** Uterine fibroids [pamphlet]. Washington, DC: American College of Obstetricians and Gynecologists; at [www. acog. org/ publications/patient- education /bp074](http://www.acog.org/publications/patient-education/bp074).
- Agostini A, Cravello L, Desbriere R, Maisonneuve AS, Roger V, Blanc B (2002):** Hemorrhage risk during operative hysteroscopy. *Acta Obstet Gynecol Scand*;81(9):878–81.
- Agostini A, Cravello L, Shojai R, Ronda I, Roger V, Blanc B (2002):** Postoperative infection and surgical hysteroscopy. *Fertil Steril* ;77(4):766–8.
- Ahima R and Flier JS (2000):** leptin. *Annu Rev physiol*; 62. 413-437.
- Ahima RS, Prabakaran D, Mantzoros C, Qu DQ, Lowell B, Maratosflier E and Flier JS (1996):** Role of leptin in the neuroendocrine response to fasting. *Nature*; 382:250-252.
- Ahmed G, Watson A, Vandekerckhove P (2006):** Techniques for pelvic surgery in subfertility. *Cochrane Database Syst Rev*; 2. CD000221.



References

- Aka N, Atalay S, Sayharman S and Kiliç D (2006):** Leptin and leptin receptor levels in pregnant women with hyperemesis gravidarum. The Australian & New Zealand journal of obstetrics & gynaecology; 46 (4): 274-7.
- Al-Hendy A and Salama S (2006):** Gene therapy and uterine leiomyoma: A review. Hum Reprod Update; 12(4):385-400.
- Al-Kadri HM, Al-Turki HA and Saleh AM (2002):** Short and long term complications of abdominal and vaginal hysterectomy for benign disease. Saudi Med J; 23(7):806-810.
- Alonso-Vale, Maria Isabel Cardoso, Sandra A, Sidney BP and Gabriel FA (2004):** Melatonin Enhances Leptin Expression by Rat Adipocytes in the Presence of Insulin. Am J Physiol Endocrinol Metab; 288: E805-E812.
- Ambrosius WT, Compton JA, Bowsher RR and Pratt JH (1998):** Relation of race, age, and sex hormone differences to serum leptin concentrations in children and adolescents.; 49: 240–6.
- Andreassi MG (2004):** The biological effects of diagnostic cardiac imaging on chronically exposed physicians: the importance of being non-ionizing. Cardiovasc Ultrasound; 2: 25.
- Baird DD and Dunson DB (2003):** Why is parity protective for uterine fibroids? Epidemiology; 14(2):247-250.
- Barash IA, Cheung CC, Weigle DS, Ren H and Kabigting EB (1996):** Leptin is a metabolic signal to the reproductive system. Endocrinology; 137: 3144-3147.



- Barb C, Hausman G and Houseknecht K (2001):** Biology of leptin in the pig. Domestic animal endocrinol; 21, 297-317.
- Batra N (2004) /676:** uterine leiomyoma. Obstet Gynecol Clin N Am ;31 669–685.
- Bihter SD, Tayfun G, Bulent O, Sabri C, Umit B, Leyla M (2007):** No significant difference in serum leptin level between women with myoma and women without myoma. Taiwanese J Obstet Gynecol; 46(1):33–37.
- Bouloumie A, Drexler HCA, Lafontan M and Busse R (1998):** Leptin, the product of Ob gene, promotes angiogenesis. Circ Res; 83: 1059-1066.
- Bozzini N, Rodrigues CJ, Petti DA (2003):** Effects of treatment with gonadotropin releasing hormone agonist on the uterine leiomyomata structure. Acta Obstet Gynecol Scand ; 82: 330–334.
- Bukulmez O and Doody KJ (2006):** Clinical features of myomas. Obstet Gynecol Clin North Am; 33(1):69-84.
- Campfield LA, Smith FJ, Guisez Y and Devos R (1995):** Recombinant mouse OB protein: Evidence for a peripheral signal linking adiposity and central neural networks. Science; 269: 546-9.
- Candiani GB, Fedele L, Parazzini F (1991):** Risk of recurrence after myomectomy. Br J Obstet Gynaecol ;98:385– 9.



- Cervero A, Domínguez F, Horcajadas JA, Quiñonero A, Pellicer A and Simón C (2006):** The role of the leptin in reproduction. *Curr. Opin. Obstet. Gynecol*; 18 (3): 297-303.
- Chan TF, Su JH, Chung YF, Chang HL and Yuan SS (2003):** Decreased serum leptin levels in women with uterine leiomyomas. *Acta Obstet Gynecol Scand*; 82:173–6.
- Chegini N & Kornberg L (2003):** Gonadotropin releasing hormone analogue therapy alters signal transduction pathways involving mitogen-activated protein and focal adhesion kinases in leiomyoma. *J Soc Gynecol Investig* 2; 10: 21–26.
- Chehab FF, Lim ME and Lu R (1996):** Correction of the sterility defect in homozygous obese female mice by treatment with the human recombinant leptin. *Nat Genet* 12:318-320.
- Chin-Chance C, Polonsky K and Schoeller D (2000):** Twenty-four-hour leptin levels respond to cumulative short-term energy imbalance and predict subsequent intake. *J Clin Endocrinol Metab*; 85(8): 2685-91.
- Ciavattini A, Tsiroglou D and Piccioni M (2004):** Laparoscopic cryomyolysis: an alternative to myomectomy in women with symptomatic fibroids. *Surg Endosc*; 18(12):1785-1788.
- Ciavattini A, Tsiroglou D, Litta P, et al.(2006):** Pregnancy outcome after laparoscopic cryomyolysis of uterine myomas: report of nine cases. *J Minim Invasive Gynecol*.;13:141–144.



- Considine RV, Sinha MK, Heiman ML and Kriauciunas A (1996):** Serum Immunoreactive-Leptin Concentrations in Normal-Weight and Obese Humans. *N Engl J Med*; 334 (5): 292-295.
- Corson SL (1995):** Hysteroscopic diagnosis and operative therapy of submucous myoma. *Obstet Gynecol Clin North Am*;22(4):739– 55.
- CT. angiography, (CTA). (2007):** Radiology Info Web site. www.Radiologyinfo.org/en/info.cfm?pg=angiocr. Accessed April 17.
- Cura M, Cura A and Bugnone A (2006):** Role of magnetic resonance imaging in patient selection for uterine artery embolization. *Acta Radiol*; 47(10):1105-1114.
- Darai E, Deval B, Darles C (1996):** Myomectomy: Laparoscopy or laparotomy. *Contracept Fertil Sex* 24:751-756.
- Darwish AM, Hassan EAZ (2002):** Haemodynamic, biochemical and haematological changes during hysteroscopic myomectomy. *Gynaecol Endosc*;11(6):349–55.
- Day Baird D, Dunson DB and Hill MC (2003):** High cumulative incidence of uterine leiomyoma in black and white women: Ultrasound evidence. *Am J Obstet Gynecol*; 188:100–107.
- De Blok S, de Vries C, Prinssen HM and Jorna-Meijer LB (2003):** Fatal sepsis after uterine artery embolization with microspheres. *J Vasc Interv Radiol*; 14 (6): 779-783.



- Dembek CJ, Pelletier EM, Isaacson KB, Spies JB (2007):** Payer costs in patients undergoing uterine artery embolization, hysterectomy, or myomectomy for treatment of uterine fibroids. *J Vasc Interv Radiol*;18:1207_13.
- Devireddy RV, Coad JE, Bischof JC.(2001):** Microscopic and calorimetric assessment of freezing processes in uterine fibroid tumor tissue. *Cryobiology* ;42: 225–243.
- Donnez J, Jadoul P (2002):** What are the implications of myomas on fertility? A need for a debate? *Hum Reprod*;17(6):1424–30.
- Donnez J, Squifflet J, Polet R and Nisolle M (2000):** Laparoscopic myolysis. *Hum Reprod Update*; 6(6):609-613.
- Douchi T, Kuwahata T, Yoshimitsu N, Iwamoto I, Yamasaki H and Nagata Y. (2003):** Changes in serum leptin levels during GnRH agonist therapy. *Endocr J*; 50:355–9.
- Drews MR, Reyniak JV (2001):** Surgical approach to myomas: laparoscopy and hysteroscopy. *Semin Reprod Endocrinol* ;10:367– 77.
- Dubuc G, Phinney S, Stern J and Havel P (1998):** Changes of serum leptin and endocrine and metabolic parameters after 7 days of energy restriction in men and women. *Metab Clin Exp*; 47 (4): 429-34.
- Dubuisson JB, Fauconnier A, Chapron C (1998):** Second look after laparoscopic myomectomy. *Hum Reprod* ; 13: 2102–2106.



- Ellis H (2006):** The Abdomen and Pelvis. In: Clinical Anatomy, 11th edition, Blackwell Science, pp, 59-66.
- Emanuel MH, Wamsteker K, Hart AA, Metz G, Lammes FB (1999):** Long term results of hysteroscopic myomectomy for abnormal uterine bleeding. Obstet Gynecol ;93(5 Pt 1):743– 8.
- Englund K, Blanck A and Gustavsson I (1998):** Sex steroid receptors in human myometrium and fibroids: changes during the menstrual cycle and gonadotropin-releasing hormone treatment. J Clin Endocrinol Metab; 83:4092–4096.
- Errico Zupi, MD,* Marco Sbracia, MD,w Daniela Marconi, MD,w and Malcolm G. Munro, MD, Frsc(C), FACOGz (2006):** Myolysis of Uterine Fibroids: Is There a Role?.
- Farooqi IS, Matarese G, Lord GM, Keogh JM, Lawrence E and Agwu C (2002):** Beneficial effects of leptin on obesity, T cell hyporesponsiveness, and neuroendocrine/metabolic dysfunction of human congenital leptin deficiency. J Clin Invest;110:1093–103.
- Farquhar C, Vandekerckhove P, Watson A (2000):** Barrier agents for preventing adhesions after surgery for subfertility. Cochrane Database Syst Rev ; 2. CD000475.



- Farquhar CM, Harvey SA, Yu Y, Sadler L, Stewart AW. A (2006):** prospective study of 3 years of outcomes after hysterectomy with and without oophorectomy. *Am J Obstet Gynecol.*;194:711_7.
- Fennessy FM and Tempany CM (2005):** MRI-guided focused ultrasound surgery of uterine leiomyomas. *Acad Radiol*; 12(9):1158-1166.
- Freidman JM (2002):** The function of leptin in nutrition, weight and physiology. *Nutrition Reviews*; 11(Supplement):1-14.
- Fried SK, Ricci MR, Ussell CD and Laferre B (2000):** Regulation of leptin production in humans. *Nutr*; 130:3127s-3131s.
- Gabbe SG (2007):** Anatomy of the pelvis. In *Gabbe: Obstetrics: Normal and Problem Pregnancies*, 5th ed. Churchill Livingstone, An Imprint of Elsevier, pp 521-531.
- Gainsford T, Willson TA, Metcalf D, Handman E and Mcfarlane C (1996):** Leptin can induce proliferation, differentiation, and functional activation of hemopoietic cells. *Proc Natl Acad Sci USA* 93:14564-14568.
- Gilberto Paz-Filho, Tuncay Delibasi, Halil K Erol, Ma-Li Wong and Julio Licinio (2009):** Congenital leptin deficiency and thyroid function. *Thyroid Research* 2009, 2:11doi:10.1186/1756-6614-2-11.



References

- Golden NH and Carlson JL (2008):** The pathophysiology of amenorrhea in the adolescent. *Ann N Y Acad Sci.*;1135:163-78.
- Gomel V, Taylor P(1995):** Energy sources for operative laparoscopy: Diagnostic and operative gynecologic laparoscopy. St. Louis, Mosby-Year Book, pp 27-56 .
- Gonzalez RR, Simon C and Noman R (2000):** Leptin and Reproduction. *Hum Reprod Update*; 6: 290- 300.
- Goodwin SC, Landow WJ, Matalon TA, Mauro MA and Pomerantz P (2001):** Worthington-Kirsch RL. Opportunity and responsibility: SCVIR's role with uterine artery embolization. *Society of Cardiovascular & Interventional Radiology. J Vasc Interv Radiol*; 11 (4): 409-410.
- Gray H. (2000):** *Anatomy of the Human Body.* By Henry Gray. 20th ed., thoroughly reviewed and re-edited by Warren H. Lweis, Philadelphia: Lea & Febiger, 1918: batleby.com, 2000, p 1242- 1256.
- Halaas JL, Gajiwala KS, Maffei M, Cohen SL, Burley SK and Friedman JM (1995):** Weight-reducing effects of the plasma protein encoded by the obese gene. *Science*; 269:543-546.
- Haney AF (2008):** Leiomyomata. In: *Danforth's Obstetrics and Gynecology*, 10th Edition. Gibbs, Ronald S.; Karlan, Beth Y.; Haney, Arthur F.; Nygaard, Ingrid E (eds). Lippincott Williams & Wilkins, chapter 55, p 1220 .



Harvey J, McKenna F, Herson PS, Spanswick D and Ashford MLJ (1997): Leptin activates ATP-sensitive potassium channels in the rat insulin-secreting cell line, CRI-G1. *J Physiol (Lond)* 504:527-535.

Hovsepian DM, Siskin GPa nd Bonn J (2004): Quality improvement guidelines for uterine artery embolization for symptomatic leiomyomata. *Cardiovasc Intervent Radiol*; 27(4):307-313.

Igarashi M (1993): Value of myomectomy in the treatment of infertility [letter]. *Fertil Steril* 59:1331.

Itkin M and Shlansky-Goldberg R (2002): Uterine fibroid embolization. *Appl Radiol*; 31(10):9-17.

Iwaniec UT, Boghossian S, Lapke PD, Turner RT and Kalra SP (2007): Central leptin gene therapy corrects skeletal abnormalities in leptin-deficient ob/ob mice". *Peptides*. PMID 17346852.

J. Wang and L. Cong (2007): The effect of endometrial growth velocity on IVF-ET outcome. *Fertility and Sterility*; Vol. 88, Supplement 1, Page S201.

Jackson EK and Li P (1997): Human leptin has natriuretic activity in the rat. *Am J Physiol*; 272: F333-F338.

Jeffrey SF (2004): Obesity Wars: Molecular Progress. *Confronts an Expanding Epidemic Cell*, Vol. 116, 337–350.



Ji E, Pretorius DH and Newton R (2005): Effects of ultrasound on maternal-fetal bonding: a comparison of 2-dimensional vs. 3-dimensional imaging. *J Ultrasound Obstet Gynecol*; 25:473–7.

John S, Torday V and Rehan K (2006): "Up-regulation of fetal rat lung parathyroid hormone-related protein gene regulatory network down-regulates the Sonic Hedgehog/Wnt/betacatenin gene regulatory network". *Pediatr. Res.* 60 (4): 382-8. PMID 16940239.-published online before print as DOI 10.1203/01.pdf.0000238326.42590.03 .

Joyce H. S. You, Pharm.D., B.C.P.S.,a Daljit Singh Sahota, Ph.D.,b and Pong Mo Yuen, F.R.C.O.G.b,c (2009): a Centre for Pharmacoeconomics Research, School of Pharmacy; b Department of Obstetrics and Gynaecology; and c Obstetrics and Gynaecology Centre, Hong Kong Sanatorium and Hospital, Chinese University of Hong Kong, Hong Kong, People's Uterine artery embolization, hysterectomy, or myomectomy for symptomatic uterine fibroids: a cost-utility analysis.

Kaplowitz PB (2008): Link between body fat and the timing of puberty. *Pediatrics*; 121 (Suppl 3):S208-17.

Karci A, Erkin Y (2003): Transient blindness following hysteroscopy. *J Int Med Res*;31(2): 152– 5.



- Katholi RE, Taylor GJ and Woods WT (1993):** Nephrotoxicity of nonionic low-osmolality versus ionic high-osmolality contrast media: a prospective double-blind randomized comparison in human beings. *Radiology*; 186(1):183-187.
- Kawaguchi K, Fujj S and Konishi I (1989):** Mitotic activity in uterine leiomyomas during the menstrual cycle. *Am J Obstet Gynecol*; 160:637– 41.
- Kiess W, Blum WF and Aubert ML (1998):** Leptin, puberty and reproductive function: lessons from animal studies and observations in humans. *Eur J Endocrinol*; 138:26–9.
- Kolankaya A and Arici A (2006):** Myomas and assisted reproductive technologies: when and how to act? *Obstet Gynecol Clin North Am*; 33(1):145-152.
- Kroencke TJ, Scheurig C, Taupitz M, Schnorr J and Hamm B (2006):** Uterine fibroids: contrast-enhanced MR angiography to predict ovarian artery supply--initial experience. *Radiology*; 241 (1):181-189.
- Kus I, Sarsilmaz M and Colakoglu N (2004):** Pinealectomy increases and exogenous melatonin decreases leptin production in rat anterior pituitary cells: an immunohistochemical study. *Physiological research/Academia Scientiarum Bohemoslovaca*; 53 (4): 403–8.



- Lamminen I, Rantala H and Helin M (1992):** Proliferative activity of human uterine leiomyoma cells as measured by automatic image analysis. *Gynecol Obstet Invest*; 34:111 – 4.
- Langenberg P, Kjerulff KH and Stolley PD (1997):** Hormone replacement and menopausal symptoms following hysterectomy. *Am J Epidemiol*; 146(10):870-880.
- Lefebvre G, Vilos G, Allaire C, Jeffrey J (2003):** The management of uterine leiomyomas. *J Obstet Gynaecol Can*;128:396– 405.
- Liu MT, Seino S and Kirchgessner AL (1999):** Identification and characterization of glucoreponsive neurons in the enteric nervous system. *J Neurosci* 19:10305-10317.
- Lostao MP, Urdaneta E, Martinezanso E, Barber A and Martinez JA (1998):** Presence of leptin receptors in rat small intestine and leptin effect on sugar absorption. *FEBS Lett*; 423:302-306.
- Lumsden MA, Wallace EM (1998):** Clinical presentation of uterine fibroids. *Ballieres Clin Obstet Gynaecol*;12:177– 95.
- Luo X, Ding L, Xu J, Chegini N (2005):** Gene expression profiling of leiomyoma and myometrial smooth muscle cells in response to transforming growth factor-beta. *Endocrinology*; 146: 1097_118.
- M. Adelgadir, M. Elbagir, M. Eltom, C. Berne, B (2002):** Reduced leptin concentrations in subjects with type 2 diabetes mellitus in Sudan; Volume 51, Issue 3, Pages 304-306 .



- Machinal F, Dieudonne MN, Leneveu MC, Pecquery R and Giudicelli Y (1999):** In vivo and in vitro ob gene expression and leptin secretion in rat adipocytes: evidence for a regional specific regulation by sex steroid hormones. *Endocrinology*; 40: 1567–74.
- Maehara M, Ikeda K, Ohmura N, Sakaida N and Sawada S (2006):** Leiomyoma of the trachea: CT and MRI findings. *Radiat Med*; 24 (9):643-645.
- Maffai M, Halaas J and Ravussin E (1996):** Leptin levels in human and rodent: measurement of plasma leptin and ob RNA in obese and weight reduced subjects. *Nature*; 1:1155–61.
- Mais V, Ajossa S, Piras B (1995):** Prevention of de-novo adhesion formation after laparoscopic myomectomy: A randomized trial to evaluate the effectiveness of an oxidized regenerated cellulose absorbable barrier. *Hum Reprod* 10:3133-3135.
- Malyshkina AI, Posiseeva LV, Sotnikova NY, Antsiferova JS and Arevadze IE (2002):** Local immunological markers of different rate of growth of uterine myoma. *Russ J Immunol*; 7:58–62.
- Mantzoros, Moschos S and Avramopoulos I (1997):** Leptin concentrations in relation to body mass index and the tumor necrosis factor system in humans. *J clin endocrinal metal* 82.3408-3413.



- Margetic S, Gazzola C, Pegg GG and Hill RA (2002):** Leptin: a review of its peripheral actions and interactions. *Int. J. Obes. Relat. Metab. Disord*; 26 (11): 1407-33.
- Markowska A, Drews K and Malendowicz LK (2005):** Further studies on leptin and leptin receptor expression in myometrium and uterine myomas. *Eur J Gynaecol Oncol*; 26:517–25.
- Mars M, de Graaf C, de Groot C, van Rossum C and Kok F (2006):** "Fasting leptin and appetite responses induced by a 4-day 65%-energy-restricted diet". *International journal of obesity (Lond)* 30 (1): 122-8.
- Marshall LM, Spiegelman D, Manson JE, Goldman MB, Barbieri RL, Stampfer MJ and Willett WC (1998):** Risk of uterine leiomyomata among premenopausal women in relation to body size and cigarette smoking. *Epidemiology*; 9:511–7.
- Martin Chaves EB, Brum IS, Stoll J, Capp E, Corleta HE (2004):** Insulin-like growth factor 1 receptor mRNA expression and autophosphorylation in human myometrium and leiomyoma. *Gynecol Obstet Invest.*;57:210_3.
- Martin HD, Dean RG and Hausman GJ (2000):** Alteration in fetal adipose tissue leptin expression correlates with the development of adipose tissue. *Biol neonate*: 7841-7847.
- Mathew M, Gowri V, Al HA, Machado L, Rao K and Shabnam S (2007):** Cotyledonoid leiomyoma in pregnancy. *Obstet Gynecol*; 109(2 Pt 2):509-511.



- McFarlin BL (2006):** Ultrasound assessment of the endometrium for irregular vaginal bleeding. *J Midwifery Womens Health*; 51(6):440-449.
- McLucas B, Perrella R (1995):** Does endometrial resection cause adenomyosis? *Gynecol Endosc*;4:123– 7.
- Medical encyclopedia (2006):** uterine fibroids. Medline Plus Web site. Updated May 15, 2006. Accessed April 17, 2007.
- Metwally M, Watson A, Lilford R (2006):** Fluid and pharmacological agents for adhesion prevention after gynaecological surgery. *Cochrane Database Syst Rev* ; 2. CD001298.
- Minh Liu (2004):** Leptin: a piece of the obesity pie. At <http://www.scq.ubc.ca/leptin-a-piece-of-the-obesity-pie/>. Last accessed at 20-11-2008.
- Moynihan AT, Hehir MP, Glavey SV, Smith TJ and Morrison JJ (2006):** Inhibitory effect of leptin on human uterine contractility in vitro. *Am. J. Obstet. Gynecol.* 195 (2): 504-9.
- National Institute of Health. Office of Research on Women's Health Web site. March (2006):** Status of research on uterine fibroids (leiomyomata uteri) at the National Institutes of Health.
- Nikolaidis P, Siddiqi AJ and Carr JC (2005):** Incidence of nonviable leiomyomas on contrast material-enhanced pelvic MR imaging in patients referred for uterine artery embolization. *J Vasc Interv Radiol*; 16 (11): 1465-1471.



Nowicki M, Adamkiewicz G, Bryc W and Kokot F (2002): The influence of luteinizing hormone-releasing hormone analog on serum leptin and body composition in women with solitary uterine myoma. *Am J Obstet Gynecol*;186:340–4.

O'Donnell AJM, Macleod KG and Burns DJ (2005): Estrogen receptor- α mediates gene expression changes and growth response in ovarian cancer cells exposed to estrogen. *Endocr Relat Cancer*; 12:851–866.

Odumki M, Furuya R, Yoneyama T et al. (1999): Association of serum leptin concentration with weight loss in chronic hemodialysis patients. *Am J Kidney Dis*, 33(2):361-8.

Olive DL, Lindheim SR, Pritts EA (2004): Non-surgical management of leiomyoma: impact on fertility. *Curr Opin Obstet Gynecol*;16:239–43.

Omary RA, Vasireddy S, Chrisman HB (2003): The effect of pelvic MR imaging on the diagnosis and treatment of women with presumed symptomatic uterine fibroids. *J Vasc Interv Radiol*; 13(11):1149-1153.

Ouyang DW, Economy KE and Norwitz ER (2006): Obstetric complications of fibroids. *Obstet Gynecol Clin North Am*; 33(1):153-169.

Pallett AL, Morton NM, Cawthorne MA and Emilsson V (1997): Leptin inhibits insulin secretion and reduces insulin mRNA levels in rat isolated pancreatic islets. *Biochem Biophys Res Commun*; 238:267-270.



- Parker WH (1995):** Myomectomy: Laparoscopy or laparotomy. Clin Obstet Gynecol 38:392-400.
- Payson M, Leppert P and Segars J (2007):** Epidemiology of myomas. Obstet Gynecol Clin North Am; 33(I):1-11.
- Peelman F, Van Beneden K, Zabeau L and Iserentant H (2004):** Mapping of the leptin binding sites and design of a leptin antagonist. JBC 279 (39), 41038-41046.
- Pfeffer WH (1980):** Adjuvants in tubal surgery. Fertil Steril 33:245-256.
- Perkins Kenneth A. and Fonte Carolyn (2002) :** Effects of smoking status and smoking cessation on leptin levels. Nicotine & tobacco research ., 1462-2203 .
- Propst AM, Liberman RF, Harlow BL, Ginsburg ES (2000):** Complication of hysteroscopic surgery: predicting patients at risk. Obstet Gynecol;96(4):517– 20.
- Reynolds A (2007):** Diagnosis and management of uterine fibroids. Radiologic Technology; 79:157-178 .
- Rosenbaum M, Nicolson M, Hirsch J and Heymsfield SB (1996):** Effects of gender, body composition, and menopause on plasma concentrations of leptin. J Clin Endocrinol Metab; 81: 3424–7.
- Rullo S, Boni T (1995):** Broad ligament abscess after operative hysteroscopy. Clin Exp Obstet Gynecol ;22:240–48.
- Ryan JM, Ryan BM and Smith TP (2004):** Antibiotic prophylaxis in interventional radiology. J Vasc Interv Radiol; 15(6):547-556.



- Shimanuki H, Takeuchi H, Kumakiri J and Kinoshita K (2006):** Effectiveness of intraoperative ultrasound in reducing recurrent fibroids during laparoscopic myomectomy. *J Reprod Med*; 51(9):683-688.
- Smith SJ (2000):** Uterine fibroid embolization. *Am Fam Physician*; 61 (12):3601-3602.
- Society of Interventional Radiology Web site (2007):** Uterine fibroid symptoms, diagnosis and treatment options.
- Sozen I and Arici A (2006):** Cellular Biology of Myomas: Interaction of Sex Steroids with Cytokines and Growth Factors. *Obstet Gynecol Clin N Am*; 33: 41– 58.
- Spanswick D, Smith MA, Groppi VE, Logan SD and Ashford MLJ (1997):** Leptin inhibits hypothalamic neurons by activation of ATP-sensitive potassium channels. *Nature*; 390:521-525.
- Srividhya Sankaran MRCO, Isaac T. Manyonda BSc, PhD, MRCOG, (2008):** Medical management of fibroids Best Practice & Research Clinical Obstetrics and Gynaecology Vol. 22, No. 4, pp. 655–676.
- Stanley JR, Rex CB, Kelly B and Malcolm CA (2000):** Pathology and Pathophysiology of Uterine Smooth-Muscle Tumors.
- Stark GC (1998):** CO2 laser myomectomy in an infertile population. *J Reprod Med* 33:134-137.
- Stenvinkel P (1999):** Leptin and its clinical implication in chronic renal failure. *Miner Electrolyte Metab*; 25:298-302.



Steppan CM and Swick AG (1999): A role for leptin in brain development. *Biochem Biophys Res Commun*; 256:600-602.

Stewart EA (2001): Uterine fibroids. *Lancet*; 357:293–298.

Stringer NH, Strassner HT, Lawson L (2001): Pregnancy outcomes after laparoscopic myomectomy with ultrasonic energy and laparoscopic suturing of the endometrial cavity. *J Am Assoc Gynecol Laprosc*; 8(1): 129–136.

The American Society for Reproductive Medicine (2005): grants permission to photocopy this fact sheet and distribute it to patients. Revised 2/2005 available at <http://www.asrm.org/Patients/FactSheets/SHG.pdf>. last accessed 25-2-2009.

The Endometriosis Research Center Web site. September (2003): Surgery versus GnRH therapy in the diagnosis & treatment of endometriosis: efficacy, tolerability & patient preference.

The National Women's Health and Information Center Web site (2004): Uterine fibroids.

Treloar SA, Do KA, O'Connor VM, O'Connor DT, Yeo MA and Martin NG (1999): Predictors of hysterectomy: an Australian study. *Am J Obstet Gynecol*; 180:945–954.

Tsai YJ, Yeat SK, Jeng CJ, Chen SC (2006): Torsion of a uterine leiomyoma. *Taiwan J Obstet Gynecol*;45:333–5.

Tsuji S, Takahashi K, Yomo H (2005): Effectiveness of antiadhesion barriers in preventing adhesion after myomectomy in patients



with uterine leiomyoma. Eur J Obstet Gynecol Reprod Biol; 123: 244–248.

Tulandi T, Murray C & Guralnick M (1993): Adhesion formation and reproductive outcome after myometomy and second look laparoscopy. Obstet Gynecol ; 82: 213–215.

Unger RH, Zhou YT and Orci L (1999): Regulation of fatty acid homeostasis in cells: novel role of leptin. Proc Natl Acad Sci USA; 96: 2327-2332.

Vercellini P, Cortesi I, Oldani S (1997): The role of transvaginal ultrasonography and outpatient diagnostic hysteroscopy in the evaluation of patients with menorrhagia. Hum Reprod 12:1768-1771.

Vergani P, Locatelli A, Ghidini A, Andreani M, Sala F and Pezzullo JC (2007): Large uterine leiomyomata and risk of cesarean delivery. Obstet Gynecol; 109(2 Pt 1):410-414.

Verkauf BS (1992): Myomectomy for fertility enhancement and preservation. Fertil Steril 58:1-15.

Walker WJ, Green A and Sutton C (1998): Bilateral uterine artery embolization for myomata results, complications and failures. Min Invas Ther Allied Technol; 8:449-454.

Walker WJ, Pelage JP and Sutton C (2002): Fibroid embolisation. Clin Radiol; (57):325-331.



- Wallach EE, Thompson JD, Rock JA (eds): Telinde's, Philadelphia, JB Lippincott (1992):** Myomectomy In Operative Gynecology; pp 647-662.
- Wamsteker K, de Blok S (1993):** Diagnostic hysteroscopy: technique and documentation. In: Sutton CJC, Diamond M, editors. Endoscopic surgery for gynaecologists. London: WB Saunders; p. 263–76.
- Wamsteker K, Emanuel MH, Kruif JH (1993):** Transcervical hysteroscopic resection of submucous fibroid for abnormal uterine bleeding: results regarding the degree of intramural extension. *Obstet Gynecol*; 82:736– 40.
- Wang MY, Lee Y and Unger RH (1999):** Novel form of lipolysis induced by leptin. *J Biol Chem*; 274:17541-17544.
- Wegienka G, Baird DD, Hertz-Picciotto I, Harlow SD and Steege JF (2003):** Self-reported heavy bleeding associated with uterine leiomyomata. *Obstet Gynecol*; 101:431–437.
- Wunder DM, Yared M, Bersinger NA and Widmer D (2006):** Serum leptin and C-reactive protein levels in the physiological spontaneous menstrual cycle in reproductive age women. *Euro J Endocrinol*; 155 (1): 137-142.



References

- Yaron Y, Shenhav M, Jaffa AJ, Lessing JB, Peyser MR (1994):*** Uterine rupture at 33 weeks gestation subsequent to hysteroscopic terine perforation. *Am J Obstet Gynecol*; 170:786– 7.
- Zhang F, Basinski MB, Beals JM, Schoner BE, Smith DP, Zhang XY, Wery JP, Schevitz RW (1997):*** Crystal Structure of the obese protein leptin-E100. *Nature*; 387, 206-209.
- Zhao J, Townsend KL, Schulz LC, Kunz TH, Li C and Widmaier EP (2004):*** Leptin receptor expression increases in placenta, but not hypothalamus, during gestation in *Mus musculus* and *Myotis lucifugus*. *Placenta* 25 (8-9): 712–22.
- Zheng D, Wootter MH, Zhou Q and Dohm GL (1996):*** The effect of exercise on ob gene expression. *Biochem Biophys Res Commun*; 225: 747-750.
- Zupi E, Marconi D, Sbracia M (2005):*** Directed laparoscopic cryomyolysis for symptomatic leiomyomata: one-year follow up. *J Minim Invasive Gynecol*; 12(4):343-346.