

REFERENCES

Agarwal SK & Buyalos RP (1996) :

Clomiphene citrate with intrauterine insemination: is it effective therapy in women above the age of 35 years? Fertil Steril 65: 759-63.

Akhtar M, Njar V, Wright J (1993):

Mechanistic studies on aromatase and related C-C bond cleaving P-450 enzymes. Steroid Biochem Mol Biol . 44: 375-387.

Al-Fozan H, Al-Khadouri M, Tan SL, Tulandi T (2004) :

A randomized trial of letrozole versus clomiphene citrate in women undergoing superovulation. Fertil Steril 82:1561–1563

Al-Omari W, Al Hadithi N, Izat B, Sulaiman W (2001):

The effect of an aromatase inhibitor on ovulation induction and endometrial receptivity in clomiphene resistant women with polycystic ovary syndrome. Mid East Fertil Soc J ; 6: S2-5.

Alvarez-Blasco F., et al.,(2006):

Prevalence and characteristics of the polycystic ovary syndrome in overweight and obese women. Arch Intern Med . 166(19): p. 2081-6.

Anonymous (1998):

Assisted reproductive technology in the United States and Canada: 1995 results generated from the American Society for Reproductive Medicine/Society for Assisted Reproductive Technology Registry. Fertil Steril 69:389-98.

Atay V, Cam C, Muhcu M, Cam M, Karateke A (2006):

Comparison of **letrozole** and **clomiphene** citrate **in** women with polycystic ovaries undergoing ovarian stimulation. J Int Med Res. 34:73–76.

Azziz R(2006):

Controversy in clinical endocrinology: diagnosis of polycystic ovarian syndrome: the Rotterdam criteria are premature. J Clin Endocrinol Metab. **91**(3): p. 781-5.

Azziz R et al.,(2006):

Positions statement: criteria for defining polycystic ovary syndrome as a predominantly hyperandrogenic syndrome: an Androgen Excess Society guideline. J Clin Endocrinol Metab. **91**(11): p. 4237-45.

Badawy A, Abdel Aal I, Abulatta M (2007):

Clomiphene citrate or **letrozole** for ovulation **induction in** women with polycystic ovarian syndrome: a prospective randomized trial. Fertil Steril doi:10.1016/j.fertnstert.02.062.

Badawy A, Elnashar A, Totongy M (2008):

Clomiphene citrate or aromatase inhibitors for superovulation in women with unexplained infertility undergoing intrauterine insemination: a prospective randomized trial. Fertil Steril. Aug 8.

Baillargeon, J.P. and A. Carpentier,(2007):

Role of insulin in the hyperandrogenemia of lean women with polycystic ovary syndrome and normal insulin sensitivity. Fertil Steril . **88**(4): p. 886-93.

Balasch J, Ballesca JL, Pimentel C, Creus M et al., (1994) :

Late low-dose pure follicle stimulating hormone for ovarian stimulation in intra-uterine insemination cycles. Hum Reprod 9: 1863-6.

Bajetta E, Zilembo N, Celio L, Martinetti A , Bichisao E(1999) :

Double-blind, randomised, multicentre endocrine trial comparing two letrozole doses, in postmenopausal breast cancer patients. Eur J Cancer 35:208–213

Balen AH, Jacobs HS (1994) :

A prospective study comparing unilateral and bilateral laparoscopic ovarian diathermy in women with the polycystic ovary syndrome. Fertil Steril ;62:921-5.

BatemanBG,NunleyWCJr,KolpLA (1990):

Exogenous estrogen therapy for treatment of clomiphene citrate–induced cervical mucus abnormalities: is it effective? Fertil Steril .54:

Bayar U, Tanriverdi HA, Barut A, Ayoğlu F, Ozcan O, Kaya E(2006):

Letrozole vs. **clomiphene** citrate **in** patients with ovulatory **inf**ertility. Fertil Steril . 85:1045–1048.

Bedaiwy MA, Mousa NA, Esfandiari N, Forman R, Casper RF(2007):

Follicular phase dynamics with combin**ed** aromatase **inh**ibitor and follicle stimulat**ing** hormone treatment. J Clin Endocrinol Metab . 92:825–833.

Begum MR, Ferdous J, Begum A, Quadir E (2008) :

Comparison of efficacy of aromatase inhibitor and clomiphene citrate in induction of ovulation in polycystic ovarian syndrome.Fertil Steril. Nov;90(5):1818-25.

Ben-Ami M, Geslevich Y, Matilsky M, et al.,(1994):

Exogenous estrogen therapy concurrent with clomiphene citrate: lack of effect on serum sex hormone levels and endometrial thickness. Gynecol Obstet Invest .37:180–182

Bergh J, Bonnetterre J, Houston S, et al.,(1997):

Vorozole (Rivizor) versus aminoglutethimide (AG) in the treatment of postmenopausal breast cancer relapsing after tamoxifen (abstract). Proc Am Soc Clin Oncol . 16: 156-157.

Bhatnagar AS, Häusler A, Schieweck K, Lang M, Bowman R(1990):

Highly selective **inh**ibition of estrogen biosynthesis by CGS 20267, a new non-steroidal aromatase **inh**ibitor. J Steroid Biochem Mol Biol . 37:1021–1027.

Bhatnagar AS, Batzl C, Hausler A, Schieweck K, Lang M, Trunet PF (1996):

Pharmacology of non-steroidal aromatase inhibitors. In: Pasqualini JR, Katzenellenbogen BS (eds) Hormone-dependent cancer. Marcel Dekker, New York, pp 155–168 .

Biljan MM, Tan SL, Tulandi T (2002):

Prospective randomized trial comparing the effects of 25 and 50 mg of letrozole on follicular development,endometrial

thickness and pregnancy rate in patients undergoing super-ovulation. *Fertil Steril*. 78(suppl 1):S55

Biljan MM, Hemmings R, Brassard N(2005):

The outcome of 150 babies following the treatment with letrozole or letrozole and gonadotropins. *Fertil Steril* 84 (Suppl 1):S95

Bisagni G, Cocconi G, Scaglione F, Fraschini F, Pfister C (1996):

Letrozole, a new oral non-steroidal aromatase inhibitor in treating postmenopausal patients with advanced breast cancer: a pilot study. *Ann Oncol* .7:99–102

Boostanfar R, Jain JK, Paulson RJ, Mishell DR Jr. A (2000):

prospective randomized trial comparing clomiphene citrate with tamoxifen for ovulation induction in anovulatory women. *Fertil Steril* .74(suppl 1):S62

Branigan EF, Estes MA (2000):

Minimal stimulation IVF using clomiphene citrate and oral contraceptive pill pretreatment for LH suppression. *Fertil Steril* .73:587–590

Brodie A and Njar V (1996):

Aromatase Inhibitor (AIs) and breast cancer. *Semin Oncol* . 23: 10-20.

Broekmans F.J et al.,(2006):

PCOS according to the Rotterdam consensus criteria: Change in prevalence among WHO-II anovulation and association with metabolic factors. *BJOG* . 113(10): p. 1210-7.

Burr RW, Sieberg R, Flaherty SP, Wang XJ, Matthews CD (1996):

The influence of sperm morphology and the number of motile sperm inseminated on the outcome of intrauterine insemination combined with mild ovarian stimulation. *Fertil Steril* 65: 127-32.

Buzdar AU, Jones SE, Vogel CL, Wolter J, Plourde P, Webster A (1997):

A phase III trial comparing anastrozole (1 and 10 milligrams), a potent and selective aromatase inhibitor, with

megestrol acetate in postmenopausal women with advanced breast carcinoma. Arimidex Study Group. Cancer.79:730–739

Buzdar A, Jonat W, Howell A, et al.,(2000):

Anastrozole, a potent and selective aromatase inhibitor, versus megestrol acetate in postmenopausal women with advanced breast cancer: Results of overview analysis of two phase III trials. J Clin Oncol . 14: 2000-2011.

Buzdar A, Howell A (2001):

Advances in aromatase inhibition: clinical efficacy and tolerability in the treatment of breast cancer. Clin Cancer Res .7:2620–2

Casper RF(2003):

Letrozole: ovulation or superovulation? Fertil Steril. 80:1335–1339.

Casper RF, Mitwally MFM(2006):

Review: aromatase **in**hibitors for ovulation **in**duction. J Clin Endocrinol Metab . 91:760–771.

Chaffkin LM, Nulsen JC, Luciano AA & Metzger DA (1991):

A comparative analysis of the cycle fecundity rates associated with combined human menopausal gonadotropin (hMG) and intrauterine insemination (IUI) versus either hMG or IUI alone. Fertil Steril 55:252-7.

Chaitali G, Germaine B, Roger P et al., (2003):

Follicular response and pregnancy among infertile women undergoing ovulation induction and intrauterine insemination. Fertil 80: 328-35.

Chung CC, Fleming R, Jamieson ME, Yates RW, Coutts JR (1995):

Randomized comparison of ovulation induction with and without intrauterine insemination in the treatment of unexplained infertility. Hum Reprod 10:3139-4

Ciampelli M, Leoni F, Cucinelli F, et al., (2005):

Assessment of insulin glucose tolerance test in polycystic ovary syndrome and menopausal patients. J Clin Endocrinol Metab . 90: 1398-1406.

- Cohlen BJ, te Velde ER, Looman CWN & Habbema JD (2000):**
Controlled ovarian hyperstimulation and intrauterine insemination for treating male subfertility: a controlled study. HumReprod 13: 1553-8. insemination (IUI). Fertil Steril 76:S110
- Cole P and Robinson C (1990):**
Mechanism and inhibition of cytochrome P-450 aromatase. J Med Chem . 33: 2933-2944.
- Corbould A (2007):**
Chronic testosterone treatment induces selective insulin resistance in subcutaneous adipocytes of women. J Endocrinol . **192**(3): p. 585-94.
- Corton M., et al., (2007):**
Differential gene expression profile in omental adipose tissue in women with polycystic ovary syndrome. J Clin Endocrinol Metab . **92**(1): p. 328-37.
- Crosignani PG, Walters DE & Soliani A (1991) :**
The ESHRE multicentre trial on the treatment of unexplained infertility: a preliminary report. HumReprod 6:953-8.
- Dawood MY (1996):**
In vitro fertilization, gamete intrafallopian transfer, and superovulation with intrauterine insemination: efficacy and potential health hazardson babies delivered. Am JObstet Gynecol174:1208-17.
- Dehbashi S, Dehbashi S, Kazerooni T, et al.,(2009) :**
Comparison of the Effects of Letrozole and Clomiphene Citrate on Ovulation and Pregnancy Rate in Patients with Polycystic Ovary SyndromeIran J Med Sci . 34(1): 23-28.
- Demers LM (1994):**
Effects of fadrozole (CGS 16949A) and letrozole (CGS 20267) on the inhibition of aromatase activity in breast cancer patients. Breast Cancer Res Treat 30:95–102

De Ziegler D (2003) :

The dawning of the non-cancer uses of aromatase inhibitors in gynecology .Hum Reprod.18:1598-1602

Dickey RP,Olar TT,Taylor SN,Curole DN,RyePH&MatulichEM(1991):

Relation ship of follicle number, serum estradiol, and other factors to birth rate and multiparity in human menopausal gonadotropin-induced intrauterine insemination cycles.Fertil Steril56: 89-92.

Dickey RP, OlarTT,Taylor SN, Curole DN & Rye PH(1992):

Relationship of follicle number and other factors to fecundability and multiple pregnancy in clomiphene citrate-induced intrauterine insemination cycles.Fertil Steril57: 6139.

Diamanti-Kandarakis E. et al.,(1999):

A survey of the polycystic ovary syndrome in the Greek island of Lesbos: hormonal and metabolic profile. J Clin Endocrinol Metab . **84**(11): p. 4006-11.

Dodson WC and Haney HF (1991):

Controlled ovarian hyperstimulation and intrauterine insemination for treatment of infertility. Fertil. Steril, 55: 457.

Dowett M (1996):

Biological background to aromatase inhibition. The Breast . 5: 196-201.

DowsettM,LonningPE (1997):

Anastrozole—anew generationin aromatase inhibition: clinical pharmacology. Oncology ;54(suppl 2):11–14.

Dunaif A., et al.,(1992):

Excessive insulin receptor serine phosphorylation in cultured fibroblasts and in skeletal muscle. A potential mechanism for insulin resistance in the polycystic ovary syndrome. J Clin Invest . **96**(2): p. 801-10.

Dunaif, A., et al.,(1995) :

Defects in insulin receptor signaling in vivo in the polycystic ovary syndrome (PCOS). Am J Physiol Endocrinol Metab. 281(2): p. E392-9.

Ehrmann D (2005):

Polycystic ovary syndrome. New Engl J Med . 352: 1223-1236.

Eijkemans MJ, Imani B, Mulders AG, Habbema JD, Fauser BC (2003):

High singleton live birth rate following classical ovulation induction in normogonadotrophic anovulatory infertility (WHO 2). Hum Reprod . 18:2357–2362.

Eisenhardt S, Schwarzmann N, Henschel V (2006):

Early effects of metformin in women with polycystic ovarian syndrome: A prospective randomized, double blind, placebo controlled trial. J Clin Endocrinol Metab . 91: 946-952.

Elnashar A, Fouad H, Eldosoky M, Saeid N (2006):

Letrozole induction of ovulation **in** women with **clomiphene** citrate-**resistant** polycystic ovary syndrome may not depend on the period of **infertility**, the body mass **index**, or the luteinizing hormone/follicle-stimulating hormone ratio. Fertil Steril . 85:511–513.

Escobar-Morreale H.F., et al.,(2000):

High prevalence of the polycystic ovary syndrome and hirsutism in women with type 1 diabetes mellitus. J Clin Endocrinol Metab. 85(11): p. 4182-7.

Farhi J, West C, Patel A & Jacobs HS (1996) :

Treatment of unovulatory infertility: the problem of multiple pregnancy. HumReprod 11: 429-34.

Fatemi HM, Tournaye H, Camus M, Van Steirteghem AC, Devroey P (2003):

Clomiphene citrate versus **letrozole** for ovarian stimulation: a pilot study. Reprod Biomed Online . 7:543–546.

Felemban A, Tan SL, Tulandi T (2000) :

Laparoscopic treatment of polycystic ovary syndrome with insulated needle cauterization, a reappraisal. *Fertil Steril*.73:266-9.

Ferriman, D and Gallwey JD (1961) :

Clinical assessment of body hair growth in women. *J Clin Endocrinol Metab* . 21: p. 1440-7.

Fisch B, Margara RA, Winston RM, Hillier SG (1989):

Cellular basis of luteal steroidogenesis in the human ovary. *J Endocrinol* 122:303–311

Fisher SA, Reid RL, Van Vugt DA, Casper RF (2002):

A randomized double-blind comparison of the effects of **clomiphene** citrate and the aromatase inhibitor **letrozole** on ovulatory function in normal women. *Fertil Steril* .78:280–285.

Foong SC et al.,(2006):

Follicle luteinization in hyperandrogenic follicles of polycystic ovary syndrome patients undergoing gonadotropin therapy for in vitro fertilization. *J Clin Endocrinol Metab*. **91**(6): p. 2327-33.

Fozan H, Al-Khadouri M, Tan SL, Tulandi T(2004):

A randomized trial of **letrozole** versus **clomiphene** citrate in women undergoing superovulation. *Fertil Steril* . 82:1561–1563.

FranksS,AdamsJ,MasonH,PolsonD (1985):

Ovulatory disorders in women with polycystic ovary syndrome. *Clin Obstet Gynaecol* ;12:605–632

Franks S (2006):

Controversy in clinical endocrinology: diagnosis of polycystic ovarian syndrome: in defense of the Rotterdam criteria. *J Clin Endocrinol Metab* . **91**(3): p. 786-9.

Fritz MA, Holmes RT, Keenan EJ (1991):

Effect of **clomiphene** citrate treatment on endometrial estrogen and progesterone receptor induction in women. *Am J Obstet Gynecol* . 165:177–185.

Gagliardi CL, Emmi AM, Weiss G & Schmidt CL (1991):

Gonadotropin-releasing hormone agonist improves the efficiency of controlled ovarian hyperstimulation/intrauterine insemination. *Fertil Steril* 55: 939-44.

Ganesh A, Goswami SK, Chattopadhyay R, Chaudhury K, Chakravarty B (2009):

Comparison of letrozole with continuous gonadotropins and clomiphene-gonadotropin combination for ovulation induction in 1387 PCOS women after clomiphene citrate failure: a randomized prospective clinical trial. *J Assist Reprod Genet.* Jan;26(1):19-24.

Garcia J, Jones GS, Wentz AC (1977):

The use of clomiphene citrate. *Fertil Steril* .28:707–717

Gerli S, Gholami H, Manna A, Di Frega D, Vitiello C, Unfer V (2000):

Use of ethinyl estradiol to reverse the antiestrogenic effects of clomiphene citrate in patients undergoing intrauterine insemination: a comparative, randomized study. *Fertil Steril* . 73:85–89

Geisler J, Haynes B, Anker G, Dowsett M, Lønning P (2002):

Influence of letrozole and anastrozole on total body aromatization and plasma estrogen levels in postmenopausal breast cancer patients evaluated in a randomized, cross-over study. *J Clin Oncol* .20:751–757

Gissler M, Tiitinen A (1998):

Finnish IVF-statistics 1992-1997. Statistical Report 11.

Goldfarb AF, Morales A, Rakoff AE, Protos P (1968):

Critic review of 160 clomiphene-related pregnancies. *Obstet Gynecol.* 31:342–345

Goldfarb JM, Peskin B, Austin C & Lisbona H (1997) :

Evaluation of predictive factors for multiple pregnancies during gonadotropin/IUI treatment. *J Assist Reprod Genet* 14: 88-91.

Gonen Y, Casper RF (1990):

Sonographic determination of an adverse effect of clomiphene citrate on endometrial growth. Hum Reprod .5:670–674

Goodarzi MO et al.,(2007):

Correlation of adrenocorticotropin steroid levels between women with polycystic ovary syndrome and their sisters. Am J Obstet Gynecol. **196**(4): p. 398 e1-5; discussion 398 e5-6.

Goss PE, Strasser K(2001):

Aromatase inhibitors. J Clin Oncol ;19:881–894

Goverde AJ, McDonnell J, Vermeiden JP et al., (2000):

Intrauterine insemination or in-vitro fertilization in idiopathic subfertility and male subfertility: a randomized trail and cost-effectiveness analysis. Lancet, Jan, 1; 355: 13.

Gregoriou O, Vitoratos N, Papadias C, Konidaris S, Rizos D (1996):

Pregnancy rates in gonadotrophin stimulated cycles with timed intercourse or intrauterine insemination for the treatment of male subfertility. Eur J ObstetGynecol Reprod Biol 64:213-6.

Gregoriou O, Vlahos NF, Konidaris S, Papadias K, Botsis D et al., (2008):

Randomized controlled trial comparing superovulation with letrozole versus recombinant follicle-stimulating hormone combined with intrauterine insemination for couples with unexplained infertility who had failed clomiphene citrate stimulation and intrauterine insemination. Fertil Steril. Sep;90(3):678-83. Epub 2007 Oct 25.

Greisen S, TLedet, and Ovesen P(2001):

Effects of androstenedione, insulin and luteinizing hormone on steroidogenesis in human granulosa luteal cells. Hum Reprod . **16**(10): p. 2061-5.

Greenblatt RB, Barfield WE, Jungck EC, Ray AW (1961):

Induction of ovulation with MRL/41. JAMA 178:101–105.

- Guzick DS, Carson SA, Coutifaris C, Overstreet JW et al.,(1999)**
Efficacy of superovulation and intrauterine insemination in the treatment of infertility. N Engl J Med 340: 177-83.
- Hamilton A, Piccart M (1999):**
The third-generation nonsteroidal aromatase inhibitors: a review of their clinical benefits in the second-line hormonal treatment of advanced breast cancer. Ann Oncol .10:377–384
- Haney AF (1995):**
Controlled ovarian hyperstimulation and intrauterine insemination. In Keye RW, Chang JR, Rebar WR et al., (eds). Infertility Evaluation and Treatment. WB Saunders Company, Philadelphia, London, Toronto. P 745-758.
- Harvey HA, Santen RJ, Osterman J, White DS, Lipton A (1979):**
A comparative trial of transsphenoidal hypophysectomy and estrogen suppression with aminoglutethimide in advanced breast cancer. Cancer (Phila.), 43: 2207-2214.
- Haynes BP, Dowsett M, Miller WR, Dixon JM, Bhatnagar AS (2003):**
The pharmacology of letrozole. J Steroid Biochem Mol Biol 87:35–45 .
- Healey S, Tan SL, Tulandi T, Biljan MM (2003):**
Effects of **letrozole** on superovulation with gonadotropins in women undergoing **intrauterine insemination**. Fertil Steril . 80:1325–1329.
- Hickey TE et al.,(2005):**
Androgens augment the mitogenic effects of oocyte-secreted factors and growth differentiation factor 9 on porcine granulosa cells. Biol Reprod . 73(4): p. 825-32.
- Holzer H, Casper R, Tulandi T (2006):**
A new era **in** ovulation **induction**. Fertil Steril . 85:277–284.
- Hsu CC, Kuo HC, Wang ST, Huang KE (1995) :**
Interference with uterine blood flow by clomiphene citrate in women with unexplained infertility. Obstet Gynecol 86:917–921

Hughes EG, Collins JA & Gunby J (1998) :

A randomized controlled trial of three low-dose gonadotrophin protocols for unexplained infertility. Hum Reprod 13:1527-31.

Hughes E, Collins J, Vandekerckhove P (2000):

Clomiphene citrate for ovulation **induction in** women with oligo-amenorrhoea. Cochrane Database Syst Rev . CD000056.

Hull MGR, Templeton AA, Drife JO (1992):

The causes of infertility and relative effectiveness of treatment. In: Infertility. London: Springer-Verlag.33–62

Hurst BS, Tjaden BL, Kimball A, Damewood MD, Rock JA (1992):

Superovulation with or without intrauterine insemination for the treatment of infertility. J Reprod Med.37:237–239

Hu Y, Cortvrindt R, Smits J (2002):

Effects of aromatase **inhibition on in vitro** follicle and oocyte development analyzed by early preantral mouse follicle culture. Mol Reprod Dev . 61:549–559.

Isaksson R & Tiitinen A (1997):

Superovulation combined with insemination optimized intercourse in the treatment of couples with unexplained infertility or minimal endometriosis. Acta Obstet GynecolScand 76:550-4.

Ingraham HA et al.,(2000):

Autocrine and paracrine Mullerian inhibiting substance hormone signaling in reproduction. Recent Prog Horm Res . 55: p. 53-67; discussion 67-8.

Jakimiuk AJ, Weitsman SR, Brzechffa PR, Magoffin DA(1998):

Aromatase mRNA expression in individual follicles from polycystic ovaries. Mol Hum Reprod 41:1–8

Jakimiuk AJ et al.,(2001):

Luteinizing hormone receptor, steroidogenesis acute regulatory protein, and steroidogenic enzyme messenger ribonucleic acids are overexpressed in thecal and granulosa

cells from polycystic ovaries. J Clin Endocrinol Metab . 86(3): p. 1318-23.

Jee BC, Ku SY, Suh CS, Kim KC, Lee WD, Kim SH (2006):

Use of **letrozole** versus **clomiphene** citrate combined with gonadotropins in intrauterine insemination cycles: a pilot study. Fertil Steril . 85:1774–1777.

Jonard S and D. Dewailly(2004):

The follicular excess in polycystic ovaries, due to intra-ovarian hyperandrogenism, may be the main culprit for the follicular arrest. Hum Reprod Update. 10(2): p. 107-17.

Kamat A, Hinshelwood MM, Murry BA, Mendelson CR (2002):

Mechanisms in tissue-specific regulation of estrogen biosynthesis in humans. Trends Endocrinol Metab .13:122–128

Kemmann E, Bohrer R, Shelden R, Fiasconaro G & Beardsley L (1987):

Active ovulation management increases the monthly probability of pregnancy occurrence in ovulatory women who receive intrauterine insemination. Fertil Steril 48: 916-20.

Kerin JF, Liu JH, Phillipou G, Yen SS (1985):

Evidence for a hypothalamic site of action of **clomiphene** citrate in women. J Clin Endocrinol Metab . 61:265–268.

Kettel LM, Roseff SJ, Berga SL, Mortola JF, Yen SS (1993):

Hypothalamic-pituitary-ovarian response to clomiphene citrate in women with polycystic ovary syndrome. Fertil Steril 59:532–538.

Knight PG and Glister C (2006):

TGF-beta superfamily members and ovarian follicle development. Reproduction.132(2): p. 191-206.

Kocak, M., et al., (2002) :

Metformin therapy improves ovulatory rates, cervical scores, and pregnancy rates in clomiphene citrate-resistant women with polycystic ovary syndrome. Fertil Steril . 77(1): p. 101-6.

Kolodziejczyk, B., et al., (2000) :

Metformin therapy decreases hyperandrogenism and hyperinsulinemia in women with polycystic ovary syndrome. Fertil Steril . 73(6): p. 1149-54.

Kocak, M., et al.,(2002):

Metformin therapy improves ovulatory rates, cervical scores, and pregnancy rates in clomiphene citrate-resistant women with polycystic ovary syndrome. Fertil Steril. 77(1): p. 101-6.

Kousta E, White DM, Franks S (1997):

Modern use of **clomiphene** citrate **in** induction of ovulation. Hum Reprod Update . 3:359–365.

Kurl RN, Morris ID (1978):

Differential depletion of cytoplasmic high affinity oestrogen receptors after the **in** vivo administration of the antioestrogens, **clomiphene**, MER-25 and tamoxifen. Br J Pharmacol . 62:487–493.

Lacroix O-Paulmayer, Molle L, Noizet A et al., (1998):

Intrauterine insemination with the husband sperm: Conclusion of five years experience. Contracept. Fertil sex Apr 26 (4): 300-6.

Lamp HM, Adkins JC (1998) :

Letrozole a review of its use in postmenopausal women with cancer breast. Oncology.54:11-4.

Lee SJ, Schover LR, Partridge AH et al., (2006):

American Society of Clinical Oncology. Recommendations on fertility preservation **in** cancer patients. J Clin Oncol . 24:2917–2931.

Legro RS et al.,(1998):

Evidence for a genetic basis for hyperandrogenemia in polycystic ovary syndrome. Proc Natl Acad Sci U S A. 95(25): p. 14956-60.

Le Nestour E, Marraoui J, Lahlou N et al., (1993) :

Role of estradiol in the rise of follicle-stimulating hormone levels during the luteal-follicular transition. *J Clin Endocrinol Metab.* 77:439-442

Li TC, Warren MA, Murphy C, Sargeant S, Cooke ID (1992):

A prospective, randomised, cross-over study comparing the effects of clomiphene citrate and cyclofenil on endometrial morphology in the luteal phase of normal fertile women. *Br Obstet Gynaecol.* 99:1008–1013

Lidor A, Goldenberg M, Cohen S et al., (2000):

Management of women with polycystic ovary syndrome who experienced premature luteinization during clomiphene citrate treatment. *Fertil Steril.* 74: 749-774.

London SN, Young D, Caldito G, Mailhes JB (2000):

Clomiphene citrate—induce perturbations during meiotic maturation and cytogenetic abnormalities in mouse oocytes in vivo and in vitro. *Fertil Steril.* 73:620–626

Lonning PE (1996):

Aromatase inhibition for breast cancer treatment. *Acta Oncol.* 35(suppl 5):38–43

Loumaye E et al., (2003):

Clinical evidence for an LH 'ceiling' effect induced by administration of recombinant human LH during the late follicular phase of stimulated cycles in World Health Organization type I and type II anovulation. *Hum Reprod.* 18(2): p. 314-22.

Lystedt E et al., (2005):

Subcutaneous adipocytes from obese hyperinsulinemic women with polycystic ovary syndrome exhibit normal insulin sensitivity but reduced maximal insulin responsiveness. *Eur J Endocrinol.* 153(6): p. 831-5.

Maciel GA et al., (2004) :

Stockpiling of transitional and classic primary follicles in ovaries of women with polycystic ovary syndrome. *J Clin Endocrinol Metab.* 89(11): p. 5321-7.

Martinez AR, Bernardus RE, Voorhorst FJ, Vermeiden JP & Schoemaker J (1990) :

Intrauterine insemination does and clomiphene citrate does not improve fecundity in couples with infertility due to male or idiopathic factors: a prospective, randomized, controlled study. *Fertil Steril* 53:847-53.

March CM (1990) :

Human menopausal gonadotropins. *Infertil. Reprod Med Clin North Am* ;1:59-78.

Marty M, Gershanovich M, Campos B, et al., (1997):

AIs, a new potent selective aromatase inhibitor superior to aminoglutethimide (AG) in postmenopausal women with advanced breast cancer previously treated with antiestrogens. *Proc Am Soc Clin Oncol* . 16: 156-161.

McClelland RA, Barrow D, Madden TA, et al.,(2001):

Enhanced epidermal growth factor receptor signaling in MCF7 breast cancer cells after long-term culture in the presence of the pure antiestrogen ICI 182,780 Faslodex. *Endocrinology*.142: 2776–2788

Metawie M (2001):

Comparative study of aromatase inhibitor, letrozole, with clomiphene citrate for induction of ovulation. *Mid East Fertil Soc J* . 6: S7-9.

Mikkelsen TJ, Kroboth PD, Cameron WJ et al., (1986):

Single-dose pharmacokinetics of clomiphene citrate in normal volunteers. *Fertil Steril* . 46:392–396

Miller RM, Dixon (2000):

Antiaromatase agents: preclinical data and neoadjuvant therapy. *Clin Breast Cancer* . 1(Suppl 1):S9–S14.

Mitwally MFM, Casper RF (2000):

Aromatase inhibition: a novel method of ovulation induction in women with polycystic ovarian syndrome. *Reprod Technol* . 10:244–247.

Mitwally MFM, Casper RF (2001):

Single dose administration of the aromatase inhibitor, **letrozole**: a simple and convenient effective method of ovulation induction. Fertil Steril . 76(Suppl 1):S94–S95.

Mitwally MFM, Casper RF (2004):

Aromatase inhibitors in ovulation induction. Semin Reprod Med . 22:61–78.

Mitwally MF, Biljan MM, Casper RF (2005)a:

Pregnancy outcome after the use of an aromatase inhibitor for ovarian stimulation. Am J Obstet Gynecol . 192:381–386.

Mitwally MF, Casper RF, Diamond MP (2005)b:

The role of aromatase inhibitors in ameliorating deleterious effects of ovarian stimulation on outcome of infertility treatment. Reprod Biol Endocrinol . 3:54.

Mitwally MF, Casper RF (2006):

Potential of aromatase inhibitors for ovulation and superovulation induction in infertile women. Drugs . 66:2149–2160.

Mor E, Zograban A, Saadat P, et al., (2004):

The insulin resistant subphenotype of polycystic ovary syndrome: Clinical parameters and pathogenesis. Am J Obstet Gynecol. 190: 1654-1660.

Mouridsen H, Gershanovich M, Sun Y, Pérez-Carrión R et al .,(2001):

Superior efficacy of letrozole versus tamoxifen as first-line therapy for postmenopausal women with advanced breast cancer: results of a phase III study of the International Letrozole Breast Cancer Group. J Clin Oncol 19:2596–2606. Erratum in: J Clin Oncol . 19:3302

Munir I et al.,(2004):

Insulin augmentation of 17alpha-hydroxylase activity is mediated by phosphatidyl inositol 3-kinase but not extracellular signal-regulated kinase-1/2 in human ovarian theca cells. Endocrinology. 145(1): p. 175-83.

- Navot D, Goldstein N, Mor-Josef S, Simon A et al., (1991a):**
Multiple pregnancies: risk factors and prognostic variables during induction of ovulation with human menopausal gonadotrophins. *Hum Reprod* 6:1152-5.
- Nelson LM, Hershlag A, Kurl RS, Hall JL, Stillman RJ (1990):**
Clomiphene citrate directly impairs endometrial receptivity in the mouse. *Fertil Steril* .53:727–731
- Nelson V L et al.,(1999):**
Augmented androgen production is a stable steroidogenic phenotype of propagated theca cells from polycystic ovaries. *Mol Endocrinol* . 13(6): p. 946-57.
- Newsome HH, Brown PN, Terz JJ, et al.,(1977):**
Medical and surgical adrenalectomy in patients with advanced breast carcinoma. *Cancer* .39:542–546
- Nikolaou D and Gilling-Smith C(2004):**
Early ovarian ageing: are women with polycystic ovaries protected? *Hum Reprod*. 19(10): p. 2175-9.
- Nirmala PB, Thampan RV(1995):**
Ubiquitination of the rat uterine estrogen receptor: dependence on estradiol. *Biochem Biophys Res Commun* 213:24–31
- Nisker J, Tummon I, Daniel S, Kaplan B & Yuzpe A (1994) :**
Conversion of cycles involving ovarian hyperstimulation with intra-uterine insemination to in-vitro fertilization. *Hum Reprod* 9: 406-8.
- Nulsen JC, Walsh S, Dumez S & Metzger DA (1993):**
A randomized and longitudinal study of human menopausal gonadotropin with intrauterine insemination in the treatment of infertility. *Obstet Gynecol* 82: 780-6.
- Novartis pharmaceutical canada inc (2000) :**
Femera product monograph .dorval, Quebec.

Okman K, Kucuk M, Altaner S (2003):

Comparison of the effects of letrozole and clomiphene citrate on ovarian follicles, endometrium and hormone levels in the rat. *Fertil Steril* . 80: 1330-1332.

Pellatt L et al.,(2007):

Granulosa cell production of anti-Mullerian hormone is increased in polycystic ovaries. *J Clin Endocrinol Metab* . 92(1): p. 240-5.

Peterson CM, Poulson AM, Jr., Carrell DT & Urry RL (1994):

Ovulation induction with gonadotropins and intrauterine insemination compared with in vitro fertilization and no therapy: a prospective, nonrandomized, cohort study and meta-analysis. *Fertil Steril* 62: 535-44.

Philips Z, Barraza-Llorens M and Ponsnett (2000):

Evaluation of the relative cost-effectiveness of treatments for infertility in the UK. *Hum Reprod* 15:95-106.

Pigny P et al.,(2003):

Elevated serum level of anti-mullerian hormone in patients with polycystic ovary syndrome: relationship to the ovarian follicle excess and to the follicular arrest. *J Clin Endocrinol Metab*. 88(12): p. 5957-62.

Plosker SM, Jacobson W & Amato P (1994):

Predicting and optimizing success in an intra-uterine insemination programme. *Hum Reprod* 9: 2014-21

Plourde P, Dyro M, Dukes M (1994):

Armindex a potent and selective fourth-generation aromatase inhibitor, *Breast Cancer Res treat* .30: 103-111

Poretsky L et al.,(1999):

The insulin-related ovarian regulatory system in health and disease. *Endocr Rev* . 20(4): p. 535-82.

Prietl G, Van der ven HH and Krebs D (1997):

Homologous intrauterine insemination. In: Rabe T, Diedrick K and Runnebaum B (eds). *Manual on assisted Reproduction*. Springer, Berlin, London, p 178-209.

Randall JM, Templeton A (1991):

Cervical mucus core and in vitro sperm mucus interaction in spontaneous and clomiphene citrate cycles. *Fertil Steril* .56:465–468

Ransom MX, Blotner MB, Bohrer M et al., (1994):

Does increasing frequency of intrauterine insemination improve pregnancy rates significantly during superovulation cycles? *Fertil. Steril.*, 61: 303.

Remohi J, Gastaldi C, Patrizio P et al., (1989):

Intra-uterine insemination and controlled ovarian hyperstimulation in cycle before GIFT. *Hum. Reprod.*, 4: 918.

Rice S et al., (2007):

Stage-specific expression of androgen receptor, follicle-stimulating hormone receptor, and anti-Müllerian hormone type II receptor in single, isolated, human preantral follicles: relevance to polycystic ovaries. *J Clin Endocrinol Metab* . 92(3): p. 1034-40.

Robab Davar, Naeimeh Tayebi, Maryam Asgharnia, Abbas Aflatoonian (2006):

Comparison of the use of letrozole and clomiphene citrate in regularly ovulating women undergoing intrauterine insemination . *Middle East Fertility Society Journal* Vol. 11, No. 2 , pp. 113-118

Rosenfield RL (1999):

Ovarian and adrenal function in polycystic ovary syndrome. *Endocrinol Metab Clin North Am* . 28(2): p. 265-93.

Rosenfeld CR, Roy T, Cox BE (2002):

Mechanisms modulating estrogen-induced uterine vasodilation. *Vascul Pharmacol* 382:115–125

Rotterdam ESHRE/ASRM-Sponsored PCOS Consensus Workshop Group (2004):

Consensus on diagnostic criteria and long-term health risks related to polycystic ovary syndrome. *Fertil Steril* 2004 revised 2003; 81: 19-25.

Saleh A, Biljan MM, Tan SSSL, Tulandi T (2000):

Effects of tamoxifen Tx on endometrial thickness and pregnancy rates in women undergoing superovulation with clomiphene citrate CC and intrauterine insemination IUI. Fertil Steril.74(suppl 1):S90

Sammour A, Biljan MM, Tan SL, Tulandi T (2001) :

Prospective randomized trial comparing the effects of letrozole (LE) and clomiphene citrate (CC) on follicular development, endometrial thickness and pregnancy rate in

Schmidt GE, Kim MH, Mansour R, Torello L, Friedman CI (1986):

The effects of enclomiphene and zuclomiphene citrates on mouse embryos fertilized in vitro and in vivo. Am J Obstet Gynecol .154:727–736

Sereepapong W, Suwajanakorn S, Triratanachai S et al.,(2000):

Effects of **clomiphene** citrate on the endometrium of regularly cycling women. Fertil Steril . 73:287–291.

Serhal PF, Katz M, Little V & Woronowski H (1988) :

Unexplained infertility - the value of Pergonal superovulation combined with intrauterine insemination. Fertil Steril 49: 602-6.

Shelden R, Kemmann E, Bohrer M & Pasquale S (1988) :

Multiple gestation is associated with the use of high sperm numbers in the intrauterine insemination specimen in women undergoing gonadotropin stimulation. Fertil Steril 49: 607-10.

Sioufi A, Gauducheau N, Pineau V, et al.,(1997):

Absolute bioavailability of letrozole in healthy postmenopausal women Biopharm Drug Dispos 1997;18:779–789.

Sohrabvand F, Ansari SH, Bagheri M (2006):

Efficacy of combined metformin–**letrozole** in comparison with metformin–**clomiphene** citrate in **clomiphene-resistant** infertile women with polycystic ovarian disease. Hum Reprod . 21:1432–1435.

Speroff L, Glass RH, Kase NG (1999) :

Hormone biosynthesis, metabolism, and mechanism of action. In: Clinical gynecologic endocrinology and infertility. Baltimore, Lippincott, Williams & Wilkins, 6th Ed.31-105;488-521;1097-1132..

Tehrani Nejad E, Abediasl Z, Rashidi BH et al.,(2008) :

Comparison of the efficacy of the aromatase inhibitor letrozole and clomiphen citrate gonadotropins in controlled ovarian hyperstimulation: a prospective, simply randomized, clinical trial.J Assist Reprod Genet. May;25(5):187-90.

Tiboni GM (2004):

Aromatase inhibitors and teratogenesis (Letter). Fertil Steril . 82:1587–1593.

Tomlinson MJ, Amissah-Arthur JB, Thompson KA, Bentick B (1996):

Prognostic indicators for intrauterine insemination (IUI): statistical model for IUI success. Hum Reprod 11: 1892-6.
81:1158–1159.

Topipat C, Choktanasiri W, Jultanas R et al., (2008):

A comparison of the effects of clomiphene citrate and the aromatase inhibitor letrozole on superovulation in Asian women with normal ovulatory cycles. Gynecol Endocrinol. Mar;24(3):145-50.

Tredway DR, Buraglio M, Hemsey G, Denton G (2004):

A phase I study of the pharmacokinetics, pharmacodynamics, and safety of single- and multiple-dose anastrozole in healthy, premenopausal female volunteers. Fertil Steril . 82:1587–1593.

Tsilchorozidou T, Honour JW and Conway GS (2003):

Altered cortisol metabolism in polycystic ovary syndrome: insulin enhances 5alpha-reduction but not the elevated adrenal steroid production rates. J Clin Endocrinol Metab. 88(12): p. 5907-13.

Tsilchorozidou T, Overton C, Conway G (2004):

The Patho-physiology of polycystic ovary syndrome. Clin Endocrinol . 60: 1-17.

Tulandi T, Martin J, Al-Fadhli R, Kabli N, Forman R, Hitkari J, Librach C, Greenblatt E, Casper RF (2006):

Congenital malformations among 911 newborns conceived after **infertility** treatment with **letrozole** or **clomiphene** citrate. *Fertil Steril* . 85:1761–1765.

Valbuena D, Simon C, Romero JL, Remohi J & Pellicer A (1996) :

Factors responsible for multiple pregnancies after ovarian stimulation and intrauterine insemination with gonadotropins. *J Assist Reprod Genet* 13: 663-8.

van Voorhis BJ, Stovall DW, Syrop CH & Chapler FK (1997):

Cost effectiveness of infertility treatments: a cohort study. *Fertil Steril* 67:830-6.

Vendola KA, Zhou J, Adesanya OO, Weil SJ, Bondy CA (1998):

Androgens stimulate early stages of follicular growth **in** the primate ovary. *J Clin Invest* . 101:2622–2629.

Vendola K, Zhou J, Wang J, Famuyiwa OA, Bievre M, Bondy CA (1999) :

Androgens promote oocyte insulin-like growth factor I expression and initiation of follicle development in the primate ovary. *Biol Reprod* 612:353–357

Verpoest WM, Kolibianakis E, Papanikolaou E, Smits J, Van Steirteghem A, Devroey P (2006):

Aromatase **inhibitors in** ovarian stimulation for IVF/ICSI: a pilot study. *Reprod Biomed Online* . 13:166–172.

Wallach EE (1991) :

Gonadotropin treatment of the ovulatory patient - the pros and cons of empiric therapy for infertility. *Fertil Steril* 55:478-51.

Webber LJ, Stubbs S, Stark J, Trew GH, Hardy K, Franks S (2003):

Formation and early development of follicles **in** the polycystic ovary. *Lancet* . 362:1017–1021.

Webber LJ et al., (2007):

Prolonged survival in culture of preantral follicles from polycystic ovaries. *J Clin Endocrinol Metab* . **92**(5): p. 1975-8.

Weenen C et al., (2004):

Anti-Mullerian hormone expression pattern in the human ovary: potential implications for initial and cyclic follicle recruitment. *Mol Hum Reprod* . **10**(2): p. 77-83.

Weil S, Vendola K, Zhou J, Adesanya OO, Wang J, Okafor J, Bondy CA (1998):

Androgen receptor gene expression **in** the primate ovary: cellular localization, regulation, and functional correlations. *J Clin Endocrinol Metab* . **83**:2479–2485.

Weil S, Vendola K, Zhou J, Bondy CA (1999):

Androgen and follicle-stimulating hormone **interactions in** primate ovarian follicle development. *J Clin Endocrinol Metab* . **84**:2951–2956.

Wickenheisser JK, Nelson-Degrave VL, and McAllister JM(2005):

Dysregulation of cytochrome P450 17alpha-hydroxylase messenger ribonucleic acid stability in theca cells isolated from women with polycystic ovary syndrome. *J Clin Endocrinol Metab*. **90**(3): p. 1720-7.

Wickenheisser JK, VL Nelson-DeGrave, and JM McAllister (2006):

Human ovarian theca cells in culture. *Trends Endocrinol Metab*. **17**(2): p. 65-71.

Willis DS et al.,(1998):

Premature response to luteinizing hormone of granulosa cells from anovulatory women with polycystic ovary syndrome: relevance to mechanism of anovulation. *J Clin Endocrinol Metab*. **83**(11): p. 3984-91.

Wood JR et al.,(2003):

The molecular phenotype of polycystic ovary syndrome (PCOS) theca cells and new candidate PCOS genes defined by microarray analysis. *J Biol Chem*. **278**(29): p. 26380-90.

Wood JR et al.,(2004):

The molecular signature of polycystic ovary syndrome (PCOS) theca cells defined by gene expression profiling. *J Reprod Immunol* . **63**(1): p. 51-60.

World Health Organization (1992):

WHO laboratory manual for examination of human semen and sperm mucus interaction 3rd ed. Cambridge University press, Cambridge. Semen cervical mucus interaction. Geneva.

Wu CH, Winkel CA (1989):

The effect of therapy initiation day on clomiphene citrate therapy. Fertil Steril ;52:564–568

Wu HH, Wang NM, Cheng ML, Hsieh JN (2007):

A randomized comparison of ovulation induction and hormone profile between the aromatase inhibitor anastrozole and clomiphene citrate in women with infertility. Gynecol Endocrinol . 23:76–81.

Yagel S, Ben-Chetrit A, Anteby E et al., (1992) :

The effect of ethinyl estradiol on endometrial thickness and uterine volume during ovulation induction by clomiphene citrate. Fertil Steril .57:33–36

Yen SSC, Laughlin GA, Morales AJ (1993):

Interface between extra-and intra-ovarian factors in polycystic ovary syndrome PCOS. Ann NY Acad Science 687:98–111 .

Yen S (1999):

Chronic anovulation caused by peripheral endocrine disorders In: Reproductive endocrinology, 4 ed. 13: 576-630.

Yildiz BO et al.,(2004):

Stability of adrenocortical steroidogenesis over time in healthy women and women with polycystic ovary syndrome. J Clin Endocrinol Metab. 89(11): p. 5558-62.

Yoshimura Y, Hosoi Y, Atlas SJ, Wallach EE (1986):

Effect of clomiphene citrate on in vitro ovulated ova. Fertil Steril.45:800–804

Young SL, Opsahl MS, Fritz MA (1999):

Serum concentrations of en**clomiphene** and zu**clomiphene** across consecutive cycles of **clomiphene** citrate therapy **in** anovulatory **inf**ertile women. Fertil Steril . 71:639–644.

Zayed F, Lenton EA & Cooke ID (1997):

Comparison between stimulated in-vitro fertilization and stimulated intrauterine insemination for the treatment of unexplained and mild male factor infertility. Hum Reprod 12:2408-13.

Zelevnik AJ, Little-Ihrig L, and Ramasawamy S (2004):

Administration of dihydrotestosterone to rhesus monkeys inhibits gonadotropin-stimulated ovarian steroidogenesis. J Clin Endocrinol Metab. **89**(2): p. 860-6.