
REFERENCES

- Ahmed A, Cameron IT, Ferriani RA et al. (1992):** Activation of phospholipase A and phospholipase C by endothelin-1 in human endometrium J. Endocrinol, 135 – 383.
- Allah Abadia, G.N. (1996):** Doppler in reproductive medicine. In Desai SK, Allabadia GN (eds) progress in infertility and transvaginal sonography New Delhi, CBS; 92 – 99.
- Andersson, J.K. and Rybo, G. (1990):** Levonorgestrel – releasing intrauterine device in the treatment of menorrhagia. Br. J. Obstet. Gynaecol. 97, pp. 690 – 694.
- Andersson, K.; Odland, V. and Rybo, G. (1994):** Levonorgestrel releasing and copper releasing IUCDS during five years use : a randomized comparative trial, Contraception, 49, pp. 56 – 72.
- Banu, N.S. and Manyonda, I.T. (2005):** Alternative medical and surgical options to hysterectomy Best Prac. Res. Clin. Obstet. Gynecol., 19: 431 – 449.
- Barrington, J.; O'Leary, A.J. and Bowen-Simpkins, P. (1997):** Management of refractory premenstrual syndrome using subcutaneous oestradiol implants and levonorgestrel intrauterine systems. J. Obstet. Gynaecol. 17, (4), pp. 416 – 417.
- Beaumont, C.; Augood, C. and Duckitt, K. et al. (2003):** Danazol for heavy menstrual bleeding, Cochrane Database Syst. Rev.
- Beer, A.E. (1970):** Differential diagnosis and clinical analysis of dysfunctional uterine bleeding. Clin. Obstet. Gynaecol., 13 : 434.

- Benjamin, F. and Seltzer, V.L. (1983):** Excessive menstrual bleeding, menorrhagia and dysfunctional uterine bleeding in : Gynaecology Principles and practice. New York : Macmillan Publishing Company, 67 – 80.
- Bhatena, R.K. (2001):** Long acting progestogen – only contraceptive injections an up date, Br. J. Obstet. Gynaecol., 108, pp. 3-8.
- Bonnar, J. and Sheppard, B.L. (1996):** Treatment of menorrhagia during menstruation : randomized controlled trial of ethamsylate, mefenamic acid and tranexamic acid, Br. Med. J. 313, pp.579– 582.
- Bourne, T. (1996):** Transvaginal colour Doppler in Gynaecology. In Desai SK. Allabadi GN (eds) progress in infertility and transvaginal sonography. New Delhi : CBS 100 -14.
- Brosens, S.S.; de Souza, N.M.; Barker, F.G. et al. (1995):** Endometrial ultrasonography in the diagnosis of adenomyosis uteri : identifying the predictive characteristics. Br. J. Obstet. Gynaecol. 102 (6) : 471 – 474.
- Cameron, I.T. (1989):** Dysfunctional uterine bleeding. Bailliere's Clin. Obstet. Gynaecol. 3 : 315 – 327.
- Cameron, I.T.; Leask, R. and Kelly, R.W. et al. (1987):** Endometrial prostaglandins in women with abnormal uterine bleeding, Prostaglandins, Leukot Med. 29, PP. 249 – 258.
- Chen, H.P.; Li, Y.M.; Dai, S.H. et al. (1993):** clinical study of copper uterine shaped IUD Reprod. Contracep. (in Chinese), 13 (2) :142-7.

- Chen, H.P.; Liu, F.; Chen, E.L. et al. (2000):** Clinical study on the effectiveness of medicated uterine shaped IUD CU200 in 3 centers. J. Reprod Med. In Chinese, 9(2) : 67 -70.
- Chen, H.P.; Liu, F.; Li, Y.M. et al. (1997):** Preliminary result of a clinical study of copper uterine shaped IUD with indomethacin. J. Reprod. Med. (in Chinese), 6 (4) : 211 – 4.
- Chi, I. (1993):** The TCU380A (AG). MLCu375 and Nova-T IUDs and the IUD daily releasing 20 ug levonorgestrel. Four pillars of IUD contraception for the nineties and beyond contraception 47 : 325.
- Chimbera, T.H.; Andersson, A.B.; Naish, C.; Cope, E. and Turnbull, A.C. (1980):** Reduction of menstrual blood loss by danazol in unexplained menorrhagia : lack of placebo effect. Br. J. Obstet. Gynaecol. 87 : 1152 – 1158.
- Claessens, E.A. and Cowell, C.A. (1981):** Acute adolescent menorrhagia. Am. J. Obstet. Gynaecol., 139 : 277.
- Cohen, M.A. (1980):** Anaemia and menstrual loss. Obstet. Gynecol. Surve, 35 – 597, 601.
- Cook, J.R. and Seman E.I. (2003):** Pregnancy following endometrial ablation. Obstetrical and Gynaecological survey 58; pp. 551 – 556.
- Cundy, T.; Evans, M. and Roberts, H. et al. (1991):** Bone density in women receiving depot medroxy progesterone for contraception. Br. Med. J. 303, pp. 13 – 16.
- Davey, D.A (1995):** Dysfunctional uterine bleeding Dew hurst's text book of obstetric and Gynaecology for post graduates Blackwell Scientific Publications, Oxford, London Edinburgh, 590 – 608.

- Davey, D.A. (1986):** Dysfunctional uterine bleeding in : Dewhurst's text book of Obstet and Gynaecol. For post graduates 4th edition, Edited by CR. White field Black well scientific publications, Oxford, London, P. 624 – 645.
- Diczfalusy, E.; Fraser, I. and Webb, F. (1980):** Endometrial bleeding and steroidal contraception Pitman, London Quoted from Dewhurst's textbook of Obstetric and Gynaecology for Postgraduates, Oxford, London, P. 600.
- Dong, G.H.; Wang, R.F., Hua, X.M. et al. (1999):** Five year use effectiveness of four new types of IUDS. Chinese. J. Fam. Plann (in Chinese), 50 (6): 247 – 52.
- Downie, J. ; Pogser , N.L. and Wunderlich ,M. (1974):** Level of prostaglandin in human endometrium during normal menstrual cycle J. Physiol. 236 :465-472
- Edelman, D.A. and Porter, C.W. (1987):** Intrauterine device and ectopic pregnancy. Contraception, 36 : 85.
- Ewenstein, M.B. (1996):** The pathophysiology of bleeding disorder presenting as abnormal uterine bleeding. Am. J. Obstet, Gynecol. 175 : 770 – 777.
- Federle, L.; Bianchi, S.; Raffaelli, R.; Portuese, A. and Dorta, M. (1997):** Treatment of adenomyosis – associated menorrhagia with levonorgestrel releasing intra- uterine device. Fertil Steril, 68 : 426 – 429.
- Ferenczy, A. (2003):** Pathophysiology of endometrial bleeding Maturitas. 45 : 1 – 14.

- Fider, M.G. (1983):** Prostaglandins and menstrual disorders, Br. Med. J.; 287 : 703 -4.
- Foley, M.E.; Griffin, B.D. and Zugel, M. (1978):** Heparin – like activity in uterine fluid. Br. Med. J. 11 : 322 – 4.
- Fraser, I. (1994):** Menorrhagia a prognostic approach to the understanding of causes and the need for investigations. Br. J. Obstet. Gynaecol. 101 : 3-7.
- Fraser, I.S. (1981):** Efficiency of mefenamic acid in patient with menorrhagia. J. Obstet. Gynaecol. 58 : 453 – 457.
- Fraser, I.S. (1985):** The dysfunctional uterus : dysmenorrhea and dysfunctional uterine bleeding in Shearman, R.P. Clinical Reproductive Endocrinology. Edinburgh. Churchill, Livingstone, 579 – 98.
- Fraser, I.S. (1990):** Treatment of ovulatory and anovulatory dysfunctional uterine bleeding with oral progestogens. Aust. N.Z. J. Obstet. Gynaecol. 30, PP. 353 – 356.
- Fraser, I.S. (1992):** Hysteroscopy and laparoscopy in women with menorrhagia. Am. J. Obstet, Gynaecol., 162, 1264 – 1769.
- Fraser, I.S.; McCarron, G. and Markham, R. et al. (1983):** Longterm treatment of menorrhagia with mefenamic acid. Obstet. Gynaecol. 61, PP. 109 – 112.
- Fraser, I.S.; Michie, E.A.; Wide, L. and Baired,D.T. (1973):** Pituitary gonadotrophins and ovarian function in adolescent dysfunctional uterine bleeding journal of clinical endocrinology and metabolism, 37 : 407 -414.

- Fraser, I.S.; Mickey, M. and song, J.Y. (1996):** A comparison of mechanisms underlying disturbances of bleeding. Caused by spontaneous dysfunctional uterine bleeding or hormonal contraception. Hum. Reprod., 11 : 165 – 178,
- Fredrick, T.K. (1990):** Dysfunctional uterine bleeding in : kissane, J.M. Andersson's pathology St. Louis, Philadelphia, Toronto : The C.V. Mosby Company, 1656 – 7.
- Fried, A. (1995):** Transvaginal sonography of the uterus in Desai S Allabadia G (eds) infertility and transvaginal sonography. Current concepts, New Delhi : Jaypee, Brothers, 208 – 211.
- Gambrell, R.D. (1977):** Postmenopausal bleeding. Clin. Obstet. Gynaecol. 4 : 129.
- Garcia, C.G. (1970):** Endocrine approach in management of dysfunctional uterine bleeding in Clin. Obstet. Gynaecol. 13 : 460 – 73.
- Garry, R. (1995):** Good practice with endometrial ablation. Obstet. and Gynaecol. 86 : pp. 144 – 151.
- Garry, R.; Fountain, J.; Mason, S. et al. (2004):** The evaluate study. Two parallel randomised trials one comparing laparoscopic with abdominal hysterectomy, the other comparing laparoscopic with vaginal hysterectomy. British medical Journal, 328, P. 129.
- Gelety, T.J. and Chaudhuri, G. (1995):** Haemostatic mechanism in the endometrium : role of cyclo-oxygenase products and coagulation factor. Br. J. Pharmacol. 114, 975 – 980.

- Gerbie, M.D. (1987):** Complications of menstruation. Abnormal uterine bleeding in : Current Obstetrics and Gynaecologic Diagnosis and Treatment. Norwalk : Appleton and Lange 612 – 17.
- Giannopoulos, T.; Butler – Manuel, S. and Tailor, A. (2004):** Levonorgestrel releasing intrauterine system (LNG – IUD) as a therapy for endometrial Carcinoma Gynaecol. Oncol. 95: 762 – 764.
- Goldhaber M.K., Armstrong, M.A.; Golditch, I.M. et al. (1993):** Role of endometrial histopathology in menorrhagia of unknown origin. Am. J. Epidemiol. 138 : 508 – 521.
- Goldstein, S.R., Nachtigall, M.; Synder, J.R. and Naehtigall, L. (1990):** Endometrial assessment by vaginal ultrasonography. Before endometrial sampling in patients with postmenopausal bleeding. Am. J. Obstet. Gynaecol., 163 : 119 – 123.
- Grady, W.R.; Klepinger,D.H. ; Billy,J.O.G.; Tanfer.K. (1993):** Condom characteristics :the perceptions and preferences of men in the United States , Fam . Plann. Perspect 25 :67.
- Grimes, D.A. (1982):** Diagnostic dilatation and curettage a reappraisal. Am. J. Obstet. Gynaecol. 142; 1-6.
- Hatcher, R.A.; Ziemann, M.; Cwiak, C.; Darney, P.D.; Creinin, M.D. and Stosur, H.R. (2004):** A pocket guide to Managing contraception Tiger, GA : Bridging the Gap Foundation.
- Haynes, P.J.; Hodgson, H. and Andersson, A. B.M. (1977):** Measurement of menstrual blood loss in patients complaining of menorrhagia. Br. J. Obstet. Gynaecol., 84 : 763 – 68.

- Hidalgo, M.; Bahamondes, L.; Perrotti, M.; Diaz, J.; Dantas – Monteiro, C. and Pettac, C. (2002):** Bleeding patterns and clinical performance of levonorgestrel releasing intrauterine system. Mirena up to 2 years. *Contraception* 65 : 129 – 132.
- Higham (1990):** Assessment of menstrual blood loss using a pictorial Chart. *Br. J. Obstet. Gynaecol.* 97 : 735 – 739.
- Hubacher, D. and Grimes, D. (2002):** Non contraceptive health benefits of intrauterine devices a systematic review *obstet. Gynaecol. Surv.* 57 : 120 – 128.
- Irvine, G.A. and Cameron, I.T. (1999):** Medical management of dysfunctional uterine bleeding *Baillieres Best pract. Res. Clin. Obstet. Gynaecol*, 13 (2): PP. 189 – 202.
- Istre, O.; Schietz, H.; Vormdalz; Vangen, O. and Forman, A. (1991):** Trans-cervical resection of endometrium and fibroids. *Acta Obst. Gyn. Scand*, 70 : 363.
- Jeffcoate, N. (1984):** Principles of gynaecology London, Butterworth Publication, 495 – 511.
- Jones, H.W. and Jones, G.S. (1982):** Abnormal uterine bleeding in : *Novak's Textbook of Gynaecology*, Blatimore, London, Williams & Wilkins, 777 – 796.
- Lahteenmaki, P.; Haukkamaa, M. and Puolakka, J. (1998):** Open randomized study of use of levonorgestrel releasing intrauterine system as alternative to hysterectomy, *Br. Med. J.* 316, pp. 1122-1126.

- Lethaby, A.; Irvine, G. and Cameron, I. (2003):** Cyclical progestogen for heavy menstrual bleeding, Cochrane systematic Review.
- Lethaby, A.E., Cooke, I. and Rees, M. (1999):** Progesterone / progestogen releasing intrauterine systems for heavy menstrual bleeding Cochrane Database. Syst. Rev. 2.
- Liu, F. Zheng, S.R.; Chen, C.Y. et al. (1993):** Clinical study on uterine shaped copper IUD among women with recurrent expulsion of intrauterine device, Chinese. J. Fam. Plann. (in Chinese), 1 (1): 12 – 5.
- Liu, T.G.; Chen, X.L.; Wen, W. and Xu, R.Q. (1996):** Determination of indomethacin released from the medicated IUD in vitro by HPLC. J. Reprod. Med., 5, 109 -111.
- Liu, X.Y.; Zhu, Y.P. and Jin, Y.Z. (1989):** The effect of indomethacin on uptake of prostaglandins E2 by human endometrium. Reprod. Contracept, 9, 59 – 61.
- Lockhat, F.B.; Emembolu, J.O. and Konje, J.C. (2004):** The evaluation of the effectiveness of intrauterine – administration of progestogen (levonorgestrel) in the symptomatic treatment of endometriosis and in the staging of the disease. Hum. Reprod. 19 : 179 – 184.
- Lumsden, M. and Smith, S. (1992):** Menstruation abnormality in textbook of Gynaecol. Ed, by Robert W. Show, Soutter W.P. and Stanton S.L., 1st edition Churchill Livingstone.
- Luukkainen, T.; Allonen, H.; Haukkamaa, M.; Lahteen – Make, P.; Nilsson, C.G. and Toiuonen, J. (1986):** Five years' experience with levonorgestrel releasing IUDS, contraception 33 : 139.

- Magos, A.L.; Baumann, R. and Turnbull, A. (1989):** Transcervical resection of endometrium in women with menorrhagia. Br. J. 298 : 1209.
- Margaret, C.P.R. (1990):** Factors controlling menstrual blood volume. In D'Arcangues, C., Fraser, I.S., Newton J.R. and Odell V. (eds) contraception and Mechanisms of Endometrial bleeding. Cambridge University Press Cambridge U.K., PP. 117 – 139.
- Mark, A.S.; Hricak, H.; Heinrichs, L.W. et al. (1987):** Adenomyosis and Leiomyoma, differential diagnosis with MR imaging Radiology, 163 : 527.
- Marsh MM, Findlay J.K, Salamonsen LA, (1996):** Endothelin and menstruation. Hum Reprod, 11: 101.
- Mencaglia, L. (1995):** Menorrhagia and adenocarcinoma obstet. Gynaecol. Clin. North. Am., 22 (3) : 573 - 579.
- Milsom, I.; Andersson, K. and Andersch, B. et al. (1991):** A comparison of flurbiprofen, tranexamic acid and levonorgestrel releasing intrauterine contraceptive device in the treatment of idiopathic menorrhagia. Am. J. Obstet. Gynaecol. 164, PP. 879 – 883.
- Murthy, Y.S.; Anonnet, G.H. and Perek, H., M.C. (1970):** Luteal phase inadequacy its significance in infertility. Obstet. Gynaecol., 36 : 758 – 61.
- Newton, J. and Tacchi, D. (1990):** Longterm use of copper intrauterine devices, Lancet, 335 : 1322.
- Nilsson, L. and Rybo, G. (1971):** Treatment of menorrhagia. Am. J. Obstet. Gynaecol., 110, pp. 713 – 720.

- Oehler, M.K. and Rees, M.C.P. (2003):** Menorrhagia on update Acta. Obstet. Gynaecol. Scand; 82 : 405 – 422.
- Ortiz, M.E. and Croxatto, H.B. (1987):** The mode of action of IUDS contraception, 36 : 37.
- Petta, C.A.; Ferriani, R.A.; Abrao, M.S. et al. (2005):** Randomised clinical trial of a levonorgestrel – releasing intrauterine system and depot GnRh analogue for the treatment of chronic pelvic pain in women with endometriosis. Hum. Reprod. 20, 1993 – 1998.
- Rafael, F. (1981):** Hysteroscopic evaluation of patients with abnormal uterine bleeding surg. Gynaecol. Obstet. 123, 521 – 526.
- Rees, M.C.P.; Andersson, A.B.M.; Demers, L.M. and Turnbull, A.C. (1984):** Endometrial and myometrial prostaglandin release during the menstrual cycles in relation to menstrual blood loss. J. Clin. Endocrinol. 58 : 813 – 8.
- Rivera, R.; Yacobson, I and Grimes, D. (1999):** The mechanism of action of hormonal contraceptives and intrauterine devices Am. J. Obstet. Gynaecol. 181 : 1263 – 1269.
- Roy, S.N. and Bhattacharya, S. (2004):** Benefits and risks of pharmacological agents used for treatment of menorrhagia. Drug saf. 27, pp. 75 – 90.
- Royal College of Obstetricians and Gynaecologists (1998):** The initial management of menorrhagia in primary care. Evidence – based clinical guideline no. 1, London.
- Rueda (1991):** Dysfunctional uterine bleeding A reappraisal curr. Probl. Obstet. Gynaecol. Fertil., 14, 3 : 79 – 96.

- Scommegna, A. and Dmowski, W.P. (1973):** Dysfunctional uterine bleeding. Clin. Obstet. Gynaecol., 16, 221 : 254.
- Scott, J.C. and Massey, E. (1981):** Menstrual patterns of myxedema. Am. J. Obstet. Gynecol., 139 : 277 – 280.
- Shaw, S.T.; Macaulay, L.K. and Tanaka, M.S. et al. (1980):** Plasminogen activator in human uterine tissue – relation ship to location of sampling and time of ovarian cycle, Biochem. Med. 24, pp. 170 – 178.
- Sheppard, B.L. (1984):** The pathology of dysfunctional – uterine bleeding Clinic Obstet. Gynaecol., 2 (1) : 227 – 36.
- Sheth, S. and Allah Badia, S. (1994):** Diagnosis of dysfunctional uterine bleeding. In menorrhagia edited by Shelth and Sulton ISIS Medical Media, Ch. 3.
- Sheth, S.S. (1991):** Vaginal dimple : a sign to diagnose endometriosis. J. Obstet. Gynaecol., 2 : 292.
- Sivin, I. and Stern, J. (1994):** International committee for contraception Research, Health during prolonged use of levonorgestrel 20 ug /d and the copper (TCu380 Ag) intrauterine contraceptive devices : a multicenter study Fertil. Steril. 61 : 70.
- Sivin, I. and Tatum, H.J. (1981):** Four years of experience with the (TCu 380 A) intrauterine contraceptive device Fertil. Steril. 36 : 159.
- Smith, S.K. and Abel, M.H. (1982):** The synthesis of prostaglandins from persistant proliferative endometrium. J. Clin. Endocrinal Metab. 55 : 284 – 289.

- Smith, S.K.; Abel, M.H. and Kelly, R.W. (1981):** Prostaglandin synthesis in the endometrium of women with ovular dysfunctional uterine bleeding. Br. J. of Obstet. And Gynaecol., 88 : 434 – 442.
- Spellacy, W.N. (1983):** Abnormal bleeding. Clin. Obstet. Gynaecol. 26 (3): 702 – 709.
- Speroff, L.; Glass, R. and Kase, N. (1999):** Clinical Gynaecological Endocrinology and Infertility, 6th year ed., Philadelphia PA: Lippincott Williams, Wilkins.
- Speroff, L.; Glass, R.H. and Kase, N.G. (1988):** Dysfunctional uterine bleeding in Clinical Gynaecologic Endocrinology and Infertility Blatimore London Williams. Wilkins, 265 – 82.
- Speroff, L.; Glass, R.H. and Kase, N.G. (1994):** Dysfunctional uterine bleeding in Clinical Gynaecologic Endocrinology and Infertility Blatimore London Williams & Wilkins, 534 - 535.
- Stock, R.J. and Kanbour, A. (1975):** Prehysterectomy curettage. Obset. Gynaecol., 45 : 536 – 541.
- Sumpaico, W.W. (1996):** Ultrasound in gynaecologic oncology. In : Teodora L.R. (ed). Obstetric and Gynaecologic Ultrasound. Makati City Philippines CRS, Publishers, 203 – 210.
- Syrop, C.H. and Shalcia (1992):** Transvaginal sonographic detection of endometrial polyps with fluid contrast augmentation. Obstet., Gynaecol., 79 : 1041 – 1043.
- Tatum, H.J. (1983):** Milestones in intrauterine device development Fertil. Steril, 39 : 141.

- Taylor, P.T. jr; Andersen, W.A.; Barber, S.R. et al. (1987):** The screening papanicolaou smear contribution at the endocervical brush. *Obstet. Gynaecol.*, 70 : 734 – 738.
- Toppozada, M.; El-Sahwi, S.; Kamel, M. et al. (1987):** Prostaglandins and cellular reaction in uterine flushings II. Effect of PG synthesis inhibition in IUD users. *Adv. Contracept.* 3, 303 – 313.
- Towbin, N.A.; Gviazed, I.M. and March, C.M. (1996):** Office hysteroscopy versus transvaginal ultrasonography in the evaluation of patients with excessive uterine bleeding. *Am. J. Obstet. Gynaecol.*, 174 (6): 1678 – 1682.
- Vercellini, P.; Trespidi, L.; Panazza, S. et al. (1996):** Laparoscopic uterine biopsy for diagnosing diffuse adenomyosis. *J. Report. Med.* 41 : 220 – 224.
- Von Eijkeren, M.A.; Christiaens, G.C.M.L.; Sixma, J.J. and Haspels, A.A. (1989):** Menorrhagia, a review *Obstet. Gynaecol., Surv.* 44, 421 – 429.
- Wang, R.F.; Dong, G.H. and Hua, X.M. et al. (1996):** Clinical use effective comparison of four types of IUDs. *Chinese. J. Fam. Plann* (in Chinese), 21 (1) : 21 -4.
- Weinreb, J.C.; Barkoff, N.D.; Megibow, A. and Demopoulos, R. (1990):** The value of MR imaging in distinguishing leiomyomas from other solid pelvic masses when sonography is indeterminate. *AJR*, 154 : 295.

- White Field, C.R. (1986):** Dysfunctional uterine bleeding Dewhurst's Textbook of Obstetric and Gynaecology for post graduates, Blackwell Scientific Publication, London 625 – 645.
- WHO Special Programme of Research (1985):** Development and Research training in Human Reproduction. Task force on intrauterine Devices for Fertility Regulation, A multinational case – control study of ectopic pregnancy. Clin. Reprod. Fertil. 3 : 131.
- Xu, R.Q.; Qiao, G.M.; Wang, M.Z. and Peng, Z.Q. (1995):** 311 cases treated with indomethacin – releasing copper intrauterine device of clinic test in the Meeting of Assessment on the Safety in the Application of Indomethacin Releasing Copper Intrauterine. Device. Monograph. Beijing, China.
- Yang, X.; Zhuang, L.; Xu, M.; Qiu, M.; Zhou, H. and Iao, Z.(2000):** A comparative study of (γ Cu380 IUD) and (TCu380A IUD). Reprod and Contracep., 20 : 26 -9.
- Yu, G.B.; Wu, S.C.; Rao, S.H. et al. (1995):** Improving contraceptive effectiveness of IUD by training service providers in rural areas with standardized procedures. Chinese, J. Fam, Plann. (in Chinese), 23 (3) : 155 – 8.
- Zhang, Y.X.; Peng, K.J.; Liu, B.M. et al. (1998):** Effectiveness and safety of five types of IUDS used among women living in rural areas. Chinese J. Fam. Plann (in Chinese), 36 (4) : 156 -9.
- Zhu, P.D.; Luo, H.Z.; Shi, W.L. et al. (1991):** Observation of the activity of factor VIII in the endometrium of women pre and post – insertion of three types of IUDS. Contraception, 44, 367 – 384.
- Zhu, P.D.; Luo, H.Z.; Xu, Rr. H. et al. (1989):** The effect of intrauterine devices, the stain less steal ring the copper. T220 and releasing levonorgestrel, on the bleeding profile and the morphological

structure of the human endometrium – a comparative study of three IUDS. *Contraception*, 10, 20-25.

Zipper, J.A.; Medel, M. and Prager, R. (1969): Suppression of fertility by intrauterine copper and zinc in rabbits a new approach to intra uterine contraception. *Am. J. Obstet. Gynaecol.*, 105 : 529.