

REFERENCES

Alanis FJ, Martínez GM, Mata MP. Hysteroscopy findings in patients with postmenopausal genital bleeding. Ginecol Obstet Mex. 2007;75(5):253-8.

Albers JR, Hull SK, Wesley RM. Abnormal uterine bleeding. Am Fam Physician. 2004;69(8):1915-26.

Alborzi S, Parsanezhad ME, Mahmoodian N, Alborzi S, Alborzi M. Sonohysterography versus transvaginal sonography for screening of patients with abnormal uterine bleeding. Int J Gynaecol Obstet. 2007;96(1):20-3.

Alkamil RK. Clinical effectiveness of hysteroscopy in abnormal uterine bleeding. Am. J. Obstet Gynecol. 2001; 21(6):614-6.

Angioni S, Loddo A, Milano F, Piras B, Minerba L, Melis GB . Detection of benign intracavitary lesions in postmenopausal women with abnormal uterine bleeding: a prospective comparative study on outpatient hysteroscopy and blind biopsy. J Minim Invasive Gynecol. 2008;15(1):87-91.

Ayida G, Chamberlain P, Barlow D and Kenndy S. Uterine cavity assessment prior to invitro fertilization: comparison of transvaginal scanning, saline contrast hysterosonography and hysteroscopy. Ultrasound Obstet Gynecol .1997; 10 (1):59-62.

Baggish MS . Operative hysteroscopy. Rock G, Te Linde Operative Gynecology, 8th edition. Lippincott Raven, Philadelphia1997; 20: 415-442.

Baggish MS , Daniell JF. Death caused by air embolism associated with laser surgery and original sapphire tips. Am. J. Obstet. Gynecol. 1989;161:877-878.

Bartkowiak R , Kaminski P , Wielgos M , Bobrowska K.

The evaluation of uterine cavity with saline infusion sonohysterography and hysteroscopy in infertile patients. *Neuro Endocrinol Lett.* 2006;27(4):523-8.

Batukan C, Ozgun MT, Ozcelik B, Aygen E, Sahin Y, Turkyilmaz C.

Cervical ripening before operative hysteroscopy in premenopausal women: a randomized, double-blind, placebo-controlled comparison of vaginal and oral misoprostol. *Fertil Steril.* 2008;89(4):966-73.

Bedner R , Rzepka-Górska I. Transvaginal ultrasonography in the diagnosis of endometrial and uterine cavity changes in perimenopausal women. *Ginekol Pol.* 2002;73(11):985-90.

Beemsterboer SN, Thurkow AL, Verstraeten R, Brölmann HA.

Reproducibility of saline contrast sonohysterography for the detection of intracavitary abnormalities in women with abnormal uterine bleeding. *Ultrasound Obstet Gynecol.* 2008;31(4):445-9.

Ben-Arie A, Tamir S, Dubnik S, Gemer O, Ben Shushan A, Dgani R, Peer G, Barnett-Griness O, Lavie O.

Does hysteroscopy affect prognosis in apparent early-stage endometrial cancer? *Int J Gynecol Cancer.* 2007 ;28:81-4.

Berman MC , Cohen HL.

Diagnostic medical sonography. A guide to clinical practice. Cohen HL, *Obstetrics and Gynecology.* Lippincot Raven Publisher. Philadelphia. New York 1997; 2:16.

Bernard JP, Lecuru F, Darles C, Robin F, de Beivre P , Taurelle R.

Saline contrast sonohysterography as a first line of investigation of women with abnormal uterine bleeding. *Ultrasound Obstet. Gynecol.* 1997; 10(2):121-5.

Blumenfeld ML , Turner LP.

Role of TVS in the evaluation of endometrial hyperplasia and cancer. *Clinical Obstet. and Gynecol.* 1996;.39, (3):641-655.

Bonney RC, Higham JM, Watson H, et al. Phospholipase activity in the endometrium of women with normal menstrual blood loss and women with proven ovulatory menorrhagia. Br J Obstet Gynaecol 1991; 98(5):363.

Brölmann HA, Bongers MY, Moret E, Smeets N, Bremer GL, Dijkhuizen FP . Transvaginal contrast sonography of the uterus in the diagnosis of abnormal uterine blood loss: less hysteroscopies needed. Ned Tijdschr Geneesk. 2003;147(11):502-6.

Brooks PG. In the management of abnormal uterine bleeding, is office hysteroscopy preferable to sonography the case for hysteroscopy. J Minim Invasive Gynecol 2007;14(1):12-4.

Campo V , Campo S. Hysteroscopy requirements and complications. Minerva Ginecol. 2007;59(4):451-7.

Chambers CB , Unis JS. Ultrasound evidence of uterine malignancy in the post menopausal uterus. Am.J. Obstet. Gynecol. 1986;154:1194.

Chimbira TH, Anderson AC, Turnbull AC. Relation between measured menstrual blood loss and patients' subjective assessment of loss, duration of bleeding, number of sanitary towels used, uterine weight and endometrial surface area. Br J Obstet Gynaecol 1980; 87:603.

Christiaens GC, Sixma JJ, Haspels AA. Morphology of haemostasis in menstrual endometrium. Br J Obstet Gynaecol 1980; 87:425.

Cicinelli E, Resta L, Nicoletti R, Tartagni M, Marinaccio M, Bulletti C, Colafiglio G. Detection of chronic endometritis at fluid hysteroscopy. *J Minim Invasive Gynecol.* 2005;12(6):514-8.

Claessens EA, Cowell CL. Acute adolescent menorrhagia. *Am J Obstet Gynecol* 1981; 139:277.

Clark TJ. Hysteroscopy and ultrasonography in the diagnosis of endometrial cancer. *Gynakol Geburtshilfliche Rundsch.* 2006;46(1-2):3-12.

Cole SK, Billwicz WZ, Thomson AM. Sources of variation in menstrual blood loss. *J Obstet Gynaecol Br Commonwlth* . 1971; 78:933.

Dessole S, Farina M, Capobianco G, et al. Determining the best catheter for sonohysterography. *Fertil Steril* 2001;76(3):605–9.

Dessole S, Farina M, Rubattu G, Cosmi E, Ambrosini G, Battista Nardelli G . Side effects and complications of sonohysterosalpingography. *Fertil Steril.* 2003;80(3):620-4.

de Ziegler D ,Bergeron C, Cornel C, Medalie A, Massi Mr, Milgram E, Frydman R, Bouchard R. Effects of luteal estradiol on the secretory transformation of human endometrium and plasma gonadotrophins. *J. Clin. Endocrinol. Metab.* 1992;74(1):322.

Di Spiezio SA, Guida M, Bettocchi S, Nappi L, Sorrentino F, Bifulco G, Nappi C. Role of hysteroscopy in evaluating chronic pelvic pain. *Fertil Steril.* 2007;17(4):315-21.

Dubisky TJ , Parvey HR , Makland N. The role of trans vaginal sonography and endometrial biopsy in the evaluation of peri and post menopausal bleeding. *Am J Roentgenol* 1997; 169(1): 145-9.

Dukanović S, Canić T. The value of hysteroscopy in perimenopausal women. *Acta Med Croatica.* 2007;61(2):185-90.

Eberhard M. Ultrasound in Gynecology and Obstetrics. Am. J. Obstet. Gynecol.1996; 157(6):23-31.

Epstein E, Ramirez A, Skoog L, Valentin L. Transvaginal sonography, saline contrast sonohysterography and hysteroscopy for the investigation of women with postmenopausal bleeding and endometrium > 5 mm. Ultrasound Obstet Gynecol. 2001;18(2):157-62.

Erdem M, Bilgin U, Bozkurt N, Erdem A. Comparison of transvaginal ultrasonography and saline infusion sonohysterography in evaluating the endometrial cavity in pre- and postmenopausal women with abnormal uterine bleeding. Menopause. 2007;14(5):823-5.

Espindola D, Kennedy KA, Fischer EG. Management of abnormal uterine bleeding and the pathology of endometrial hyperplasia. Obstet Gynecol Clin North Am. 2007;34(4):717-37.

Exalto N, Stappers C, van Raamsdonk LA, Emanuel MH. Gel instillation sonohysterography: first experience with a new technique. Fertil Steril. 2007;88(2):536-7.

Falcone T, Desjardins C, Bourque J. Dysfunctional uterine bleeding in adolescents. J Reprod Med 1994; 39:761.

Farquhar C, Ekeroma A, Furness S, Arroll B. A systemic review of TVS ,SIS and hysteroscopy for the investigation of AUB in premenopausal women. Acta Obstet Gynecol Scand 2003;82(6):493-504.

Fleischer AC, Kalmeris GE, Machin JE, Entmana SS , James E. Sonographic detection of normal and abnormal endometrium with histopathologic correlation. J. Ultrasound Med.1986;5: 445.

Fraser IS. Menorrhagia, a programmatic approach to the understanding of causes and the need for investigations. Br. J. Obstet. Gynecol. 1990;101(3):273-9 .

Fraser IS, McCarron G, Markham R. A preliminary study of factors influencing perception of menstrual blood loss volume. Am J Obstet Gynecol 1984; 149:788.

Gaussherand P, Piacenza JM, Salle B , Rudigoz R. Sonohysterography of the uterine cavity: preliminary investigations. J Clin Ultrasound 1997; 23:339 -348.

Getpook C, Wattanakumtornkul S. Endometrial thickness screening in premenopausal women with abnormal uterine bleeding. J Obstet Gynaecol Res. 2007 Dec;33(6):886.

Godinjak Z , Idrizbegović E . Should diagnostic hysteroscopy be a routine procedure during diagnostic laparoscopy in infertile women? Bosn J Basic Med Sci. 2008;8(1):44-7.

Goldberg JM, Falcone T and Attaran M. Sonohystrographic evaluation of uterine anomalies noted on hysterosalpingography. Hum Reprod 1997; 12 (10):2151- 3.

Goldstein SR. Use of ultrasonography for triage of peri menopausal patients with unexplained uterine bleeding. Am. J. Obstet. Gynecol. 1994;170(1): 565-9.

Goldstein SR. Sonohysterography as an office procedure. Am. J. Obstet. Gynecol.1995;185:15-9.

Goldstein SR. Abnormal Utrine Bleeding : The Role Of Ultrasound.Radiol. Clin. N. Am.2006; 44:901-910.

Gumus II, Keskin EA, Kılıç E, Aker A, Kafalı H, Turhan NO. Diagnostic value of hysteroscopy and hysterosonography in endometrial abnormalities in asymptomatic postmenopausal women. Arch Gynecol Obstet. 2008 ;24 (1):51-9.

Gunes M, Erol O, Kayikcioglu F, Ozdegirmenci O, Secilmis O, Haberal A . Comparison of saline infusion sonography and histological findings in the evaluation of uterine cavity pathologies. Arch Gynecol Obstet. 2008 ;1 (3):112-7.

Guruwadayarhalli B, Jones SE, Srinivasan V. Hysteroscopy in the diagnosis of postmenopausal bleeding. *Menopause Int.* 2007;13(3):132-4.

Hallberg L, Högdahl AM, Nilsson L, Rybo G. Menstrual blood loss, a population study: Variation at different ages and attempts to define normality. *Acta Obstet Gynecol Scand* 1966; 45:320.

Hallberg L, Nilsson L. Constancy of individual menstrual blood loss. *Acta Obstet Gynecol Scand* 1964; 43:352.

Haynes PJ, Hodgson H, Anderson ABM, Turnbull AC. Measurement of menstrual blood loss in patients complaining of menorrhagia. *Br J Obstet Gynaecol* 1977; 84:763.

Healey S, Butler B, Kum FN, Dunne J, Hutchens D, Crane JM. A randomized trial of oral misoprostol in premenopausal women before hysteroscopy. *J Obstet Gynaecol Can.* 2007;29(8):648-52.

Indman PD. Instruments and video cameras for operative hysteroscopy. *Clin. Obstet. Gynecol.* 1992;35(2): 21.

Johnson M, Graham M, Cooperberg P. Abnormal endometrial echoes: Sonographic spectrum of endometrial pathology. *J. Ultrasound Med.* 1982;1:161.

Kazandi M, Akşehirli S, Cirpan T, Akercan F. Transvaginal sonography combined with saline contrast sonohysterography to evaluate the uterine cavity in patients with abnormal uterine bleeding and postmenopausal endometrium more than 5 mm. *Eur J Gynaecol Oncol.* 2003;24(2):185-90.

Kelekci S, Kaya E, Alan M, Alan Y, Bilge U, Mollamahmutoglu L. Comparison of transvaginal sonography, saline infusion sonography, and office hysteroscopy in reproductive-aged women with or without abnormal uterine bleeding. *Fertil Steril.* 2005;84(3):682-6.

Kulp JL, Mwangi CN, Loveless M. Screening for coagulation disorders in adolescents with abnormal uterine bleeding. *J Pediatr Adolesc Gynecol.* 2008;21(1):27-30.

Leone FP, Carsana L, Lanzani C, Vago G, Ferrazzi E. Sonohysterographic endometrial sampling and hysteroscopic endometrial biopsy: a comparative study. *Ultrasound Obstet Gynecol.* 2007;29(4):443-8.

Lewis BV. Guidelines for endometrial ablation. *Br. J. Obstet. Gynaecol.* 1994;101: 470- 473.

Lewis LA, Lathi RB, Crochet P, Nezhat C. Preoperative vaginal preparation with baby shampoo compared with povidone-iodine before gynecologic procedures. *J Minim Invasive Gynecol.* 2007;14(6):736-9.

Litta P, Bonora M, Pozzan C, Merlin F, Sacco G, Fracas M, Capobianco G, Dessole S . Role of hysteroscopy with endometrial biopsy to rule out endometrial cancer in postmenopausal women with abnormal uterine bleeding. *Maturitas.* 2005;50(2):117-23.

Litta P, Merlin F, Saccardi C, Pozzan C, Sacco G, Fracas M, Capobianco G, Dessole S. Carbon dioxide versus normal saline in outpatient hysteroscopy. *Hum Reprod.* 2003;18(11):2446-9.

Ludwin A, Pityński K, Szczudrawa A, Biernat I, Loster J. Value of saline infusion sonohysterography and hysteroscopy in postmenopausal patient with persistent abnormal ultrasonographic images after endometrial curettage with normal histological results. *Ginekol Pol.* 2003;74(9):786-92.

Mendelson EB, Marcela BV, Josef N and Neiman HL. Endometrial abnormalities evaluation with trans vaginal sonography. *Am. J. Roetgenol.* 1988; 150(1): 139.

Minagawa Y, Sato S, Ito M, Onohara Y, Nakamoto S, Kigawa J. Transvaginal ultrasonography and endometrial cytology as a diagnostic schema for endometrial cancer. *Gynecol Obstet Invest.* 2005;59(3):149-54.

Molinas CR, Campo R. Office hysteroscopy and adenomyosis. *Best Pract Res Clin Obstet Gynaecol.* 2006;20(4):557-67.

Mukhopadhyay S, Bhattacharyya SK, Ganguly RP, Patra KK, Bhattacharya N, Barman SC. Comparative evaluation of perimenopausal abnormal uterine bleeding by transvaginal sonography, hysteroscopy and endometrial biopsy. *J Indian Med Assoc.* 2007;105(11):624.

Nasri MN, Shepherd JH, Setchel ME, Chard T. The role of vaginal scan in measuring of endometrial thickness in post menopausal women. *Br. J. Obstet. Gynaecol.* 1991; 98: 470.

Newton J, Barnard G, Collins W. A rapid method for measuring menstrual blood loss using automatic extraction. *Contraception* 1977; 16:269.

Niewolin M, Stypa T, Wasielewski A, Łasowski A, Sieg W, Galasiewicz B. Hysteroscopy in cases of abnormal uterine bleeding and abnormal ultrasonographic findings of uterine cavity-own experience. *Ginekol Pol.* 2004;75(4):281-7.

Odwin CS, Fleishner AC, Kepple DM and Chiang DT. Procovers and disinfectants for trans vaginal transducers. *J. Diag. Med. Sonograph.* 1990; 6: 130.

Ong CL. Saline Infusiion Sonohysterography. *Ultrasound Clin.* 2007;2:121-32.

Oppegaard KS, Nesheim BI, Istre O, Qvigstad E. Comparison of self-administered vaginal misoprostol versus placebo for cervical ripening prior to operative hysteroscopy using a sequential trial design. *Br.J. Obstet. Gynaecol.* 2008;115(5):663-9.

Pasrija S, Narula MK, Trivedi SS. Prospective study of saline infusion sonohysterography in evaluation of perimenopausal and postmenopausal women with abnormal uterine bleeding. J Obstet Gynaecol Res. 2004;30(1):27-33.

Rana T. comparative study of sonohysterography, hysterosalpingography and chromolaparoscopy. Am. J. Obstet. Gynecol. 1995;189:35-40.

Rees MCP, Cederholm-Williams SA, Turnbull AC. Coagulation factors and fibrinolytic proteins in menstrual fluid collected from normal and menorrhagic women. Br J Obstet Gynaecol 1985; 92:1164.

Revel A, Tsafirir A, Anteby SO, Shushan A. Does hysteroscopy produce intraperitoneal spread of endometrial cancer cells? Obstet Gynecol Surv. 2004 Apr;59(4):280-4.

Rogério A. abnormal uterine bleeding: ovulatory and nonovulatory uterine bleeding, management of acute and chronic excessive bleeding. Katz, Comprehensive Gynecology, 5th ed. Mosby, Elsevier. London. 2007; 37:678-87.

Ryu JA, Kim B, Lee J, Kim S, Lee SH. Comparison of transvaginal ultrasonography with hysterosonography as a screening method in patients with abnormal uterine bleeding. Korean J Radiol. 2004;5(1):39-46.

Sadoon S, Salman G, Smith G, Henson C, McCullough W. Ultrasonographic endometrial thickness for diagnosing endometrial pathology in postmenopausal bleeding. Br. J. Obstet Gynaecol. 2007;27(4):406-8.

Saidi MR, Sadler RK, Theis VD, Akright BD, Farhart SA, Villanueva GR. Comparison of sonography, sonohysterography, and hysteroscopy for the evaluation of abnormal uterine bleeding. J Ultrasound Med 1997;16 (9):587-91.

Salamonsen LA .Current concepts of the mechanisms of menstruation: a normal process of tissue destruction. Trends Endocrinol Metab.1998;9(8):305-9.

Sale B, Sergeant P, Gaucherand P, Guimont I, de Saint Hilaire P , Rudiogz RC. Trans vaginal hystersonographic evaluation of septate uterus;a preliminary report. Hum Reprod1996;11 (5) :1004- 7 .

Shaw RW. Treating the patients with menorrhagia: introduction. Br. J. Obstet. Gynecol. 1994; 101(11):12-6 .

Sheppard BL, Dockeray CJ, Bonnar J. An ultrastructural study of menstrual blood in normal menstruation and dysfunctional uterine bleeding. Br J Obstet Gynaecol 1983; 90:259-63.

Shokeir TA, Fawzy M, Tatongy M. The nature of intrauterine adhesions following reproductive hysteroscopic surgery as determined by early and late follow-up hysteroscopy: clinical implications. Arch Gynecol Obstet. 2008;277(5):423-7.

Smith SK, Abel MH, Kelly RW, Baird DT.The synthesis of prostaglandins from persistent proliferative endometrium. J Clin Endocrinol Metab 1982; 55:284.

Soderstrom RM. Distending the uterus: which medium is best? Clin. Obstet. Gynecol. 1992;35 (2):225-9.

Stamatellos I, Stamatopoulos P, Bontis J. The role of hysteroscopy in the current management of the cervical polyps. Arch Gynecol Obstet. 2007;276(4):299-303.

Takac I, Zegura B. Office hysteroscopy and the risk of microscopic extrauterine spread in endometrial cancer. Gynecol Oncol. 2007;107(1):94-8.

Thinkhamrop J, Laopaiboon M, Lumbiganon P. Prophylactic antibiotics for transcervical intrauterine procedures. Cochrane Database Syst Rev. 2007;18(3):CD005637.

Timmermans A, Gerritse MB, Opmeer BC, Jansen FW, Mol BW, Veersema S . Diagnostic accuracy of endometrial thickness to exclude polyps in women with postmenopausal bleeding. J Clin Ultrasound. 2007 ;167(1):283-9 .

Timmermans A, van Dongen H, Mol BW, Veersema S, Jansen FW. Hysteroscopy and removal of endometrial polyps: A Dutch survey. Eur J Obstet Gynecol Reprod Biol. 2008;138(1):76-9.

Toaff LAS, Toaff ME, Ji-Bin Liu, Merton DA ,Goldberg BB. Value of sonohystergraphy in the diagnosis and management of abnormal uterine bleeding. Radiology 1996; 201(1): 179-84.

Toth M, Patton DL, Esquenazi B, Shevchuk M, Thaler H, Divon M. Association between Chlamydia trachomatis and abnormal uterine bleeding. Am J Reprod Immunol.2007;57(5):361-6.

Valenzano MM, Lijoi D, Mistrangelo E, Fortunato T, Costantini S, Ragni N. The value of sonohysterography in detecting intracavitary benign abnormalities. Arch Gynecol Obstet. 2005;272(4):265-8.

Valle RF. Distesion media. Valle RF, Operative hysteroscopy and resectoscopy. 2nd edition, Springer- Verlag ,New York Inc. 1996; 22: 325- 6.

Valle RF , Sciarra JJ. Current status of hysteroscopy in gynecologic practice. Fertil. Steril. 1979;32: 619.

van Dongen H, de Kroon CD, Jacobi CE, Trimpos JB, Jansen FW. Diagnostic hysteroscopy in abnormal uterine bleeding: a systematic review and meta-analysis. Br.J.Obstet. Gynecol. 2007;114(6):664-75.

van Eijkeren MA, Scholten PC, Christiaens GC, et al. The alkaline hematin method for measuring menstrual blood loss, A modification and its clinical use in menorrhagia. Eur J Obstet Gynecol Reprod Biol. 1986; 22:345.

Wilansky DL, Greisman B. Early hypothyroidism in patients with menorrhagia. Am J Obstet Gynecol 1989; 160:673.

Wolman I, Gordon D, Yaron Y, Kupferminc M, Lessing JB, Jaffa AJ. Transvaginal sonohysterography for the evaluation and treatment of retained products of conception. Gynecol Obstet Invest. 2000;50(2):73-6.

Wongsawaeng W . Transvaginal ultrasonography, sonohysterography and hysteroscopy for intrauterine pathology in patients with abnormal uterine bleeding. J Med Assoc Thai. 2005;88 (3): 77-81.

Wood JM, Barthalow Koch P, Mansfield PK. Is my period normal? How college-aged women determine the normality or abnormality of their menstrual cycles. Women Health. 2007;46(1):41-56.

Woolcock JG, Critchley HO, Munro MG, Broder MS, Fraser IS . Review of the confusion in current and historical terminology and definitions for disturbances of menstrual bleeding. Fertil Steril. 2008;89(1):263-6.

Worly RI. Dysfunctional uterine bleeding clarifying its definition, mechanisms and management. Postgraduate Med.1986; 1579(3): 101-6.

Yang JH, Chen MJ, Wu MY, Chao KH, Ho HN, Yang YS. Office hysteroscopic early lysis of intrauterine adhesion after transcervical resection of multiple apposing submucous myomas. Fertil Steril. 2007 ;81(3):322-8.

Zupi E, Lucino AA, Valli E, Marconi D, Maneschi F , Romanini C. The use of topical anaesthesia in diagnostic hysteroscopy and endometrial biopsy. Fertil. Steril. 1995;63(1):414- 16.