

Contents

Item	Page No.
#Introduction	1
#Aim of the Work	4
#Review of literature:	
-Postpartum Hemorrhage	5
-Selected uterotonic agents used in the third stage	30
-Prostaglandins	37
-Misoprostol	52
-Uses of Misoprostol	64
#Patients and Methods	78
#Results	84
#Discussion	97
#Conclusion	106
#Summary	107
#References	110
الملخص العربي	

List of Tables

<i>Table</i>		<i>Page.</i>
Table (1)	Clinical findings in hypovolemia	16
Table(2-1)	Comparison of age of the two study groups	84
Table(2-2)	Comparison of the gestational age of the two groups	84
Table(2-3)	Comparison of fetal birth weight of the two study groups	84
Table (2-4)	Comparison of initial Hb% between the study groups.	87
Table (2-5)	Comparison of the duration of surgery among the two groups	89
Table (2-6)	Comparison of intraoperative blood loss in the two study groups	90
Table (2-7)	Comparison of intraoperative need for additional uterotonics in the two study groups	91
Table (2-8)	Comparison of Hb% change between pre& immediately postoperative among the two study groups	92
Table (2-9)	Comparison of postoperative blood loss in the two study groups.	93
Table(2-10)	Comparison of mean Hb% done 24 hours after C.S in the two study groups	94
Table(2-11)	Comparison of Hb% change between pre&24 hours postoperative in the two study groups	95
Table (2-12)	Comparison of number of cases showing side effects in the two study groups	96

List of Figures

<i>Figure</i>		<i>Page.</i>
Figure(1-1)	Transverse imbricating sutures	25
Figure(1-2)	B-Lynch suture technique	26
Figure (2)	Structure of misoprostol	52
Figure (3)	Trial profile	80
Figure (4-1)	Mean maternal age between the study groups	85
Figure (4-2)	Mean gestational age between the study groups	85
Figure (4-3)	Mean fetal birth weight between the study groups	85
Figure (4-4)	Parity among the two study groups	86
Figure (4-5)	Mean initial Hb% of the two study groups	87
Figure (4-6)	Indications of C.S among the two study groups	88
Figure (4-7)	Mean duration of surgery among the two study groups	89
Figure (4-8)	Mean intraoperative blood loss in the two study groups	90
Figure(4-9)	Intraoperative need for additional uterotonics the two study groups	91
Figure(4-10)	Mean Hb% change between pre & immediately postoperative in the two study groups	92
Figure(4-11)	Mean postoperative blood loss in the two study groups	93
Figure(4-12)	Mean Hb% done 24 hours after C.S in the two study groups	94
Figure(4-13)	Mean Hb% change between pre& 24 hours postoperative in the two study groups	95

List of Abbreviations

WHO	: World Health Organization
ml	: milliliter
1 st	: first
%	: percent
Gm	: gramme
AFS	: American fertility society
COX	: cyclooxygenase
β	: Beta
cAMP	: cyclic adenosine mono phosphate
GTP	: guanosine triphosphate
Ca++	:calcium ions
ITP	: idiopathic thrombocytopenic purpura
vWF	: von Willebrand factor
VWD	: von Willebrand disease
mm	: millimeter
Hg	: mercury
g/dl	: gramme per deciliter
PPH	: postpartum hemorrhage
RR	: relative risk
IU	: international unit
Mg	: milligramme
RBCs	: red blood cells,
PRBCs	: Packed red blood cells
FFP	: Fresh frozen plasma
L	: Liter
CBC	: Complete blood count
I.M	: intramuscular
D.M	: diabetes mellitus
I.V	: intravenous
NS	: normal saline
Mcg	: microgram
Ug	: microgram
FIGO	: international federation of gynecology and obstetrics
U.S	: United States
CT	: Computerized tomography
MRI	: Magnetic resonance imaging
Hb	: hemoglobin
HCT	: hematocrite
PG	: prostaglandin
α	: alpha

CRH	: corticotrophin hormone
FDA	: food and drug administration
ng	: nanogramme
VS	: versus
C max	: maximum concentration
Pg	: picogramme
AUC	: Area under curve
NSAIDs	: nonsteroidal anti-inflammatory drugs
h	: hour
min	: minute
Kg	:kilogramme
J	: journal
TNF	: tumor necrosis factor
HbsAg	: hepatitis B surface antigen
SD	: standard deviation
CNS	: central nervous system
B.hCG	: Beta subunit of human chorionic gonadotropin
C.S	: cesarean section
LMP	: last menstrual period
Mom	: multiple of median

Acknowledgement

FIRSTLY. I have to express my deep thanks to **ALLAH**, by the grace of whom the progress and completion of this work made possible, ...then,.....

I am greatly indebted to **Prof. Dr. Mahmoud Abd Allah Abd El Fattah**, Professor of Obstetrics & Gynecology, faculty of medicine. Benha University for his continuous encouragement, sincere guidance, constructive opinions throughout the whole work, and his everlasting patience.

I would like to express my deep gratitude and appreciation of **Prof. Dr. Ayman Mahmoud Assaf**, Professor of Obstetrics & Gynecology, faculty of medicine. Benha University for his scientific insight, kind supervision, precious advice, and unlimited help to accomplish this work.

A sincere appreciation to **Dr. Mohamed Abd El Hadi Mohamed**, Lecturer of Obstetrics & Gynecology, faculty of medicine, Benha University for his constant meticulous guidance, encouragement and his everlasting willingness to spare no effort nor time to help putting this work in its final form.

