

References

- Aboulghar MA, Mansour RT, Serour GI, Rizk B. (1991):** Ultrasonic transvaginal aspiration of endometriotic cysts: an optional line of treatment in selected cases of endometriosis. *Hum Reprod.*, 6 (10):1408-10.
- Aboulghar MA, Mansour RT, Serour GI, Sattar M, Ramzy AM, Amin YM. (1993):** Treatment of recurrent chocolate cysts by transvaginal aspiration and tetracycline sclerotherapy. *J Assist Reprod Genet.*, 10(8):531-3.
- ABukman A, Heineman MJ. (2001):** Ovarian reserve testing and the use of prognostic models in patients with subfertility. *Hum Reprod Update.*, 7(6):581-90.
- Abu-Musa A, Takahashi K, Kitao M. (1993):** Transvaginal sonographic guided aspiration of endometrioma. *Int J Gynaecol Obstet.*, 40 (1): 64-5.
- Acosta AA, Buttram VC Jr, Besch PK, Malinak LR, Franklin RR, Vanderheyden JD. (1973):** proposed classification of pelvic endometriosis. *Obstet Gynecol.*, 42(1):19-25.
- Akamatsu N, Hirai T, Masaoka H, Sekiba K, Fujita T. (1988):** [Ultrasonically guided puncture of endometrial cysts--aspiration of contents and infusion of ethanol] *Nippon Sanka Fujinka Gakkai Zasshi.*, 40(2):187-91.
- Alborzi S, Momtahan M, Parsanezhad ME, Dehbashi S, Zolghadri J, Alborzi S. (2004):** A prospective, randomized study comparing laparoscopic ovarian cystectomy versus fenestration and coagulation in patients with endometriomas. *Fertil Steril.*, 82 (6): 1633-6.

-
- Alborzi S, Zarei A, Alborzi S, Alborzi M. (2006):** Management of ovarian endometrioma. Clin Obstet Gynecol., 49(3):480-91.
- American College of Obstetricians and Gynecologists (1993):** Endometriosis. ACOG technical bulletin no. 184 Washington DC. ACOG
- American Society for Reproductive Medicine (1997):** Revised American Society for Reproductive Medicine classification of endometriosis 1996. Fertil Steril., 67(5):817-21.
- Anaf V, Simon P, Fayt I, Noel J. (2000):** Smooth muscles are frequent components of endometriotic lesions. Hum Reprod., 15(4):767-71.
- Andrews WC, Larsen DD. (1974):** Endometriosis: treatment with. hormonal pseudopregnancy and/or operation. Am. J. Obstet. Gynecol., 118, 643-651.
- Baker TG. (1963):** A quantitative and cytological study of germ cells in human ovaries. Proc R Soc Lond B Biol Sci. 22;158:417-33.
- Balasch J, Creus M, Fábregues F, Carmona F, Casamitjana R, Ascaso C, Vanrell JA. (1996):** Inhibin, follicle-stimulating hormone, and age as predictors of ovarian response in vitro fertilization cycles stimulated with gonadotropin-releasing hormone agonist-gonadotropin treatment. Am J Obstet Gynecol., 175(5):1226-30.
- Balasch J, Creus M, Fábregues F, Carmona F, Casamitjana R, Ascaso C, Vanrell JA. (1996):** Inhibin, follicle-stimulating hormone, and age as predictors of ovarian response in in vitro fertilization cycles stimulated with gonadotropin-releasing hormone agonist-gonadotropin treatment. Am J Obstet Gynecol., (5):1226-30.
- Balleyguier C, Chapron C, Dubuisson JB, Kinkel K, Fauconnier A, Vieira M, Hélénon O, Menu Y. (2002):** Comparison of magnetic resonance imaging and transvaginal ultrasonography in diagnosing bladder endometriosis. J Am Assoc Gynecol Laparosc. 9(1):15-23.

- Bancsi LF, Broekmans FJ, Eijkemans MJ, De Jong FH, Habbema JD, Te Velde ER. (2002):** Predictors of poor ovarian response in in vitro fertilization: a prospective study comparing basal markers of ovarian reserve. *Fertil Steril.*, 77(2):328-36.
- Bancsi LF, Broekmans FJ, Te Velde Er. (1997):** Predictive value of serum inhibin-B for ART outcome? *Fertil Steril.*, 68(5):947-8.
- Barbieri RL. (1998):** Stenosis of the external cervical os: an association with endometriosis in women with chronic pelvic pain. *Fertil Steril.*, 70(3):571-3.
- Barnhart K, Osheroff J. (1999):** We are overinterpreting the predictive value of serum follicle-stimulating hormone levels. *Fertil Steril.*, 72 (1): 8-9.
- Bast RC Jr, Feeney M, Lazarus H, Nadler LM, Colvin RB, Knapp RC. (1981):** Reactivity of a monoclonal antibody with human ovarian carcinoma. *J Clin Invest.*, 68(5):1331-7.
- Bazot M, Darai E, Hourani R, Thomassin I, Cortez A, Uzan S, Buy JN. (2004):** Deep pelvic endometriosis: MR imaging for diagnosis and prediction of extension of disease. *Radiology.*, 232(2):379-89.
- Ben-Rafael Z, Menashe Y, Mimon R. (1990):** Limitations in the use of combined gonadotropin-releasing hormone analog. and human menopausal gonadotropin for in ART plenum press. New York, NY, USA, pp 17-30.
- Beretta P, Franchi M, Ghezzi F, Busacca M, Zupi E, Bolis P. (1998):** Randomized clinical trial of two laparoscopic treatments of endometriomas: cystectomy versus drainage and coagulation. *Fertil Steril.*, 70 (6):1176-80.
- Berube S, Marcoux S, Maheux R. (1998):** Characteristics related to the prevalence of minimal or mild endometriosis in infertile women. *Epidemiology*, 9: 504-510.

- Bianchi S, Busacca M, Agnoli B, Candiani M, Calia C, Vignali M. (1999):** Effects of 3 month therapy with danazol after laparoscopic surgery for stage III/IV endometriosis: a randomized study. Hum Reprod., 14(5):1335-7.
- Bis KG, Vrachliotis TG, Agrawal R, Shetty AN, Maximovich A, Hricak H. (1997):** Pelvic endometriosis: MR imaging spectrum with laparoscopic correlation and diagnostic pitfalls. Radiographics. 17(3):639-55.
- Bon GG, Kenemans P, Dekker JJ, Hompes PG, Verstraeten RA, Van Kamp GJ, Schoemaker J. (1999):** Fluctuations in CA 125 and CA 15-3 serum concentrations during spontaneous ovulatory cycles. Hum Reprod., 14(2):566-70.
- Boyd ME. (1985):** Endometriosis. Can J Surg., 28(6):471-3.
- Brenner C, Wohlgemuth S. (1990):** Scar endometriosis. Surg Gynecol Obstet., 170(6):538-40.
- Brinton DA, Quattrociochi-Longe TM, Kiechle FL. (1996):** Endometriosis: identification by carbonic anhydrase autoantibodies and clinical features. Ann Clin Lab Sci., 26(5):409-20.
- Broekmans FJ, Scheffer GJ, Bancsi LF, Dorland M, Blankenstein MA, Te Velde ER. (1998):** Ovarian reserve tests in infertility practice and normal fertile women. Maturitas., 12;30(2):205-14.
- Brosens I, Vasquez G, Deprest J, Puttermans P. (1995):** pathogenesis of endometriosis. Advanced management and surgical techniques. New York: Sprigner Verlag.
- Brosens IA, Van Ballaer P, Puttemans P, Deprest J. (1996):** Reconstruction of the ovary containing large endometriomas by an extraovarian endosurgical technique. Fertil Steril., 66(4):517-21.

- Brosens IA, Van Ballaer P, Puttemans P, Deprest J. (1996):** Reconstruction of the ovary containing large endometriomas by an extraovarian endosurgical technique. *Fertil Steril.*, 66(4):517-21.
- Brown JR, Liu HC, Sewitch KF, Rosenwaks Z, Berkeley AS. (1995):** Variability of day 3 follicle-stimulating hormone levels in eumenorrheic women. *J Reprod Med.*, 40(9):620-4.
- Bukman A, Heineman MJ. (2001):** Ovarian reserve testing and the use of prognostic models in patients with subfertility. *Hum Reprod Update.*, 7(6):581-90.
- Bukulmez O, Arici A. (2004):** Assessment of ovarian reserve. *Curr Opin Obstet Gynecol.*, 16(3):231-7.
- Busacca M, Somigliana E, Bianchi S, De Marinis S, Calia C, Candiani M, Vignali M. (2001):** Post-operative GnRH analogue treatment after conservative surgery for symptomatic endometriosis stage III-IV: a randomized controlled trial. *Hum Reprod.*, 16(11):2399-402.
- Busacca M, Vignali M. (2003):** Ovarian endometriosis: from pathogenesis to surgical treatment. *Curr Opin Obstet Gynecol.*, 15(4):321-6.
- Buttram VC Jr. (1985):** Evolution of the revised American Fertility Society classification of endometriosis. *Fertil Steril.*, 43(3):347-50.
- Buyalos RP, Daneshmand S, Brzechffa PR. (1997):** Basal estradiol and follicle-stimulating hormone predict fecundity in women of advanced reproductive age undergoing ovulation induction therapy. *Fertil Steril.*, 68(2):272-7.
- Cahill DJ, Prosser CJ, Wardle PG, Ford WC, Hull MG. (1994):** Relative influence of serum follicle stimulating hormone, age and other factors on ovarian response to gonadotrophin stimulation. *Br J Obstet Gynaecol.*, 101(11):999-1002.

- Canis M, Rabischong B, Houlle C, Botchorishvili R, Jardon K, Safi A, Wattiez A, Mage G, Pouly JL, Bruhat MA. (2002):** Laparoscopic management of adnexal masses: a gold standard? *urr Opin Obstet Gynecol.*, 14(4):423-8.
- Chang MY, Chiang CH, Hsieh TT, Soong YK, Hsu KH. (1998):** Use of the antral follicle count to predict the outcome of assisted reproductive technologies. *Fertil Steril.*, 69(3):505-10.
- Chapron C, Dubuisson JB, Pansini V, Vieira M, Fauconnier A, Barakat H, Dousset B. (2002):** Routine clinical examination is not sufficient for diagnosing and locating deeply infiltrating endometriosis. *J Am Assoc Gynecol Laparosc.*, 9(2):115-9.
- Chapron C, Fauconnier A, Goffinet F, Bréart G, Dubuisson JB. (2002a):** Laparoscopic surgery is not inherently dangerous for patients presenting with benign gynaecologic pathology. Results of a meta-analysis. *Hum Reprod.*, 17(5):1334-42.
- Chapron C, Fauconnier A, Vieira M, Barakat H, Dousset B, Pansini V, Vacher-Lavenu MC, Dubuisson JB. (2003):** Anatomical distribution of deeply infiltrating endometriosis: surgical implications and proposition for a classification. *Hum Reprod.* 18 (1):157-61.
- Chapron C, Querleu D, Bruhat MA, Madelenat P, Fernandez H, Pierre F, Dubuisson JB. (1998):** Surgical complications of diagnostic and operative gynaecological laparoscopy: a series of 29,966 cases. *Hum Reprod.*, 13(4):867-72.
- Chapron C, Vercellini P, Barakat H, Vieira M, Dubuisson JB. (2002):** Management of ovarian endometriomas. *Hum Reprod Update.*, 8(6):591-7

- Cheewadhanaraks S, Peeyananjarassri K, Dhanaworavibul K, Liabsuetrakul T. (2004):** Positive predictive value of clinical diagnosis of endometriosis. J Med Assoc Thai., 87: 740-744.
- Christopherson WM. (1983):** Cytologic detection and diagnosis of cancer. Its contributions and limitations. Cancer. 1;51(7):1201-8.
- Clement PB. (1991):** Ovary. In Sternberg SS (ed.), Histology for Pathologists. Raven Press, New York, pp. 765-795.
- Clement PB. (1994):** Disease of the peritoneum. In: Kurman RJ, ed. Blaustein: pathology of the female genital tract. 4th ed. New York, NY: Springer Nerlag, 660-680.
- Cook CL, Siow Y, Taylor S, Fallat ME. (2000):** Serum müllerian-inhibiting substance levels during normal menstrual cycles. Fertil Steril., 73 (4): 859-61.
- Cornillie FJ, Oosterlynck D, Lauweryns JM, Koninckx PR. (1990):** Deeply infiltrating pelvic endometriosis: histology and clinical significance. Fertil Steril., 53(6):978-83.
- Corson SL, Gutman J, Batzet FR, Wallace H, Klein N, Soules MR. (1999):** Inhibin-B as a test of ovarian reserve for infertile women. Hum. Reprod., 14: 2818-2821.
- Corson SL, Gutmann J, Batzer FR, Wallace H, Klein N, Soules MR. (1999):** Inhibin-B as a test of ovarian reserve for infertile women. Hum Reprod., 14(11):2818-21.
- Crammer DW, Missmer SA. (2002):** The epidemiology of endometriosis. Ann NY Acad Sci., 955:11-22; discussion 34-16,396-406.
- Creus M, Peñarrubia J, Fábregues F, Vidal E, Carmona F, Casamitjana R, Vanrell JA, Balasch J. (2000):** Day 3 serum inhibin B and FSH and age as predictors of assisted reproduction treatment outcome. Hum Reprod., 15(11):2341-6.

- Crum CP. (1999):** The female genital tract. In: Cortan. RS. Kumar V, Collins. T, eds. Robbins pathologic basis of disease. 6th ed. Philadelphia, Pa: Saunders. 1057-1059.
- Csemiczky G, Harlin J, Fried G. (2002):** Predictive power of clomiphene citrate challenge test for failure of in vitro fertilization treatment. Acta Obstet Gynecol Scand., 81(10):954-61.
- Danforth DR, Arbogast LK, Mroueh J, Kim MH, Kennard EA, Seifer DB. (1998): Friedman CI.** Dimeric inhibin: a direct marker of ovarian aging. Fertil Steril., 70(1):119-23.
- Daniell JF, Kurtz BR, Gurley LD. (1991):** Laser laparoscopic management of large endometriomas. Fertil Steril., 55(4):692-5.
- Davis GD, Thillet E, Lindemann J. (1993):** Clinical characteristics of adolescent endometriosis. J Adolesc Health., 14 (5):362-8.
- Dawood MY. (1987):** Endometriosis in: Gold JJ, Josimovich, eds. Gynecologic Endocrinology. New York: Plenum, 387-404.
- De Boer EJ, den Tonkelaar I, te Velde ER, Burger CW, Klip H, van Leeuwen FE. (2002):** OMEGA-project group. low number of retrieved oocytes at in vitro fertilization treatment is predictive of early menopause. Fertil Steril., 77(5):978-85.
- De Vet A, Laven JS, de Jong FH, Themmen AP, Fauser BC. (2002):** Antimüllerian hormone serum levels: a putative marker for ovarian aging. Fertil Steril., 77(2):357-62.
- Deffieux X, Antoine JM. (2003):** [Inhibins, activins and anti-Müllerian hormone: structure, signalling pathways, roles and predictive value in reproductive medicine] Gynecol Obstet Fertil., 31(11):900-11.
- DePriest PD, Banks ER, Powell DE, van Nagell JR Jr, Gallion HH, Puls LE, Hunter JE, Kryscio RJ, Royalty MB. (1992):** Endometrioid carcinoma of the ovary and endometriosis: the association in postmenopausal women. Gynecol Oncol., 47(1):71-5.

-
- Devroey P, Godoy H, Smitz J, Camus M, Tournaye H, Derde MP, Van Steirteghem A. (1996):** Female age predicts embryonic implantation after ICSI: a case-controlled study. *Hum Reprod.*,11(6):1324-7.
- D'Hooghe TM, Debrock S, Hill JA, Meuleman C. (2003):** Endometriosis and subfertility: is the relationship resolved? *Semin Reprod Med.*, 21: 243-253.
- Dicker D, Goldman JA, Feldberg D, Ashkenazi J, Levy T. (1991):** Transvaginal ultrasound needle-guided aspiration of endometriotic cysts before ovulation induction for in vitro fertilization. *J In Vitro Fertil Embryo Transf* 8: 286-9.
- Dicker D, Goldman JA, Feldberg D, Ashkenazi J, Levy T. (1991):** Transvaginal ultrasonic needle-guided aspiration of endometriotic cysts before ovulation induction for in vitro fertilization. *J In Vitro Fert Embryo Transf.*, 8(5):286-9.
- Diernaes E, Rasmussen J, Soerensen T, Hasch E. (1987):** Ovarian cysts: management by puncture? *Lancet.*, 9;1(8541):1084.
- Djursing H, Petersen K, Weberg E. (1981):** Symptomatic postmenopausal endometriosis. *Acta Obstet Gynecol Scand.*, 60:529-530.
- Dlugi AM, Miller JD, Knittle J. (1990):** Lupron depot (leuprolide acetate for depot suspension) in the treatment of endometriosis: a randomized, placebo-controlled, double-blind study. *Lupron Study Group. Fertil Steril.*, 54(3):419-27.
- Dmowski WP, Radwanska E, Binor Z, Tummon I, Pepping P. (1989):** Ovarian suppression induced with Buserelin or danazol in the management of endometriosis: a randomized, comparative study. *Fertil Steril.*, 51(3):395-400.

-
- Dmowski WP, Radwanska E. (1984):** Current concepts on pathology, histogenesis and etiology of endometriosis. Acta Obstet Gynecol Scand Suppl., 123:29-33.
- Dmowski WP, Radwanska E. (1984):** Current concepts on pathology, histogenesis and etiology of endometriosis. Acta Obstet Gynecol Scand Suppl., 123:29-33.
- Donnez J, Nisolle M, Casanas-Roux F. (1992):** Three-dimensional architectures of peritoneal endometriosis. Fertil Steril., 57 (5): 980-3.
- Donnez J, Nisolle M, Gillerot S, Anaf V, Clerckx-Braun F, Casanas-Roux F. (1994):** Ovarian endometrial cysts: the role of gonadotropin-releasing hormone agonist and/or drainage. Fertil Steril., (1):63-6.
- Donnez J, Nisolle M, Gillet N, Smets M, Bassil S, Casanas-Roux F. (1996):** Large ovarian endometriomas. Hum Reprod., 11(3):641-6.
- Donnez J, Nisolle M. (1991):** Appearance of peritoneal endometriosis in third laser surgery symposium. Burssels PP: 51.
- Donnez J, Nisolle-Pochet M, Clerckx-Braun F, Sandow J, Casanas-Roux F. (1989):** Administration of nasal Buserelin as compared with subcutaneous Buserelin implant for endometriosis. Fertil Steril., 52(1):27-30
- Donnez J, Wyns C, Nisolle M. (2001):** Does ovarian surgery for endometriomas impair the ovarian response to gonadotropin? Fertil Steril., 76(4):662-5.
- El-Yahia AW. (1994):** Laparoscopic evaluation of apparently normal infertile women. Aust N Z J Obstet Gynaecol., 34(4): 440-2.
- Erdem M, Erdem A, Gursoy R, Biberoglu K. (2004):** Comparison of basal and clomiphene citrate induced FSH and inhibin B, ovarian volume and antral follicle counts as ovarian reserve tests and predictors of poor ovarian response in IVF. J Assist Reprod Genet., 21(2):37-45.

- Eskenazi B, Warner M, Bonsignore L, Olive D, Samuels S, Vercellini P. (2001):** Validation study of nonsurgical diagnosis of endometriosis. *Fertil Steril.*, 76(5):929-35.
- Eskenazi B, Warner ML. (1997):** Epidemiology of endometriosis. *Obstet Gynecol Clin North Am.*, 24(2):235-58.
- Evers JL, Slaats P, Land JA, Dumoulin JC, Dunselman GA. (1998):** Elevated levels of basal estradiol-17beta predict poor response in patients with normal basal levels of follicle-stimulating hormone undergoing in vitro fertilization. *Fertil Steril.*, 69(6):1010-4.
- Faddy MJ, Gosden RG, Gougeon A, Richardson SJ, Nelson JF. (1992):** Accelerated disappearance of ovarian follicles in mid-life: implications for forecasting menopause. *Hum Reprod.*, 7 (10): 1342-6.
- Fanchin R, Schonäuer LM, Righini C, Frydman N, Frydman R, Taieb J. (2003):** Serum anti-Müllerian hormone dynamics during controlled ovarian hyperstimulation. *Hum Reprod.*, 18(2):328-32
- Farquhar C, Sutton C. (1998):** The evidence for the management of endometriosis. *Curr Opin Obstet Gynecol.* 1998;10(4):321-32
- Fedele L, Bianchi S, Bocciolone L, Di Nola G, Parazzini F. (1992):** Pain symptoms associated with endometriosis. *Obstet Gynecol.*, 79:767-9.
- Fedele L, Bianchi S, Portuese A, Borruto F, Dorta M. (1998):** Transrectal ultrasonography in the assessment of rectovaginal endometriosis. *Obstet Gynecol.*, 91(3):444-8
- Fénichel P, Grimaldi M, Olivero JF, Donzeau M, Gillet JY, Harter M. (1989):** Predictive value of hormonal profiles before stimulation for in vitro fertilization. *Fertil Steril.*, 51(5):845-9.

-
- Filly RA. (1994):** Ovarian masses what to look for. What to do. In: Callen PW, ed. *Ultrasonography in obstetric and gynecology* 3rd ed. Philadelphia, Pa: Saunders. 625-640
- Flood JT, Chillik CF, van Uem JF, Iritani A, Hodgen GD. (1990):** Ooplasmic transfusion: prophase germinal vesicle oocytes made developmentally competent by microinjection of metaphase II egg cytoplasm. *Fertil Steril.*, 53(6):1049-54.
- Galtier-Dereure F, De Bouard V, Picto MC, Vergnes C, Humeau C, Bringer J, Hedon B. (1996):** Ovarian reserve test with the gonadotrophin-releasing hormone agonist buserelin: correlation with in-vitro fertilization outcome. *Hum Reprod.*, 11(7):1393-8.
- Garvey TS, Kazer RR, Milad MP. (1999):** Severe pelvic adhesions following attempted ultrasound-guided drainage of bilateral ovarian endometriomas: case report. *Hum Reprod.*, 14(11):2748-50.
- Gazvani R, Tempjeton A. (2002):** Peritoneal environment, cytokines and angiogenesis in the pathophysiology of endometriosis. *Reproduction*, 123: 217-226.
- Gerhard I, Schindler AE, Bühler K, Winkler U, Meinen K, Mancarella D, Hoffmann G, Schüssler B, Kimmig R, Kranzfelder D. (1992):** treatment of endometriosis with leuprorelin acetate depot: a German multicentre study. *lin Ther.* 1992;14 Suppl A:3-16.
- Gindoff PR, Jewelewicz R. (1986):** Reproductive potential in the older woman. *Fertil Steril.*, 46(6): 989-1001.
- Gompel C, Silverberg SG. (1994):** The female peritoneum. In *pathology in gynecology and Obstetrics*. 4th ed. Philadelphia, pa. Lippincott., 425-431.
- Gormalith C, Hargacem MS. (2005):** Pelvic imaging of endometriosis. *Recent advances in obstetrics and Gynecology* P. 189.

- Greenbaum E, Mayer JR, Stangler JJ, Hughes P. (1992):** Aspiration cytology of ovarian cysts in vitro fertilization patients. *Aetal Cytol* 36: 11-8.
- Gruijters MJ, Visser JA, Durlinger AL, Themmen AP. (2003):** Anti- Müllerian hormone and its role in ovarian function. *Mol Cell Endocrinol.*, 211(1-2):85-90.
- Gruppo Italiano Per lo Studio Dell'endometriosi (2001):** Relationship between stage, site and morphological characteristics of pelvic endometriosis and pain. *Hum Reprod.* 16(12):2668-71
- Guérin JF, de Mouzon J. (1997):** [Paternal age and fertility] *Contracept Fertil Sex.*, 25(7-8):515-18.
- Ha HK, Lim YT, Kim HS, Suh TS, Song HH, Kim SJ. (1994):** Diagnosis of pelvic endometriosis: fat-suppressed T1-weighted vs conventional MR images. *AJR Am J Roentgenol.*, 163(1):127-31.
- Hall JE, Welt CK, Cramer DW. (1999):** Inhibin A and inhibin B reflect ovarian function in assisted reproduction but are less useful at predicting outcome. *Hum Reprod.*, 14(2):409-15.
- Halme J, Chafe W, Currie JL. (1985):** Endometriosis with massive ascites. *Obstet Gynecol.*, 65(4):591-2.
- Hansen LM, Batzer FR, Gutmann JN, Corson SL, Kelly MP, Gocial B. (1996):** Evaluating ovarian reserve: follicle stimulating hormone and oestradiol variability during cycle days 2-5. *Hum Reprod.* 11(3):486-9
- Hassan HM. (1981):** Classification for endometriosis *Fertil Steril* 35, pp. 368–369.
- Helzlsouer KJ, Bush TL, Alberg AJ, Bass KM, Zacur H, Comstock GW. (1993):** Prospective study of serum CA-125 levels as markers of ovarian cancer. *JAMA.* 1993 Mar 3;269(9):1123-6.

- Hemmings R, Bissonnette F, Bouzayen R. (1998):** Results of laparoscopic treatments of ovarian endometriomas: laparoscopic ovarian fenestration and coagulation. *Fertil Steril.*, 70(3):527-9.
- Hill JA, Barbieri RL, Anderson DJ. (1987):** Immunosuppressive effects of danazol in vitro. *Fertil Steril.*, 48(3):414-8.
- Hofmann GE, Danforth DR, Seifer DB. (1998):** Inhibin-B: the physiologic basis of the clomiphene citrate challenge test for ovarian reserve screening. *Fertil Steril.*, 69(3):474-7.
- Hofmann GE, Scott RT Jr, Horowitz GM, Thie J, Navot D. (1995):** Evaluation of the reproductive performance of women with elevated day 10 progesterone levels during ovarian reserve screening. *Fertil Steril.*, 63:979-83.
- Hofmann GE, Sosnowski J, Scott RT, Thie J. (1996):** Efficacy of selection criteria for ovarian reserve screening using the clomiphene citrate challenge test in a tertiary fertility center population. *Fertil Steril.*, 66:49-53.
- Hompes PG, Koninckx PR, Kennedy S, van Kamp GF, Verstraeten RA, Cornillie F. (1996):** Serum CA-125 concentrations during midfollicular phase, a clinically useful and reproducible marker in diagnosis of advanced endometriosis. *Clin Chem.*, 42(11):1871-4.
- Hornstein MD, Harlow BL, Thomas PP, Check JH. (1995):** Use of a new CA 125 assay in the diagnosis of endometriosis. *Hum Reprod.*, 10 (4): 932-4.
- Hornstein MD, Hemmings R, Yuzpe AA, Heinrichs WL. (1997):** Use of nafarelin versus placebo after reductive laparoscopic surgery for endometriosis. *Fertil Steril.*, 68(5):860-4.

- Ishimaru T, Masuzaki H, Samejima T, Fujishita A, Nakamura K, Yamabe T. (1994):** Influence of ovarian endometrioma on fertility. *Am J Obstet Gynecol.*, 171(2):541-5.
- Jansen RP, Russell P. (1986):** Nonpigmented endometriosis: clinical, laparoscopic, and pathologic definition. *Am J Obstet Gynecol.*, 155(6):1154-9.
- Jenkins S, Olive DL, Haney AF. (1986):** Endometriosis: pathogenetic implications of the anatomic distribution. *Obstet Gynecol.*, 67(3):335-8.
- Jones HW Jr, Jones GS, Andrews MC, Acosta A, Bundren C, Garcia J, Sandow B, Veeck L, Wilkes C, Witmyer J, Wortham JE, Wright G. (1982):** The program for in vitro fertilization at Norfolk. *Fertil Steril.*, 38(1):14-21.
- Jones KD, Sutton CJ. (2002):** Pregnancy rates following ablative laparoscopic surgery for endometriomas. *Hum Reprod.*, 17(3): 782-5.
- Jones KD, Sutton CJ. (2000)** Laparoscopic management of ovarian endometriomas: a critical review of current practice. *Curr. Opin. Obstet. Gynecol.*, 12(4):309–315.
- Kabawat SE, Bast RC Jr, Bhan AK, Welch WR, Knapp RC, Colvin RB. (1983):** Tissue distribution of a coelomic-epithelium-related antigen recognized by the monoclonal antibody OC125. *Int J Gynecol Pathol.*, 2(3):275-85.
- Kahraman S, Vicdan K, Işik AZ, Özgün OD, Alaybeyoğlu L, Polat G, Biberoglu K. (1997):** Clomiphene citrate challenge test in the assessment of ovarian reserve before controlled ovarian hyperstimulation for intracytoplasmic sperm injection. *Eur J Obstet Gynecol Reprod Biol.*, 73(2):177-82.

- Kennedy S, Bergqvist A, Chapron C, D'Hooghe T, Dunselman G, Greb R, Hummelshoj L, Prentice A, Saridogan E. (2005):** ESHRE guideline for the diagnosis and treatment of endometriosis. *Hum Reprod.*, 20: 2698-2704.
- Kiesel L, Schweppe KW, Sillem M, Siebzehnriibl E. (1996):** Should add-back therapy for endometriosis be deferred for optimal results? *Br J Obstet Gynaecol.*103 Suppl 14:15-7.
- Klein NA, Battaglia DE, Fujimoto VY, Davis GS, Bremner WJ, Soules MR. (1996a):** Reproductive aging: accelerated ovarian follicular development associated with a monotropic follicle-stimulating hormone rise in normal older women. *J Clin Endocrinol Metab.*, 81(3):1038-45.
- Klein NA, Illingworth PJ, Groome NP, McNeilly AS, Battaglia DE, Soules MR. (1996b):** Decreased inhibin B secretion is associated with the monotropic FSH rise in older, ovulatory women: a study of serum and follicular fluid levels of dimeric inhibin A and B in spontaneous menstrual cycles. *J Clin Endocrinol Metab.*, 81(7):2742-5.
- Kligman I, Rosenwaks Z. (2001):** Differentiating clinical profiles: predicting good responders, poor responders, and hyperresponders. *Fertil Steril*;76(6):1185-90.
- Koga K, Takemura Y, Osuga Y, Yoshino O, Hirota Y, Hirata T, Morimoto C, Harada M, Yano T, Taketani Y. (2006):** Recurrence of ovarian endometrioma after laparoscopic excision. *Hum Reprod.*, 21 (8): 2171-4
- Koninckx PR, Martin DC. (1992):** Deep endometriosis: a consequence of infiltration or retraction or possibly adenomyosis externa? *Fertil Steril.*, 58(5):924-8.

-
- Koninckx PR, Meuleman C, Oosterlynck D, Cornillie FJ. (1996):** Diagnosis of deep endometriosis by clinical examination during menstruation and plasma CA-125 concentration. *Fertil Steril.*, 65(2):280-7.
- Koninckx PR, Riittinen L, Seppala M, Cornillie FJ. (1992):** CA-125 and placental protein 14 concentrations in plasma and peritoneal fluid of women with deeply infiltrating pelvic endometriosis. *Fertil Steril.*, 57(3):523-30.
- Larsen U, Vaupel JW. (1993):** Hutterite fecundability by age and parity: strategies for frailty modeling of event histories. *Demography.*, 30(1):81-102.
- Lass A, Brinsden P. (1999):** The role of ovarian volume in reproductive medicine. *Hum. Reprod.*, 12:1028-1031.
- Lass A, Gerrard A, Brinden P. (1999):** IVF treatment in women with normal day 3 FSH. *Fertil Steril.*, 72; 51-42.
- Lass A, Silye R, Abrams DC, Krausz T, Hovatta O, Margara R, Winston RM. (1997b):** Follicular density in ovarian biopsy of infertile women: a novel method to assess ovarian reserve. *Hum Reprod.*, 12(5):1028-31.
- Lass A, Skull J, McVeigh E, Margara R, Winston RM. (1997a):** Measurement of ovarian volume by transvaginal sonography before ovulation induction with human menopausal gonadotrophin for in-vitro fertilization can predict poor response. *Hum Reprod.*, 12(2):294-7.
- Lawson R, El-Toukhy T, Kassab A, Taylor A, Braude P, Parsons J, Seed P. (2003):** Poor response to ovulation induction is a stronger predictor of early menopause than elevated basal FSH: a life table analysis. *Hum Reprod.*, 18(3):527-33.
- Lee SJ, Lenton EA, Sexton L, Cooke ID. (1988):** The effect of age on the cyclical patterns of plasma LH, FSH, oestradiol and progesterone in women with regular menstrual cycles. *Hum Reprod.*, 3(7):851-5.

-
- Levi AJ, Raynault MF, Bergh PA, Drews MR, Miller BT, Scott RT Jr. (2001):** Reproductive outcome in patients with diminished ovarian reserve. *Fertil Steril.*, 76(4):666-9.
- Licciardi FL, Liu HC, Rosenwaks Z. (1995):** Day 3 estradiol serum concentrations as prognosticators of ovarian stimulation response and pregnancy outcome in patients undergoing in vitro fertilization. *Fertil Steril.*, 64(5):991-4.
- Lim SAT, Tsakok MFH. (1997):** Age-related decline in fertility: a link to degenerative oocytes. *Fertil Steril* 1997; 68:265-71.
- Lloyd KO, Yin BW, Kudryashov V. (1997):** Isolation and characterization of ovarian cancer antigen CA 125 using a new monoclonal antibody (VK-8): identification as a mucin-type molecule. *Int J Cancer.*, 29;71(5):842-50.
- Loh FH, Tan AT, Kumar J, Ng SC. (1999):** Ovarian response after laparoscopic ovarian cystectomy for endometriotic cysts in 132 monitored cycles. *Fertil Steril.*, 72(2):316-21.
- Loumaye E, Billion JM, Mine JM, Psalti I, Pensis M, Thomas K. (1990):** Prediction of individual response to controlled ovarian hyperstimulation by means of a clomiphene citrate challenge test. *Fertil Steril.*, 53(2):295-301.
- Lu PY, Ory SJ. (1995):** Endometriosis: current management. *Mayo Clin Proc.*, 70(5):453-63.
- Luciano AA, Lowney J, Jacobs SL. (1992):** Endoscopic treatment of endometriosis-associated infertility. Therapeutic, economic and social benefits. *J Reprod Med.*, 37(7):573-6.
- Luciano AA, Maier DB, Koch EI, Nulsen JC, Whitman GF. (1989):** A comparative study of postoperative adhesions following laser surgery by laparoscopy versus laparotomy in the rabbit model. *Obstet Gynecol.*, 74(2):220-4.

- Lundorff P, Hahlin M, Källfelt B, Thorburn J, Lindblom B. (1991):** Adhesion formation after laparoscopic surgery in tubal pregnancy: a randomized trial versus laparotomy. *Fertil Steril.*, 55(5):911-5.
- Magarelli PC, Pearlstone AC, Buyalos RP. (1996):** Discrimination between chronological and ovarian age in infertile women aged 35 years and older: predicting pregnancy using basal follicle stimulating hormone, age and number of ovulation induction/intra-uterine insemination cycles. *Hum Reprod.*, 11(6):1214-19.
- Maouris P, Brett L. (2002):** Endometriotic ovarian cyst the case for excisional laparoscopic surgery. *Cynecol Endosc.*, 11: 231-234.
- Marana R, Caruana P, Muzii L, Catalano GF, Mancuso S. (1996):** Operative laparoscopy for ovarian cysts. Excision vs. aspiration. *J Reprod Med.*, 41(6):435-8.
- Marconi G, Vilela M, Quintana R, Sueldo C. (2002):** Laparoscopic ovarian cystectomy of endometriomas does not affect the ovarian response to gonadotropin stimulation. *Fertil Steril.*, 78(4):876-8.
- Maroulis GB, Emery M, Verkauf BS, Saphier A, Bernhisel M, Yeko TR. (1991):** Effect of aging of fertility and pregnancy. *Seminars in reproductive endocrinology.* (9): 165-175.
- Marques A, Bahamondes L, Aklrighi JM, Petta CA. (2004):** Quality of life in Brazilian women with endometriosis assessed through a medical outcome questionnaire. *J Reprod Med.*, 49:1 15-120.
- Martin JS, Nisker JA, Tummon IS, Daniel SA, Auckland JL, Feyles V. (1996):** Future in vitro fertilization pregnancy potential of women with variably elevated day 3 follicle-stimulating hormone levels. *Fertil Steril.*, 65(6):1238-40.

-
- Matorras R, Rodríguez F, Pijoan JI, Soto E, Pérez C, Ramón O, Rodríguez-Escudero F. (1996):** Are there any clinical signs and symptoms that are related to endometriosis in infertile women? *Am J Obstet Gynecol.*, 174(2):620-3.
- Medl M, Ogris E, Peters-Engl C, Mierau M, Buxbaum P, Leodolter S. (1997):** Serum levels of the tumour-associated trypsin inhibitor in patients with endometriosis. *Br J Obstet Gynaecol.*, 104(1):78-81.
- Menken J, Trussell J, Larsen U. (1986):** Age and infertility. *Science.* 26; 233 (4771):1389-94.
- Mesogitis S, Antsaklis A, Daskalakis G, Papantoniou N, Michalas S. (2000):** Combined ultrasonographically guided drainage and methotrexate administration for treatment of endometriotic cysts. *Lancet.* 1; 355 (9210):1160.
- Milingos S, Protopapas A, Drakakis P, Liapi A, Loutradis D, Kallipolitis G, Milingos D, Michalas S. (2003):** Laparoscopic management of patients with endometriosis and chronic pelvic pain. *Ann N Y Acad Sci.*, 997: 269-273.
- Moen MH. (1995):** Why do women develop endometriosis and why is it diagnosed? *Hum Reprod.*, 10(1):8-11.
- Moomjy M, Cholst I, Mangieri R, Rosenwaks Z. (1999):** Oocyte donation: insights into implantation. *Fertil Steril.*, 71:15-21.
- Muasher SJ, Oehninger S, Simonetti S, Matta J, Ellis LM, Liu HC, Jones GS, Rosenwaks Z. (1988):** The value of basal and/or stimulated serum gonadotropin levels in prediction of stimulation response and in vitro fertilization outcome. *Fertil Steril.*, 50(2):298-307.
- Mukherjee T, Copperman AB, Lapinski R, Sandler B, Bustillo M, Grunfeld L. (1996):** An elevated day three follicle-stimulating hormone: luteinizing hormone ratio (FSH:LH) in the presence of a normal day 3 FSH predicts a poor response to controlled ovarian hyperstimulation. *Fertil Steril.*, 65(3):588-93.

- Murphy AA. (2002):** Clinical aspects of endometriosis. *Ann N Y Acad Sci.*, 955:1-10; discussion 34-6, 396-406.
- Muttukrishna S, Suharjono H, McGarrigle H, Sathanandan M. (2004):** Inhibin B and anti-Mullerian hormone: markers of ovarian response in IVF/ICSI patients? *BJOG.*,111(11):1248-53.
- Muzii L, Marana R, Brunetti L, Orlando G, Michelotto B, Benedetti Panici P. (2000):** Atypical endometriosis revisited: clinical and biochemical evaluation of the different forms of superficial implants. *Fertil Steril*;74(4):739-42.
- Muzii L, Marana R, Caruana P, Catalano GF, Margutti F, Panici PB. (2000):** Postoperative administration of monophasic combined oral contraceptives after laparoscopic treatment of ovarian endometriomas: a prospective, randomized trial. *Am J Obstet Gynecol.*, 183(3):588-92.
- Muzii L, Marana R, Caruana P, Mancuso S. (1996):** The impact of preoperative gonadotropin-releasing hormone agonist treatment on laparoscopic excision of ovarian endometriotic cysts. *Fertil Steril.*, 65(6):1235-7.
- Muzii L, Marana R, Pedullà S, Catalano GF, Mancuso S. (1997):** Correlation between endometriosis-associated dysmenorrhea and the presence of typical or atypical lesions. *Fertil Steril.*, 68(1):19-22.
- Nasseri A, Mukherjee T, Grifo JA, Noyes N, Krey L, Copperman AB. (1999):** Elevated day 3 serum follicle stimulating hormone and/or estradiol may predict fetal aneuploidy. *Fertil Steril.*, 71(4):715-8.
- Navot D, Bergh PA, Williams M, Garrisi GJ, Guzman I, Sandler B, Fox J, Schreiner-Engel P, Hofmann GE, Grunfeld L.(1991):** An insight into early reproductive processes through the in vivo model of ovum donation. *J Clin Endocrinol Metab.*, 72(2):408-14

- Navot D, Drews MR, Bergh PA, Guzman I, Karstaedt A, Scott RT Jr, Garrisi GJ, Hofmann GE. (1994):** Age-related decline in female fertility is not due to diminished capacity of the uterus to sustain embryo implantation. *Fertil Steril*;61(1):97-101.
- Navot D, Rosenwaks Z, Margalioth EJ. (1987):** Prognostic assessment of female fecundity. *Lancet.*, 19;2 (8560):645-7.
- Nikkanen V, Punnonen R. (1984):** External endometriosis in 801 operated patients. *Acta Obstet Gynecol Scand.*,63(8):699-701.
- Nisolle M, Painsaveine B, Bourdon A, Berlière M, Casanas-Roux F, Donnez J. (1990):** Histologic study of peritoneal endometriosis in infertile women. *Fertil Steril*;53(6):984-8.
- Noma J, Yoshida N. (2001):** Efficacy of ethanol sclerotherapy for ovarian endometriomas. *Int J Gynaecol Obstet.*, 72(1):35-9.
- Novake R, Jones GB. (1996):** Endometriosis in novaks, textbook of gynecology Thomas M. D'hooghe Joseph. A. Hill PP: 887-905.
- Olive DL, Henderson DY. (1987):** Endometriosis and mullerian anomalies. *Obstet Gynecol.*, 69: 412-415.
- Olive DL, Pritts EA. (2001):** Treatment of endometriosis. *N Engl J Med.*, 26; 345(4):266-75.
- Olive DL, Schwartz LB. (1993):** Endometriosis. *N Engl J Med.*, 17; 328(24):1759-69
- O'Shaughnessy A, Check JH, Nowroozi K, Lurie D. (1993):** CA 125 levels measured in different phases of the menstrual cycle in screening for endometriosis. *Obstet Gynecol.*, 81(1):99-103.
- Padilla SL, Bayati J, Garcia JE. (1990):** Prognostic value of the early serum estradiol response to leuprolide acetate in in vitro fertilization. *Fertil Steril.*, 53(2):288-94.

- Padilla SL, Bayati J, Garcia JE. (1990):** Prognostic value of the early serum estradiol response to leuprolide acetate in vitro fertilization. *Fertil Steril.*, 53(2):288-94.
- Padilla SL. (1993):** Ovarian abscess following puncture of an endometrioma during ultrasound-guided oocyte retrieval. *Am J Obstet Gynecol.*, 8 (8):1282-3.
- Parazzini F, Fedele L, Busacca M, Falsetti L, Pellegrini S, Venturini PL, Stella M. (1994):** Postsurgical medical treatment of advanced endometriosis: results of a randomized clinical trial. *Am J Obstet Gynecol.*, 171(5):1205-7.
- Patel MD, Feldstein VA, Chen DC, Lipson SD, Filly RA. (1999):** Endometriomas: diagnostic performance of US. *Radiology.*, 210 (3):739-45
- Pavlik EJ, DePriest PD, Gallion HH, Ueland FR, Reedy MB, Kryscio RJ, Van Nagell JR Jr. (2000):** Ovarian volume related to age. *Gynecol Oncol.*, 77(3):410-2.
- Pearlstone AC, Fournet N, Gambone JC, Pang SC, Buyalos RP. (1992):** Ovulation induction in women age 40 and older: the importance of basal follicle-stimulating hormone level and chronological age. *Fertil Steril.*; 58(4):674-9
- Pellicer A, Ardiles G, Neuspiller F, Remohí J, Simón C, Bonilla-Musoles F. (1998):** Evaluation of the ovarian reserve in young low responders with normal basal levels of follicle-stimulating hormone using three-dimensional ultrasonography. *Fertil Steril.* 70(4):671-5.
- Perez Mayorga M, Gromoll J, Behre HM, Gassner C, Nieschlag E, Simoni M. (2000):** Ovarian response to follicle-stimulating hormone (FSH) stimulation depends on the FSH receptor genotype. *J Clin Endocrinol Metab.*, 85(9):3365-9.

- Perloe M, Levy DP, Sills ES. (2000):** Strategies for ascertaining ovarian reserve among women suspected of subfertility. *Int J Fertil Womens Med.*, 45(3):215-24.
- Perper MM, Nezhat F, Goldstein H, Nezhat CH, Nezhat C. (1995):** Dysmenorrhea is related to the number of implants in endometriosis patients. *Fertil Steril.*, 63(3):500-3.
- Piette C, de Mouzon J, Bachelot A, Spira A. (1990):** In-vitro fertilization: influence of women's age on pregnancy rates. *Hum Reprod.*, 5(1):56-9.
- Pittaway DE, Douglas JW. (1989):** Serum CA-125 in women with endometriosis and chronic pelvic pain. *Fertil Steril.*, 51(1):68-70.
- Porpora MG, Koninckx PR, Piazzze J, Natili M, Colagrande S, Cosmi EV. (1999):** Correlation between endometriosis and pelvic pain. *J Am Assoc Gynecol Laparosc.*, 6(4):429-34.
- Rana N, Thomas S, Rotman C, Dmowski WP. (1996):** Decrease in the size of ovarian endometriomas during ovarian suppression in stage IV endometriosis. Role of preoperative medical treatment. *J. Reprod. Med.*, 41: 384-392.
- Ranieri DM, Quinn F, Makhoulf A, Khadum I, Ghutmi W, McGarrigle H, Davies M, Serhal P. (1998):** Simultaneous evaluation of basal follicle-stimulating hormone and 17 beta-estradiol response to gonadotropin-releasing hormone analogue stimulation: an improved predictor of ovarian reserve. *Fertil Steril.*, (2):227-33.
- Reame NE, Wyman TL, Phillips DJ, de Kretser DM, Padmanabhan V. (1998):** Net increase in stimulatory input resulting from a decrease in inhibin B and an increase in activin A may contribute in part to the rise in follicular phase follicle-stimulating hormone of aging cycling women. *J Clin Endocrinol Metab.*, 83(9):3302-7.

-
- Redwine DB. (1999):** Ovarian endometriosis: a marker for more extensive pelvic and intestinal disease. *Fertil Steril.*, 72(2):310-5.
- Redwine DB. (1987):** Age-related evolution in color appearance of endometriosis. *Fertil Steril.*, 48(6):1062-3.
- Reuss ML, Kline J, Santos R, Levin B, Timor-Tritsch I. (1996):** Age and ovarian follicle pool assessed with transvaginal ultrasonography. *Am. J. Obstet. Gynecol.*, 174: 624-627.
- Ripps BA, Martin DC. (1992):** Correlation of focal pelvic tenderness with implant dimension and stage of endometriosis. *J Reprod Med.*, 37(7):620-4.
- Robinson WC. (1986):** Another look at the Hutterites and natural fertility. *Soc Biol.*, 33(1-2):65-76.
- Romeu A, Muasher SJ, Acosta AA, Veeck LL, Diaz J, Jones GS, Jones HW Jr, Rosenwaks Z. (1987):** Results of in vitro fertilization attempts in women 40 years of age and older: the Norfolk experience. *Fertil Steril.*, 47(1):130-6.
- Roseau G, Dumontier I, Palazzo L, Chapron C, Dousset B, Chaussade S, Dubuisson JB, Couturier D. (2000):** Rectosigmoid endometriosis: endoscopic ultrasound features and clinical implications. *Endoscopy.*, 32(7):525-30.
- Saleh A, Tulandi T. (1999):** Reoperation after laparoscopic treatment of ovarian endometriomas by excision and by fenestration. *Fertil Steril.*, 72(2):322-4.
- Santoro N, Adel T, Skurnick JH. (1999):** Decreased inhibin tone and increased activin A secretion characterize reproductive aging in women. *Fertil Steril.*, 71(4):658-62.
- Santoro N, Tovagghol A, Shunrick JH. (1999):** Decreased inhibin tone and increased activin A secretion characterize reproductive aging in women. *Fertil. Steril.*, 71, 658–662.

-
- Scheffer GJ, Broekmans FJ, Dorland M, Habbema JD, Looman CW, te Velde ER. (1999):** Antral follicle counts by transvaginal ultrasonography are related to age in women with proven natural fertility. *Fertil Steril.*;72(5):845-51.
- Schenken RS. (1999):** Endometriosis in: Scoit JR, Di Saia PJ, Hammond CB, SPellacy WN, eds, Dan-Forth's obstetrics and Gynecology. 8th ed. Philadelphia: Lippincot Williams & Wilkins., 669-626.
- Schenken RS. (1990):** Gonadotropin-releasing hormone analogs in the treatment of endometriomas. *Am J Obstet Gynecol.*, 162(2):579-81.
- Scott RT, Leonardi MR, Hofmann GE, Illions EH, Neal GS, Navot D. (1993):** A prospective evaluation of clomiphene citrate challenge test screening of the general infertility population. *Obstet Gynecol.*, 82(4 Pt 1):539-44.
- Scott RT, Toner JF, Muasher SJ, Oehninger S, Robinson S, Rosenwaks Z. (1989):** Follicle-stimulating hormone levels on cycle day 3 are predictive of in vitro fertilization outcome. *Fertil Steril.* 51(4): 651-4.
- Scully RE, Young RH, Clement PB. (1998):** Tumor like lesions. In: tumor of the ovary, maldeveloped gonads, fallopian tube, and broad ligament. Wash- ington, DC: Armed forces institute of pathology., 430-434.
- Seifer DB, Lambert-Messerlian G, Hogan JW, Gardiner AC, Blazar AS, Berk CA. (1997):** Day 3 serum inhibin-B is predictive of assisted reproductive technologies outcome. *Fertil Steril.*, 67(1):110-14.
- Seifer DB, Lambert-Messerlian GM, Hogan JW, Gardiner AC, Blazar AS, Berk CA. (1997):** Day 3 serum inhibin-B is predictive of assisted reproductive technologies outcome. *Fertility and Sterility.*, 67: 110-114.

- Seifer DB, MacLaughlin DT, Christian BP, Feng B, Shelden RM. (2002):** Early follicular serum müllerian-inhibiting substance levels are associated with ovarian response during assisted reproductive technology cycles. *Fertil Steril.*, 77(3):468-71.
- Seifer DB, Scott RT Jr, Bergh PA, Abrogast LK, Friedman CI, Mack CK, Danforth DR. (1999):** Women with declining ovarian reserve may demonstrate a decrease in day 3 serum inhibin B before a rise in day 3 follicle-stimulating hormone. *Fertil Steril.*, 72(1):63-5.
- Shafik A, Ratcliffe N, Wright J. (2000):** The importance histological diagnosis in patients with chronic pelvic pain and laparoscopic evidence of endometriosis. *Gynecol Endosc.*, 5:301-4.
- Sharara FI, McClamrock HD. (1999):** The effect of aging on ovarian volume measurements in infertile women. *Obstet Gynecol.*, 94(1):57-60.
- Shaw RW. (1997):** Endometriosis. In: show RW, Soutter WP, Stanton SL, Editors; in shows gynecology and edition Churchill Livingstone PP 457-76.
- Shaw RW. (2003):** Endometriosis: In Shaw R.W., Soutter W.P. and Stanton S.L. 9eds.) *Cynaecology*, 3rd edition 34 PP: 493-510.
- Shaw RW, Soutter WP, Stanton SL. (2003):** (eds), *Gynecology* 3rd edition Churchill livingstone London Endometriosis., 394-510
- Smith G, Roberts R, Hall C, Nuki G. (1996):** Reversible ovulatory failure associated with the development of luteinized unruptured follicles in women with inflammatory arthritis taking non-steroidal anti-inflammatory drugs. *Br J Rheumatol.*, 35(5):458-62
- Smotrich DB, Widra EA, Gindorff PR, Levy MJ, Hall JL, Stillman R. (1995):** Prognostic value of day 3 estradiol on in vitro fertilization outcome. *Fertil. Steril.*, 64: 1136-1140.

- Somigliana E, Ragni G, Benedetti F, Borroni R, Vegetti W, Crosignani PG. (2003):** Does laparoscopic excision of endometriotic ovarian cysts significantly affect ovarian reserve? Insights from IVF cycles. Hum Reprod., 18(11):2450-3.
- Stovall DW, Bowser LM, Archer DF, Guzick DS. (1997):** Endometriosis-associated pelvic pain: evidence for an association between the stage of disease and a history of chronic pelvic pain. Fertil Steril., 68(1):13-8
- Stovall DW, Bowser LM, Archer DF, Guzick DS. (1997):** Endometriosis-associated pelvic pain: evidence for an association between the stage of disease and a history of chronic pelvic pain. Fertil Steril., 68 (1):13-8
- Stratton P, Winkel C, Premkumar A, Chow C, Wilson J, Hearn-Stokes R, Heo S, Merino M, Nieman LK. (2003):** Diagnostic accuracy of laparoscopy, magnetic resonance imaging, and histopathologic examination for the detection of endometriosis. Fertil Steril., 79(5):1078-85.
- Sutton CJ, Ewen SP, Jacobs SA, Whitelaw NL. (1997):** Laser laparoscopic surgery in the treatment of ovarian endometriomas. J Am Assoc Gynecol Laparosc., 4(3):319-23.
- Takahashi K, Okada M, Okada S, Kitao M, Imaoka I, Sugimura K. (1994):** Studies on the detection of small endometrial implants by magnetic resonance imaging using a fat saturation technique. Gynecol Obstet Invest., 41(3):203-6.
- Tamakoshi K, Kikkawa F, Shibata K, Tomoda K, Obata NH, Wakahara F, Tokuhashi Y, Ishikawa H, Kawai M, Tomoda Y. (1996):** Clinical value of CA125, CA19-9, CEA, CA72-4, and TPA in borderline ovarian tumor. Gynecol Oncol., 62(1): 67-72.

- Tanaka YO, Itai Y, Anno I, Matsumoto K, Ebihara R, Nishida M. (1996):** MR staging of pelvic endometriosis: role of fat-suppression T1-weighted images. *Radiat Med.*, 14(3):111-6.
- Tanbo T, Dale PO, Lunde O, Norman N, Abyholm T. (1992):** Prediction of response to controlled ovarian hyperstimulation: a comparison of basal and clomiphene citrate-stimulated follicle-stimulating hormone levels. *Fertil Steril.* 57(4):819-24.
- Telimaa S, Puolakka J, Rönnerberg L, Kauppila A. (1987):** Placebo-controlled comparison of danazol and high-dose medroxyprogesterone acetate in the treatment of endometriosis. *Gynecol Endocrinol.*, 1(1):13-23.
- Telimaa S, Rönnerberg L, Kauppila A. (1987):** Placebo-controlled comparison of danazol and high-dose medroxyprogesterone acetate in the treatment of endometriosis after conservative surgery. *Gynecol Endocrinol.*, 1(4):363-71.
- Thatcher SS, Naftolin F. (1991):** The aging and aged ovary. *Semin Reprod Endocrinol.*, 9:189-99.
- Tomás C, Nuojuu-Huttunen S, Martikainen H. (1997):** Pretreatment transvaginal ultrasound examination predicts ovarian responsiveness to gonadotrophins in in-vitro fertilization. *Hum Reprod* 12, 220–223.
- Toner JP, Philput CB, Jones GS, Muasher SJ. (1991):** Basal follicle-stimulating hormone level is a better predictor of in vitro fertilization performance than age. *Fertil Steril.*, 55(4):784-91.
- Troiano RN, Taylor KJ. (1998):** Sonographically guided therapeutic aspiration of benign-appearing ovarian cysts and endometriomas. *AJR Am J Roentgenol*;171(6):1601-5.
- Tropé C. (1981):** The preoperative diagnosis of malignancy of ovarian cysts. *Neoplasma*, 28(1):117-21.

- Tulandi T. (1999):** Atlas of laparoscopic and hysteroscopic techniques for gynecologists. Basic principles of laproscopic surgery. 1-9.
- Valle RF, Sciarra JJ. (2003):** Endometriosis treatment strategies. Ann N Y Acad Sci., 997: 229-239.
- Van Noord-Zaadstra BM, Looman CW, Alsbach H, Habbema JD, te Velde ER, Karbaat J. (1991):** Delaying childbearing: effect of age on fecundity and outcome of pregnancy. BMJ., 8;302(6789):1361-5.
- Van Rooij IA, Tonkelaar I, Broekmans FJ, Looman CW, Scheffer GJ, de Jong FH, Themmen AP, te Velde ER. (2004):** Anti-müllerian hormone is a promising predictor for the occurrence of the menopausal transition. Menopause.,11(6 Pt 1):601-6.
- Vercellini P, Chapron C, De Giorgi O, Consonni D, Frontino G, Crosignani PG. (1997):** Excision or coagulation of endometriomas? A systematic review. Am. J. Obstet. Gynecol.
- Vercellini P, Cortesi I, Crosignani PG. (1997):** Progestins for symptomatic endometriosis: a critical analysis of the evidence. Fertil Steril., 68(3):393-401.
- Vercellini P, Crosignani PG, Fadini R, Radici E, Belloni C, Sismondi P. (1999):** A gonadotrophin-releasing hormone agonist compared with expectant management after conservative surgery for symptomatic endometriosis. Br J Obstet Gynaecol., 106(7):672-7.
- Vercellini P, Trespidi L, Colombo A, Vendola N, Marchini M, Crosignani PG. (1993):** A gonadotropin-releasing hormone agonist versus a low-dose oral contraceptive for pelvic pain associated with endometriosis. Fertil Steril., 60(1):75-9.
- Vercellini P, Trespidi L, De Giorgi O, Cortesi I, Parazzini F, Crosignani PG. (1996):** Endometriosis and pelvic pain: relation to disease stage and localization. Fertil Steril., 65(2):299-304.

- Vercellini P, Vendola N, Bocciolone L, Colombo A, Rognoni MT, Bolis G. (1992):** Laparoscopic aspiration of ovarian endometriomas. Effect with postoperative gonadotropin releasing hormone agonist treatment. *J Reprod Med.*, 37(7):577-80.
- Virro MR, Shewchuk AB. (1984):** Pregnancy outcome in 242 conceptions after artificial insemination with donor sperm and effects of maternal age on the prognosis for successful pregnancy. *Am J Obstet Gynecol.*, 1;148(5):518-24.
- Wallace WH, Kelsey TW. (2004):** Ovarian reserve and reproductive age may be determined from measurement of ovarian volume by transvaginal sonography. *Hum Reprod.*, 19(7):1612-7.
- Weenen C, Laven JS, Von Bergh AR, Cranfield M, Groome NP, Visser JA, Kramer P, Fauser BC, Themmen AP. (2004):** Anti-Müllerian hormone expression pattern in the human ovary: potential implications for initial and cyclic follicle recruitment. *Mol Hum Reprod.*, 10(2):77-83.
- Williams TJ, Pratt JH. (1977):** Endometriosis in 1,000 consecutive celiotomies: incidence and management. *Am J Obstet Gynecol.*, 129(3):245-50
- Wingfield M, Healy DL. (1993):** Endometriosis: medical therapy. *Baillieres Clin Obstet Gynaecol.*, 7(4):813-38.
- Winkel CA. (2003):** Evaluation and management of women with endometriosis. *Obstet Gynecol.*, 102: 397-408 .
- Winslow KL, Toner JP, Brzyski RG, Oehninger SC, Acosta AA, Muasher SJ. (1991):** The gonadotropin-releasing hormone agonist stimulation test--a sensitive predictor of performance in the flare-up in vitro fertilization cycle. *Fertil Steril.*, 56(4):711-7.
- Woodward PJ, Sohaey R, Mezzetti TP Jr. (2001):** Endometriosis: radiologic-pathologic correlation. *Radiographics.*;21(1):193-216.

- Yin BW, Lloyd KO. (2001):*** Molecular cloning of the CA125 ovarian cancer antigen: identification as a new mucin, MUC16. *J Biol Chem.*, 20; 276(29):27371-5.
- Zanetta G, Lissoni A, Dalla Valle C, Trio D, Pittelli M, Rangoni G. (1995):*** Ultrasound-guided aspiration of endometriomas: possible applications and limitations., 64(4):709-13.
- Zanetta G, Trio D, Lissoni A, Dalla Valle C, Rangoni G, Pittelli M, Marzola M, Pellegrino A. (1993):*** Early and short-term complications after US-guided puncture of gynecologic lesions: evaluation after 1,000 consecutive cases. *Radiology.*, 189(1):161-4.