

REFERENCES

- Acromite, M.T.; Mantzoros, C.S.; Leach, R.E.; Hurwitz, J. and Dorey, L.G. (1999):** Androgens in preeclampsia. *Am J Obstet Gynecol*; 180: 60-3.
- Ahima RS, Saper CB, Fier JS, Elmquist JK (2000):** Leptin regulation of neuroendocrine systems. *Front Neuroendocrinol* 21: 263-307, 2000.
- Ahima RS, Dushay J, Flier SN, Prabakaran D, Flier JS(1997):** Leptin accelerates the onset of puberty in normal female mice. *J Clin Invest* 99: 391-395.
- Ahima RS, Prabakaran D, Mantzoros C, Qu D, Lowell B, Maratos-Flier E, Flier Js(1996):** Role of leptin in the neuroendocrine response to fasting. *Nature* 382: 250-252.
- Ahmed AM, Guzder R, Walluce AM, ThomasJ,et al.,(2000):** Circadian and ultradian rhythm and leptin pulsatility in adult GH deficiency; Effects of GH replacement. *J Clin Endocrinol Metab*.86(8):3499-506.
- Ahmed MI, Ong KKL, Morrell DJ, Cox L, Drayer N, Perry L, Preece MA, Dunger DB(1999):** Longitudinal study of leptin concentrations during puberty: sex differences and relationship to changes in body composition. *J Clin Endocrinol Metab* 84: 899-905.
- Alfer J, Muller-Schottle F, Classen-Linke I, Von Rango U, Happel L, Beier-Hellwig K, Rath W, Beier HM (2000):** The endometrium as a novel target for leptin: differences in fertility and subfertility. *Mol Hum Reprod* 7: 595-601.
- Alloush M, Romih M, EL-Kafrawy M, Khalifa N and Abol-FadL A (2001):** Leptin concentration in cord blood: Relationship to maternal serum leptin, fetal insulin level, birth weight, Gender and prematurity. *Ain Shmas Medical Journal*, Vol. 52 No. 4, 5,6.

- Ambrosius WT, Compton JA, Bowsher RR, Pratt JH(1998):** Relation of race, age, and sex hormone differences to serum leptin concentrations in children and adolescents. *Horm Res* **49**: 240-246,.
- American, College of Obstetricians and Gynecologists (1996):** Hypertension in pregnancy. ACOG technical bulletin, Washington, 1996: no 219.
- Amico, J.IA.; Thomas, A.; Crowley, R.S.; Bumeister, L.A. (1998):** Concentration of leptin in the serum of pregnant, lactating, and cycling rats and of leptin messenger ribonucleic acid in rat placental tissue, *life Sci* **63**: 1387 – 1395.
- Anderson DC; Lasley BL; Risher RA; Shepherd JH; Newman L; HendrickxAG(1976) :**Transplacental gradients of sex-hormone-binding globulin in human and simian pregnancy.*Clin Endocrinol (Oxf)* Nov;**5**(6):657-69.
- Anim-Nyame, S.R.; Sooranna, P.J. Steer, M.R. Johnson (2000):** Longitudinal analysis of maternal plasma leptin concentration during normal pregnancy and pre-eclampsia, *Hum-Repord. Sep*; **15** (g): 2033 – 6.
- Apostolova, G.; Schjweizer, R.A.S.; Balazs, Z.; Kostadinova, R.M.and Odermatt, A. (2005):** Dehydroepiandrosterone inhibits the amplification of glucocorticoid action in adipose tissue. *Am. J. Physiol. Endocrinol. Metab.*, **288** : E957 – E964.
- Arias, F. (1993):** Prolonged pregnancy. In practical guide to high-risk pregnancy and delivery 2nd Ed. Mosby Year Book Inc. St. Louis, Baltimore, Boston. 150 – 161.
- Ashworth CJ, Hoggard N, Thomas L, Mercer JG, Wallace JM, Lea RG (2000):** Placental leptin. *Rev Reprod* **5**: 18-24,.
- Atamer Y, Erdn AC, Demir B, Kocyigit and Atamer A (2004):** The relationship between plasma levels of leptin and androgen in healthy and preeclamptic pregnant women. *Acta Obstet Gynecol Scand* **83**: 425-430.

References

- August P:** Hypertensive disorders in pregnancy . In Burrow GN and Duffy TP(eds) : Medical complications during pregnancy(5th ed)Philadelphia, WB Saunders company 1999,p53.
- Auwerx J, Staels B(1998):** Leptin. *Lancet* **351**: 737-742,.
- Bachrach LK, Guido D, Katzman D, Litt IF, Marcus R(1990):** Decreased bone density in adolescent girls with anorexia nervosa. *Pediatrics* **86**: 440-447.
- Bado A, Levasseur S, Attoub S, Kermorgant S, Laigneau JP, Bortoluzzi MN, Moizo L, Lehy T, Guerre-Millo M, Le Marchand-Brustel Y, Lewin MJ(1998):** The stomach is a source of leptin. *Nature* **394**: 790-793.
- Bajoria, R.; Sooranna, S.R.; Ward, B.S. and Chatterjee, R. (2002):** Prospective function of placental leptin at maternal –fetal interface. *Placenta*; 23 : 103 –115.
- Baker, P.J.; Ramey, E.R.; Ramwell, P.W. (1978):** Androgen-mediated sex differences of cardiovascular responses in rats. *Am J Physiol*; 235: H242-6.
- Baksu A, Ozkan A, Goker N, Baksu B and Uluocak A (2005):** Serum leptin levels in preeclamptic pregnant women : relationship to thyroid stimulating hormone, body mass index and proteinuria. *Am J Perinatol*. April;22(3):161-4.
- Bammann BL; Coulam CB; Jiang NS(1980):** Total and free testosterone during pregnancy. *Am J Obstet Gynecol* jun1;137(3):293-8
- Barash IA, Cheung CC, Weige DS, Rsen H, Kabigting EB, Kuijper JL, Clifton DK, Steiner R(1996):** Leptin is a metabolic signal to the reproductive system. *Endocrinology* **137**: 3144-3147.
- Barker, D.J.P.; Eriksson, J.G.; Forsen, T. and Osmond, C. (2002):** Fetal origins of adult disease : strength of effects and biological basis. *Int. J. Epidemiol.*, 31 : 1235 – 1239.

References

- Barnes RB (1991):** Adrenal dysfunction and hirsutism . Clin Obstet Gynecol ;34 :827
- Basbug M , Aygen E, Tayyar M, Tutus A, Kaya E , Oktem (1999):** Correlation between maternal thyroid function tests and endothelin in preeclampsia-eclampsia. Obstet Gynecol; 94: 551-5.
- Baumann, H.; Morella, K.K.; White, D.W. et al. (1996):** The full length leptin receptor has signaling capabilities of interleukin 6-tyreceptors. Proc. Ntl. Acad. Sci. USA.; 93 : 8374 – 78.
- Benyo DF, Miles TM, Conrad KP (1997):** Hypoxia stimulates cytokine production by villous explants from the human placenta. J Clin Endocrinol Metab 82: 1582– 1588
- Berger NG; Repke JT; Woodruff JD(1984):** Markedly elevated serum testosterone in pregnancy without fetal virilization.Obstet Gynecol Feb;63(2):260-2.
- Bern, M.M.; Driscoll, S.G.; Leavitt, T. Jr. (1981):** Thrombocytopenia complicating preeclampsia: data to support a new model. Obstet Gynecol; 57 (6 Suppl): 28S- 33S.
- Bersinger, N.A.; Groome, N.; Muttukrishna, S. (2002):** Pregnancy – associated and placental proteins in the placental tissue of normal pregnant women and pre-eclampsia patients at term. Eur J Endocrinol; 147: 785-93.
- Bjorbaek C, Elmquist JK, Frantz JD, Shoelson SE, Flier JS(1998):** Identification of SOCS-3 as a potential mediator of central leptin resistance. *Mol Cell* 1: 619-625, 1998.
- Bochmann, J.; Feldmer, M.; Ganten, U.; Stock, G.; Ganten, G. (1991):** Sexual dimorphism of blood pressure: possible role of the rennin- angiotensin system. J steroid Biochem Mol Biol; 40: 511-5.
- Bodary, P.F.; Westrick, R.J.; Wickenheiser, K.J.; Shen, Y. and Eitzman, D.T. (2002):** Effect of leptin on arterial thrombosis following vascular injury in mice. JAMA: 287: 1706-1709.

- Boden, G.; Chen, X.; Mozzoli, A. and Ryna, I. (1996):** Effect of fasting on serum leptin in normal human subjects. *J. Clin. Endocrinol. Metab.* 81 : 3419 – 23.
- Bodner, J.; Ebenbichler, C.; Wolf, H.; Muller- Holzner, E.; Stanzl, U.; Gander, R. et al., (1999):** Leptin receptor in human term placenta: in situ hybridization and immunohistochemical localization. *Placenta*; 20: 677-82.
- Boelhauve, M. Sinowatz, F.; Wolf, E. and Paula-Lopes, F.F. (2005):** Maturation of bovine oocytes in the presence of leptin improves development and reduces apoptosis of in vitro produced blastocysts. *Boil Reprod*, first published online as 10.1095 / biolreprod. 105.041103.
- Bolt, R.J.; van Weissenbruch, M.M.; Lafeber, H.N. and Delemarre-van de Waal, H.A. (2001):** Glucocorticoids and lung development in the fetus and preterm infant. *Pediatr. Pulmonol.*, 32 – 76 – 91.
- Bouret, S.G.; Draper, S.J. and Simerly, R.B. (2004):** Formation of projection pathways from the arcuate nucleus of the hypothalamus to hypothalamic regions implicated in the neural control of feeding behaviour in mice. *J. Neurosci*, 24 : 2797 – 2805.
- Brzechffa PR, Jakimiuk AJ, Agarwal SK, Weitsman SR, Buyalos P R, Magoffin D A(1996):** Serum immunoreactive leptin concentrations in women with polycystic ovary syndrome. *J Clin Endocrinol Metab* 81: 4166-4169,.
- Buhling, K.J.; Harder, T.; Shehouli, J.; Nann, J.; Plagemann, A. and Dudenhausen, J.W. (2005):** Independent association between leptin and blood pressure during third trimester in normal and gestational diabetic pregnancies. *Eur. J. Obstet. Gynecol. Reprod, Biol.*, 119 : 180 – 184.
- Buster, J.E.; Chang, R.J.; Preston, D.L. et al., (1979) :** Interrelationships of circulating maternal steroid concentration in the third trimester pregnancies. *J Clin Endocrinol Metab*; 48: 139-42.

References

- Butte NF, Hopkinson JM, Nicholson MA (1997):** Leptin in human reproduction: serum leptin levels in pregnant and lactating women. *J Clin Endocrinol Metab* **82**: 585-589,
- Cakir B, Yonem A, Guler S, Odabasi E, Demirbas B, Gursoy G, Aral Y(1998):** Relation of leptin and tumor necrosis factor alpha to body weight changes in patients with pulmonary tuberculosis. *Horm Res* **52**: 279-283..
- Cameo, P; Bischof, P. and Calvo, J.C. (2003):** Effect of leptin on progesterone, human chorionic gonadotropin and interleukin-6 secretion by human term trophoblast cells in culture. *Boil Reprod*, **68** : 472- 477.
- Campbell, S.; Pearce, J.M.F. and Hackett, G. (1986):** Qualitative assessment of uteroplacental blood flow: Early screening test for high risk pregnancies. *Obstet. Gynecol.* **68** : 640.
- Campfield LA, Smith FJ, Guisez Y, Devos R, Burn P(1995):** Recombinant mouse OB protein: evidence for a peripheral signal linking adiposity and central neural networks. *Science* **269**: 546-549,.
- Caprio J, Isidri AM, Carta AR, Moretti C,(1996):** Expression of functional leptin receptors in rodents leydig cells. *Endocrinology*.**140**:4939-4947.
- CARLSEN S. M; JACOBSEN G; ROMUNDSTAD P (2006):**
Maternal testosterone levels during pregnancy are associated with offspring size at birth .*Eur J Endocrinol* Aug ; **155**(2): 365-70
- Carlsen SM, Rommdstad P and Jacobsen G (2005):**Early second-trimester maternal hyperandrogenemia and subsequent preeclampsia : a prospective study . *Acta Obstet Gynecol Scand* Vol. **84**, issue 2 page 117.
- Carrasco L, Troncoso JL, Devoto L (1996):** Differential steroidogenic response of human luteal cell subpopulation . *Hum. Reprod.* **11**, 1609-1614.

- Casabiell X, Pineiro V, Peino R, Lage M, Camina J, Gallego R, Vallejo LG, Dieguez C, Casanueva FF(1998):** Gender differences in both spontaneous and stimulated leptin secretion by human omental adipose tissue in vitro: dexamethasone and estradiol stimulate leptin release in women, but not in men. *J Clin Endocrinol Metab* **83**: 2149-2155,.
- Casabiell X, Pineiro V, Tome MA, Peino R, Dieguez C, Casanueva FF(1997):** Presence of leptin in colostrums and/or breast milk from lactating mothers: a potential role in the regulation of neonatal food intake. *J Clin Endocrinol Metab* **82**: 4270-4273..
- Castracane VD; Stewart DR; Gimpel T; Overstreet JW; Lasley BL(1998):** Maternal serum androgens in human pregnancy: early increases within the cycle of conception. *Hum Reprod* Feb;13(2):460-4.
- Castracane, V.D.; Kraemer, R.R.; Franken, M.A .; Kraemer, G.R. and Gimpel, T.L. (1998):** Serum leptin concentration in women : effect of age, obesity and estrogen administration. *Fertil Steril.*, 70 : 472 – 477.
- Castracane, V.D and Ash RH (1995):** Testosterone and androsterone in premature ovarian failure pregnancies; evidence for an ovarian source of androgens in early pregnancy . *Hum Reprod.*10, 677-680.
- Castracane, V.D, Gimpel TL,McCafeny(1992):** Serum androgen concentrations in normal human pregnancy and effect of fetal gender . *Endocrinology* 130(suppl.)418.
- Cella, F.; Giordano, G. and Cordera, R. (2000):** Serum leptin concentrations during the menstrual cycle in normal – weight women: effects of an oral triphasic estrogen – progestin medication. *Eur J. Endocrinol.*, 142 : 74 – 178.
- Challier, J.C.; Galtier, M.; Bintein, T.; Cortez, A.; Lepereq, J. and Hauguel-de Mouzon, S. (2003) :** Placental leptin receptor isoforms in normal and pathological pregnancies. *Placenta*; 24:92-99.

References

- Chan, J.L.; Bluher, S.; Yiannakouris, N.; Suchard, M.A.; Kratzsch, J. and Mantzoros, C.S.(2002):** Regulation of circulating soluble leptin receptor levels by gender, adiposity, sex steroids, and leptin. Observational and interventional studies in humans. *Diabetes*, 51 : 2105 – 2112.
- Chan, T.F.; Su J.H.; Chung, Y.F.; Hsu, Y.H.; Yeh, Y.T. and Yuan, S.S. (2006):** Elevated amniotic fluid leptin levels in pregnant women who are destined to develop preeclampsia. *Acta obstet Gynecol scand* ; 85 (2) : 171- 4.
- Chapman IM, Witert GA, Norman RJ(1997):** Circulating leptin concentrations in polycystic ovary syndrome: relation to anthropometric and metabolic parameters. *Clin Endocrinol* **46**: 175-181
- Chehab FF, Lim M, Lu R(1996):** Correction of the sterility defect in homozygous obese female mice treated with the human recombinant leptin. *Nat Genet* **12**: 318-320
- Chen, H.; Charlat, O.; Taraglia, L.A. et al. (1996) :** Evidence that the diabetes gene encodes the leptin receptor, identification of a mutation in the leptin receptor gene in db/db mice. *Cell* 1996, 84 : 491 – 95.
- Chen, Y. and Heiman, M.L. (2001):** Increased weight gain after ovariectomy is not a consequence of leptin resistance, *Am. J. physiol. Endocrinol Metab* 280 (2) : E 315 – 322.
- Chesley, L. (1985):** Diagnosis of pre-eclampsia. *Obstet. Gynecol.* 65 : 423.
- Chesley, L.C. and Sibai, M.B. (1988):** Clinical significance of elevated arterial blood pressure in the second trimester. *Am. J. Obstet. Gynecol.* 159 : 275 – 279.
- Chesley LC, Annitto JE, Cosgrove RA (1968):** The familial factor in toxemia of pregnancy. *Obstet Gynecol* 32: 303– 311

References

- Cheung, C.C.; Thornton, J.E.; Kuijper, J.L.; Weigle, D.S.; Clifton, D.K. and Steiner, R.A. (1997):** Leptin is a metabolic gate for the onset of puberty in the female rat *Endocrinology*, 138 : 855 – 858.
- Cinti S, Matteis RD, Pico C, Ceresi E, Obrador A, Maffei C, Oliver J, Palou A(2000):** Secretory granules of endocrine and chief cells of human stomach mucosa contain leptin. *Int J Obes Relat Metab Disord* 24: 789- 793..
- Cioffi JA, Van Blerkom J, Antczak M, Shafer A, Wittmer S, Snodgrass HR (1997):** The expression of leptin and its receptors in pre-ovulatory human follicles. *Mol Hum Reprod* 3: 467-47..
- Cioffi JA, Shafer AW, Zupancic TJ, Smith-Gbur J, Mikhail A, Platika D, Snodgrass HR(1996):** Novel B219/OB receptor isoforms: possible role of leptin in hematopoiesis and reproduction. *Nat Med* 2: 585-589.
- Clement K, Vaisse C, Lahlou N, Cabrol S, Peloux V, Cassuto A, Gormelen M, Dina C, Chambaz J, Lacorte JM, Basdevant A, Bougneres P, Lebouc Y, Froguel P, Guy-Grand B(1998):** A mutation in the human leptin receptor gene causes obesity and pituitary dysfunction. *Nature* 392: 398-401
- Clement K, Garner C, Hager J, Philippi A, Leduc C, Carey A, Harris TJ, Jury C, Cardon Lr, Basdevant A, Demeais F, Guy-Grand B, North M, Froguel P(1996):** Indication for linkage of the human OB gene region with extreme obesity. *Diabetes* 45: 687-690.
- Coleman DL(1978):** Obese and diabetes two mutant genes causing diabetes-obesity syndromes in mice. *Diabetologia* 14:141-148,.
- Coleman, D.L. (1973):** Effects of parabiosis of obese with diabetes and normal mice. *Diabetologia*, 9:294-8.

References

- Collins, S.; Knhn, C.M.; P-etrol, A.E.; Swick, A.G.; Chrunyk, A.B. and Surwit, R.S. (1996):** Role of leptin in fat regulation. *Nature*, 380 : 677.
- Conley AJ, Bird IM(1997):** The role of cytochrome p450 17 α -hydroxylase and 3 β -hydroxysteroid dehydrogenase in the integration of gonadal and adrenal steroidogenesis via $\Delta 5$ and $\Delta 4$ pathways of steroidogenesis in mammals. *Biol. Reprod.* , 56, 789-799.
- Considine, R.V.; Considine, E.I.; Williams, C.J.; Nyce, M.R.; Magosin, S.A.; Bauer, T.L.; Rosate, E.L.; Cilerge, J. and Caro, J.F. (1995):** Evidence against either a premature stop codon or the absence of obese gene mRNA in human obesity. *J. Clin. Invest.* 95: 2986 -8.
- Considine, R.V.; Sinha, M.K.; Heiman, M.I.; Kriauciunas, A.; Stephens, T.L.; Ohannesian, J.P.; Marco, C.C.; Mckee, L.J.; Bauer, T.I. and Caro, J.F. (1999):** Serum immunoreactive-leptin concentrations in normal – weight and obese humans. *N. Engl. J. Med.* 334 : 292 – 295.
- Coya, R.; Martul, P.; Algorta, J.; Aniel – Quioga, M.A.; Busturia, M.A. and Senaris, R. (2005):** Progesterone and human placental lactogen inhibit leptin secretion on cultured trophoblast cells from human placentas at term. *Gynecol. Endocrinol.*, 21 : 27 – 32.
- Cumming DC, Wall SR (1985):** Non-sex hormone binding globulin – bound testosterone as a marker for hyperandrogenism . *J Clin Endocrinol Metab* 61: 873-6.
- Cunningham, F.G.; McDonald, P.C.; Gant, N.F.; Leveno, K.J.; and Glistrap, L.C.; Hankins, G.D.V.; Clark S.L. (1997):** Hypertensive disorders of pregnancy. In: *Williams obstetrics* 20th edition vol. II, Prentice-Hall Int. Inc. London, Sydney. Toronto. 693 – 744.

- Cusin I, Sainsbury A, Doyle P, Rohner-Jeanrenaud F, Jeanrenaud (1995):** The ob gene and insulin. A relationship leading to clues to the understanding of obesity. *Diabetes* **44**: 1467-1470.
- Dagogo-Jack, S.; Fanelli, C.; Paramore, D.; Brothers J. and Landt M. (2000):** Plasma leptin and insulin relationships in obese and nonobese humans *Diabetes*, 45 : 695 – 698.
- De Vos P, Saladin R, Auwerx J, Staels B(1995):** Induction of ob gene expression by corticoids is accompanied by body weight loss and reduced food intake. *J Biol Chem* **270**: 15958-15961.
- Dekker GA and Kraayenbrink PW (1991):** Oxygen free radicals in preeclampsia. *Am J Obstet gynecol*; 164: 273.
- Dekker, G.A. and Sibai, B.M.(1991):**Early detection of preeclampsia. *Am J Obstet Gynecol*, 165; 160
- Dekker, G.A. and Sibai, B.M. (1998):** Etiology and pathogenesis of preeclampsia: current concepts. *Am J Obstet Gynecol*; 225: 1359- 75.
- Dekker, G.A.; Makovitz, J.W. and Wallenburg H.C.S. (1990):** Prediction of pre-eclampsia by angiotensin II sensitivity and supine pressure test. *Br. J.Obstet. Gynecol.* 97: 817 – 821.
- Dhatariya K, Bigelow ML & Nair KS. (2005):** Effect of dehydroepiandrosterone replacement on insulin sensitivity and lipids in hypoadrenal women. *Diabetes* 2005 **54** 765–769.
- Diamant YZ, Rimon E, Evron S(1982):** High incidence of preeclamptic toxemia in patients with polycystic ovarian disease. *Eur J Obstet Gynecol Reprod Biol* . 14 : 199-204.
- Diczfalusy E (1969):** Steroid metabolism in the fetoplacental unit . *Excerpta Medica* , 275

- Diekman MJ, Romijn JA, Endert E, Sauerwein H, Wiersinga WM(1998):** Thyroid hormones modulate serum leptin levels: observations in thyrotoxic and hypothyroid women. *Thyroid* **8**: 1081-1086.
- Dominguez, F.Pellicer, A. and Simon, C. (2002):** Paracrine dialogue in implantation. *Mol Cell Endocrinol*, 186 : 175 – 181.
- Douglas, K.A. and Redman, C.W.G. (1994):** Eclampsia in the united Kinkdom *BMJ*, 309 : 1395 – 1400.
- Dryden, S.; Wiliams, G. (1999):** The role of hypothalamic peptides in the control of energy balance and body weight. *Curr. Opin. Endo. Dia betes.* 3 : 51 – 58.
- Ducy P, Amling M, Takeda PS, Priemel M, Schilling AF, Beil FT, Shen J, Vinson C, Rueger JM, Karsenty G(2000):** Leptin inhibits bone formation through a hypothalamic relay: a central control of bone mass. *Cell* **100**: 197-207..
- Duggal PS, Van Der Hoek KH, Milner CR, Ryan NK, Armstrong DT, Magoffin DA, Norman R(2000)J:** The in vivo and in vitro effects of exogenous leptin on ovulation in the rat. *Endocrinology* **141**: 1971-1976.
- Dunn JF, Nigula BC, Rodbard D (1981):** Transport of steroid hormones:binding of 21 endogenous steroids to both testosterone binding globulin and corticosteroid binding globulin in human plasma. *J Clin Endocrionl Metab.*53,58-68.
- Elbers JM, de Roo GW, Popp-Snijders C et al(1999):** Effects of administration of 17 beta estradiol on serum leptin levels in healthy postmenopausal women . *Clin Endocrinol (OXF)*51(4):449-54.
- ElimanA, Knutsson U, Bronnegard M, et al.,(1998):**Variations in glucocorticoids level within the physiological range affect plasma leptin levels. *Eur J Endocrionol.* 139(6):615-20.

References

- Elmqvist JK, Elias CF, Saper CB(1999):** From lesions to leptin: hypothalamic control of food intake and body weight. *Neuron* 22: 221-232
- El-Salahy EM, Ahmed MI, El-Gharieb A, Tawfik H (2001) :** New scope in angiogenesis: role of vascular endothelial growth factor (VEGF), NO, lipid peroxidation, and vitamin E in the pathophysiology of pre-eclampsia among Egyptian females. *Clin Biochem* 34: 323–329
- Enteman SS and Richardson LD:** Clinical application of the altered iron kinetics of toxemias of pregnancy .*Am J Obstet gynecol*,146:568,1983.
- Enteman SS, Moore RM, Richardson Ldand Killan AP:** Elevated serum iron in toxemia of pregnancy. *Am J Obstet gynecol*, 143:398,1982
- Erickson JC, Clegg KE, Palmitter RD(1999):** Sensitivity to leptin and susceptibility to seizures of mice lacking neuropeptide Y. *Nature* 381: 415-421
- Fain JN, Leffter CW, Coubn GS,an Bahouth SW(2001):** Stimulation of leptin release by arachidonic acid and prostaglandin E(2) in adipose tissue from obese human .*Metabolism*.50(8): 921-928.
- Fain JN, Leffter CW,Bahuth SW, Rice AM, Rivkees SA(2000):** Regulation of leptin release and lipolysis by PGE2 in rat adipose tissue . *Prostaglandins Other Lipid Mediat*.62(4):343-350.
- Fan W, Boston BA, Kosterson RA, Hruby VJ, Cone RD(1997):** Role of melanocortinergic neurons in feeding and the agouti obesity syndrome. *Nature* 385: 165-168.
- Ficicioglu, C. and Kutlex, T. (2003):** The role of androgens in the aetiology and pathology of preeclampsia. *J. Obstet Gynecol.* March; 23 (2) : 134 – 7.
- Flier JS, Harris M, Hollenberg AN(2000):** Leptin, nutrition, and the thyroid: the why, the wherefore, and the wiring. *J Clin Invest* 105: 859-861.

References

- Flier JS, Maratos-Flier E(1998):** Obesity and the hypothalamus: novel peptides for new pathways. *Cell* **92**: 437-440..
- Flier, J.S. (1997):** Leptin expression and action: new experimental paradigms. *Proc Natl Acad Sci. USA*; 94: 4242 – 45.
- Forest, MG, Ances, IG, Tapper, AJ, Migeon, CJ.:** Percentage binding of testosterone, androstendione and dihydroisoandrosterone in plasma at the time of delivery. *J Clin Endocrinol Metab* 1971; 32:417.
- Foster DL, Nagatani S(1999):** Physiological perspectives on leptin as a regulator of reproduction: role in timing puberty. *Biol Reprod* **60**: 205-215.
- Franks S(1995):** Polycystic ovary syndrome. *N Engl J Med* **333**: 853-.
- Friedman JM, Halaas J(1998):** Leptin and the regulation of body weight in mammals. *Nature* **395**: 763-770.
- Friedman JM, Leibel RL, Siegel DS, Walsh J, Bahary N(1991).:** Molecular mapping of the mouse ob mutation. *Genomics* **11**: 1054-1062, 1991.
- Friedman, J.M. (1998):** Leptin receptors and the control of body weight. *Nutrition Reviews*, 56 (2): S 38 – 46.
- Frisch RE, Mcarthur JW(1974):** Menstrual cycles: fatness as a determinant of minimum weight for height necessary for their maintenance or onset. *Science* **185**: 949-951.
- Fuh, M.M.; Yin, C.S.; Pei, D. et al., (1995) :** Resistance to insulin-mediated glucose uptake and hyperinsulinemia in women who had preeclampsia during pregnancy. *Am J Hypertens*;8:768-71.
- Funahashi H, Hori T, Shimoda Y, Mizushima H, Ryushi T, Katoh S, Shioda S(2000):** Morphological evidence for neural interactions between leptin and orexin in the hypothalamus. *Regul Pept* **92**: 31-35..

References

- Gant NF, Chand S, Whalley Pj and McDonald PC (1974):** Control of vascular responsiveness to angiotensin II in human pregnancy. *Obstet Gynecol*, 43:854,.
- Gant, N.F. and Whorley, R.J. (1980):** Hypertension in pregnancy: concepts and management. New York: Appleton; p. 1.
- Gant, N.F.; Hutchinson, H.T.; Siiteri, P.K.; MacDonald, P.C. (1971):** Study of the metabolic clearance rate of dehydroepiandrosterone sulfate in pregnancy. *Am J Obstet Gynecol* ; 111: 555-63.
- Gant, W.F.; Daley, G.G.L.; Chand, S.; Whalley, P.J. and MacDonald, P.C. (1973):** A study of angiotensin II pressor response throughout primigravida pregnancy. *J.Clin. Invest.* 52 : 2682.
- Garcia, M.D.; Casanueva, F.F.; Dieguez, C. and Senaris, R.M. (2000):** Gestational profile of leptin messenger ribonucleic acid (mRNA) content in the placenta and adipose tissue in the rat, and regulation of the mRNA levels of the leptin receptor subtypes in the hypothalamus during pregnancy and lactation. *Biol Reprod*, 62: 698 –703.
- Garcia-Bunuel R; Berek JS; Woodruff JD (1975):** Luteomas of pregnancy. *Obstet Gynecol* Apr;45(4):407-14.
- Garcia-Mayor RV, Andrade MA, Rios M, Lage M, Dieguez C, Casanueva FF (1997):** Serum leptin levels in normal children: relationship to age, gender, body mass index, pituitary-gonadal hormones and pubertal stage. *J Clin Endocrinol Metab* 82: 2849-2855,
- Gerulewicz-Vannini D, Camero Y, Salas J, Hernández-Andrade E (2006):** High plasmatic androgen levels in women affected with pregnancy-induced hypertension. *Rev Invest Clin. May-Jun*;58(3):228-33
- Ghilardi N, Ziegler S, Wiestner A, Stoffel R, Heim MH, Skoda RC (1996):** Defective STAT signaling by the leptin receptor in diabetic mice. *Proc Natl Acad Sci USA* 93: 6231-6235.

References

- Gibbs J, Smith GP(1986):** Satiety: the roles of peptides from the stomach and the intestine. *Fed Proc* **45**: 1391-1395.
- Gong DW, He Y, Krars M, Reitman M(1997):** Uncoupling protein-3 is a mediator of thermogenesis regulated by thyroid hormone, β 3-adrenergic agonists, and leptin. *J Biol Chem* **272**: 24129-24132,.
- Goumenou, A.G.; Matalliotakis, I.M.; Koumantakis, G.E. and Panidis, D.K. (2003):** The role of leptin in fertility. *Eur J Obstet Gynecol Reprod Biol*; 106: 118-24.
- Griffin, M.; South, S.; Yankov, V.; Booth, R.J.; Asplin, C.; Velduis, J. and Evans, W. (1999):** Insulin-dependent diabetes mellitus and menstrual dysfunction. *Ann. Med.* 26: 331 – 40.
- Groenendijk, R.; Trimboos, JBMJ.; Wallenburgy, H.C.S. (1948):** Haemodynamic measurements in pre-eclampsia: Preliminary observation. *Am. J. Obstet Gynecol.* 150 : 232 – 236.
- Grosfeld, A.; Andre, J.; Hauguel – de Mouzon, S.; Berra, E.; Pouyssegur, J. and Guerre – Millo, M. (2002):** Hypoxia – inducible factor transactivates the human leptin gene promoter. *J. Biol. Chem.*, 277 : 42953 – 42957.
- Grosfeld, A.; Turban, S.; Andre, J.; Cauzac, M.; Challier, J.C.; Hauguel – de Mouzon, S. and Guerre – Millo, M. (2001):** Transcriptional effect of hypoxia on placental leptin. *FEBS lett*, 502 : 122 – 126.
- Hadji P, Gork K, Hars O, Bauer T, (2000):** The influence of hormone replacement therapy (HRT) on leptin concentration in postmenopausal women. *Maturitas.* 37(2):105-111.
- Hahnel, M.E.; Martin, L.D.; Michael, C.A.; Hahnel, R. (1989):** Metabolism of androstenedione by placental microsomes in pregnancy hypertension. *Clin Chim Acta*; 181: 103-8.
- Hakansson ML, Meister B(1998):** Transcription factor STAT3 in leptin target neurons of the rat hypothalamus. *Neuroendocrinology* **68**: 420-427,.

- Halaas J.L.; Gajiwala K.S.; Maffei, M.; Cohen, S-L.; Chait, B.T.; Rabinowitz, D.; Iallone R.L.; Rurley, S.K. and Friedman, J.M. (1995):** Weight reducing effects of plasma protein encoded by the obese gene. *Science* 269 : 543 – 6.
- Haluzík M, Kábrt J, Nedvídková J, Svobodová J, Kotrlíková E, Pape. Ová H(1999b):** The relationship of serum leptin levels and selected nutritional parameters in patients with protein-caloric malnutrition. *Nutrition* 15: 829-833,.
- Haluzík M, Pape.Ová H, Nedvídková J, Kábrt J(1999d):** Serum leptin levels in patients with anorexia nervosa before and after partial refeeding, relationships to serum lipids and biochemical nutritional parameters. *Physiol Res* 48: 197-202,.
- Haluzík M, Svobodová J, Jiskra J(2000):** Leptin and the thyroid gland. *Thyroid Gland* 1: 12-18
- Haluzík M, Svobodová J, Nedvídková J, Pape.Ová H, Kotrlíková E, Kábrt J:** The relation of serum leptin levels and the degree of protein catabolism in patients with malnutrition. *Physiol Res* 48
- Hamilton BS, Paglia D, Kwan AY, Deitel M(1995):** Increased obese mRNA expression in omental fat cells from massively obese humans. *Nat Med* 1: 953-956, 1995.
- Hardie, L.; Trayhurn, P.; Abramovich, D. and Fowler, P. (1997):** Circulating leptin in women: a longitudinal study in the menstrual cycle and during pregnancy. *Clin. Endocrinol.* 47 (1): 101 – 6.
- Harigaya A, Nagashima K, Nako Y, Morikawa A(1999):** Relationship between concentration of serum leptin and fetal growth. *J Endocrinol Metab* 82: 3281-3284.
- Harris, R.B.S.; Martin, R.J. (1984):** Lipostatic theory of energy balance: Concepts and Signals, *Nutr. Behav.* 1-235 – 75.

References

- Harrison, R.F. and Mansfield, M.D. (1980):** Maternal plasma androgens in early human pregnancy. *Br J Obstet Gynaecol*; 87: 695-704.
- Hassink SG, Sheslow DV, De Lancey E, Opentanova I, Considine RV, Caro JF (1996):** Serum leptin in children with obesity: relationship to gender and development. *Pediatrics* **98**: 201-203.
- Hassink, S.G.; DeLancey, E.; Sheslow, D.V. and Smith-Kirwin, S.M. (1999):** Placental leptin: an important new growth factor in intrauterine and neonatal development. *Pediatrics* 100 (1). EL.
- Haynes WG (2000):** Interaction between leptin and sympathetic nervous system in hypertension. *Curr Hypertens Rep*; 2 : 311-8.
- Heiman ML, Ahima RS, Craft LS, Schoner B, Stephens TW, Flier JS(1997):** Leptin inhibition of the hypothalamic-pituitary-adrenal axis in response to stress. *Endocrinology* **138**: 3859-3863,.
- Helland IB, Reseland JE, Saugstad OD, Drevon CA(2001):** Leptin levels in pregnant women and newborn infants : Gender differences and reduction during the neonatal period . *Pediatrics* 101. E.12.
- Henson, M.C. and Castracane, V.D. (2002):** Leptin: roles and regulation in primate pregnancy. *Semin Reprod Med* 20 : 113-122.
- Henson, M.C. and Castracane, V.D. (2006):** Leptin and Reproduction . In Henson MC, Castracane. VD (eds), *Leptin*. New York: Kluwer Academic Press/ Plenum Press Publishers.
- Henson, M.C. and Castracane, V.D.(2003):** Leptin in primate pregnancy .In Henson MC, Castracane VD(eds.), *Leptin and reproduction*. New York: Kluwer Academic Press Publishers, 2003:239-263.
- Henson, M.C.; Swan, K.F. and O'Neil, J.S. (1998):** Expression of placental leptin and leptin receptor transcripts in early pregnancy and at term. *Obstet Gynecol*; 92 : 1020 – 1028.

References

- Henson, M.C.; Swan, K.F.; Edwards, D.E.; Hoyle, G.W.; Purcell, J. and Castracane, V.D. (2004):** Leptin receptor expression in fetal lung increases in late gestation in the baboon : a model for human pregnancy. *Reproduction*, 127 : 87 – 94.
- Highman, T.J.; Friedman, J.E.; Huston, L.P. et al., (1998):** Longitudinal changes in maternal serum leptin concentrations, body composition, and resting metabolic rate in pregnancy. *Am. J. Obstet. Gynecol.*, 178, 1010-1015.
- Hikeshoven, F.J.M. and Quijderhoudt F.M.J. (1990):** Hypocalcuria in hypertensive disorder in pregnancy and how to measure it. *Eur. J. Obstet. Gynecol. Reprod. Biol.* 36: 81 – 85.
- Hino M, Nakao T, Yamane T, Ohta K, Takubo T, Tatsumi N (2000):** Leptin receptor and leukemia. *Leuk Lymphoma* 36: 457-461,.
- Hirai N, YanaiharaT, Nakayame T, IshibashiM and Yamaji T(1988):** Plasma levels of atrial natriuretic peptide during normal pregnancy and in pregnancy complicated by hypertension .*Am J Obstet Gynecol*,159: 27,.
- Hoggard N, Hunter L, Duncan JS, Williams Lm, Trayhurn P, Mercer JG(1997):** Leptin and leptin receptor mRNA and protein expression in the murine fetus and placenta. *Proc Natl Acad Sci USA* 94: 11073-11078,.
- Hoggard N,Haggarty P, Thomas L, Lea RG(2001):** Leptin expression in placental and fetal tissues: does leptin have a functional role? *Biochem Soc Trans*;29:57-63.
- Houseknecht, K.L.; Mantozors, C.S.; Kuliawal, K.; Hodro, E. and Flier, J.S. (1999):** Evidence for leptin binding to protein in serum of rodents and humans modulation with obesity, *Diabetes*; 45 : 1638 – 1643.
- Housknecht, K.L.; Mc-Guire, M.K.; Portocarrero, C.P.; Mc-Guire, M.A. and Beerman, K. (1997):** Leptin is present in human milk and is related to maternal plasma leptin concentration and adiposity.

References

- Howe, D.C.; Gertler, A.; Challis, J.R.G. (2002):** The late gestation increase in circulating ACTH and cortisol in the fetal sheep is suppressed by intracerebroventricular infusion of recombinant ovine leptin. *J. Endocrinol.*, 174 : 259 – 262.
- Hsu Cd, Johnson TRB, Hong SFand Chan DW(1997):** Altered circulating thrombomodulin and fibronectin levels as evidence for different degrees of vascular endothelial damage between severe and mild preeclampsia. *J Mat Fet Invest*,5:65,.
- Huang Q, Rivest R, Richard D(1998):** Effects of leptin on corticotropin-releasing factor (CRF) synthesis and CRF neuron activation in the paraventricular hypothalamic nucleus of obese (ob/ob) mice. *Endocrinology* 139: 1524-1532..
- Hube F, Lietz U, Igel M, Jensen PB, Tornqvist H, Joost HG, Hauner H(1996):** Difference in leptin mRNA levels between omental and subcutaneous abdominal adipose tissue from obese humans. *Horm Metab Res* 28: 690-693, 1996.
- Hulsey, M.G.; Martin, R.J. (1992):** An anorectic agent for adipose of overfed rats: effects on feeding behavior. *Physiol behave* 52 : 1141 – 9.
- Huszar, D.; Lynch, C.A.; Fairchild-Huntress V. et al., (1997):** Targeted disruption of the melanocortin-4 receptor results in obesity in mice. *Cell*. 88: 131 – 41.
- Hytinanti, T.; Koistinen, H.A. ; Koivisto, V.A. ; Karonen, S.L. (2000):** Increased leptin concentration in preterm infants of preeclamptic mothers. *Arch Dis Child Fetal Neonatal Ed*; 83: F13-16.
- Ingalls AM, Dickie MM, Snell GD(1950):** Obese, new mutation in house mouse. *J Hered* 41: 317-318
- Innes KE, Byers TE (1999):** Preeclampsia and breast cancer risk. *Epidemiology* 1999; 10: 722-32.

References

- Isidori AM, Strollo F, More M, Caprio M, Aversa A, Moretti C, Frajese G, Riondino G, Fabbri A(2000):** Leptin and aging: correlation with endocrine changes in male and female healthy adult populations of different body weights. *J Clin Endocrinol Metab* **85**: 1954-1962,.
- Islami, D.; Bischof, P. and Chardonens, D. (2003):** Modulation of placental vascular endothelial growth factor by leptin and hCG. *Mol Hum Reprod*, 9: 395- 398.
- Iwagaki, S.; Wokoyama, Y.; Tang, L.; Takahashi, Y.; Nakagawa, Y. and Tamaya, T.(2004):** Augmentation of leptin and hypoxia – inducible factor 1 alpha mRNAs in the pre-eclamptic placenta. *Gynecol. Endocrinol.*, 18 : 263 – 268.
- Jackson EK, Li P(1997):** Human leptin has natriuretic activity in the rat. *Am J Physiol* **272**: F333-F338,.
- Jacobs HS, Conway GS:** Leptin, polycystic ovaries and polycystic ovary syndrome. *Human Reprod Update* **5**: 166-171, 1999.
- Jaleel A. and Baseer A. (1998):** Thrombocytopenia in preeclampsia: an earlier detector of HELLP syndrome. *J. Pak. ed. Assoc.* **47** (9): 230 – 2.
- Janik JE, Curti BD, Considine RV, Rager HC, Powers GC, Alvord WG, Smith JW, Gause BL, Kopp WC(1997):** Interleukin 1. increases serum leptin concentrations in humans. *J Clin Endocrinol Metab* **82**: 3084-3086,.
- Jaquet D, Leger J, Lavy-Marchal C, Oury JF, Czernichow P(1998):** Ontogeny of leptin in human fetuses and newborns: Effect of intrauterine growth retardation on serum leptin concentrations. *J Clin Endocrinol Metab*:**83**:1243-1246.
- Jaquet, D.; Gaboriau, A.; Czernichow, P. and Levy-Marchal, C. (2001):** Relatively low serum leptin levels in adults born with intra-uterine growth retardation. *Int. J. Obes. Relat. Metab. Disorder*, **25** : 491 – 495.

References

- Jia MC, Zhou LY, Ren S(1992):** Serum SHBG concentration during normal menstrual cycle and after insertion of levonorgestrel releasing IUD . *Advanc. Contracept.* 8,33-40.
- Jirecek S, Joura E, Tempfer C, Knöfler M, Husslein P, Zeisler H (2003):** Elevated serum concentrations of androgens in women with pregnancy-induced hypertension. *Wien Klin Wochenschr* 115: 162–166
- Jockenhovel, F.; Blum, W.F. and Vogel. E. (1997):** Testosterone substitution normalizes elevated serum leptin levels in hypogonadal men. *J.Clin. Endocrinol. Metab.* 82: 2510 – 2513.
- Johan auxerx (1998):** Bart staels. *Leptin lancet* 351: 737-42.
- Johansson KDB(1969):** Plasma level of progesterone in pregnancy measured by a rapid competitive binding technique . *Acta Endocrinol* 48;607-17.
- Jose I.Bartha, Raquel Romero-Carmona, Miguel Escobar-Liompart, Rafael Comino-Delgado (2001):** The relationships between leptin and inflammatory cytokines in women with pre-eclampsia, *BJOG. Dec; 108 (12) : 1272 – 6.*
- Kaminiski K and Rechberger T(1991):** Concentration of digoxin – like immunoreactive substance in patients with preeclampsia and its relation to severity of pregnancy-induced hypertension. *Am J Obstet Gynecol*,165,733,.
- Karlsson C, lindell K, svensson E, Bergh C, Lind P, Billig H, Carlsson LM, Carlsson B(1997):** Expression of functional leptin receptors in the human ovary. *J Clin Endocrinol Metab* 82: 4144-4148.
- Kessel B , Liu J (1991):** Clinical and laboratory evaluation of hirsutism . *Clin Obstet Gynecol* ;34:805.
- Khalil RA, Granger JP (2002):** Vascular mechanisms of increased arterial pressure in preeclampsia: lessons from animal models. *Am J Physiol Regul Integr Comp Physiol*, 283: R29–45

- Kieffer TJ, Heller RS, Leech CA, Holz GG, Habener JF(1997):** Leptin suppression of insulin secretion by the activation of ATP-sensitive K⁺ channels in pancreatic β -cells. *Diabetes* **46**: 1087-1093, 1997.
- Kiess W, Reich A, Meyer K(1999) :** A role for leptin in sexual maturation and puberty *Horm Res* .51, 55- 58.
- Killam, P.A.; Dillar, D.S.H.; Patton, R.C. and Pederson, P.R. (1975):** Pregnancy induced hypertension complicated by acute liver disease and disseminated intravascular coagulation. *Aim. J. Obstet. Gynecol.* 69 : 833.
- Kim MS, Small CJ, Stanley SA, Morgan Dga, Seal LJ, Kong WM, Edwards CMB, Abusnana S, Sunter D, Ghatei MA, Bloom SR(2000):** The central melanocortin system affects the hypothalamo-pituitary- thyroid axis and may mediate the effect of leptin. *J Clin Invest* **105**: 1005-1011,.
- Kim, G.S.; Hong, J.S., Kim, S.W.; Koh, J.M.; An C.S.; Choi, J.Y. and Cheng, S.L. (2003):** Leptin induces apoptosis viz ERK / CPLA2/ cytochrome C pathway in human bone marrow stromal cells. *J. Biol. Chem.* 13 278 (24) : 21920- 21929.
- Kirchgessner Al, Liu M(1999):** Orexin synthesis and response in the gut. *Neuron* **24**: 941-951,.
- Klein S, Coppack SW, Mohamed-Ali V, Landt M(1996):** Adipose tissue leptin production and plasma leptin kinetics in humans. *Diabetes* **45**: 984-987,.
- Kohrt Wm, Landt M, Birge SJ(1996):** Serum leptin levels are reduced in response to exercise training, but not hormone replacement therapy, in older women. *J Clin Endocrinol Metab* **81**: 3980-3985,.
- Koistinen HA, Valimaki M, Sund K, Tervo L, Karonen SL, Heiman ML, Stephens TW, Koivisto VA(1996):** Serum leptin concentration is normal in Cushing syndrome and in acromegaly. *Diabetologia* **39** (Suppl 1): A59,.

References

- Koistinen, H.A.; Koivisto, V.A.; Andersson, S.; et al., (1997) :** Leptin concentration in cord blood correlates with intrauterine growth. *J Clin Endocrinol Metab*; 82: 3328-30.
- Kolaczynski JW, Nyce MR, Considine RV Boden G, Nolan JJ, Henry R, Mudaliar SR, Olefskyj, Caro JF:** Acute and chronic effect of insulin on leptin production in humans: studies in vivo and in vitro. *Diabetes* **45**: 699-701, 1996.
- Konopleva M, Mikhail A, Estrov Z, Zhao S, Harris, Sanches-Williams G, Kornblau Sm, Dong J, Kliche Ko, Jiang S, Snodgrass HR, Estey EH, Andreff M(1999):** Expression and function of leptin receptor isoforms in myeloid leukemia and myelodysplastic syndromes: proliferative and anti-apoptotic activities. *Blood* **93**: 1668-1676,.
- Korbonits M(1998):** Leptin and the thyroid . a puzzle with missing pieces. *Clin Endocrinol* **49**: 569-572,.
- Koulianos GT, Meeks CA, and Castracane VD(1992):** Ovarian response to HCG;evidence for luteal androgen production in early pregnancy and for an effect of obesity on early luteal response. *Endocrinology* 130(suppl.),275.
- Kragie L (2002):** Aromatase in pregnancy : a review *Endocr RES* 28:121-8
- Krrayenbrink AA, Dekker GA, VanKamp GJ,and van Geijn HP(1993):** Endothelial vasoactive mediators in preeclampsia. *Am J Obstet Gynecol*,169: 160,.
- Krude H, Biebermann H, Luck W, Horn R, Brabant G, Gruters A(1998):** Severe early onset obesity, adrenal insufficiency and red hair pigmentation caused by POMC mutations in humans. *Nat Genet* **19**: 155-157,.
- Ladyman, S.R. and Grattan, D.R (2005):** Suppression of leptin receptor mRNA and leptin responsiveness in the ventromedial nucleus of the hypothalamus during pregnancy in the rat. *Endocrinology*, 146: 3868 – 3874.

References

- Lahlou, N.; Landias, P.; De Bosissieu D.; and Bougneres, P. (1996):** Circulating leptin in normal children and during the dynamic phase of juvenile obesity. *Diabetes* 46 : 989 – 993.
- Laivuori, H.; Kaaja R Koistinen H, Karonen SL, Andfrsson S, Koivisto V, (2001):** Leptin during and after preeclampsia or normal pregnancy: its relation to serum insulin and insulin sensitivity. *Metabolism*; 49: 259-63.
- Laivuori, H.; Kaaja, P.; Rutanen, E. ; VAIinikka, E. and Ylikorkala, O. (1998):** Evidence of high circulating testosterone in women with prior preeclampsia. *J Clin Endocrinol Metab*; 83: 344-7.
- Laml, T.; Preyer, O.; Hartmann, B.W.; Ruecklinger, E.; Soeregi, G.; Wagenbichler, P. (2001):** Decreased maternal serum leptin in pregnancies complicated by preeclampsia. *J Soc Gynecol Invest* ; 8: 89-93.
- Lammert, A.; Brockman, G.; Renne, U.; Kiess, W.; Bottner, A.; Theiry, J. and Kratzsch, J. (2002):** Different isoforms of the soluble leptin receptor in non-pregnant and pregnant mice. *Biochem Biophys Res Commun*, 298: 798-804.
- Landt m, Lawson GM, Helgeson JM, Davila-Roman VG, Ladenson JH, Jaffe AS, Hickner RC(1997):** Prolonged exercise decreases serum leptin concentrations. *Metabolism* 46: 1109-1112,.
- Lannert, A.; Kiess, W.; Botter, A.; Glasow, A.; Glasow, A. and Kratzsch, J. (2001):** Soluble leptin receptor represents the main leptin binding activity in human blood. *Biochem Biophys Res Commun*, 283 : 982- 988.
- Lappas, M.; Permezel, M. and Rice, G.E. (2005):** Leptin and adiponectin stimulate the release of pro-inflammatory cytokines and prostaglandins from human placenta and maternal adipose tissue via NF- κ B, PPAR- γ and ERK1/2. *endocrinology* 2005; 146: 3342. first published online as doi 10. 1210/en.
- Lea, R.G.; Howe, D.; Hannah, L.T.; Bonneuau, O.; Hunter, L.; Hoggard, N. (2000):** Placental leptin in normal, diabetic and fetal growth- retarded pregnancies. *Mol Hum Reprod*; 6: 763-9.

References

- Lee, G.H.; Proena, R.; Montez, J.M. et al., (1996):** Abnormal splicing of the leptin receptors in diabetes mice. *Nature*. 1996; 379 : 632 – 635.
- Legradi G, Emerson CH, Ahima RS, Rand WM, Flier JS, Lechan RM(1998):** Arcuate nucleus ablation prevents fasting-induced suppression of ProTRH mRNA in the hypothalamic paraventricular nucleus. *Neuroendocrinology* **68**: 89-97,.
- Lepereq, J.; Challier, J.C.; Guerre-Millo, M.; Cauzac, M.; Vidal, H. and Hauguel-de Mouzon, S. (2001):** Prenatal leptin production: evidence that fetal adipose tissue produces leptin. *J Clin Endocrinol Metab*; 86: 2409- 2143.
- Lepercq J, Gueer-Millo M Andre J, Cauzac M and Mouzon S (2003)** :Leptin : A potential marker of placental insufficiency. *Gynecol Obstet Invest* ; 55: 151-155.
- Lerala DD, Ferreira SR,Miranda WL,Chara AR(2001):** Influence of dexamethazone and weight loss on the regulation of serum leptin levels in obese individuals. *BrazJ Med Bio Res*.34(4):479-487.
- Leroy, P.; Dessolin, S.; Villageois, P.; Moon, B. ; Friedman, J.M. ; Ailhaud, G. et al., (1996) :** Expression of ob gene in adip0ose cells. *J Biol Chem*; 271: 2365-8.
- Levin, N.; Nelson, C.; Gurney, A.; Vandlen R.; and DeSauvage, F. (1996):** Decreased food intake does not completely account for adiposity reduction after ob protein infusion. *Proc. Nalt. Acad. Sci.*, 93 : 1726 – 30.
- Levine, J.A.; Eberhardt, N.L. and Jensen, M.D. (1999):** Leptin responses to overfeeding. Relationship with body fat and nonexercise activity thermogenesis. *J Clin Endocrinol Metab* 84: 2751-4.
- Lewandowski K, Randera R, Cllaaglhlan CJ et al.,(2001):** Free leptin, bound leptin in diabetic pregnancies. *Clin Endocrinol (OXF)*. 54(4):533:539.

References

- Licinio, J.; andrie, B.; Christor, Virginia, et al., (1998):** Sex differences in circulating human leptin pulse amplitude: clinical implications J. Clin. Endocrine. Med; 83 (11): 4140 – 47.
- Licinio, J.; Negrao, Ab Mantzoros, C. et al., (1998):** Synchronicity of frequently sampled 24-h concentrations of circulating leptin. Ih and estradiol healthy women proc. natt. Acad. Sci. usa; 952541 – 2546.
- Lim, Y.L.; Walters W.A.W. (1979):** Haemodynamics in mild pregnancy induced hypertension. Br. J. Obstet Gynaecol; 86: 198 – 204.
- Lindell, K.; Bennett, P.A.; Itoh, Y.; Robinson, ICAF, Carlsson, LMS, Carlsson, B. (2001):** Leptin receptor 5` untranslated regions in the rat : relative abundance, genomic organization and relation to putative response elements. Mol. Cell Endocrinol., 172 : 37 – 45.
- Linnemann, K.; Malek, A.; Sager, R.; Blum, W.F.; Schneider, H. and Fusch, C. (2000):** Lptin production and release in the dually in vitro perfused human placenta. J Clin Endocrinol Metab; 85: 4298-301.
- Lisset CA, Clayton PE, Shart SM(2001):** Lepton response to growth hormone . J Clin Endocrinol Metab 86(9) 4412-4415
- Liston WA ,KilpatricDC (1991):** Is genetic susceptibility to preeclampsia conferred by homozygosity for the same single recessive gene in moter and fetus? Br J Obstet Gynecol98: 1079-1086
- Liu Q, Bai C, Chen F, Wang RP, Macdonald T, GU Mc, Zhang Q, Morsy MA, Caskey CT(1998):** Uncoupling protein-3: a muscle-specific gene upregulated by leptin in ob/ob mice. *Gene* 207: 1-7,.
- Livingston JC, Barton JR, Park V, Haddad B, Phillips O, Sibai BM (2001):** Maternal and fetal inherited thrombophilias are not related to the development of severe preeclampsia. Am J Obstet Gynecol 185: 153–157

References

- Lockwood, C.J. and Peters, J.H. (1990):** Increased plasma levels of ED1 and cellular fibronectin precede the clinical signs of pre-eclampsia. *Am. J. Obstet. Gynecol.* 162 (2): 358 – 62.
- Lonnqvist, F.; Arner, P.; Nordors, L. and Schalling, M. (1999):** Over-expression of the obese (ob) gene in adipose tissue of human obese subjects. *Nature Med.* 1: 950- 953.
- Lopez M, Seoane L, Garcia MC, Lago F, Casanueva FF, Senaris R, Diguez C(2000):** Leptin regulation of prepro-orexin and orexin receptor mRNA levels in the hypothalamus. *Biochem Biophys Res Commun* 269: 41- 45,.
- Lowe DT (2000):** Nitric oxide dysfunction in the pathophysiology of preeclampsia. *Nitric Oxide* 4: 441–458.
- Luukkaa V, Pesonen U, Huhtanlempi I, Lehtonen A, (1998):** Inverse correlation between serum testosterone and leptin in men. *J Clin Endocrinol Metab.* 83(9) 3243-3246
- Macara, L.; Kingdom, J.C.; Kaufmann, P. et al., (1996):** Structural analysis of placental terminal villi from growth restricted pregnancies with abnormal umbilical artery Doppler waveforms. *Placenta*; 17: 37-48.
- Macarthy, J.F; Misra, D.N. and Roberts, J.M. (1999):** Maternal plasma leptin is increased in pre-eclampsia and positively correlates with fetal cord concentration. *Am. J. Obstet. Gynecol.*, 180, 731 – 736.
- Machinal – Quelin, F.; Dieudonne, M.N.; Pecquery, R.; Leneuve, M.C. and Guidicelli, Y. (2002):** Direct in vitro effects of androgens and estrogens on ob gene expression and leptin secretion in human adipose tissue. *Endocrine*, 18 : 179 – 184.
- Madej T, Boguski MS, Bryant SH(1995):** Threading analysis suggests that the obese gene product may be a helical cytokine. *FEBS Lett.* 373: 13-18,.
- Maffei M, Halaas J, Ravussin E, Pratley RE, Lee GH, Zhang Y, Fei H, Kim S, Lallone R, Ranganathan S, Kern PA,**

References

- Friedman JM(1995):** Leptin levels in human and rodent: measurement of plasma leptin and ob RNA in obese and weight-reduced subjects. *Nat Med* **1**: 1155-1161,.
- Mandelonde, T. (2003):** Use of phytoestrogens after breast cancer. *Gynecol. Obstet, Fertil.* 31 (7-8) : 668 – 672.
- Mantzoros CS, Varvarigou A, Kaklamani VG, Beratis NG, Flier JS(1997d):** Effect of birth weight and maternal smoking on cord blood leptin concentrations of full-term and preterm newborns. *J Clin Endocrinol Metab* **82**: 2856-2861,.
- Mantzoros C, Flier JS, Lesem MD, Brewerton TD, Jimerson DC(1997b):** Cerebrospinal fluid leptin in anorexia nervosa: correlation with nutritional status and potential role in resistance to weight gain. *J Clin Endocrinol Metab* **82**:1845-1851,.
- Mantzoros CS, Dunaif A, Flier JS(1997c):** Leptin concentrations in the polycystic ovary syndrome. *J Clin Endocrinol Metab* **82**: 1687-1691,.
- Mantzoros CS, Rosen HN, Greenspan SL, Flier JS, Moses AC(1997a):** Short-term hyperthyroidism has no effect on leptin levels in man. *J Clin Endocrinol Metab* **82**: 497-499,.
- Marková M, Haluzík M, Svobodová J, Rosická M, Nedvídková J, Haas T(2000):** Serum leptin levels in patients with sideropenic and pernicious anemia: the influence of anemia treatment. *Physiol Res* **49**: 679-684,.
- Martinez- Abundis, E.; Gonzalez-Ortiz, M. and Pascoe- Gonzalez, S. (2000) :** Serum leptin levels and the severity of preeclampsia. *Arch Gynecol Obstet*; 264: 71-3.
- Mastronardi CA, Walczewka, Yu WH, Karmath S(2000):** The possible role of prolactin in the circadian rhythm of leptin secretion in male rats .*Proc Soc Exp Biol Med.*224(3):152-158.

References

- Mastuda, J.; Yokota, I.; Iida, M. et al., (1997):** Serum leptin concentration in cord blood: relationship to birth weight and gender. *J Clin Endocrinol Metab*; 82: 1642-4.
- Masuzaki H, Hosoda K, Ogawa Y, Shigemoto M, Satoh N, Mori K, Tamura N, Nishi S, Yoshimasa Y, Yamori Y, Nakao K(1996):** Augmented expression of obese (ob) gene during the process of obesity in genetically obese-hyperglycemic Wistar fatty (fa/fa) rats. *FEBS Lett* **378**: 267-271,.
- Masuzaki, H.; Ogawa, Y.; Sagawa, N.; Hosoda, K.; Matsumoto, T.; Mie, H.; Nishimura, H.; Yoshimasa, Y.; Tanaka, I.; Mori T. and Nakao, K. (1997):** Nonadipose tissue production of leptin: leptin as a novel placenta-derived hormone in humans. *Nat. Med.* 3 (9): 1029 – 33.
- Matarese G (2000):** Leptin and the immune system: how nutritional status influences the immune response. *Eur Cytokine Netw* **11**: 7-14,.
- Matson CA, Reid DF, Cannon TA, Ritter RC(2000):** Cholecystokinin and leptin act synergistically to reduce body weight. *Am J Physiol* **278**: R882- R1890,.
- Matson CA, Wiater MF, Kuijper JL, Weigle DS:** Synergy between leptin and cholecystokinin (CCK) to control daily caloric intake. *Peptides* **18**: 1275-1278, 1997.
- Matson, C.A.; Wiater, M.F. and Weigle, D.S. (1996):** Leptin and the regulation of body adiposity. *Diabetes Reviews*, 4(4): 488 – 508.
- McClamrock HD; Adashi EY (1992):** Gestational hyperandrogenism. *Fertil terilFeb*;57(2):257-74.
- McClamrock, HD, Adashi, EY(1996):** Gestational hyperandrogenism. In: *Reproductive Endocrinology, Surgery, and Technology*, Adashi, EY, Rock, JA, Rosenwaks, Z (Eds), Lippincott-Raven, Philadelphia. p. 1612.

References

- McCrohen JA, Jessup W, Handelsman DJ, Celermajer DS(1999) .**
Androgen exposure increases human monocyte adhesion to vascular endothelium and endothelial cell expression of vascular cell adhesion molecule -1. *Circulation*; 99: 2317-22.
- McDonald, J.K.; Lumpkin, M.D. and DePaolo, V. (1999):**
Neuropeptide Y suppresses pulsatile secretion of LH in ovariectomized rats: Possible site of action. *Endocrinology* 125 : 1860 – 91.
- McDonald PC, Silitari PK (1965):** Origin of estrogen in women with an anencephalic fetus. *J Clin Invest* 44:65-74.
- Mcgregor GP, Desaga JF, Ehlenz K, Fisher A, Heese F, Hegele A, Lammer C, Peiser C, Lang RE(1996):** Radioimmunological measurement of leptin in plasma of obese and diabetic human subjects. *Endocrinology* **137**: 1501-1504,.
- Mclaughlin CL, Baile CA, (1981):** Obese mice and the satiety effects of cholecystokinin, bombesin and pancreatic polypeptide. *Physiol Behav* **26**: 433-437.
- McCarthy, J.F.; Misra, D.N.; Roberts, J.M. (1999):** Maternal plasma leptin is increased in preeclampsia and positively correlates with fetal cord concentration. *Am J Obstet Gynecol*; 180: 731-6.
- Mcminn JE, Sindelar DK, Havel JP, Schwartz MW(2000):**
Leptin deficiency induced by fasting impairs the satiety response to cholecystokinin. *Endocrinology* **141**: 4442-4448,.
- Meinhardt U, Mullis PE(2002):** The essential role of aromatase P450 arom. *Semin Reprod Med* 20: 277-84
- Merabet E, Dagogo-Jack S, Coyne DW, Klein S, Santiago JV, Hmiel SP, Landt M (1997):** Increased plasma leptin concentration in end-stage renal disease. *J Clin Endocrinol Metab* **82**: 847-850,.
- Meskin J, O Learly (1990):** Investigation of the interferences in testosterone assays of female sera . *Clin Biochem* 11:127

References

- Meyer, C.; Robsbn, D.; Ractovsky, Nnadkarni, V.; Gerich, J.; (2000):** Role, of Kidney in leptin metabolism . Am. J. Phsio. 273 : 903 – 7.
- Mick GH, Wang X, Ling FC, McCormiek KL(2000):** Inhibition of leptin secretion by insulin and metformin in cultured rat adipose tissue tissue. Biochem biophys Acta.15: 1502(3):426-432.
- Miell JP, Englaro P,Blum WF(1996):**Dexamethasone induces an acute and sustained rise in circulating leptin levels in normal human subjects . Horm Metab Res. 28(12): 704-707.
- Milewich, L, Gomez-Sanchez, C, Madden, JD, et al(1978).** :Dehydroisoandrosterone sulfate in peripheral blood from premenopausal, pregnant and postmenopausal women and men. J Steroid Biochem; 9:1159.
- Milewich, L. and Whisenant, M.G. (1982):** Metabolism of androstenedione by human platelets: a source of potent androgens. J Clin Endocrinol Metab; 54:969-74.
- Miller N.R.; Garry, D.; Cohen, H.W.; Figueroa, R. (2003):** Serum androgen markers in preeclampsia J. Repord Med Apr.; 48 (4): 225 – 9.
- Mise, H.; Sagawa N.; Matsumoto, T.; Yura, S.; Nanno, H.; Itoh, H.; Mori T.; Masuzaki, H.; Hosoda K. and Ogawa Y . (1998):** Augmented placental production of leptin in pre-eclampsia: Possible involvement of placental hypoxia. J. Clin. Endocrinol. Metab., 83, 3225 – 3229.
- Misiani R, Marchesi Dand Tiraboschi G(1991):** Urinary albumin excretion in normal pregnancy and pregnancy induced hypertension. Nephron,59:416,.
- Misra, M.; Miller, K.K.; Almazan, C.; Ramaswamy, K.; Aggarwal, A.; Herzog, D.B.; Neubauer, G.; Breu, J. and Klibanski, A. (2004):** Hormonal and body composition predictors of soluble leptin receptor, leptin, and free leptin index in adolescent girls with anorexia nervosa and controls ith relation to insulin sensitivity. J. Clin. Endocrinol. Metab., 89 : 3486 – 3495.

References

- Mix H, Manns MP, Wagner S, Widjaja A, Brabant G(1999):** Expression of leptin and its receptor in the human stomach. *Gastroenterology* **117**: 509,.
- Mizuno TM, Kleopoulos SP, Bergen HT, Roberts JL, Priest CA, Mobbs CV(1998):** Hypothalamic pro-opiomelanocortin mRNA is reduced by fasting in ob/ob and db/db mice, but is stimulated by leptin. *Diabetes* **47**: 294-297,.
- Moharram AE and Raslan HN (2004):** Leptin level in women with endometrial carcinoma. *Ain Shams Medical journal* Vol. 55 No. 4, 5, 6.
- Moncada, S.; Grylewski, R. Bunting, S.; Vane, J.R. (1976):** An enzyme that transforms prostaglandin endoperoxides to an unstable substance that inhibits platelet aggregation. *Nature*. 263 – 665.
- Monson JP(2001):** Biochemical markers of individual response to growth hormone replacement in adults. *Horm Res*.56 suppl2:49-54.
- Montague CT, Prins JB, Sander SL, DigbyJE(1997):** Depot and sex-specific differences in human leptin mRNA expression . *Diabetes*.46:342-347.
- Moore, L.E.; Wallace, K.L.; Alexander, B.T.; May, W.L.; Thigpen, B.D. and Bennet, W.A. (2003):** Reduced placental perfusion causes an increase in maternal serum leptin. *Placenta*, 24 : 877 – 881.
- Morash, B.A.; Ur, E.; Wilkinson, M. (2001):** Pituitary leptin gene expression is reduced by neonatal androgenization of female rats. *Pituitary*, 4 : 63 – 70.
- Morley JE:** Neuropeptide regulation of appetite and weight. *Endocr Rev* **8**: 256-287, 1987.

References

- Morroni, M. DeMatteis, R.; Palumbo, C.; Ferretti, M.; Villa, I.; Rubinacci, A.; Cinti, S. and Marotti, G. (2004):** In vivo leptin expression in cartilage and bone cells of growing rats and adult humans. *J Anat*; 205-291- 296.
- Muller G, Ertl G, Gerl M, Preibisch G(1997):** Leptin impairs metabolic actions of insulin in isolated rat adipocytes. *J Biol Chem* 272: 10585-10593,.
- Muttukrishna, S.; Knight, P.G.; Groome, N.P.; Redman, C.W. and Ledger, W.L. (1997):** Activin a and inhibin a as possible endocrine markers for preeclampsia. *Lancet*; 349-1286-8.
- Myer LS, Dixen J, Morrisette D, Carmichael M & Davidson JM. (2004):** Effects of estrogen, androgen, and progestin on sexual psychophysiology and behavior in postmenopausal women. *Journal of Clinical Endocrinology and Metabolism* 70 1124–1131.
- Nakamura, T.; Ito, M.; Yoshimura, T.; Mabe, and Okamura, (1992):** Usefulness of urinary microalbuminuria creatinine ratio in preceding pre-eclampsia-induced hypertension. *Am. J.Obstet. Gynecol.* 37: 99 – 103.
- Nakamura T, Nagasaka S,Ishikawa et al.,(2000):** Association of hyperthyroidism with serum leptin levels . *Metabolism*49:1285:1288.
- Nasr Aldin MA, Moussa K. Hashad AN and Hamed GM. (2003):** Serum leptin and insulin resistance in preeclamptic pregnancy. *Ain Shams Medial Journal.* Vol. 54 No. 7, 8 ,9.
- Nedvídková J, Haluzík M, Schreiber V:** The decrease in serum leptin levels in estrogen-treated male mice. *Physiol Res* 46: 291-294, 1997.
- Nicklas BJ, Tomoyaso N, Muir J, Goldberg AP(1991):** Effects of cigarette smoking and its cessation on body weight and plasma leptin levels . *Metabolism* 48:804-808

References

- Nillni EA, Vaslet C, Harris M, Hollenberg AN, Bjorbaek C, Flier JS:** Leptin regulates prothyrotropin-releasing hormone biosynthesis: evidence for direct and indirect pathways. *J Biol Chem* **275**: 36124-36133, 2000.
- Nonogaki K(2000):** New insights into sympathetic regulation of glucose and fat metabolism. *Diabetologia* **43**: 533-549,. Nutrition, 130:3127-3131.
- O'Donnell CP, Tankersley CG, Polotsky VP, Schwartz AR, Smith PL(2000):** Leptin, obesity, and respiratory function. *Respir Physiol* **119**: 163-170.
- O'Brien M, Dausset J, Carosella ED, Moreau P (2000) :** Analysis of the role of HLA-G in preeclampsia. *Hum. Immunol* **61**: 1126–1131
- O'Brien WF(1990):** Predicting preeclampsia; *Obstet Gynecol* ,65 :445,
- Odegard, R.A.; Vatten, L.J.; Nilsen, S.T.; Salvesen, K.A. and Austgulen, R. (2002):** Umbilical cord plasma leptin is increased in preeclampsia. *Am J Obstet Gynecol*; 186: 427-432.
- Odendaal HJ, Pattinson RC, Bam R,(1990):** Aggressive or expectant management for patients with severe preeclampsia between 28-34 weeks gestation: a randomized controlled trial. *Obstet Gynecol*; 76:1070-5.
- Ogueh O, Sooranna S, Nicolaides KH, Johnson MR:** The relationship between leptin concentration and bone metabolism in the human fetus. *J Clin Endocrinol Metab* **85**: 1997-1999, 2000.
- Oktem, O.; Dedeoglu, N.; Oymak, Y.; Sezen, D.; Koksak, L.; Pekin, T.I Gokaslan, H. and Kavak, Z.N. (2004):** Maternal serum, amniotic fluid and cord leptin levels at term : their correlations with fetal weight. *J. Perinat Med.*, 32 : 226 – 271.
- O'Leary P, Boyne P, Flett P, Beilby J, and I James 1991):** Longitudinal assessment of changes in reproductive hormones during normal pregnancy. *Clin Chem* **37**: 667-672

References

- Oomura Y, Ono T, Ooyama H, Wayner MJ(1969):** Glucose and osmosensitive neurons of the rat hypothalamus. *Nature* **222**: 282-284,.
- Ostuland RF, Yang JW, Klein S, Gingrich RL (1996):** Relation between plasma leptin concentration body fat, gender , diet, age, and metabolic covariates. *J Clin Endocrinol Metab.* 81:3909-3913.
- Ozata M, Ozisik G, Bingol N, Corakci A, Gundogan MA(1998):** The effects of thyroid status on plasma leptin levels in women. *J Endocrinol Invest* **21**: 337-341,.
- Ozet A, Arpaci F, Yimaz MI, Ayata H(2001):** Effects of tamoxifen on the serum leptin level in patients with breast cancer. *J Clin Oncol.* 31(9):424-427.
- Page E.W. and Christianson R. (1976):** The importance of mean arterial pressure in the middle trimester upon the outcome of pregnancy. *Am. J. Obstet. Gynecol.* 125 : 740.
- Page EW(1972):** On the pathogenesis of preeclampsia and eclampsia. *J Obstet Gynecol Br Commonw*, 79:883,.
- Pang SY et al.,(1987):** Hirsutism , polycystic ovarian disease , and 17 ketosteroid reductase deficiency . *N Eng J Med*, 316 :1295
- Papasprou-Rao S, Schneider SH, Petersen RN, Fried SK(1997):** Dexamethasone increases leptin expression in humans in vivo. *J Clin Endocrinol Metab* **82**: 1635-1637,.
- Parasrampur J, Schwartz K & Petesch R. (1998):** Quality control of dehydroepiandrosterone dietary supplement products. *Journal of the American Medical Association* **280** 1565.
- Pearlman, WH, Crepy, O, Murphy, M (1967).** :Testosterone-binding levels in the serum of women during the normal menstrual cycle, pregnancy, and the post-partum period. *J Clin Endocrinol Metab*; 27:1012.

- Pelkeymounter, M.A.; Cullen M.J.; Baker, M.B. Hecht, R.; Winters, D.; Boone T. and Collins F. (1995):** Effects of the obese gene product on body weight regulation in ob/ob mice. *Science* 269 : 540 – 543.
- Petersen, S.; Gotfredsen, A. and Knudsen, F.U. (1988):** Lean body mass in small for gestational age and appropriate for gestational age infants. *J Pcdiatr*; 113: 886-889.
- Petriduo, E.; Mantzoros, C.S.; Belechri, M.; Skalkidou, A.; Dessaypris, N.; Papathoma, E. et al. (2005):** neonatal leptin levels are atongly associated with femal gender, birth length, IGF-1 levels and formula feeding. *Clin Endocrinol (OxF)*; 2: 366- 371.
- Phillips BG, Kato M, Narkiewicz K, Choe I, Somers VK(2000):** Increases in leptin levels, sympathetic drive, and weight gain in obstructive sleep apnea. *Am J Physiol* 279: H234-H237,.
- Pigny, P.; Cortet- Rudelli, C.; Duhamel, A.; Deroubaix- Allard, D.; Racadot, T.; Dewilly, D. (1997):** Serum alpha-inhibin levels in polycystic ovarian syndrome: relationship to the serum androstenedione level. *J Clin Endocrinol Metab*; 82: 1939-43.
- Pigny, P.; Cortet- Rudelli, C.; Duhamel, A.; Deroubaix-Allard, D.; Racadot, A. and Dewailly, D. (1997):** Relationship to the serum androstenedione level. *J Clin Endocrinol Metab*; 82: 1939- 43.
- Pinkney JH, Goodrick SJ, Katz J, Johnson AB, Lightman SL, Coppack SW, Mohamed-Ali V:** Leptin and the pituitary-thyroid axis: a comparative study in lean, obese, hypothyroid and hyperthyroid subjects. *Clin Endocrinol* 49: 583-588, 1998.
- Preeclampsia foundation (2003)statistics . www.preeclampsia.org**
- Procianoy, R.S.; Cecin, S.K. (1986):** Umbilical cord dehydroepiandrosterone sulfate and cortisol levels in preterm infants born to preeclamptic mothers. *Acta pediatr Scand*; 75: 279-82.

References

- Qiu, C.; Williams, M.A.; Vadachkoria, S.; Frederick, I.O.; Luthy, D.A. (2004):** Increased maternal plasma leptin in early pregnancy and risk of gestational diabetes mellitus. *Obstet. Gynecol.*, 103 : 519 – 525.
- Quinton ND, Smith RF, Claybn(1999):** Leptin binding activity changes with age : the link between leptin and puberty . *J Endocrinol Metab* 84(7) : 2336-2341.
- Radaelli, T.; Varastehpour, A.; Catalano, P. and Hauguel – de Mouzon, S. (2003):** Gestational diabetes induces placental genes for chronic stress and inflammatory pathways. *Diabetes*, 52 : 2951 – 2958.
- Radon, P.A.; McMahan, M.J. and Meyer, W.R. (1999):** Impaired glucose tolerance in pregnant women with polycystic ovary syndrome. *Obstet Gynecol*; 94:194-7.
- Ramsay, T.G. and Richards, M.P. (2004):** Hormonal regulation of leptin and leptin receptor expression in porcine subcutaneous adipose tissue. *J. Anim Sci.*, 82 : 3486 – 3492.
- Rauch M, Riediger T, Schmid HA, Simon E(2000):** Orexin A activates leptin-response neurons in the arcuate nucleus. *Pflugers Arch* 444: 699-703,.
- Ravelich, S.R.; Shelling, A.N.; Ramachandran, A.; Reddy, S. Keelan, J.A.; Wells, D.N.; Peterson, A.J.; Lee, R.S.F. and Breier, B.H. (2004):** Altered placental lactogen and leptin expression in placentomes from bovine nuclear transfer pregnancies. *Biol Reprod*, 71: 1862 – 1869.
- Recklof JF, Granger JP, (1999):** Role of androgen in mediating hypertension and renal injury . *Clin Exp Pharmacol Physiol*, 26: 127-31.
- Redman, CWG and Jefferies M (1988) :** Revised definition of preeclampsia . *The Lancet* 1: 809

References

- Reitman M L, Bi S, Marcus-Samuels B. and Gavrilova O. (2001) :** Leptin and its role in pregnancy and fetal development – an overview. *Biochemical Society Transactions* Volume 29, part 2.
- Reidy, S.P. and Weber, H.M. (2000):** Leptin : an essential regulator of lipid metabolism. *Comp. Biochem. Physiol. A Mol. Integr. Physiol.*, 125 : 285 – 298.
- Remeasr, X.; Rafecas I.; Fernandez-lopez J.A. and Alemany, M. (1997):** Is leptin an insulin counter- regulatory hormone? *FEBS Lett.* 402 : 9 – 11. Reverse- obesity in ob/ob mice, *int. J. obes.* 10: 91 – 8.
- Rentsch J, Chiesi M(1996):** Regulation of ob mRNA levels in cultured adipocytes. *FEBS Lett* **379**: 55-59,.
- Richard D(1993):** Involvement of corticotropin-releasing factor in the control of food intake and energy expenditure. *Ann N Y Acad Sci* **697**: 155-172,.
- Rivarola, MA, Forest, MG, Migeon, CJ(1968).** :Testosterone, androstenedione and dehydroepiandrosterone in plasma during pregnancy and at delivery: concentration and protein binding. *J Clin Endocrinol Metab*; 28:34.
- Roberto, J.; Teppa, Roberta, B.; Ness, William, R. Crombleholme. And James M. Roberts. (2000):** Free leptin is increased in normal pregnancy and further increased in pre-eclampsia, *Metabolism.* Aug; 49 (8): 1043 – 8.
- Robillard, P.Y.; Dekker G.A. and Hulsey T.C. (1998):** Primiparemities in families: is the incidence of pregnancy induced hypertensive disorders. *Aust. Nzt Obstet. Gynecol.* 38 (3) : 284 – 7.
- Rochat, R.W.; Koonin, L.M.; Artrash, H.K. and Jeweet, J.F. (1988):** Maternal mortality in the United states: report from the Maternal Mortality collaborative. *Obstet Gynecol*; 72: 91-7.
- Roger W. Turnel (2004) :** Preeclampsia: Reproductive Medicine and Urology Block – 2004, November 24, 2004 08h00 – 10h00

References

- Rogol, A.D. (1998):** Leptin and puberty. *J. Clin. Endocrinol Metab.* 83 (4): 1089 – 90.
- Rohner JF (1999):** Neuroendocrine regulation of nutrient partitioning. *Ann NY Acad Sci*; 892:261-71.
- Romero, R. Lockwood, C. Oyarzun, E.; Hobbins, J.C. (1988):** Toxaemia. New concepts in old disease. *Semin Perinatol*; 12 : 302 – 323.
- Ronnaug, A.; Odegard, Lars, J.; Vatten, Stein Tore Nilsen, Kjell, A.; Salvesen, and Rigmor, Austgulen. (2002):** Umbilical cord plasma leptin is increased in pre-eclampsia. *Am. J. Obstet Gynecol.* March.
- Rosa, Senaris, Tomas Gurae Caballero, Xesus Casbiell, et al., (1997):** Synthesis leptin in human placenta. *Endocrinology*, 138 : 4501 – 4504.
- Rosenbaum M, Nicolson M, Hirsch J, Heymsfield SB, Gallagher D, Chu F, Leibel RL(1996):** Effects of gender, body composition, and menopause on plasma concentrations of leptin. *J Clin Endocrinol Metab* 81: 3424-3427,.
- Ross, M.G. and Desai, M. (2005):** Gestational programming : population survival effects of drought and famine during pregnancy. *Am. J. Physiol. Regul. Integr. Comp. Physiol.*, 288 : R97 – R103.
- Rouru J, Anttila L, Koskinen P, Penttilä TA, Irjala K, Huupponen R, Koulou M:** Serum leptin concentrations in women with polycystic ovary syndrome. *J Clin Endocrinol Metab* 82: 1697-1700, 1997.
- Ryan, A.S. and Elahi, D. (1999):** The effects of acute hyperglycemia and hyperinsulinemia and plasma leptin levels: Its relationships with body fat, visceral adiposity, and age in women, *J. Clin. Endocrinol-Metab.* 81 : 4433 – 38.

- Ryan KJ (1959):** Aromatisation of steroids . J Biol Chem 234:268-72.
- Saad, M.F.; Maggy, G.R.; Arshad K.; Alok S. et al., (1998):** Diurnal and ultradian rhythmicity of plasma leptin: effects of gender and adiposity. J. Clin. Endocrinol Metab., 83 (2) : 453. 59.
- Saez, JM, Forest, MG, Morera, AM, Bertrand, J (1972):** Metabolic clearance rate and blood production rate of testosterone and dihydrotestosterone in normal subjects, during pregnancy, and in hyperthyroidism. J Clin Invest; 51:1226.
- Sakurai T, Amemiya A, Ishii M, Matsuzaki I, Chemelli RM, Tanaka H, Williams SC, Richardson JA, Kozlowski GP, Wilson S, Arch JR, Buckingham RE, Haynes AC, Carr SA, Annan RS, McNulty DE, Liu WS, Terrett JA, Elshourbagy NA, Bergsma DJ, Yanagisawa M (1998):** Orexin and orexin receptors: a family of hypothalamic neuropeptides and G protein-coupled receptors that regulate feeding behavior. *Cell* 92: 573-585.
- Salah N, Hamed GM and Abou El-Naga G (2004):** Role of leptin on bone loss secondary to ovariectomy. Ain Shams Medical Journal Vol. 55 No. 7, 8, 9.
- Salamalekis E.; Bakas, P.; Vitoratos, N.; Eleftheria dis M.; Creatsas G.; (2005):** Androgen levels in the third trimester of pregnancy in patients with preeclampsia. Eur. J. Obstet Gynecol Reprod. Biol. Aug. 31 (Epub ahead of print).
- Salvatore, M. Gennarelli, G.; Menato, G.; Massobrio, M. et al. (2006):** Leptin as a possible marker of augmented metabolic risk during pregnancy. Minerva Ginecol. Feb.; 58 (1) : 1-10.
- Sanchez-Ramos, L.; Sandioni, S. and Stern, W. (1987):** Umbilical velocity wave ratio in pregnancy. Am. J. Obstet. Gynecol 985 – 989.

- Sarraf P, Frederich RC, Turner Em, Ma G, Jaskowiak NT, Rivet DJ, Flier Js, Lowell BB, Fraker DL, Alexander HR(1997):** Multiple cytokines and acute inflammation raise mouse leptin levels: potential role in inflammatory anorexia. *J Exp Med* **185**: 171-175,.
- Sasi K, Obaka H, Melori S(1999):** Effect of age , gender, and body fat distribution on serum leptin concentration . *Am J Clin Nutr.*36(12): 874-880.
- Satoh N, Ogawa Y, Katsuura G, Tsuji T, Masuzaki H, Hiraoka J, Okazaki T, Tamaki M, Hayase M, Yoshimasa Y, Nishi S, Hosoda K, Nakao K(1997):** Pathophysiological significance of the obese gene product, leptin, in ventromedial hypothalamus (VMH)-lesioned rats: evidence for loss of its satiety effect in VMH-lesioned rats. *Endocrinology* **138**: 947-954,.
- Sattar, N.; Greer, I.A.; Pitwani, I.; Gibson, J. and Wallace, A.M. (1998):** Leptin leels in pregnancy: marker for fat accumulation and mobilization? *Acta Obstet Gynecol Scand*; 77: 278-83.
- Sawchenko PE, Brown ER, Chan RK, Ericsson A, Li HY, Roland BL, Kovacs KJ (1996):** The paraventricular nucleus of the hypothalamus and the functional neuroanatomy of visceromotor responses to stress. *Prog Brain Res* **107**: 201-222,.
- Schafroth U, Godang K, Ueland T, and ollersievJ(2001):**Leptin response to endogenous acute stress is independent of pituitary function . *Eur J Endocrinol* .145(3): 295-301.
- Schubring C, Kiess W, Englaro P, Rascher W, Dotsch J, Hanitsch S, Attanasio A, Blum Wf (1997):** Levels of leptin in maternal serum, amniotic fluid, and venous and arterial cord blood: relation to neonatal and placental weight. *J Clin Endocrinol Metab* **82**: 1480-1483,.

References

- Schulz, Z.; Hackel, C. and Weise, W. (2000):** Hormonal regulation of neonatal weight: placental leptin and leptin receptors. *BJOG*, 107 : 1486- 1491.
- Schwartz MW, Peskind E, Raskind M, Boyko EJ, Porte D(1996):** Cerebrospinal fluid leptin levels: relationship to plasma levels and to adiposity in humans. *Nat Med* 2: 589-593,.
- Schwartz, M.W.; Figlewicz D.P.; Baskin, D.G.; Woods S.C.; Porte D.J.R. (1992):** Insulin in the brain: a hormonal regulator of energy balance *Endocrine Rev.* 13 : 387 – 414.
- Schwartz, M.W.; Seeley, R.J.; Campfield L.A.; Burn, P. (1996):** Dentification of targets of Leptin action in rat hypothalamus. *J. Clin Invest.*; 98 : 1101 – 09.
- Schwartz, M.W.; Sipols, A.J. and Kahu, S.E. (1990):**Kineties and specificity of insulin uptake from plasma into cerebrospinal fluid. *Am. J. Physiol.* 259: E378 – 83.
- Scoeller, D.A.; Cella, L.K.; Sinha, M.K.; Caro, J.F. (1997):** Entailment of the diurnal rhythm of plasma leptin in meal timing. *J. Clin.Invest.*; 100: 882 – 1887.
- Seeley RJ, Yagaloff KA, Fisher SL, Burn P, Thiele TE, Van Dijk G, Baskin DG, Schwartz MW(1997):** Melanocortin receptors in leptin effects. *Nature* 390: 349,.
- Sehriehoffer, D.; Amico, J. and Cameron, J. (1998):** Reversal of fasting-induced suppression of luteinizing hormone (LH) secretion in male rhesus monkeys by intragastric nutrient infusion : evidence for rapid stimulation of LH by nutritional signals. *Endocrinology* 13 : 1890 – 7.
- Sen C ,Madazh R, KavuzuluC, Ocak V, and Tolun(1994):** The value of antithrombin 111 and fibronectin in hypertensive disorders of pregnancy . *J perinatol Med*, 22:29,.
- Senaris R, Garcia-Cabbalaero T, Casabiell X, Gallego R, Castro R, Considine RV, Dieguez C, Casanueva FF(1997):** Synthesis of leptin in human placenta. *Endocrinology* 138: 4501-4504,.

References

- Serdar, A.; Gur, E.; Develioglu, O. ; Colakogullart, M. ; Dirican, M. (2002) :** Placental and decidual lipid peroxidation and antioxidant defenses in preeclampsia lipid peroxidation in preeclampsia. *Pathophysiology* 2002; 9: 21-5.
- Serin, I.S.; Kula, M.; Basbug, M.; Unluhizarici, K.; Gucer, S. and Tayyar, M. (2001):** Androgen levels of preeclamptic patients in third trimester of pregnancy and six weeks after delivery. *Acta Obstet Gynecol Scand*; 80:1009-13.
- Serradeil, L.E.; Gal. C.; Ran, Fast, O.; Brossard, G.; Ponzet, B.; Mortry, E.; Maffrand, J.P. Le-Fur. G. (1999):** Characterization and locations of leptin receptors in the rat kidney. *FES Lett.*; 404: 185 – 91.
- Shek EW, Brands MW, Hall JE(1998):** Chronic leptin infusion increases arterial pressure. *Hypertension* 31: 409-414,.
- Sheppard, B.L. and Bonnar, J. (1981):** An ultrastructural study of utero- placental spiral arteries in hypertensive and normotensive pregnancy and fetal growth retardation. *Br J Obstet Gynaecol*; 88:695-705.
- Shimanukuro, M.; Koyama, R.; Chen, G. et al., (1997):** Direct antidiabetic effect of leptin through triglyceride depletion of tissue. *Proc Natl Acsd Sci. USA*; 94 : 4637 – 41.
- Shiraishi T, Oomura Y, Sasaki K, Wayner MJ(2000):** Effects of leptin and orexin-A on food intake and feeding related hypothalamic neurons. *Physiol Behav* 71: 251-261,.
- Shortle BE; Warren MP; Tsin D:** Recurrent androgenicity in pregnancy: a case report and literature review. *Obstet Gynecol* 1987 Sep;70(3 Pt 2):462-6.
- Sibai-Baha, M. (1988):** Pitfalls in diagnosis and management of pre-eclampsia. *Am. J. Obstet. Gynecol.* 159 (1) : 1-5.
- Sicrra – Honigmann, M.R.; Nath, A.K.; Murakami, C. et al., (1998):** Biloligical action of leptin as an angiogenic factor. *Science*; 281: 1683-1686.

References

- Simon C, Gronfier C, Schlienger JL, Brandent G(1998):** Circadian and ultradian variations of leptin in normal man under continuous internal nutrition :Relationship to sleep and body temperature. *J Clin Endocrinol Metab* 83(6):1893-1899.
- Sinha MK, Considine RV(1996) :** Decreased cerebrospinal-fluid/serum leptin ratio in obesity: a possible mechanism for leptin resistance. *Lancet* 348: 159-161,.
- Sinha MK, Opentanova I, Ohannesian JP, Kolaczynski JW, Heiman ML, Hale J, Becker GW, Bowsher RR, Stephens TW, Caro JF(1996):** Evidence of free and bound leptin in human circulation. Studies in lean and obese subjects and during short-term fasting. *J Clin Invest* 98: 1277-1282,.
- Sinha, M.K. (1997):** Human leptin: the hormone of adipose tissue. *Eur J Endocrinol* 1997; 136: 461-4.
- Sinha, M.K. ; Ohannesian, J.Heiman, M.L.; et al., (1996);** Nocturnal rise of leptin in lean, obese, and non insulin-dependent diabetes mellitus subjects. *J. Clin. Invest.*; 97 : 1344 – 1347.
- Sivan, E.; Lin, W.M.; Homko, C.J. Reece, E.A. and Boden, G. (1997):** Leptin is present in human cord blood. *Diabetes*; 46: 917-9.
- Slieker LJ, Sloop KW, Surface PL, Kriauciunas A, Laquier F, Manetta J, Bue-Valleskey J, Stephens TW(1996.):** Regulation of expression of ob mRNA and protein by glucocorticoids and cAMP. *J Biol Chem* 271: 5301-5304,
- Smith FJ, Campfield LA, Moschera JA, Bailon PS, Burn P(1996): :** Feeding inhibition by neuropeptide Y. *Nature* 382: 307, 1996.
- Smith GP, Gibbs J (1994):** Satiating effect of cholecystokinin. *Ann NY Acad Sci* 713: 236-241,.
- Smith-Kirwin S, O'Connor D, DE Johnston J, Lancey ED, Hassink SG, Funanage VL (1998):** Leptin expression in human mammary epithelial cells and breast milk. *J Clin Endocrinol Metab* 83: 1810-1813,.

References

- Soderberg, S.; Olsson, T.; Eliasson, M.; Johnson, O.; Brismar, K.; Carlstrom, K. and Ahren, B. (2001):** A strong association between biologically active testosterone and leptin in non – obese men and women is lost with increasing (central) adiposity. *Int. J. Obes. Relat. Metab. Disord.*, 25 : 98 – 105.
- Soyka LA, Grinspoon S, Levitsky LL, Herzog DB, Klibanski A(1999):** The effects of anorexia nervosa on bone metabolism in female adolescents. *J Clin Endocrinol Metab* **84**: 4489-4496,.
- Sreenan S, Caro JF, Refetoff S(1997):** Thyroid dysfunction is not associated with alterations in serum leptin level. *Thyroid* **7**: 407-409,.
- Stanley, B.G.; Lanthier, D.; Chin, A.S. and Leibowitz, S.F. (1989):** Suppression of neuropeptide Y-elicited eating by adrenalectomy or hypophysectomy reversal with corticosterone. *Brain Res.* 501- 32- 6.
- Steel S.A.; Pearce, J.M.; Mc-Parland, P.; and Chamberlain, G.V. (1990):** Early Doppler ultrasound screen in gin predication of pre-eclampsia. *Lancet* 335 : 1548 – 1551.
- Steel, S.A.; Pearce J.M. and Chamberlain, G.V. (1988):** Doppler ultrasound of the uteroplacental circulation as a screening test for severe pre-eclampsia with intrauterine growth retardation. *Eur. J. Obstet Gynecol. Repord. Biol.* 28 : 279.
- Steier JA, Ulstein M and Myking OL (2002):** Human chorionic gonadotrophin and testosterone in normal and preeclamptic pregnancies in relation to fetal sex. *Obstet Gynecol*; 100: 552-6.
- Stenvinkel P(2000):** Leptin and its clinical implications in chronic renal failure. *Miner Electrolyte Metab* **25**: 298-302,.

- Stephens TW, Basinski M, Bristow PK, Bue-Valleskey JM, Burgett SG, Craft L, Hale J, Hoffmann J, Hsiung HM, Kriauciunas A, Mackellar W, Rosteck PR, Schoner B, Smith D, Tinsley FC, Zhang XY, Heiman M:** The role of neuropeptide Y in the antiobesity action of the obese gene product. *Nature* **377**: 530-532, 1995.
- Stephens TW, Caro JF(1998.):** To be lean or not to be lean. Is leptin the answer? *Exp Clin Endocrinol Diabetes* **106**: 1-15,
- Stock SM, Sande EM, Bremme KA (1999):** Leptin levels vary significantly during the menstrual cycle, pregnancy, and *in vitro* fertilization treatment: possible relation to estradiol. *Fertil Steril* **72**: 657-662,.
- Strack, A.M.; Sebastian, R.J.; Schwartz, M.W. and Dallaman, M.F.;** (1995): Glucocorticoids and insulin: reciprocal signals for energy balance. *Am. J. Physiol.* **268**: R. 142 – 9.
- Strickland DM, Guzick DS, Cox K, Gant NF, RosenfeldCR (1986)** :The relationship between abortion in the first pregnancy and development of pregnancy-induced hypertension in the subsequent pregnancy. *Am J Obstet Gynecol* **154**: 146–148
- Sugden, M.C.; Langdown, M.L.; Munns, M.J.; Holness, M.J. (2001):** Maternal glucocorticoid treatment modulates placental leptin and leptin receptor expression and materno – fetal leptin physiology during late pregnancy, elicits hypertension associated with hyperleptinemia in the early – growth – retarded adult offspring. *Eur. J. Endocrinol.*, **145** : 529 – 539.
- Svedas E, Nisell H, Vanwijck MJ, Nikas Y, Kublickiene KR (2002):** Endothelial dysfunction in uterine circulation in preeclampsia: can estrogens improve it? *Am J Obstet Gynecol* **187**: 1608–1616
- Sven Magnus Carlsen, Pal Romundstad and Geir Jacobsen (2005):** Early second- trimester maternal hyperandrogenemia and subsequent preeclampsia: a prospective study *Acta Obstet Gynecol scand*, February, **84** issue 2, 117.

- Syed MA, Thompson MP, Pachucki J, Burmeister LA(1999):** The effect of thyroid hormone on size of fat depots accounts for most of the changes in leptin mRNA and serum levels in the rat. *Thyroid* **9**: 503-512,.
- Tai ES, Lau TN, Ho SC, Fok AC, Tan CE(2000):** Body fat distribution and cardiovascular risk in normal weight women. Associations with insulin, lipids and plasma leptin. *Int J Obes Relat Metab Disord* **24**: 751-757,.
- Takahashi, N.; Waelput, W.; Guisez, Y. (1999):** Leptin is an endogenous protective protein against the toxicity exerted by tumor necrosis factor. *J Exp Med*: 189- 207-22.
- Tamura, T.; Goldenberg, R.L.; Johnston, K.E. and Cliver, S.P. (1998):** Serum leptin concentration during pregnancy and their relationship, to fetal growth. *Obstet. Gynecol.* **91** (3) : 389 – 95.
- Tanaka, M.; Nakaya, S.; Kumai, T.; Watanabe, M.; Tateishi, T.; Shimizu, H. and Kobayashi, S. (2001):** Effects of estrogen on serum leptin levels and leptin mRNA expression in adipose tissue in rats. *Horm Res*, **56** : 98 – 104.
- Tartaglia LA, Dembski M, Weng X, Deng N, Culpepper J, Devos R, Richards GJ, Campfield LA, Clark FT, Deeds J, Muir C, Sanker S, Moriarty A, Moore KJ, Smutko JS, Mays GG, Woolf EA, Monroe CA, Tepper R(1995)I:** Identification and expression cloning of a leptin receptor, OB-R. *Cell* **83**: 1263-1271,.
- Tartaglia LA(1997):** The leptin receptor *J Biol Chem* **272**: 6093-6096,.
- Terasawa, E. (1998):** Control of luteinizing hormone relaeasing hormone pulse generation in non-human primaters. *Cell Mol. Neurobiot.* **15** (141 – 4.
- Thomas, T.; Gori, F.; Khosla, S.; Jensen, M.D.; Burguera, B. and Riggs, B.L. (1999):** Leptin acts on human marrow stromal cells to enhance to adipocytes. *Endocrinology* **140** : 1630 : 1638.

- Thomsen JK, Storm T, Thamsborg G, de Nully M, Bodker Band Skoouby S (1987):** Atrial natriuretic peptide concentrations in preeclampsia. *Br Med J*, 294:1508,.
- Torday, J.S. and Rehan, V.K. (2002):** Stretch – stimulated surfactant synthesis is coordinated by the paracrine actions of PTHrP and leptin. *Am. J. Physiol. Lung Cell Mol. Physiol.*, 283 : L130 – L135.
- Torday, J.S.; Sun, H.; Wang, L.; Torres, E.; Sunday, M.E. and Rubin, L.P. (2002):** Leptin mediates the parathyroid hormone – related protein paracrine stimulation of fetal lung maturation. *Am. J. Physiol. Lung. Cell Mol. Physiol.*, 282 : L405 – L410.
- Treloar, OL, Wolf, RC, Meyer, RK(1972):**. The corpus luteum of the rhesus monkey during late pregnancy. *Endocrinology*; 91:665.
- Troisi R, Potischman N , Roberts JM, Ness R, et al (2003):** Maternal serum estrogen and androgen concentration in preeclamptic and uncomplicated pregnancies .*Int J Epidemiol.* Jun;32(3):455-60.
- Tulchinsky D, Ryan, KJ(1980):**. Maternal-Fetal Endocrinology. Saunders, Philadelphia,.
- Tulchinsky D, Hobel CJ, Marshal JR (1972):** Plasma estriol , estradiol , progesterone and 17 –hydroxyprogesterone in human pregnancy . Normal pregnancy .*Am J Obstet Gynecol* 112:1095-100.
- Turpeinen AK, Haffner SM, Louheranta AM, Niskanen LK, Miettinen H, Uusitupa MIJ(1997):** Serum leptin in subjects with impaired glucose tolerance in relation to insulin sensitivity and first-phase insulin response. *Int J Obes Relat Metab Disord* 21: 284-287,.
- Uehara Y, Shimizu H, Ohtani K, Sato N, Mori M(1998):** Hypothalamic corticotropin-releasing hormone release is a mediator of the anorexigenic effect of leptin. *Diabetes* 47: 890-893,.

- Urman, B.; Sarac, E.; Dogan, L. (1997):** Pregnancy in infertile PCOD patients: complications and outcome. *J Reprod Med*; 42: 501-5.
- Utriainen T, Malmstrom R, Makimattila S, Yki-kjarvinen H(1996):** Supraphysiological hyperinsulinemia increase lasma leptin concentration after 4 hours in normal subjects *Diabetes*45:1364-1366.
- Valadan M.:. Qadrdooost-Nakhchee, N. and Davari-Tanha, F (2006).:**Androgen Levels In Preeclampsia. *Acta Medica Iranica*, 44(4): 241-245;
- Valcavi R, Zini M, Peino R, Casanueva Ff, Dieguez C(1997):** Influence of thyroid status on serum immunoreactive leptin levels. *J Clin Endocrinol Metab* 82: 1632-1634,.
- Van Goal, L.F.; Wauters, M.A.; Mertens, I.L.; Considine, R.V.; De Leeuw, I.H. (1999):** Clinical endocrinology of human leptin int. *J. Obes Relat. Metab. Disord.*; 23 (1): 29 – 36.
- Vermeulen, A, Verdonck, L, Van Der Straeten, M, Orie, N. (1969)** :Capacity of the testosterone-binding globulin in human plasma and influence of specific binding of testosterone on its metabolic clearance rates. *J Clin Endocrinol Metab*; 29:1470.
- Vermeulen A, Staice T, Verdonck L(1971):** The aparent free testosterone concentration , an index of androgenicity . *J Clin Endocrinol Metab* 33: 759-66.
- Vickers, M.H.; Gluckman, P.D.; Coveny, A.H.; Hofman, P.L.; Cutfield, W.S.; Gertler, A.; Breier, B.H. and Harris, M. (2005):** Neonatal leptin treatment reverses developmental programming. *Endocrinology*, 146 : 4211 – 4216.
- Vitoratos, N.; Chrystodoulacos, G.; Kouskouni, E.; Salamalakis, E. and Creatsas, G. (2001) :** Alterations, of maternal and fetal leptin concentrations in hypertensive disorders of pregnancy. *Eur J Obstet Gynecol Reprod Biol*; 96: 59-62.

References

- Wabitsch, M.; Jeusen, P.B.; Blum, W.F.; Christoffersen C.T.; Teller W.; Tornqvist, H.; and Hauner H.; (2000):** Insulin and cortisol promote production in cultured human fat cells. *Diabetes* 45: 1435 – 38.
- Wade G.N. and Schneider, J.E. (1992):** Metabolic Fuels and reproduction in female mammals. *Neurosci. Biobehav. Rev.*, 16 (233 – 72.
- Wakasugi, M.; oguchi, T.; Kazama, Y.I.; Kanemaru, Y. and Onaya, T. (1989):** The effects of sex hormones on the synthesis of prostacyclin (PG12) by vascular tissues. *Prostaglandins*; 37: 401-9.
- Walker, J. (1998):** Advances in the management of severe pre-eclampsia and antihypertensive therapy. In: Bonnar J. Recent. Advances, in Obstetrics and Gynecology, 20th Ed. Churchill Livingstone Phillagelphia, Edinbnrgh, London. 111 – 124.
- Wang J, Liu R, Hawkins M, Barzilai N, Rossetti L(2001):** A nutrient-sensing pathway regulates leptin gene in muscle and fat. *Nature* 393: 684-688.
- Warren MP, Voussoughian F, Geer EB, Hyle EP, Adberg CL, Ramos RH:** Functional hypothalamic amenorrhea: hypoleptinemia and disordered eating. *J Clin Endocrinol Metabol* 84: 873-877, 1999.
- Watanobe H, Schioth HB, Wikberg Jes, Suda T(1999):** The melanocortin 4 receptor mediates leptn stimulation of luteinizing hormone and prolactin surges in steroid-primed ovariectomized rats. *Biochem Biophys Res Commun* 257: 860-864,.
- Wei, M.; Stern, M.P. and Haffner S.M. (1999):** Serum leptin levels in Mexican Americans and non-Hispanic whites association with body mass index and cigarette smoking Ann, Epidemiol. 7 : 81 – 6.
- Weigle D.S.; (1994):** Appetite and the regulation of body compositions. *FASEB J.* : 302 – 10.

References

- Weigle, D.S. Pulsatile (1987):** Secretion of fuel-regulatory hormones. *Diabetes*; 36 : 764 – 775.
- Whipple, T.; Sharkey, N.; Demers, L. and Williams, N. (2002):** Leptin and the skeleton. *Clin Endocrinol (Oxf)*; 57: 701 – 711.
- White DM, Polson DW, Kiddy D, Sagle P, Watson H, Gilling-Smith C, Hamilton-Fairley D, Franks S(1996):** Induction of ovulation with low-dose gonadotropins in polycystic ovary syndrome: an analysis of 109 pregnancies in 225 women. *J Clin Endocrinol Metab* **81**: 3821-3824,.
- White J, Kershaw M(1996):** Increased hypothalamic neuropeptide Y expression following food deprivation. *Mol Cell Neurosci* **1**: 41-48,.
- Wilson ML, Goodwin TM, Pan VL, Ingles SA (2003):** Molecular epidemiology of preeclampsia. *Obstet Gynecol Surv* **58**: 39–66
- Wilson, B.E.; Meyer, G.E.; Leaveland J.C.; Weigl, D.S. (1990):** Identification of candidate genes for a factor regulating body weight in primates. *Am. J. Physiol.* **259** : R1148 – 55.
- Woelfer, B.; Hafner, E.; Metzenbauer, M.; Schuchter, K. and Phillipp, K. (2005):** The influence of leptin on placental and fetal volume measured by three dimensional ultrasound in the second trimester. *Placenta*, **26** : 124 – 128.
- Wywoll, C.S.; Mark, P.J. and Waddell, B.J. (2005):** Directional secretion and transport of leptin and expression of letpin receptor isoforms in human placental BeWo cells. *Mol Cell Endocrinol*, first published online as pmid 15955620.
- Yildiz, L.; Avci, B. and Ingec, M. (2002):** Umbilical cord and maternal blood leptin concentrations in intrauterine growth retardation. *Clin. Chem. Lab. Med.*, **40** : 1114 – 1117 .

- Yoshida T, Monkawa T, Hayashi M, Saruta T(1997):** Regulation of expression of leptin mRNA and secretion of leptin by thyroid hormone in 3T3-L1 adipocytes. *Biochem Biophys Res Commun* **232**: 822-826,.
- Yu WH, Kimura M, Walczewska A, Karanth S, Mccan SM(1997):** Role of leptin in hypothalamic-pituitary function. *Proc Natl Acad Sci USA* **94**: 1023-1028,.
- Yu, W.H.; Walczewska, A.; Karanth, S. and McCann S.M. (1999b):** Nitric oxide mediates leptin-induced leuteinizing hormone-releasing hormone (LHRH) and LUKH and leptin induced LH release from the pituitary gland. *Endocrinology*. 138 : 5055 – 5058.
- Yuan CS, Attele AS, Dey L, Xie JT(2000):** Gastric effects of cholecystokinin and its interaction with leptin on brainstem neuronal activity in neonatal rats. *J Pharmacol Exp Ther* **295**: 177-182,.
- Yuan CS, Attele AS, Wu JA, Zhang L, Shi ZQ (1999):** Peripheral gastric leptin modulates brain stem neuronal activity in neonates. *Am J Physiol* **277**: G626-G630,.
- Yuen, B.S.J.; Owens, P.C.; Muhlhauster, B.S.; Roberts, C.T.; Symonds, M.E.; Keisler, D.H.; McFarlane, J.R.; Kauter, K.G.; Evens, Y. and McMillen, I.C. (2003):** Leptin alters the structural and functional characteristics of adipose tissue before birth. *FASEB, J.* 17 : 1102 – 1104.
- Yuen, B.S.J.; Owens, P.C.; Symonds, M.E.; Keisler, D.H.; McFarlane, J.R.; Kauter, K.G. and McMillen, I.C. (2004):** Effects of leptin on fetal plasma adrenocorticotrophic hormone and cortisol concentrations and the timing of parturition in the sheep. *Biol. Reprod*, 70 : 1650 – 1657.

- Yura, S.; Itoh, H.; Sagawa, N.; Yamamoto, H.; Masuzaki, H.; Nakao, K.; Kawamura, M.; Takemura, M.; Kakui, K.; Ogawa, Y. and Fujii, S. (2005):** Role of premature leptin surge in obesity resulting from intrauterine undernutrition. *Cell Metab.*, 1 : 371 – 378.
- Yura, S.; Sagawa, N.; Mise, H.; Mori, T.; Masuzaki, H.; Ogawa, Y. and Nakao, K. (1998):** Positive umbilical venous- arterial difference of leptin level and its rapid decline after birth. *Am J Obstet Gynecol*; 178: 926 – 930.
- Zakrzewska KE, Cousin I, Sainsbury A, Rohner-Jeanrenaud F, Jeanrenaud B(1997):** Glucorticoids as counterregulatory hormones of leptin: toward an understanding of leptin resistance. *Diabetes* **46**: 717-719,.
- Zeeman, G.G.; Dekker, G.A. (1992):** Pathogenesis of preeclampsia: a hypothesis. *Clin Obstet Gynecol*; 35: 317-37.
- Zeisler H, Jirecek S, Hohlagschwandtner M, Knofler M, Tempfer C, Livingston JC (2002):** Concentrations of estrogens in patients with preeclampsia. *Wien Klin Wochenschr* 114: 458–461
- Zeng, J.; Oatter B.M.; Klein, S.; Martinb, D.R. et al. (2000):** Whole body leptin kinetics and renal metabolism in vitro. *Am. J. Physiol.* 273:E.1102– 6.
- Zhang, F.; Basiniski, M.B.; Beals, J.M.; Briggs, S.L.; Churgay, L.M.; Clawson, D.K.; Furman, T.C.; Hale. J.E.; Zhang, X.Y. and Schevitz. R.w. (1997):** Crystal structure of the obese protein leptin – E100- *Nature* 387 : 206 – 209.
- Zhang, Y.; Proenca, R.; Maffei, M.; Barone, M.; Leopold, L. and Friedman, J.M. (1994):** Positional cloning of the mouse obese gene and its human homologue. *Nature*; 372: 425-32.

Zimmet P, Boyko EJ, Collier GR, deCourten M(1999): Etiologic of the metabolic syndrome: potential role of insulin resistance, leptin resistance and other players. *Ann NY Acad Sci*; 892:25-44.

Zumbach MS, Boehme MW, Wahl P, Stremmel W, Ziegler R, Nawroth PP(1997): Tumor necrosis factor increases serum leptin levels in humans. *J Clin Endocrinol Metab* **82**: 4080-4082,.