

References

References

- Abul-Khair MH. (1976)** : Bilharziasis and prolapse of the rectum. Br J Surg. 63(11):891-892.
- Agachan F, Reisman P, Pfeifer J et al.,(1997)**: Comparison of three perineal procedures for the treatment of rectal prolapse. South Med J; 90:925–932.
- Altemeier WA, Culbertson WR, Schowengerdt CJ et al.,(1971)**: Nineteen years' experience with the one stage perineal repair of rectal prolapse. Ann Surg;173:993–1006.
- ANDERSON, WILSON, PARKS (1984)**: Complete rectal prolapse the results of Ivalon sponge rectopexy Postgraduate Medical Journal 60, 411-414.
- Ashari LH, Lumley JW, Stevenson AR et al(2005)**: Laparoscopically assisted resection rectopexy for rectal prolapse: ten years' experience. Dis Colon Rectum;48:982–987.
- Bachoo P, Brazzelli M, Grant A.(2000)**: Surgery for complete rectal prolapse in adults. Cochrane Database Syst Rev ; 2:CD001758.
- Bartolo D, Roe A.(1986)**: Disorders of the bowel: obstructed defecation. Br J Hosp Med; 35:225–236.
- Beck DE and Whitlow CB.,(2003)**: Rectal prolapse and intussusception. In: Beck DE, ed. Handbook of Colorectal Surgery. 2nd ed. New York: Marcel Dekker:301–324.

- Berman IR, Manning DH, Dudley-Wright K.,(1990):** Anatomic specificity in the diagnosis and treatment of internal rectal prolapse. *Dis Colon Rectum*;28:816.
- Blatchford GJ, Perry RE, Thorson AG et al.,(1989):** Rectopexy without resection for rectal prolapse. *Am J Surg*; 158:574–576.
- Block IR and Enquist IF.,(1961):** Lymphatic studies pertaining to local spread of carcinoma of the rectum in females. *Surg Gynecol Obstet*; 112:41–46.
- Boutsis C, Ellis H (1974):** The Ivalon-sponge-wrap operation for rectal prolapse: an experience of 26 patients. *Dis Colon Rectum* 17:21–37.
- Brown AJ, Anderson JH (2004) :**Strategy for selection of type of operation for rectal prolapse based on clinical criteria. *Dis Colon Rectum* 47:103–107.
- Brown AJ, Anderson JH, McKee RF, Finlay IJ (2004):** Strategy for selection of type of operation for rectal prolapse based on clinical criteria. *Dis Colon Rectum* 47:103–107.
- Brown AJ, Nicol L, Anderson JH et al (2005):** Prospective study of the effect of rectopexy on colonic motility in patients with rectal prolapse. *Br J Surg* 92:1417–1422.
- Brown SR, Nelson RL .,(2007):** Surgery for faecal incontinence in adults. *Cochrane Database Syst Rev*. Apr 18;(2):CD001757. PMID: 17443511 [PubMed - indexed for MEDLINE]
- Bruce G. Wolff, James W. Fleshman, David E. Beck, et al.,(2007):** anatomy of the rectum and anal canal in: *The ASCRS Textbook of Colon and Rectal Surgery*; © 2007 Springer Science+Business Media, LLC p.1:23.

- Canessa CE, Miegge LM, Bado J, et al.,(2004):** Labandera D. Anatomic study of lateral pelvic lymph nodes: implications in the treatment of rectal cancer. *Dis Colon Rectum*; 47:297–303.
- Cannfrere VG, des Varannos SB, Mayon J,(1994):** Adding sigmoidectomy to rectopexy to treat rectal prolapse: a valid option? *Br J Surg*;581:2–4.
- Chapuis P, Bokey L, Fahrner M, et al.,(2002):** Mobilization of the rectum. Anatomic concepts and the bookshelf revisited. *Dis Colon Rectum*; 45:1–9.
- Choi GS, Hwang YH, Salum MR et al (2001):** Outcome and management of patients with large rectoanal intussusception. *Am J Gastroenterol* 96:740–744.
- Collopy BT, Barham KA.(2002):** Abdominal colporectopexy with pelvic cul-de-sac closure. *Dis Colon Rectum*; 45:522–526.
- Congilosi SM, Madoff RD.(1995):** Current therapy for recurrent and extensive anal warts. *Dis Colon Rectum*; 38:1101–1107.
- Corman ML, Carriero A, Hager T et al (2006):** Consensus conference on the stapled transanal rectal resection (STARR) for disordered defaecation. *Colorectal Dis* 8:98–101.
- Damon H, Henry L, Roman S., et al., (2003):** Influence of rectal prolapse on the asymmetry of the anal sphincter in patients with anal incontinence. *BMC Gastroenterol* 3:23.
- Davidson A.M. (1975):** The anal Region. The Anatomy of certain disease In: A synopsis of surgical anatomy 11th ed John. Wright and Stone Ltd. P. 109- 123;721-723.

- Devadhar DS.(1994):** New thoughts on the mechanism and treatment of rectal procidentia. J Int Coll Surg;42:672.
- Didio LJA, Diaz-Franco C, Schemainda R, (1986):**Morphology of the middle rectal arteries: a study of 30 cadaveric dissections. Surg Radiol Anat 1986;8:229–236.
- Dolk A, Broden G, Holstrom B., et al (1990):** Slow transit of the colon associated with severe constipation after the Ripstein operation. A clinical and physiologic study. Dis Colon Rectum 33:786–790.
- Donato F. Altomare and Filippo Pucciani (Eds),(2007) :**Rectal Prolapse Diagnosis and Clinical Management . p(3-41) Corman, Marvin L: Colon and Rectal Surgery, 5th Edition.
- El Sebai I.(1961):** Advanced Bilharzial intestinal manifestations: the relation to cancer. Kasr El-Aini J Surg.;2: 905-933.
- Farouk R, Duthie GS, MacGreor AB, et al.,(1994):** Rectoanal inhibition and incontinence in patients with rectal prolapse. Br J Surg 81:743–746.
- Felt-Bersma RJF, Luth WJ, Janssen JJWM, et al.,(1990):** Defecography in patients with anorectal disorders: which findings are clinically relevant? Dis Colon Rectum;33:277.
- Fengler SA, Pearl RK, Prasad ML et al (1997):** Management of recurrent rectal prolapse. Dis Colon Rectum 40:832–834.
- Fengler SA, Pearl RK.(1996):** Perineal approaches in the repair of rectal prolapse. Perspect Colon Rectal Surg; 9:31–42
- Finlay IG, Aitchison M.(1991):** Perineal excision of the rectum for prolapse in the elderly. Br J Surg;78:687–689.
- Flowers;** Rectal Prolapse. EMedicine web site, August 2007.

- Fozard B.J and Pemberton J.H. (1993):** Applied surgical anatomy, pelvic content in: Rob and Smith operative surgery of the Colon, Rectum and Anus 5th ed vol. 1 Oxford London Boston Tokyo Butter worth-Heinemann Ltd. p.11-23.
- Friedlander JA.(2007):** Rectal prolapse. eMedicine, March 2007 (Modified from Skandalakis JE, Gray SW. Embryology for Surgeons (2nd ed). Baltimore: Williams & Wilkins, 1994; with permission.).
- Fry I.K, Griffith J.D smart P.J.G. (1966):** some observations on the movement of the pelvic floor and rectum with special reference to rectal prolapse Br. J. Surg 53: 784-787.
- Frykman HM. (1955):** Abdominal proctopexy and primary sigmoid resection for rectal procidentia. Am J Surg; 90:780–789.
- Gaivoronskaia SS, Vasil'ev SV, Chaniia ZD ., et al (2007):** Potentialities of complex treatment of prolapse of the rectum : Vestn Khir Im I I Grek.;166(2):100-2 PMID: 17665593 [PubMed - indexed for MEDLINE]
- Goei R. (1990):** Anorectal function in patients with defecation disorders and asymptomatic subjects: evaluation with defecography. Radiology;174:121.
- Goldman J. (1988):** Concerning prolapse of the rectum with special emphasis on the operation by Thiersch. Dis Colon Rectum; 31:154–155.
- Goligher J.C. (1984):** Prolapse of the Rectum. In: Surgery of Anus , Rectum, and Colon 5th ed. Bailliere, Tindall, London P. 267-279.
- Goligher J.C. and Leacock AG.(1984):** The surgical anatomy of the anal canal. Br J Surg;43:51-61.

- Gordon PH and Nivatvongs S (EDs.), (2006):** Principles and Practices of Surgery for the colon, rectum, and anus. Chapters 1,2,7, St. Louis, Missouri, p:4-333.
- Gordon PH. (2001):** Anorectal anatomy and physiology. Gastroenterol Clin North Am;30:1-13.
- Gourgiotis S and Baratsis S (2007):** Rectal prolapse. Int J Colorectal Dis 22:231–243.
- Guyton AC and Hall JE (Eds.), (2006):** Physiology of the rectum. In: Textbook of Medical Physiology , 11th edition WB Saunders company Philadelphia, London, Toronto, Montreal , Sydney, Tokyo, pp:730-737.
- Haas PA and Fox TA.(1977):** The importance of the perianal connective tissue in the surgical anatomy and function of the anus. Dis Colon Rectum;20:303–313.
- Hachiro Y, Kunitomo M, Abe T,(2007):** Aluminum potassium sulfate and tannic Acid injection in the treatment of total rectal prolapse: early outcomes Nov;50(11):1996-2000. Epub 2007 Sep 27. PMID: 17899276 [PubMed - in process]
- Harewood JC, Coulie B, Camilleri M et al (1999):** Descending perineum syndrome: audit of clinical and laboratory features and outcome of pelvic floor retraining. Am J Gastroenterol 94:126–130.
- Heah SM, Hartley JE, Hurleey J, et al.,(2000):.** Laparoscopic suture rectopexy without resection is effective treatment for full-thickness rectal prolapse. Dis Colon Rectum;43:638–643.

Heald RJ and MORAN BJ., (1992): embryology and anatomy of the rectum.
Sem surg oncol;15:66-71

Henry MM.,(1985) Descending perineum syndrome. Henry MM, Swash M,
eds. Coloproctology and the Pelvic Floor. Pathophysiology and Management.
London:Butterworth:299:302.

Hock D, Lombard R, Jehaes C, et al.,(1993): Colpocystodefecography. Dis
Colon Rectum;36:1015.

Hoffman MJ, Kodner IJ, Fry RD.,(1984): Internal intussusception of the
rectum: diagnosis and surgical management. Dis Colon
Rectum;27:435.

Holmstrom B, Broden G, Dolk A (1986); Results of the Ripstein operation in
the treatment of rectal prolapse and internal rectal procidentia. Dis
Colon Rectum 29:845–848.

Hool GR, Hull TL, Fazio VW.(1997): Surgical treatment of recurrent complete
rectal prolapse: a thirty Year experience. Dis Colon Rectum;
40:270–272.

Hsu Y, Chen L, Huebner M et al., (2006): Quantification of levator ani cross-
sectional area differences between women with and those without
prolapse. Obstet Gynecol 108:879–883.

http://www.emedicinehealth.com/rectal_prolapse/page18_em.htm

Hussein AM and Helal SF., (2000): Schistosomal pelvic floor myopathy
contributes to the pathogenesis of rectal prolapse in young males.
Dis Colon Rectum;43(5):644-649.

Hwang YH, Person B, Choi JS et al., (2006): Biofeedback therapy for rectal
intussusception. Tech Coloproctol 10:11–16

Jayne DG, Finan PJ (2005): Stapled transanal rectal resection for obstructed defaecation and evidence-based practice. *Br J Surg* 92:793–794.

Joe J. Tjandra, Gordon J.A. Clunie, Andrew H. Kaye & Julian A. Smith© (2006) by Blackwell Publishing Lt

John HP (1991): Anatomy and physiology of the anus and the rectum. In: Sliackelford's Surgery of the Alimentary Tract, George D Zuidema (ed), 3rd edition, WB Saunders Company, pp:258-265.

Jurgeleit HC, Corman ML, Collier JA, et al.,(2003): Procidentia of the rectum: Teflon sling repair of rectal prolapse. Lahey Clinic experience. *Dis Colon Rectum*;18:464.

Kairaluoma MV, Viljakka MT, Kellokumpu IH.,(2003): Open vs. laparoscopic surgery for rectal prolapse: a case-controlled study assessing short-term outcome. *Dis Colon Rectum*;46:353–360.

Kaiser AM and Ortega AE.(2002): Anorectal anatomy. *Surg Clin North Am*;82:1125:1138.

Karasick G, Karasick D, Karasick SR.(1993): Functional disorders of the anus and rectum: findings on defecography. *Am J Roentgenol*; 160:777–782.

Keighley MRB and Shouler PJ., (1984): Abnormalities of colonic function in patients with rectal prolapse and faecal incontinence. *Br J Surg* 71:892–895.

Kellokumpu IH, Vironen J and Scheinin T., (2000): Laparoscopic repair of rectal prolapse. A prospective study evaluating surgical outcome and changes in symptoms and bowel function. *Surg Endosc* 14:634–640.

- Khanduja KS, Hardy TG Jr, Aguilar PS, et al.,(1988):** A new silicone prosthesis in the modified Thiersch operation. *Dis Colon Rectum*;31:380–383.
- Kodner, I. J., R. D. Fry, J. W. Fleshman, et al.,(1999):** Colon, rectum, and anus; pp. 1265-1382 in Schwartz et al. (eds.), *Principles of Surgery*, 7th Ed., McGraw Hill, New York.
- Lake SP, Hancock BD, Lewis AA (1984) :** Management of pelvic sepsis after Ivalon rectopexy. *Dis Colon Rectum* 27:589–590.
- Larsen and WJ., (2001) :** *development of gastrointestinal tract. In:Larsen wj, Sherman LS, Potter SS, Scott WJ, editors: Human Embryology, 3rd Ed. Churchill Livingstone, New York.p.235-64.*
- Last R.J(1984):** The pelvic floor. The rectum. In: *Anatomy Regional and applied* 7th ed. ELBS/Churchill Livingstone Edinburgh. P.327-328
- Lau CW, Haymen S, Alabaz O et al (2000) :**Prognostic significance of rectocele, intussusception, and abnormal perineal descent in biofeedback treatment for constipated patients with paradoxical puborectalis contraction. *Dis Colon Rectum* 43:478–482
- Lehur PA and Hamy A (2000):** Cure chirurgicale des rectocèles par voie périnéo-vaginale: plicature rectale, sacro-spinofixation vaginale et périnéorraphie postérieure. *J Chir* 137:165–169.
- Levi AC, Borghi F, Garavoglia M.(1991):** Development of the anal canal muscles. *Dis Colon Rectum* ;34:262–266.
- Liberman H, Hughes C, Dippolito A.(2000):** Evaluation and outcome of the Delorme procedure in the treatment of rectal outlet obstruction. *Dis Colon Rectum* ;43:188–192.

- Luukkonen P. and Mikkonen J., (1992):** Abdominal rectopexy with sigmoidectomy vs rectopexy alone for rectal prolapse: a prospective randomized study. *Int J Colorectal Dis* 7:219–222.
- Madiba TE, Baig MK, Wexner SD.(2005):** Surgical management of rectal prolapse. *Arch Surg*; 140:63–73.
- Madoff RD, Williams JG, Wong WD, et al.,(1992):** Longterm functional results of colon resection and rectopexy for overt rectal prolapse. *Am J Gastroenterol*; 87:101–104.
- Mann C.V. and Russel R.C.G.(1992):** Rectal prolapse in: Baily and Love's Short practice of Surgery 24th ed. Chapman and Hall Medical London. new York. Tokyo. p.1220-1224.
- Marderstein EL and Delaney CP.,(2007):** Surgical management of rectal prolapse. *Nat Clin Pract Gastroenterol Hepatol*. Division of Colorectal Surgery and Department of Surgery, University Hospitals Case Medical Center, Cleveland, OH 44106-5047, USA. Oct;4(10):552-61
- Margado PJ.,(1998):**Total mesorectal excision: a misnomer for a sound surgical approach [letter to the editor]. *Dis Colon Rectum*; 41:120–121
- Maubon A, Aubard Y, Berkane V et al., (2003):** Magnetic resonance imaging of the pelvic floor. *Abdom Imaging* 28:217–225
- Maunsell.(1892):** coated from Chapuis P, Bokey L, Fahrer M, Sinclair G, Bogduk N. Mobilization of the rectum.Anatomic concepts and the bookshelf revisited. *Dis Colon Rectum* 2002;45:1–9.
- McKee RF, Lauder JC and Poon FW., (1992) :**A prospective randomized study of abdominal rectopexy with and without sigmoidectomy in rectal prolapse. *Surg Gynecol Obstet* 174:145–148.

- Mellgren A, Bremmer S, Johansson C, et al.,(1994):** Defecography: results of investigations in 2,816 patients. *Dis Colon Rectum*;37:1133.
- Milligan ETC and Morgan CN.(1934):** Surgical anatomy of the anal canal: with special reference to anorectal fistulae. *Lancet*;2:1150–1156.
- Miscusi G, Masoni L, Dell'Anna A, et al.,(1987):** Normal lymphatic drainage of the rectum and the anal canal revealed by lymphoscintigraphy. *Coloproctology*;9:171-174.
- Morio O, Meurette G, Desfourneaux V et al (2005):** Anorectal physiology in solitary ulcer syndrome: a case matched series. *Dis Colon Rectum* 48:1917–1922.
- Moschocowitz and A.V., (1999) :**The pathogenesis, anatomy and the cure of prolapse of the rectum. *Surg. Gynecol. Obstet*, 15:7-21. Quoted from Gordon and Nivatvongs.
- Najarian MM, Belzer GE, Cogbill TH, et al.,(2004):**Determination of the peritoneal reflection using intraoperative proctoscopy. *Dis Colon Rectum*; 47:2060–2085
- Nano M, Dal Corso HM, Lanfranco G .,et al(2000):** Contribution to the surgical anatomy of the ligaments of the rectum. *Dis Colon Rectum*;43:1592–1598.
- Nano M, Dalcorsio HM, Lanfranco G .,et al(2000):** Contribution to the surgical anatomy of the ligaments of the rectum. *Dis Colon Rectum*; 43:1592–1598.
- Neill ME, Parks AG and Swash M., (1981):** Physiological studies of the anal sphincter musculature in faecal incontinence and rectal prolapse. *Br J Surg* 68:531–536

- Netter FH., (1997):** Atlas of human anatomy. 2nd edition. East hanover ,nj novartis.
- Novell JR, Osborne MJ, Winslet MC, Lewis AA (1994) :** Prospective randomized trial of Ivalon sponge versus sutured rectopexy for full-thickness rectal prolapse. Br J Surg 81:904–906.
- O'KELLY T.(1996):** Nerves that say NO: a new perspective on the Human rectoanal inhibitory reflex. *Ann. Rev. Coll. Surg. Engl.*;78:31–38.
- Oliver GC, Vachon D, Eisenstar TE, et al.,(1994):** Delorme's procedure for complete rectal prolapse in severely debilitated patients. Dis Colon Rectum;37(5):461–467.
- Ommer A, Albrecht K, Wenger F, Walz MK (2006) :**Stapled transanal rectal resection (STARR): a new option in the treatment of obstructive defecation syndrome. Langenbecks Arch Surg 391:32–37
- Parks AG, Swash M and Urich H.(1977):** Sphincter denervation in anorectal incontinence and rectal prolapse. Gut 1977; 18:656–665.
- Pearl RK, Monsen H and Abcarian H.(1986):** Surgical anatomy of the pelvic autonomic nerves. A practical approach. Ann Surg; 52:236–237.
- Pechlivanides G, Tsiaoussis J, Athanasakis E et al (2007) :** Stapled transanal rectal resection (Starr) to reverse the anatomic disorders of pelvic floor dyssynergia. World J Surg 31(6):1329–1335.
- Pescatori M, Interisano A, Stolfi VM, et al.,(1998):**Delorme's operation and sphincteroplasty for rectal prolapse and fecal incontinence. Int J Colorectal Dis; 13:223–227.

Peters WA, Smith RM and Drescher CW.(2001): Rectal prolapse in women with other defects of pelvic floorsupport. *Am J Obstet Gynecol* 184:1488–1495.

Philip H. Gordon and Santhat Nivatvongs.(2007):*Principles and Practice of Surgery for the Colon, Rectum, and Anus Third Edition ,ch:21 pp:415-450.*

Phillips. (2005): Phillips RKS. *A companion to specialist surgical practice: Colorectal Surgery.* 3rd Edition. Elsevier Saunders.

Pikarsky AJ, Joo JS, Wexner SD, et al.,(2000): Recurrent rectal prolapse:what is the next good option? *Dis Colon Rectum*;43:1273–1276.

Prasad ML, Pearl RK, Abcarian H, et al.,(1986): Perineal proctectomy, posterior rectopexy, and postanal levator repair for the treatment of rectal prolapse. *Dis Colon Rectum*;29:547–552.

Pucciani F, Boni D, Perna F, et al., (2005): Descending perineum syndrome: are abdominal hysterectomy and bowel habits linked? *Dis Colon Rectum*; 22; [Epub ahead of print].

Pucciani F, Iozzi L, Masi A et al., (2003) : Multimodal rehabilitation for faecal incontinence: experience of an Italian centre devoted to faecal disorder rehabilitation. *Tech Coloproctol* 7:139–147.

Raffensperger JG, (1990):Swenson’s Pediatric Surgery. 5th edition, Appleton & Lange, neowalk, Connecticut.

Raftopoulos Y, Senagore AJ,DiGiuroG, et al., (2005):Recurrence rates after abdominal surgery for complete rectal prolapse: a multicenter pooled analysis of 643 individual patient data. *Diseases of the Colon & Rectum*;48:1200–6.

- Ramanujam PS, Venkateh KS.(1988):** Perineal excision of rectal prolapse with posterior levator ani repair in elderly high risk patients. *Dis Colon Rectum*;31:704–706.
- Rao SS, Tutya AK, Vellema T et al (2004):** Dyssynergic defecation: demographics, symptoms, stool patterns and quality of life. *J Clin Gastroenterol* 38:680–685.
- Rashwan MA, Ayman M, Ashour S, et al.,(1995):** Endomyocardial fibrosis in Egypt: an illustrated review. *Br Heart J*;73(3): 284-289.
- Rentsch M, Lenhart M, Feuerbach S, et al.,(2001):** Dynamic magnetic resonance imaging defecography: a diagnostic alternative in the assessment of pelvic floor disorders in proctology. *Dis Colon Rectum*;44:999
- Rifaat M.A.(1985):** Rectal Prolapse. In: A manual of surgery 4th ed. The scientific Book center Cairo Egypt A.R.E. P. 774:778.
- Roiq JV, Buch E, Solana A. et al., (1998):** Anorectal function in patients with complete rectal prolapse. Differences between continent and incontinent individuals. *Rev Esp Enferm Dig* 90:794–80.
- Ross AG, Bartley PB, Sleigh AC, et al.,(2002):** Schistosomiasis. *N Engl J Med*;346(16):1212-1220.
- Rowe JS Jr, Skandalakis JE, Gray SW, et al.,(1974):** The surgical anal canal. *Contemp Surg* 5:107-116.
- Russell KP. (1991):** Anatomy of the pelvic floor, rectum and anal canal. In: Smith LE, ed. *Practical Guide to Anorectal Testing*. New York: Igaku-Shoin Medical Publishers:744–747.

- Rutter KRP, Riddell RH.(1975):** The solitary ulcer syndrome of the rectum. Clin Gastroenterol; 4:505–530.
- Sabiston DC (ED),.(1997):** Disorder of the anal canal. In: Textbook of surgery. The Biological Basis of Modern Surgical Practice. 15th edition, WB Saunders company. Philadelphia, London, Toronto, Montreal Sydney, Tokyo, pp:1033-1043.
- Sailer M, Bönicke L and Petersen S. (2007) :**Surgical options in the treatment of rectal prolapse: indications, techniques and results. Aug;132(4):350-7.Klinik für Chirurgie, Bethesda-Allgemeines Krankenhaus Bergedorf, Hamburg. sailer@bakb.net
- Salkeld G, Bagia M, Solomon M (2004):** Economic impact of laparoscopic versus open abdominal rectopexy. Br J Surg 91:1188–1191.
- Schultz I, Mellgren A, Dolk A., et al (2000):** Long term results and functional outcome after Ripstein rectopexy. Dis Colon Rectum 43:35–43.
- Shafik A.,(1976):** A new concept of the anatomy of the anal sphincter mechanism and the physiology of defecation. III. The longitudinal anal muscle: anatomy and role in sphincter mechanism. Invest Urol;13:271-277.
- Shah A, Parikh D, Jawaheer G, et al (2005):** Persistent rectal prolapse in children: sclerotherapy and surgical management. Pediatr Surg Int 21:270–273.
- Shorvon PJ, McHugh S, Diamant NE, et al.,(1989):** Defecography in normal volunteers: results and implications. Gut; 30.1737.
- Skandalakis, LJ., Thomas AW, Roger S F, et al.,(2004) :** Skandalakis' Surgical Anatomy , chabter 18 :large intestine and anorectum.

- Speakman CTM, Madden DV, Nicholls RJ, et al.,(1991):** Lateral ligament division during rectopexy causes constipation but prevents recurrence: results of a prospective randomized study. *Br J Surg* 78:1431–1433.
- Spencer RJ.(1984):** Manometric studies in rectal prolapse. *Dis Colon Rectum*;27:523–525.
- Storer EH , Goldberg SM and Nivatvongs S,(1994):** principles of surgery prolapse of rectum. Schwartz, Shires, Spencer and Storer. 5th edition , Ch .28 international edition , Singapore pp:1214-1235.
- Theuerkauf FJ Jr,(2000):** Beahrs OH, Hill JR. Rectal prolapse: causation and surgical treatment. *Ann Surg*;171:819.
- Todd, IP., (1995):** Aetiological factors in production of complete rectal prolapse . post grad, med. J;35-97.
- Toper B, Acland R, Kolodko V, et al.,(2003):** Mesorectal lymph nodes: their location and distribution within the mesorectum. *Dis Colon Rectum*; 46:779–785
- Van Outryve MJ, Pelckmans PA, Fierens H, et al.,(1993):** Transrectal ultrasound study of the pathogenesis of solitary rectal ulcer syndrome. *Gut* 34:1422–1426.
- Vijay V, Halbert J, Zissimopoulos A, et al.,(2007):** Oct 18 Department of Laparoscopic Surgery, Chase Farm Hospital, The Ridgeway, Enfield, UK, vardhini.vijay@gmail.com.

- Watson SJ, Loder PB, Halligan S., et al.(1996):** Transperineal repair of symptomatic rectocele with Marlex mesh: a clinical, physiological and radiologic assessment of treatment. J Am Coll Surg; 183:257–261.
- Watts AM and Thompson MR.(2000):** Evaluation of Delorme’s procedure as a treatment for full thickness rectal prolapse. Br J Surg; 87:218–222.
- Williams JG.(1991):** Perineal approaches to repair of rectal prolapse. Sem in Colon Rectal Surg;2:198–204.
- Williams, P.J, Warwick R. Dyson M., Banister L.H (1989):** Gray’s Anatomy, 37th ed. ELBS Churchill Livingstone Longman Group U.K. London p. 1369-1373.
- Williamson RCN, Mortensen NJMcC.,(1987):** Anatomy of the large intestine. In: Kirsner JB, Shorter RG, eds. Diseases of the colon, rectum and anal canal. Baltimore: Williams & Wilkins, 1-22.
- Zainea GG and Szilagy EJ.,(2006):**Perineal repair of colorectoanal intussusception. Dis Colon Rectum;39:1434.