
REFERENCES

- Abu-Bakar HZ, Johnston TA and Seif MW (1999):** *Outcomes of emergency cervical cerclage: a retrospective study. J Obstet Gynaecol;19 (suppl):55.*
- Adams JE, Bodor GS, Davila-Roman VG, et al (1993):** *Cardiac troponin I. A marker with high specificity for cardiac injury (see comments). Circulation;88:101-106 .*
- Adamkin DH (1998):** *Issues in nutritional support of the ventilated baby. Clin Perinatol;25(1):79-96.*
- Adams J,Schechtman KB and Landty S (1994):** *compatible detection of acute myocardial infarction. Clin chem; 40:1291-95.*
- Adams J,Bodor GS and Davla R (1993):** *Cardiac troponin -I circ., p 106.*
- Alferevic Z,Boer K and Brock LP (1999):** *two trials of antenatal thyrotrophin releasing hormone for fetal maturation:stopping before the due date.BR J Obstet Gynaecol;106:898-906.*
- Aloan CA(1997):** *Mechanical Ventilation .In Aloan CA, ed. Respiratory Care of the newborn, JB Lippincott,P:233.*
-

- Anderson PA, Malouf NN and Oakeley AE (1991) :** *Troponin T isoform expression in humans. A comparison among normal and failing adult heart, fetal heart, and adult and fetal skeletal muscle. Circ Res;69:1226–1233*
- Anteman EM, Gradizenc and Sacks D(1995):** *Evaluation of rapid assay or detection of Ctn1. J–Am- Chem,273-1279.*
- Apple FS (1999):** *The specificity of biochemical markers of damage; A problem solved .Clin .Chem .Lab .Med;37(11-12):1085-9.*
- Avery ME (2000):** *Surfactant deficiency in hyaline membrane disease:The story of discovery. Am Respir C rit Care Med; 161(4):1074-5.*
- BAPM (British Association of perinatal medicine guidelines) (1998):** *Guidelines for good practice in the management of neonatal respiratory distress syndrome .a paper presented in november 1998 in the 8th BAPM RDS guidelines meeting. F67-9.*
- Barker D J P (1992):** *Fetal growth and adult disease, Br J Obstet Gynaecol;99:275.*
- Barton C and Collehan M(1992):***Role of fibronectin and acute phase reactants in pathogenesis of hyaline membrane disease .J Immunol;25(11):313.*
-

Baud O, Foix-L, Helias L and Kaminski M(1999):*Antenatal glucocorticoids treatment and cystic periventricular leukomalacia in very premature infants.* *N Engl J Med*;341:1190-6.

Bauer JD(1982): *Enzymology in clinical laboratory medicine.* Mosby company st.louis,Toronto, Loudon, 9th ed.,P:442-504.

Behrman RE, Kliegman RM, Jenson HB (eds) (2000) : *Nelson Textbook of Pediatrics (ed 16).* Philadelphia, WB Saunders Company, p 496-509.

Behrman AR, Kliegman RM and Nelson WE (2004): *The fetus and neonatal infant, in:Behrman RE, ed. Nelson textbook of pediatrics, 16th edition, WB saunders Co; 9:425.*

Belai Y., Goodwin T.M., Durand M., Greenspoon J.S., Paul R.H. and Walther F.J. (1998): *Umbilical arteriovenous po2 and pco2 differences and neonatal morbidity in term infants with severe acidosis . Am.J. Obstet. Gynecol; 178: 13-9.*

Bhavsar PK, Dhoot GK and Cumming DV(1991): *Developmental expression of troponin I isoforms in fetal human heart. FEBS Lett. ;292:5-8*

Bhayana V., Hendoerson A.R. (1995): *Biochemical markers of myocardial damage. Clin. Biochem; 28:1-29.*

Bhutani VK (1996): *differential diagnosis of neonatal respiratory disorders.in: Spitzer AR (ed): intensive care of the fetus and neonate.Mosby-year Book;494-505.*

Bocking AD (1998): *Preterm labour: Recent advances in understanding of patho-physiology,diagnosis and management.Curr open Obstet Gynecol;10:151-156.*

Bodor GS, Survant L, Voss EM, et al (1997): *Cardiac troponin I composition in normal and regenerating human skeletal muscle. Clin Chem ;43:476-84.*

Bodor GS Porter S and Landty D(1992): *Development of monoclonal antibodies for and assay of cardiac troponin I clin chem; 38:2203-2205*

Bourchier D and Weston PJ(1997): *Randomized trial of dopamine compared with hydrocortisone for the treatment of hypotensive very low birth weight infants.Archives of diseases in Childhood;76:f 174-179.*

Braun KR, Davidson KM and Nielsen HC(1999): *Severe pulmonary hemorrhage in premature newborn infants:analysis of pre-surfactant ears. Biol Neonate;75(1):18-30.*

Brimacomb J and Gandin D(1995):*Management of neonatal infections. J Med Pharmacol;17(3):51.*

Burlina A, Zaninotto M, Secchiero S, Rubin D and Accorsi F (1994): *Troponin T as a marker of ischemic myocardial injury. Clin Biochem ;27:113-121.*

Campbell AGM and McIntoch N(1998): *Respiratory distress syndrome In Forfar and Arneils text book of pediatrics Churchill, livingstone. 5th ed, 33(7):660-665.*

Carter BS, Haverkamp AD and Merenstein GB(1993): The definition of acute perinatal asphyxia [Review]. *Clin Perinatol ;20:287-304.*

Carassa S(1997): *Assessment of renal function in premature newborns with respiratory distress syndrome .J Ped Res ;19(3):202.*

Carpenter TC and Stenmark KR (1992): *Estimation of phosphatidyl choline and phosphatidyl glycerol in assessment of fetal lung maturity;25:214.*

Chandra S, Ramji S, and Thirupuram S. (1997) :*Perinatal asphyxia : multivariate analysis of risk factors in hospital births. Indian Pediatr; 34(3):206-12.*

Clark P. Newland, C. W. Yoxall and N. V. Subhedar (2004): *Concentrations of cardiac troponin I in neonates with and without Respiratory distress. Arch. Dis. Child Fetal Neonatal Ed, 89: F 348-F352.*

Clark R (1999): *Effect of surfactant deficiency on respiratory disorders in premature infants .J Pediatr;124:661.*

Clark S.J. Newland P. Yoxall. C. W. et al (2002): *Cardiac troponin I in cord blood. Arch. Dis. Child; 84:F34-7.*

Clark S.J., Newland P., Yoxall C.W. and Subhedar N.V. (2001) : *Cardiac troponin I in cord blood . Arch. Dis. Child Fetal. Neonatal Ed. Jan;84(1):F34-7.*

Clark S.J , Newland P and Subhedar N.V. (2000) : value of myocardial hypoxia markers (creatine kinase and its MB-fraction, troponin I ,QT-intervals) and serum creatinine for the retrospective diagnosis of perinatal hypoxia.Biol.Neonate 73(6):367-74.

Cleary GM, Wiswell TE(1998): *Meconium-stained amniotic fluid and the meconium aspiration syndrome: An update. Pediatr Clin North Am ;45:511.*

Cole RM and Lamont RF (1998): *Current prospective on drug treatment for preterm labour .J Obstet Gynaecol;18:309-314.*

Committee on Fetus and Newborn(1999): *Surfactant replacement therapy for respiratory distress syndrome . P ediatr;103:684-685.*

Cooke RW(1991): *Annual audit of neonatal morbidity in preterm infants.Arch Dis Child;67:1174-1176.*

Cosmi EV, La Torre R and Piazz JJ(1997): *Intra-amniotic surfactant for prevention of neonatal respiratory distress syndrome rational and personal experience. Eur J Obset Gynaecol Reprot Biol;71(21):135.*

Crowley P, Neilson JP and Growther CA (1997): *pregnancy and child birth.3rd Oxford update Software; corticosteroids prior to preterm delivery.*

Crowther CA and Henderson-Smart DJ (1999):*Prophylactic prenatal thyrotropin releasing hormone for preterm delivery (cochran Review).the Cochrane library. Oxford Update Software :issue1.*

Cutz E, Wert SE and Noree AM(2000): *Deficiency of lamellar bodies in alveolar type 1 cells associated with fetal respiratory disease ,Am J Respir Crit Care Med;161:608-614.*

Daniel Y ., Fait G ., Lessing J., Jaffa A., Gull I . And Shenav M .
(1998): *Umbilical cord blood acid base values in uncomplicated term vaginal breech deliveries. Acta. Obstet. Gynecol .Scand., 77L 182-185.*

Delahunty C, Richard K and Coughrie M (2001): *Transient hypothyroxinemia in preterm infants. J Med Child Neurol;(supple),86:26-27.*

Dewinter RJ and Sanders GT (2001): *Determination of cardiac troponins for diagnosis of Acute myocardial infarction Ned Tijdschr Geneesked 10;145(10):46-6*

Dilger I, Schwedlers G and Dudenhausen JW(1994): *Determination of pulmonary surfactant associated protein SP-B in amniotic fluid with acompetition Eliza. J Gynaecol Obstet Invest;38(1):24.*

Distefano G, Romeo MG, Betta P, Rodono A and Amato M(1998): *Thrombomodulin serum levels in ventilated preterm babies with respiratory distress syndrome .Eur J Pediatr ;157:327-330.*

Eichen wald EC (2004): *Mechanical ventilation In:CloherlyJP, Stark AR: Manual of neonatal Care Lippincott-Raven Publishers, Philadelphia New York;336-48.*

Engin Y, Ustun Y and Kurtay G(2002): *Cardiac troponin I levels in umbilical cord blood. Int J Gynecol Obstet;77:239-241*

Evans N, Kluckow M(1996) : *Early determinants of right and left ventricular output in ventilated preterm infants. Arch Dis Child Fetal Neonatal ED;74:F88-F94.*

Farrell PM and Zachman RD (1973): *Induction of choline phosphotransferase and lecithine syntheses in the fetal lung by corticosteroids.Science;79:297.*

Fazzi E, Lanzi G, Gerardo A and Omette A (1992): *Neuro-developmental outcome in very low birth weight infants with or without periventricular haemorrhage and/or leucomalacia. ActaPaediatric;*

Feria- Kaiser C, Furuya ME, Varagas NH, Rodriguez A and Cantu MA(2002): *Mortality Committee on main diagnosis and cause of death in a neonatal intensive care unit: do clinicians and pathologist agree .Acta Pediatr;91(4):453-8.*

Figueras-Aloy J, Quero J, Estrany CX and Ginovart G(2001): *Early administration of second dose of surfactant (beractant) in the treatment of sever hyaline membrane disease. Acta Pediatr;90(3):296-301.*

Flynn PA, Da Garaca RL, Auld P, et al (2003) : *The use of a bedside assay for plasma B-type natriuretic peptide as a biomarker in the management of patent ductus arteriosus in premature neonates. J Pediatr ;147:38-42.*

Fowlie PW(1996):*Prophylactic indomethacin. Arch of Disease in Childhood;74:81-6.*

Frank L (1992) : *Prenatal dexamethazone treatment improves survival of newborn rates during prolonged high oxygen exposure pediatr R as ; 32:215-221.*

French NP, Hagan R, Evans SF, Godfrey M and Newnham JP(1999): *Repeated antenatal corticosteroids: size at birth and subsequent development. Am J Obstet Gyneco;180:114-21.*

Fromme RE, Meyer D, and Zimmorman J (1998): *comparison of CK-MB subforms cardiac troponin T and I as alternative diagnostic standards*

To CK-MB mass in a randomized prospective blinded trial, cric.98:1-423.

Galvani M, Ottani F, Ferrini D, et al (1997). Prognostic influence of elevated values of cardiac troponin I in patients with unstable angina. *Circulation;95:2053-2059*

Ghidini A(2001): *Severe meconium aspiration syndrome is not caused by aspiration of meconium. Am J Obstet Gynecol ;185:931*

Gill AB and Weindling AM(1993): *Echocardiographic assessment of cardiac function in shocked very low birthweight infants. Arch Dis Child ;68:17-21.*

Gill AB and Weindling AM(1993): *Randomized controlled trial of PPF versus dopamine in hypotensive newborns. Archives of Disease in Childhood;96:284-7.*

Goldstein RF, Thompson Jr RJ, Oehler JM, et al(1995): *Influence of acidosis, hypoxaemia and hypotension on neurodevelopmental outcome in very low birth weight infants. Pediatrics ;95:238-43.*

Gomella TL (ed)(1999): *Neonatology: Management, Procedures, On-call Problems, Diseases and Drugs. Stamford, Conn., Appleton & Lang*

Gomella TL, Cunningham MD and Eyal FG (1999a): *Risk factors of RDS in: Gomella TL, Cunningham MD (eds). Textbook of neonatology, 4th (edn), p405.*

Gomella TL, Cunningham MD and Eyal FG (1999c): *Blood pressure table in Gomella TL, Cunningham MD (eds). Textbook of Neonatology, 4th, p 506.*

Gomella TL, Cunningham MD and Eyal FG (1999 b): *Broncho-pulmonary-dysplasia. In Gomella TL, Cunningham MD (eds). Textbook of Neonatology, 4th (edn), p499.*

Gomella TL, Cunningham MD and Eyal FG (1999d): *Endotracheal intubation In: Gomella TL, Cunningham MD (eds) Textbook of Neonatology, 4th (edn), p164.*

Goraya JS, Nada R and Ray M (2001): *Hyaline membrane disease in a term neonate. Indian J Pediatr; 68(8):771-3.*

Gordon E, South M, McDougall PN, et al (2003) : *Blood aspiration syndrome as a cause of respiratory distress in the newborn infant. J Pediatr ;142:200.*

Graeber GE and Schwartz TL (1993): *Retinopathy of prematurity diagnosis, treatment and outcome. In Witter F, Kelthl L: Textbook of prematurity. Little Brown P. 25-33.*

Greenough A(1996): *Respiratory Support In:Greenough A, Milner AD Roberton NRC(eds),Neonatal Respiratory Disorders.1st (edn),Oxford University Press;10:115-142.*

Green TP, Jhonson DE and Bass JL(1998): *Prophylactic furosemide in severe RDS,blinded prospective study . J Nurse/Midwife;37:271.*

Groom K, Sawdy R,Elliott C,Louden J,Shennan AH and Bennett PR(2000): *Experience of the use of nimesulide,acox2 selective non steroidal anti inflammatory drugs,in the prevention of preterm delivery in high risk causes.J Obstet; 68(8):771-3.*

Guler N, Bilge M, Eryonucu B,uzum K,Avci ME and Dulger H(2001): *Cardiac troponin I levels in patients with left heart failure*

Guyer B, Mac Dorman MF and Martin JA (1998):*Annual summary of vital statistics. Pediatr; 102:1333-1349.*

Guzman JM Jaraba MP, De LaTorre MJ and Ruiz-Conzalez MD (2001): *Parenteral nutrition and immature neonates . Comparative study of neonates weighing under 1000gm and 1000-1250gm at birth .Early Humm Dev;65:7 1.*

Haataja R, Martilla R and Hallman M(2000): *surfactant proteins A and B as interactive genetic determinants of neonatal respiratory distress syndrome.Hum Mol Genet g;2751-2760.*

Hacking D, watkin A, Fraser S, Wolfe R and Noca T (2001): *Respiratory distress syndrome and birth order in premature twins. Arch Dis Child Fetal Neonatal Ed, Mar;84(2):117-21.*

Halamek L and Stevenson D (1998): *Neonatal jaundice and liver disease. Little Brown P.25-33.*

Halliday HL, Mc Clure BG and Reid M (1998): *Respiratory distress syndrome. In: Handbook of neonatal ICU. WB Saunders Co, Philadelphia;139-80.*

Halliday HL, Paherson CC and Halahakoon CW (2001): *A multicenter randomized open study of early corticosteroid treatment in preterm infants with respiratory illness. Pediatrics;107:232-240.*

Halliday HL (1997): *Synthetic or natural surfactants. Acta Paediatr;86:233-7.*

Hall DR, Odendaal HJ and Steyn DW (2001): *Delivery of patients with early onset severe pre-eclampsia. Int J Gynaecol Obstet;74(2):143-50.*

Hein HA, Ely JW, Lofgren and MA (1998): *Neonatal respiratory distress in the community hospital: When to transport, when to keep. J Fam Pract ;46:284.*

Herting E, Tubman R and Halliday H (1994): *Intracranial haemorrhage is a major risk factor in neonates with RDS. Ped. Res;3(7):143.*

Herting E, Rauprich P and Walter G(2001): *Resistance of different surfactant preparations to inactivation by meconium. Pediatr Res; 50:44-49.*

Herrmann J, Eggebrecht H and Malyar N.(2001): *Biochemical markers of ischemic and non ischemic myocardial damage, Med klin 15;96(3):144-156.*

Higby K, Xenakis EMJ and Pauerstein CJ(1993): *Do tocolytic agents stop preterm labour? A critical and comprehensive review of efficacy and safety, Am J Obstet Gynecol; 168:1247-1259.*

Hiran C. and Dominc A .(2000): *Monitoring oxygen in the blood. Recent Advances in Pediatrics; 18(4) 47-59.*

Hirsch R, Landt Y, Porter S, et al (1997): *Cardiac troponin I in pediatrics: normal values and potential use in assessment of cardiac injury. J Pediatr ;130:872-877.*

Horwich T, Patel J,MacLellan R,et al (2003): *Cardiac troponin I is associated with impaired haemodynamics,progressive left ventricular dysfunction and increased mortality rates in advanced heart failure.Circulation ;108:833-838.*

James P , Ellis CJ, Whitlock RML, et al (2000) : *Relation between troponin I concentration and mortality in patients presenting with an acute stroke: an observational study. BMJ ;320:1502–4.*

Jakob LD (1998): *Value of amniotic fluid lecithin sphingomyelin (L/S) ratio and shake test in diagnosis of hyaline membrane disease. In Forfar and Arniels Textbook of pediatrics 5th (edn), 33(7):673-680.*

Jobe AH, Newnham J, Willet K , Sly P and Ikogami M (1998): *Fetal versus maternal gestational age effects of repetitive antenatal glucocorticoids. Pediatrics;102:1116-25.*

Jobe AH(1993): *Pulmonary surfactant therapy. New Engle J Med;328:861-8.*

Kattwinkel J (ed)(2000) : *Textbook of Neonatal Resuscitation. Elk Grove, Ill., American Academy of Pediatrics and American Heart Association; 107:232-240.*

Kattwinkel J (2002) : *Surfactant lavage for meconium aspiration: A word of caution. Pediatrics;109:1167.*

Katus HA, Remppis S and Neumann FJ (1991):*Diagnostic deficiency of troponin T measurements in acute myocardial damage. Circulation, 83:902-912.*

Kenyon S and Boulvain M (1999): *Antibiotics for premature rupture of membranes (Cochrane Review). The Cochrane library. Oxford: Update Software: issue 1.*

Kumar A, Bhat BV (1996) : *Epidemiology of respiratory distress of newborns. Indian J Pediatr; 63(1):93.*

Lin C, Warg S, Hsy Y, Yeh T and Chang F (2001): *Risk for respiratory distress syndrome in preterm infants born to mothers complicated by placenta previa. Early Hum Dev., 60(3):215-24*

Liu WF, Harrington T (2002): *Delivery room risk factors for meconium aspiration syndrome. Am J Perinatol; 19:367.*

Lucas A, Baker BA and Cole JJ (1990): *plasma prolactin and clinical outcome in preterm infants. Arch Dis Child; 65:977.*

Mac Evoy PC and Jhonston NH (2002) : *Estrogen binding in human fetal lung tissues cytosol. Endocrinol ; 106:368.*

Magocsi M and Penniston JT(1991): *Oxytocin pretreatment of pregnant rat uterus inhibits calcium uptake in plasma membrane and sarco plasmic reticulum.* *Biochima Biophys Acta*;1063:7-14.

Mair G,Dient LF and puschendorf B (1992): *Cardiac specific Troponin T in the diagnosis of myocardial injury.* *Clin lab Med*; 29:37-35.

Messus F, Kourilsky O, Gurein AP, Growdry C and Marchairs SG (2000): *pathophysiology of cardiovascular disease in haemodialysis Patients.* *Kidney Int*;58(76) :5140-7.

Meinerts T. and Hamm C.W.(1998) : *Rapid testing for cardiac troponins in patients with acute chest pain in the emergency room.* *European heart journal*; 19:973-974.

MIay GS and Mauji KP (2000): *respiratory distress syndrome among neonates admitted at Matimbili Medical center, Dar EL-Salam, Tanzania.* *J Trop Pediatr*; 46(6):303-7.

Moller J , Thielsen B, Schaible TF, et al (1998). *Value of myocardial hypoxia markers (creatine kinase and its MB fraction, troponin T, QT intervals) and serum creatinine for the retrospective diagnosis of perinatal asphyxia.* *Biol Neonate*;73:367-74.

Morris AA and Turnbull DM (1994): *Metabolic disorders in children.* *Curr Open Neurol*;7:535.

Muller W and Pichler G(2002): *Results of mechanical ventilation in premature infants with RDS.Indian pediatr;35(2):117-22.*

Namavar JB,Ardekany MS and Pooraian S (2000): *Relationship between duration of preterm premature rupture of membranes and pulmonary maturation.Int J Gynaecol Obster;68(2):119-22*

Narin N , Neside C, Huseyin K, et al (1999). *Diagnostic value of troponin T in neonates of mild pre-eclamptic mothers. Biol Neonate;75:137-42.*

Narin, Barton PJ, Vallins WJ and Spurr NK (2002). *The human cardiac troponin I locus: assignment to chromosome 19p13.2-19q13.2. Hum Genet.;88:101-104*

Notter RH (2000): *Lung surfactant:basic science and clinical applications.In lung Biology in Health and Disease;149:307-344.*

Oyvind Hetland , (1998) : Kenneth Dickstein. *Cardiac troponins I and T in patients with suspected acute coronary syndrome: a comparative study in a routine setting. Clin Chem;44:1430-6.*

Omokhodion SI, Losekoot TG,(1991). *Serum creatine kinase and creatine kinase-MB isoenzyme activities in perinatally asphyxiated newborns. Eur Heart J ;12:980-984.*

Papatsonis DNM, Van Geijin HP, and Dekker GA(1997): *Nifedipine and ritodrina in the management of preterm labour: a randomized multicentre trial .Obstet Gynecol;90:230-234.*

Perlman JM and Risser R(1995): *Surfactant proteins in both term and preterm newborns.prenatal diagnosis of respiratory distress syndrome.J Pediatr;20(3):111.*

Plebani M and Zaniomotto M(1999): *Cardiac markers ,present And feature. Int-Clin-lab;20:56-63.*

Richard J, Martin RJ and Fanaro FF (1997): *The respiratory distress syndrome and management in Neonatal perinatal medicine text book, p1018-1028.*

Richardson DR,Gray JE and Gortmaker SL(1998): *Declining severity adjusted mortality: evidence of improving neonatal intensive care.pediatr;102:893-899.*

Roberton N.R. (1993): *Resuscitation of the newborn In :Manual of neonatal intensive care, Third ed., Edward Arnold, London, Melbourne, Auckland, p. 73-76 and 49-67.*

Royal college obstetricians and gynaecologists(1997): *RCOG guideline nol(A); beta agonists for the care of women in preterm labour. London: Royal College of obstetricians and gynaecologists, Jan.*

Sacks DB (1999) : *Acute coronary ischemia. Vasc Med ;49:253-259.*

- Saugsted OD (1990):** *Oxygen toxicity in the neonatal period .Acta ,Pediatr.Scand;79:881.*
- Shaffer TH , Wolfson MR and Cark LC(1992):** *L iquid Ventilation. Pediatrpulmonol;14:102.*
- Shennan AT,Dunu MS and Ohlessen A(1996):** *pulmonary function tests in newborns with respiratory distress syndrome.Ped. Pulmonol ;228-314.*
- Shivvers S, Wians FH, Keffer JH, Ramin SM (1999):** *Maternal cardiac troponin I levels during normal labor and delivery.Am J Obstet Gynecol;180:122-127.*
- Siwek J, Gourlay ML, Slawson DC, et al (2002) :** *How to write an evidence-based clinical review article. Am Fam Physician;65:251 .*
- Skinner JR,Boys RJ,Hunter and Hey EN (1992):** *pulmonary and systemic arterial pressure in hyaline membrane disease: Arch Dis.Child;366-73.*
- Snyder E. and Cloherty J.(1998) :** *Perinatal asphyxia .In: Manual of neonatal care .Cloherty, J.P. and Stark A.P. (eds.), 4th edition .Little brown and Lippincott-Raven Co., Boston, P. 393and 515.*
- Sobki SH, saadeddin SM and Habbab MA (2000):***Cardiac markers Used in the detection of myocardial injury;Saudi Med G;21(9):843-6.*
-

Soll RF and Morlay CT (2001):*Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants, Cochrane data base and Rev., 49:253-259.*

Subhedar ,Yoxall CW et al (1998): *concentration of cardiac troponin I in neonates with and with out respiratory distress.Arch Dis Child Fetal Neonatal Ed .,89:F 348- F 352.*

Tapia JL, Ramirez R, Cifuentes S (1998): *The effect of early dexamethazone administration on broncho pulmonary dysplasia in preterm infants with RDS. J Pediatric; 132:48-52.*

Thomson AJ, Lunan CB, Cameron AD and Norman JE (1997) : *Nitric oxide donors induce ripening of the cervix: a randomized controlled trial .Br J Obstet Gynaecol; 104:1054-1057.*

Thornton S and Gillespie JI (1992): *Biochemistry of uterine contraction.Contemporary Reviews in obstetrics and Gynaecology;4:121:-126.*

Thome U, Topfer A and Schaffer P(1998): *The effect of positive end expiratory pressure and inspiratory time on functional residual capacity in mechanically ventilated preterm infants with acute prenatal asphyxia. Eur.J. pediatr;157(10):831-7.*

Tiwbin JA. Cardiac troponin I (1997): *a new diagnostic gold standard for cardiac Injury in children.J Pediatr;130:853-854.*

Torresin M, Zimmermann LJI and Cogo PE(2000): *Exogenous surfactant Kinetics in infants with respiratory distress syndrome .Am J Respir Crit Care Med*;61:1584-1589.

Tsvetkova Chernookova V, Efremova R, and BogdanovaV(2000): *Surfactant therapy in newborns with hyaline membrane disease .Akush. Ginekol (sofiia)*39(20):12-4.

Valia kavvadia V, Greenough A, Dimitriou G and Hooper R (1998): *Influence of ethnic origin on respiratory distress syndrome in very premature infants. Arch Dis Child Fetal Neonatal Ed*; 78:25-28.

Von Bel F , Walther FJ(1990): *Myocardial dysfunction and cerebral blood flow velocity following birth asphyxia. Acta Paediatr Scand*;79:756-62.

Van Marter LJ, Allerd EN, Leviton A, and Moone M (2001): *The neonatology committee for the developmental epidemiology, NewYork. Antenatal glucocorticoids treatment does not reduce chronic lung disease among surviving preterm infants.J Pediatr*; 138(2): 198-201.

Volbracht L,Haude M, Mann K and Erbel R(2001):*Biochemical Markers of isch mic and non -ischemic myocardial damage, Mcd Kli* 51 ;96(3):144-156.

Volpe JJ (1995):*Neurology of the newborn. 3rd (end), Hypoxic ischemic encephalopathy; Clinical aspects. P314-51 .*

Way GL, Pierce JR, Wolfe RR, et al(1998): *ST depression suggesting subendocardial ischaemia in neonates with respiratory distress syndrome and patent ductus arteriosus. J Pediatr ;95:609-611.*

Welty SE(2003): *Overview of neonatal respiratory distress: Disorders of transition. Retrieved October 2003.*

Winters KK and Eisberge PR (1998): *Ischemic heart diseases, Th Washington manual of medical therapeutics carey H (ed) Lippincott- Raven-Philadelphia, New York, 29th edition, P 85-94.*

Wu AH.(2001): Cardiac troponin I biochemical, analytical, and clinical aspects [Review]. *J Clin immunoassay ;17:45-48.*

Yeh TF, Mc Clenan DA and Ajay IOA(1989): *Metabolic rate and energy balance in infants with bronchopulmonary dysplasia. J Pediatr;114:448.*

Young TE and Mangum BI(2002a): *Uses of THAM acetal in neofax: A manual of drugs used in Neonatal care 15th edn, p194.*

Zahao H., Zhang Z and Wang D. (1996): *R.D of the newborn delivered by elective cesarean section . Chung – Hua-Fu-Chan-Ki-Tsa-Chin., 31(12:718-20)*
