

References

(A):

* *Abd El Fatah Othman Abd Elsamad (1996): Measures and scals in current social work. Ein Shams – Cairo.*

* *Adan Breastfeeding Friends Association (2004): breastfeeding practices. Adan Breastfeeding Friends Association Journal. N (9).*

available at:

<http://www.healthadan.ad/nutrition>

* *Ahokas A, Kaukoranta J, Wahlbeck K, et al., (2001): Estrogen deficiency in severe postpartum depression: successful treatment with sublingual physiologic 17beta-estradiol: a preliminary study. J Clin Psychiatry; 62(5): 332-6*

* *American Academy of Pediatrics Policy Statement, Work Group on Breastfeeding (1997): Breastfeeding and the Use of Human Milk (RE9729). Pediatrics; 1035-1039.*

Available at:

<http://www.aap.org/policy/re9729.html>

* *Anderson GC, (1991): Current knowledge about skin-to-skin (kangaroo) care for preterm infants. J Perinatol; 11: 216-26*

* *Anderson GC, (2002): Kangaroo care of the premature infant. Nurturing the Premature Infant: Developmental Interventions in the Neonatal Intensive Care Nursery. New York: Oxford University Press, 131-60*

* *Anderson GC, Dombrowski, MAS, & Swinth, JY, (2001): Kangaroo care: Not just for stable preemies anymore. Reflections on Nursing Leadership.; 27(2), 32-34,45*

* *Anderson and Wood Chang, (1998): Effect of KC on cortisol level in low birth weight babies. Biology of the neonate;56: 306-314*

(B):

* *Bergman NJ, Jurisoo LA, (1994): The “ kangaroo – method “ for treating low birth weight babies in a developing country. Tropical doctor; 24: 57-60*

* *Blanc A and Wardlaw T, (2005): Monitoring Low Birth Weight: An Evaluation of International Estimates and an Updated Estimation Procedure. WHO Bulletin, 83 (3), 178-195.*

* *Bloch M, Rotenberg N, Koren D, et al., (2005): Risk factors associated with the development of postpartum mood disorders. J Affect Disord, 23*

* *Brosnan CA and Swint JM, (2001): Cost analysis: Costs and application. Public Health Nursing; 18: 13-18.*

* **Bridget A, Aidam B, Pérez-Escamilla R, et al., (2005):** *Lactation Counseling Increases Exclusive Breast-Feeding Rates in Ghana. The American Society for Nutritional Sciences J. Nutr.* 135:1691-1695

* **Burkhammer MD, Anderson GC, Chiu SH, (2004):** *Grief, anxiety, stillbirth, and perinatal problems: healing with kangaroo care. J Obstet Gynecol Neonatal Nurs.* 33(6):774-82.

***Bystrova K, Widstrom AM, Matthiesen AS, et al., (2003):** *skin – to – skin contact may reduce negative consequences of “the stress of being born”: a study on temperature in newborn infants, subjected to different ward routines in St. Petersburg. Acta Paediatr;* 92(3): 272-3

(C):

* **Caldji C, Diorio J, Meaney M, (2000):** *Variations in maternal care in infancy regulate development of stress reactivity. Biological Psychiatry* 48:1164-74.

* **Cattaneo A, Davanazo R, Worku B, et al., (1998):** *Kangaroo mother care for low birth weight infants: a randomized controlled trial in different settings. Acta paediatr;* 87:976-985

* **Charpak N, (2006):** *Kangaroo Foundation. Speech presented in the 33rd Annual International Conference on Global Health. Global Health Council. Washington, D.C., USA.*

* **Charpak N and Ruiz-Peláez JG, (2006):** *Resistance to implementing Kangaroo Mother Care in developing countries, and proposed solutions. Acta Paediatr. 95(5):529-34*

* **Charpak N, Ruiz-Pelaez JG, Charpak Y. et al. (1994):** *Kangaroo mother program: an alternative way of caring for low birth weight infants? One year mortality in a two cohort study. Pediatrics;94: 804-10.*

* **Charpak N, Ruiz-Pelaez JG, Figueroa de CZ et al., (1997):** *Kangaroo mother care versus traditional care for new born infants more than 2000 grams: a randomized controlled trial. Pediatrics; 100:682-8*

* **Charpak N, Ruiz-Pelaez JG, Figueroa de CZ, (2000):** *"The Bogota declaration on kangaroo mother care": conclusions at the second international workshop on the method. Second International Workshop of Kangaroo Mother Care. Acta Paediatr;89: 1137-40*

* **Charpak N, Ruiz-Pelaez JG, Figueroa de CZ, et al., (2001):** *A randomized, controlled trial of kangaroo mother care: results of follow-up at 1 year of corrected age. Pediatrics;108: 1072-9.*

* **Charpak N, Whitetraut RC, Nelson MN, (2005):** *Kangaroo mother care: Relationship to later interactions between mothers*

and low birth weight infants. *Research in Nursing Health*; 11(1): 31-39

* *Cheah IG, Soosai AP, Wong SL, et al., (2005): Cost-Effectiveness NICU Study Group. Cost-effectiveness analysis of neonatal intensive care units. J Perinatol; 25: 47-53.*

* *Chalmers D, Kwak S, Mansour A, (1993): Corticosteroids regulate brain hippocampal 5HT-1A receptor mRNA expression, Journal of Neuroscience 13:914-23.*

* *Cohen J and Crnic L, (1982): Glucocorticoids stress and the immune response, in D. Webb (ed.) Immunopharmacology and the Regulation of the Leucocyte Function, New York: Marcel Dekker.*

* *Conde-Agudelo A, Diaz-Rossello JL, Belizán JM, (2003): Kangaroo mother care to reduce morbidity and mortality in low birthweight infants. Cochrane Database Syst Rev. (2):CD002771.*

* *Christensson K, Cabrera T, Christensson E, et al. (1995): Separation distress call in the human neonate in the absence of maternal body contact. Acta Paediatr;84(5):468-73*

* *Chwo MJ, Anderson GC, Good M, et al., (2004): A randomized control trial of early kangaroo care for preterm*

infants: Effect on temperature, weight, behaviour and acuity.
Jurnal of Nursing Research; 10: 129-141

(D):

* *Dennis CL, (2005): Psychosocial and psychological interventions for prevention of postnatal depression: systematic review. BMJ (2); 331(7507): 15*

* *Dettling A, Feldon J, Pryce C, (2002): Repeated parental deprivation in the infant common marmoset. Biological Psychiatry 52:1037-46.*

* *Demographic Health Servey "DHS", Egyptian Ministry of Health and Population, (2005).*

* *Disney J, (1999): the critical elements of medical service quality: Total quality management; (10): 491-506*

* *Dombrowski MA, Anderson GC, Santori C, et al., (2001): Kangaroo (skin-to-skin) care with a postpartum woman who felt depressed. MCN Am J Matern Child Nurs. 26(4):214-6.*

(E):

* *Epperson CN, Jatlow PI, Czarkowski K, et al., (2003): Maternal fluoxetine treatment in the postpartum period: effects on platelet serotonin and plasma drug levels in breastfeeding mother-infant pairs. Pediatrics; 112(5): e425*

(F):

* **Feldman R and Eidelman AI, (2003):** Skin – to – skin contact (kangaroo care) accelerates autonomic and neurobehavioral maturation in preterm infants. *Dev Med Child Neurol*; 45 (4): 274-81

* **Feldman R, Weller A, Sirota L, et al., (2002):** Skin-to-skin contact (kangaroo care) promotes self regulation in premature infants: Sleep-wake cyclicality, arousal modulation and sustained exploration. *Developmental Psychology*; 38: 194-207

* **Finch C and Daniel EL, (2002):** Breastfeeding education program with incentives increases exclusive breastfeeding among urban WIC participants. *J. Am. Diet. Assoc.* 102 : 981-984.

* **Furman L and Kennell J, (2000):** breastmilk and skin – to – skin kangaroo care for low birth weight infants. Avoiding bonding failure. *Acta Paediatr (Norway)*, 89 (11) : 1280-1299.

(G):

* **Gale G, Franck L, Lund C, (1993):** Skin-to- skin (kangaroo) holding of the intubated premature infant. *Neonatal Network*; 12: 49-57

* **Gerhardt S, (2006):** *Why Love Matters: How affection shapes a baby's brain.* Routledge, Taylor and Francis Group, London, UK.

* **Gray L, Watt L, Blass EM, (2000):** *Skin-to-skin contact is analgesic in healthy newborns.* *Pediatrics*, 105 (1), e14.

* **Gunnar M and Donzeella B, (2002):** *Social regulation of the cortisol levels in early human development.* *Psychoneuroendocrinology* 27:199-220.

* **Gunnar M, Malone S, Fisch R, (1985):** *The psycho-biology of stress and coping in the human neonate: studies of adrenocortical activity in response to aversive stimulation,* In T. Field, P. McCabe and N. Schneiderman (eds) *Stress and Coping*, Hillside, NJ: Lawrence Erlbaum Associates Inc, Chapter 9.

(H):

* **Haider R, Ashworth A, Kabir I, et al., (2000):** *Effect of community-based peer counselors on exclusive breastfeeding practices in Dhaka, Bangladesh: a randomized controlled trial.* *Lancet* ;356 : 1643 - 1647.

* **Hann M, Malan A, Kronson M, et al. (1999):** *Kangaroo Mother Care.* *S Afr Med J*;89(1):37-39.

* **Hofer M, (1995):** 'Hidden regulators: implications for a new understanding of attachment, separation and loss' in S. Goldberg, R. Muir, and J. Kerr (eds) *Attachment theory: Social, Developmental and Clinical Perspectives*, Hillside, NJ: Analytic Press.

* **Human Milk Banking Association of North America (2005):** *Best Practice for Expressing, Storing, and Handling Human Milk in Hospitals, Home and Child Care Settings*. 4th edition.

(J):

* **Julie B, Caroline M, Robert Q, (2003):** benefits of breastfeeding for low birth weight babies. *Lancet* ; 346 : 1211 - 1221.

(K):

* **Kambarami RA, Chidede O, Kowo DT, (2005):** Kangaroo care versus incubator care in management of well preterm infants: A pilot study. *Annals of Tropical Paediatrics*; 18: 81-86

* **Kathryn GL, Moran M, Radzysinski S, (2000):** Maternal kangaroo (skin-to-skin) care in comparison with the traditional care. *American Journal of Maternal Child Nursing (MCN)*; 24: 2-7.

* **Kavanaugh K, Mead L, Meier P, Mangurten HH, (1995):** *Getting enough: Mothers' concerns about breastfeeding a preterm infant after discharge; J Obstet Gynecol Neonat Nurs; 24:23–32*

* **Klaus MH and Kennell JH, (1982):** *Maternal–Infant Bonding. St Louis, MO: Mosby.*

* **Kramer M, (2001):** *Promotion of Breastfeeding Intervention Trial (PROBIT): A randomized trial in the Republic of Belarus. Journal of the American Medical Association, 285 (4): 413-430.*

(L):

* **Levine S, (2001):** *Primary social relationships influence the development of the HPA axis in the rat, Physiology and Behaviour 73(3):255-60.*

* **Ludington-Hoe SM, Ferreira CN, Goldstein MR, (1998):** *Kangaroo care with a ventilated preterm infant. Acta Paediatr;87: 711-3 .*

* **Ludington-Hoe SM, Nguyen N, Swinth JY, et al., (2000):** *Kangaroo care compared to incubators in maintaining body warmth in preterm infants. Biological Research for Nursing, 2: 60-73*

* **Ludington-Hoe SM and Swinth JY, (2004):** Kangaroo mother care during phototherapy: effect on bilirubin profile. *Neonatal Network*; 20 (5): 41-8

* **Ludington-Hoe SM, Thompson C, Swinth J, et al., (1994):** Kangaroo care: Research results and practice implications and guidelines. *Neonatal Network*; 13 (1): 19-27

* **Lyons D, Lopez J, Yang C, et al., (2000):** Stress level cortisol treatment impairs inhibitory control behaviour in monkeys, *Journal of Neuroscience* 20(20).

(M):

* **MacDorman M et al., (2002):** Annual Summary of Vital Statistics. *Pediatrics*; 110 (6): 1037-1052.

* **Madalynn N, (2004):** Kangaroo care: Is it for every one? *Neonatal Network*; 23 (5): 47-54

* **McEwen B and Margarinos A, (1997):** Stress effects on morphology and function of hippocampus. *Annals of the New York Academy of Sciences* 821:271-84.

* **Meier P, (2001):** Breastfeeding in the special care nursery. *Pediatr Clin North Am*; 48:425–443

* *Melanie M, Smith K, Maureen D, et al., (2003): Initiation of Breastfeeding among mothers of Low Birth Weight infants. Pediatrics. 111:1337–1142*

* *Mew AM, Holditch-Davis D, Belyea M, et al., (2003): Correlates of depressive symptoms in mothers of preterm infants. Neonatal Netw; 22(5): 51-60*

* *Moazam F and Lakhani M, (2000): Ethical dilemmas of health care in the developing nations. J Pediatr Surg; 25: 438-441.*

* *Morrow AL, Guerrero ML, Shults J, et al., (1999): Efficacy of home-based peer counseling to promote exclusive breastfeeding: a randomized controlled trial. Lancet. 353 : 1226-1231.*

(N):

* *Nonacs R and Cohen LS, (1998): Postpartum mood disorders: diagnosis and treatment guidelines. J Clin Psychiatry; 59 Suppl 2: 34-40*

* *Nourusis MJ, (2004): Statistical Package for Social Science (SPSS) base 13.0 for windows. User's guide. Chichago. Ill: SPSS..*

(O):

* *Ohgi S, Fukuda M, Moriuchi H, et al., (2005): Comparison of kangaroo care and standard care: Behavioral organization,*

development and temperament in healthy low birth weight infants through 1 year. Journal of Perinatology; 22: 374-379

** Ontario Public Health Association (OPHA) position paper (1993): OPHA Annual General Meeting. Code: 1993-01 (PP), Status: Active*

(P):

** Parker L and Anderson.GC, (2002): Kangaroo care for adoptive parents and their critically ill preterm infant. Am. J. Matern Child Nurs; 27(4): 230-2*

** Premji SS, Paes B, Jacobson K, et al., (2002): Evidence – based KMC practices guidelines for low birth weight infants. Adv Neonatal Care (United States); 2(1): 5-26*

(R):

** Ramanathan K, Paul VK, Deorari AK, et al., (2001): Kangaroo mother care in very low birth weight infants. Indian Journal of paediatrics; 68: 1019-1023*

** Rey ES and Martnez HG, (1983): Manejo racional del niño prematuro. In: Curso de Medicina Fetal, Universidad Nacional , Bogota , Colombia.*

Coated from:

Manuscript available in English from UNICEF, 3 UN Plaza, New York, NY: 10017.

* **Roberts D, Paynter C, McEwan B, (2005):** *A comparison of kangaroo mother care and conventional cuddling care. Neonatal Network, 19(4), 31-35.*

* **Rogowski J, (2003):** *Using economic information in a quality improvement collaborative. Pediatrics; 111: e411-418.*

* **Ryan AS, (2002):** *Breastfeeding continues to increase into the new millennium. Pediatrics; 110: 1103-1109.*

(S):

* **Schore AN, (2004):** *Effects of a secure attachment relationship on right brain development, affect regulation, and infant mental health. Infant Mental Health Journal; 22(1-2): 7-66*

* **Sontheimer D, Fischer CG, Scheffer F, et al., (1995):** *Pitfalls in respiratory monitoring of premature infants during kangaroo care. Arch Dis Child; 72: F 115-7*

* **Swinth JY, Anderson GC, Hadeed AJ, (2003):** *Kangaroo (skin-to-skin) care with a preterm infant before, during and after mechanical ventilation. Neonatal Network, 22(6), 33-8.*

* *Swinth J, Nelson L, Hadeed A, et al., (2000): Shared kangaroo (skin-to-skin) care for multiples. MCN, The American Journal of Maternal Child Nursing, 25, 214-216.*

(T):

* *Tessier R, Cristo M, Velez S, et al., (1998): Kangaroo mother care and the bonding hypothesis. Pediatrics; 102 (2): e17*

(U):

* *UNICEF and WHO, (2004): Low Birthweight: Country, Regional and Global Estimates, New York.*

* *United States Breastfeeding Committee (2002): Economic benefits of breastfeeding [issue paper]. Raleigh, NC: United States Breastfeeding Committee.*

[Available at:](#)

www.breastfeeding.org

(V):

* *Van den Boom, (1994): The Influence of temperament and mothering in attachment and exploration: an experimental manipulation of sensitive responses among low-class mothers with irritable infants, Child Development 65:1449.*

(W):

* **Whitelaw A, Heisterkamp G, Sleath K, et al., (1988):** *Skin to skin contact for very low birthweight infants and their mothers. Arch Dis Child; 63(11):1377-81*

* **WHO, (2000):** *U.S. Department of Health and Human Services, World Health Organization. HHS Blueprint for Action on Breastfeeding, Washington, D.C. Office of Women's Health .*

[Available at:](http://www.cdc.gov/breastfeeding/report-blueprint.htm)

<http://www.cdc.gov/breastfeeding/report-blueprint.htm>

* **WHO, (2002):** *Effect of community-based promotion of exclusive breastfeeding on diarrhoeal illness and growth: a cluster randomized controlled trial. The Optimal Duration of Exclusive Breastfeeding: A Systematic Review. WHO Geneva, Switzerland.*

* **WHO, (2003):** *Department of Reproductive Health and Research, World Health Organization. Kangaroo mother care: a practical guide. 1st ed. Geneva.*

* **Worku B and Kassie A, (2005):** *Kangaroo mother care: a randomized controlled trial on effectiveness of early kangaroo*

mother care for the low birthweight infants in Addis Ababa, Ethiopia. J Trop Pediatr. Apr;51(2):93-7.

(Y):

** Yip E, Lee J, Sheehy Y, (1996): Breast feeding in neonatal intensive care. Paediatr child health; 32: 296-306*