

References

- Ainsworth SB, Milligan DW.** Surfactant therapy for respiratory distress syndrome in premature neonates: a comparative review. *Am J Respir Med.* 2002;1(6):417-33.
- Ainsworth SB.** Pathophysiology of neonatal respiratory distress syndrome: implications for early treatment strategies. *Treat Respir Med.* 2005;4(6):423-37.
- Al Tawil K, Abu-Ekteish FM, Tamimi O, Al Hathal MM, Al Hathlol K, Abu Laimun B.** Symptomatic spontaneous pneumothorax in term newborn infants. *Pediatr Pulmonol.* 2004 May;37(5):443-6.
- Alfirevic Z.** Early amniocentesis versus transabdominal chorion villus sampling for prenatal diagnosis. *Cochrane Database Syst Rev.* 2000;(2):CD000077.
- Altman DG.** Relation between several variables. In: *Practical statistics for medical research.* Chapman and Hall, 1991; 325-64.
- American Lung Association.** Respiratory distress syndrome of new born fact sheet. 2006; Accessed May 7, 2007 at <http://www.lungusa.org/sit/ppasp.c=dvlu900E&b=35693>
- Antenatal Corticosteroids Revisited.** Repeat Courses. NIH Consensus Statement Online 2000 August 17-18; [cited year, month, day]; 17(2): 1-10.
- Attar MA, Donn SM.** Mechanisms of ventilator-induced lung injury in premature infants. *Semin Neonatol.* 2002 Oct;7(5):353-60.
- Aviles RJ, Askari AT, Lindahl B, Wallentin L, Jia G, Ohman EM, Mahaffey KW, Newby LK, Califf RM, Simoons ML, Topol EJ, Berger P, Lauer MS.** Troponin T levels in patients with acute coronary syndromes, with or without renal dysfunction. *N Engl J Med.* 2002 Jun 27;346(26):2047-52.

- Barton L, Hodgman JE, Pavlova Z.** Causes of death in the extremely low birth weight infant. *Pediatrics*. 1999 Feb;103(2):446-51.
- Behrman RE, Kliegman R, Nelson WE.** Nelson Textbook of Pediatrics. W.B. Saunders Company; 16th edition (January 15, 2000)
- Bhayana V, Henderson AR.** Biochemical markers of myocardial damage. *Clin Biochem*. 1995 Feb;28(1):1-29.
- Bhuta T, Henderson-Smart DJ.** Elective high-frequency oscillatory ventilation versus conventional ventilation in preterm infants with pulmonary dysfunction: systematic review and meta-analyses. *Pediatrics*. 1997 Nov;100(5):E6.
- Bhuta T, Henderson-Smart DJ.** Rescue high frequency oscillatory ventilation versus conventional ventilation for pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev*. 2000;(2):CD000438.
- Bhutta ZA, Yusuf K.** Neonatal respiratory distress syndrome in Karachi: some epidemiological considerations. *Paediatr Perinat Epidemiol*. 1997 Jan;11(1):37-43.
- Bhutta ZA, Yusuf K.** Profile and outcome of the respiratory distress syndrome among newborns in Karachi: risk factors for mortality. *J Trop Pediatr*. 1997 Jun;43(3):143-8.
- Bober K, Swietliński J.** Diagnostic utility of ultrasonography for respiratory distress syndrome in neonates. *Med Sci Monit*. 2006 Oct;12(10):CR440-6.
- Bodor GS, Survant L, Voss EM, Smith S, Porterfield D, Apple FS.** Cardiac troponin T composition in normal and regenerating human skeletal muscle. *Clin Chem*. 1997 Mar;43(3):476-84.

- Bonanno C, Fuchs K, Wapner RJ.** Single versus repeat courses of antenatal steroids to improve neonatal outcomes: risks and benefits. *Obstet Gynecol Surv.* 2007 Apr;62(4):261-71.
- Boo NY, Cheong KB, Cheong SK, Lye MS, Zufiqar MA.** Usefulness of stable microbubble test of tracheal aspirate for the diagnosis of neonatal respiratory distress syndrome. *J Paediatr Child Health.* 1997 Aug;33(4):329-34.
- Boyd S.** Causes and treatment of neonatal respiratory distress syndrome. *Nurs Times.* 2004 Jul 27-Aug 2;100(30):40-4.
- Brem AS.** Electrolyte disorders associated with respiratory distress syndrome and bronchopulmonary dysplasia. *Clin Perinatol.* 1992 Mar;19(1):223-32.
- Brion LP, Soll RF.** Diuretics for respiratory distress syndrome in preterm infants. *Cochrane Database Syst Rev.* 2000;(2):CD001454.
- Burlina A, Zaninotto M, Secchiero S, Rubin I, Accorsi F.** Troponin T as a marker of ischemic myocardial injury. *Clin Biochem* 1994; 27:113-21.
- CDC.** Low birthweight--United States, 1975-1987. *MMWR* 1990;39:148-51.
- Chambers CD, Hernandez-Diaz S, Van Marter LJ, Werler MM, Louik C, Jones KL, Mitchell AA.** Selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn. *N Engl J Med.* 2006 Feb 9;354(6):579-87.
- Chard T, Soe A, Costeloe K.** The risk of neonatal death and respiratory distress syndrome in relation to birth weight of preterm infants. *Am J Perinatol.* 1997 Oct;14(9):523-6.

- Chauhan SP, Hendrix NW, Magann EF.** Neonatal organ dysfunction among newborns at gestational age ≥ 4 weeks and umbilical arterial pH <7.00 . *J Matern Fetal Neonatal Med.* 2005 Apr;17(4):261-8.
- Chida S, Phelps DS, Cordle C, Soll R, Floros J, Taeusch HW.** Surfactant-associated proteins in tracheal aspirates of infants with respiratory distress syndrome after surfactant therapy. *Am Rev Respir Dis.* 1988 Apr;137(4):943-7.
- Clark SJ, Newland P, Yoxall CW, Subhedar NV.** Cardiac troponin T in cord blood. *Arch Dis Child Fetal Neonatal Ed.* 2001 Jan;84(1):F34-7.
- Clark SJ, Newland P, Yoxall CW, Subhedar NV.** Concentrations of cardiac troponin T in neonates with and without respiratory distress. *Arch Dis Child Fetal Neonatal Ed.* 2004 Jul;89(4):F348-52.
- Clark SJ, Newland P, Yoxall CW, Subhedar NV.** Sequential cardiac troponin T following delivery and its relationship with myocardial performance in neonates with respiratory distress syndrome. *Eur J Pediatr.* 2006 Feb;165(2):87-93.
- Clark SJ, Newland P, Yoxall CW, et al.** Cardiac troponin T in cord blood. *Arch Dis Child.* 2000; 84: F34-7.
- Clark SJ, Yoxall CW, Subhedar NV.** Measurement of right ventricular volume in healthy term and preterm neonates. *Arch Dis Child Fetal Neonatal Ed.* 2002 Sep;87(2):F89-93.
- Cleary GM, Wiswell TE.** Meconium-stained amniotic fluid and the meconium aspiration syndrome. An update. *Pediatr Clin North Am.* 1998 Jun;45(3):511-29.

- Cleveland RH.** A radiologic update on medical diseases of the newborn chest. *Pediatr Radiol.* 1995;25(8):631-7.
- Cole FS, Noguee LM, Hamvas A.** Defects in surfactant synthesis: clinical implications. *Pediatr Clin North Am.* 2006 Oct;53(5):911-27.
- Collinson PO, Premachandram S, Hashemi K.** Prospective audit of incidence of prognostically important myocardial damage in patients discharged from emergency department. *BMJ.* 2000 Jun 24;320(7251):1702-5.
- Coran AG, Drongowski R.** Congenital cystic disease of the tracheobronchial tree in infants and children. Experience with 44 consecutive cases. *Arch Surg.* 1994 May;129(5):521-7.
- Cosmi EV, La Torre R, Piazze JJ, Maranghi GL, Lerro N, Bianco D, Anceschi MM.** Intraamniotic surfactant for prevention of neonatal respiratory distress syndrome (IRDS): rationale and personal experience. *Eur J Obstet Gynecol Reprod Biol.* 1997 Feb;71(2):135.
- Cosmi EV.** Prenatal prevention of respiratory distress syndrome: new pharmacologic approaches. *Early Hum Dev.* 1992 Jun-Jul;29(1-3):283-6.
- Cowett RM, Loughhead JL.** Neonatal glucose metabolism: differential diagnoses, evaluation, and treatment of hypoglycemia. *Neonatal Netw.* 2002 Jun;21(4):9-19.
- Cowett RM.** The infant of the diabetic mother. In: Cowett RM, ed. *Principles of Perinatal-Neonatal Metabolism.* New York, NY: Springer-Verlag;1998 :1105 –1130.

- Crowley P.** Corticosteroids after preterm premature rupture of membranes. *Obstet Gynecol Clin North Am.* 1992 Jun;19(2):317-26.
- Crowther CA, Alfirevic Z, Haslam RR.** Thyrotropin-releasing hormone added to corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. *Cochrane Database Syst Rev.* 2004;(2):CD000019.
- Crowther CA, Harding JE.** Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. *Cochrane Database Syst Rev.* 2007 Jul 18;(3):CD003935.
- De Paoli A, Davis P, Faber B, Morley C.** Devices and pressure sources for administration of nasal continuous positive airway pressure (NCPAP) in preterm neonates. *Cochrane Database Syst Rev.* 2008 Jan 23;(1):CD002977.
- Dechant KL, Faulds D.** Colfosceril palmitate. A review of the therapeutic efficacy and clinical tolerability of a synthetic surfactant preparation (Exosurf Neonatal) in neonatal respiratory distress syndrome. *Drugs.* 1991 Nov;42(5):877-94.
- Donn SM.** Lucinactant: a novel synthetic surfactant for the treatment of respiratory distress syndrome. *Expert Opin Investig Drugs.* 2005 Mar;14(3):329-34.
- Dyke MP, Kohan R, Evans S.** Morphine increases synchronous ventilation in preterm infants. *J Paediatr Child Health.* 1995 Jun;31(3):176-9.
- Edwards MS.** Antibacterial therapy in pregnancy and neonates. *Clin Perinatol.* 1997 Mar;24(1):251-66.

- Egberts J, de Winter JP, Sedin G, de Kleine MJ, Broberger U, van Bel F, Curstedt T, Robertson B.** Comparison of prophylaxis and rescue treatment with Curosurf in neonates less than 30 weeks' gestation: a randomized trial. *Pediatrics*. 1993 Dec;92(6):768-74.
- Egerman RS, Mercer BM, Doss JL, Sibai BM.** A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome. *Am J Obstet Gynecol*. 1998 Nov;179(5):1120-3.
- Eisenman A.** Troponin assays for the diagnosis of myocardial infarction and acute coronary syndrome: where do we stand? *Expert Rev Cardiovasc Ther*. 2006 Jul;4(4):509-14.
- Elias-Jones AC, Barrett DA, Rutter N, Shaw PN, Davis SS.** Diamorphine infusion in the preterm neonate. *Arch Dis Child*. 1991 Oct;66(10 Spec No):1155-7.
- Emmanouilides GC, Moss AJ, Monset-Couchard M, Marciano BA, Rzeznick B.** Cardiac output in newborn infants. *Biol Neonate*. 1970;15(34):186-97.
- Evans N, Kluckow M.** Early determinants of right and left ventricular output in ventilated preterm infants. *Arch Dis Child Fetal Neonatal Ed*. 1996 Mar;74(2):F88-94
- Evans N, Kluckow M.** Early determinants of right and left ventricular output in ventilated preterm infants. *Arch Dis Child Fetal Neonatal Ed*. 1996 Mar;74(2):F88-94.
- Farah CS, Reinach FC.** The troponin complex and regulation of muscle contraction. *FASEB J* 1995;9:755-67.

- Finley JP, Howman-Giles RB, Gilday DL, Bloom KR, Rowe RD.** Transient myocardial ischemia of the newborn infant demonstrated by thallium myocardial imaging. *J Pediatr.* 1979 Feb;94(2):263-70.
- Fredrick J, Butler NR.** Hyaline membrane disease. *Lancet.* (1972). 2:268.
- Fujiwara T, Maeta H, Chida S, Morita T, Watabe Y, Abe T.** Artificial surfactant therapy in hyaline-membrane disease. *Lancet.* 1980 Jan 12;1(8159):55-9.
- Gardner DS, Fowden AL, Giussani DA.** Adverse intrauterine conditions diminish the fetal defense against acute hypoxia by increasing nitric oxide activity. *Circulation.* 2002 Oct 22;106(17):2278-83.
- Gessner I, Krovetz LJ, Benson RW, Prystowsky H, Stenger V, Eitzman DV.** Hemodynamic adaptations in the newborn infant. *Pediatrics.* 1965 Nov;36(5):752-62.
- Ghafoor T, Mahmud S, Ali S, Dogar SA.** Incidence of respiratory distress syndrome. *J Coll Physicians Surg Pak.* 2003 May; 13(5):271-3.
- Ghidini A, Poggi SH, Spong CY, Goodwin KM, Vink J, Pezzullo JC.** Role of lamellar body count for the prediction of neonatal respiratory distress syndrome in non-diabetic pregnant women. *Arch Gynecol Obstet.* 2005 Apr;271(4):325-8.
- Gibson AT.** Perinatal corticosteroids and the developing lung. *Paediatr Respir Rev.* 2002 Mar;3(1):70-6.
- Gill AB, Weindling AM.** Echocardiographic assessment of cardiac function in shocked very low birth weight infants. *Arch Dis Child.* 1993 Jan;68(1 Spec No):17-21.

- Goldstein RF, Thompson RJ, Oehler JM, Brazy JE.** Influence of acidosis, hypoxemia, and hypotension on neurodevelopmental outcome in very low birth weight infants. *Pediatrics*. 1995 Feb;95(2):238-43.
- Gomella TL.** Neonatology: management, procedures, on-call problems, diseases and drugs. Gomella, TL., Cunningham, MD., Eyal, FG., Zenk, KE (eds.). 5th edition. Medical Publishing Division, McGraw-Hill Companies, 2004.
- Greenough A, Donn SM.** Matching ventilatory support strategies to respiratory pathophysiology. *Clin Perinatol*. 2007 Mar;34(1):35-53, v-vi.
- Hack M, Wright LL, Shankaran S, Tyson JE, Horbar JD, Bauer CR, Younes N.** Very-low-birth-weight outcomes of the National Institute of Child Health and Human Development Neonatal Network, November 1989 to October 1990. *Am J Obstet Gynecol*. 1995 Feb;172(2 Pt 1):457-64.
- Hacking D, Watkins A, Fraser S, Wolfe R, Nolin T.** Respiratory distress syndrome and birth order in premature twins. *Arch Dis Child Fetal Neonatal Ed*. 2001 Mar;84(2):F117-21.
- Hallman M, Glumoff V, Rämet M.** Surfactant in respiratory distress syndrome and lung injury. *Comp Biochem Physiol A Mol Integr Physiol*. 2001 May;129(1):287-94.
- Hallman M, Haataja R, Marttila R.** Surfactant proteins and genetic predisposition to respiratory distress syndrome. *Semin Perinatol*. 2002 Dec;26(6):450-60.
- Hallman M, Merritt TA, Kari A, Bry K.** Factors affecting surfactant responsiveness. *Ann Med*. 1991 Dec;23(6):693-8.

- Hallman M, Teramo K.** Measurement of the lecithin/sphingomyelin ratio and phosphatidylglycerol in amniotic fluid: an accurate method for the assessment of fetal lung maturity. *Br J Obstet Gynaecol.* 1981 Aug;88(8):806-13.
- Hallman M.** Lung surfactant in respiratory distress syndrome. *Acta Anaesthesiol Scand Suppl.* 1991;95:15-20.
- Hammoud MS, Elson HA, Hanafi EA, Shalabi AA, Fouda IA, Devarajan LV.** Incidence and risk factors associated with the patency of ductus arteriosus in preterm infants with respiratory distress syndrome in Kuwait. *Saudi Med J.* 2003 Sep;24(9):982-5.
- Hansen AK, Wisborg K, Uldbjerg N and Henriksen TB.** Risk of respiratory morbidity in term infants delivered by elective caesarean section: cohort study. *BMJ.* 2008 Jan 12;336(7635):85-7. Epub 2007 Dec 11.
- Hansen AK, Wisborg K, Uldbjerg N, Henriksen TB.** Elective caesarean section and respiratory morbidity in the term and near-term neonate. *Acta Obstet Gynecol Scand.* 2007;86(4):389-94.
- Harte GJ, Gray PH, Lee TC, Steer PA, Charles BG.** Haemodynamic responses and population pharmacokinetics of midazolam following administration to ventilated, preterm neonates. *J Paediatr Child Health.* 1997 Aug;33(4):335-8.
- Hein HA, Ely JW, Lofgren MA.** Neonatal respiratory distress in the community hospital: when to transport, when to keep. *J Fam Pract.* 1998 Apr;46(4):284-9.

- Henderson-Smart DJ, Bhuta T, Cools F, Offringa M.** Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. Cochrane Database Syst Rev. 2000;(2):CD000104.
- Henderson-Smart DJ, Cools F, Bhuta T, Offringa M.** Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. Cochrane Database Syst Rev. 2007 Jul 18;(3):CD000104.
- Hermansen CL, Lorah KN.** Respiratory distress in the newborn. Am Fam Physician. 2007 Oct 1;76(7):987-94.
- Hetland O, Dickstein K.** Cardiac troponins I and T in patients with suspected acute coronary syndrome: a comparative study in a routine setting. Clin Chem. 1998 Jul;44(7):1430-6.
- Ho JJ, Henderson-Smart DJ, Davis PG.** Early versus delayed initiation of continuous distending pressure for respiratory distress syndrome in preterm infants. Cochrane Database Syst Rev. 2002;(2):CD002975.
- Ho JJ, Subramaniam P, Henderson-Smart DJ, Davis PG.** Continuous distending pressure for respiratory distress syndrome in preterm infants. Cochrane Database Syst Rev. 2002;(2):CD002271.
- Ho NK.** Factors affecting responses of infants with respiratory distress syndrome to exogenous surfactant therapy. Singapore Med J. 1993 Feb;34(1):74-7.
- Howlett A, Ohlsson A.** Inositol for respiratory distress syndrome in preterm infants. Cochrane Database Syst Rev. 2003;(4):CD000366.

- Immer FF, Stocker F, Seiler AM, et al.** Troponin T: improved diagnostic assessment of myocardial damage in childhood. *Acta Paediatr.* 1997;86: 1321-1327.
- Immer FF, Stocker FP, Seiler AM, et al.** Comparison of troponin-I and troponin-T after pediatric cardiovascular operation. *Ann Thorac Surg.* 1998;66:2073-2077.
- Jacob J, Gluck L, DiSessa T, Edwards D, Kalovich M, Kurlinski J, Merritt TA, Friedman WF.** The contribution of PDA in the neonate with severe RDS. *J Pediatr.* 1980 Jan;96(1):79-87.
- Jaffe AS, Landt Y, Parvin CA, Abendschein DR, Geltman EM, Ladenson JH.** Comparative sensitivity of cardiac troponin I and lactate dehydrogenase isoenzymes for diagnosing acute myocardial infarction. *Clin Chem* 1996;42:1771-6.
- Jain L, Dudell GG.** Respiratory transition in infants delivered by cesarean section. *Semin Perinatol.* 2006 Oct;30(5):296-304.
- Jain L, Eaton DC.** Physiology of fetal lung fluid clearance and the effect of labor. *Semin Perinatol.* 2006 Feb;30(1):34-43.
- James P, Ellis CJ, Whitlock RM, McNeil AR, Henley J, Anderson NE.** Relation between troponin T concentration and mortality in patients presenting with an acute stroke: observational study. *BMJ.* 2000 Jun 3;320(7248):1502-4.
- Jenkinson SG.** Oxygen toxicity. *New Horiz.* 1993 Nov;1(4):504-11.
- Kala P, Ten Have T, Nielsen H, Dunn M, Floros J.** Association of pulmonary surfactant protein A (SP-A) gene and respiratory distress syndrome: interaction with SP-B. *Pediatr Res.* 1998 Feb;43(2):169-77.

- Kamper J, Wulff K, Larsen C, Lindequist S.** Early treatment with nasal continuous positive airway pressure in very low-birth-weight infants. *Acta Paediatr.* 1993 Feb;82(2):191-7.
- Kaplan LA, Chapman JF, Bock JL, Santa Maria E, Clejan S, Huddleston DJ, Reed RG, Bernstein LH, Gillen-Goldstein J.** Prediction of respiratory distress syndrome using the Abbott FLM-II amniotic fluid assay. *Clin Chim Acta.* 2002 Dec;326(1-2):61-8.
- Kattwinkel JM.** The new Textbook of Neonatal Resuscitation, 4th edition, Multimedia CD-ROM. American Academy of Pediatrics. (March 31, 2006).
- Keszler M, Durand DJ.** Neonatal high-frequency ventilation. Past, present, and future. *Clin Perinatol.* 2001 Sep;28(3):579-607.
- Keszler M, Modanlou HD, Brudno DS, Clark FI, Cohen RS, Ryan RM, Kaneta MK, Davis JM.** Multicenter controlled clinical trial of high-frequency jet ventilation in preterm infants with uncomplicated respiratory distress syndrome. *Pediatrics.* 1997 Oct;100(4):593-9.
- Kimya Y, Küçükkömürcü S, Ozan H, Uncu G.** Antenatal ambroxol usage in the prevention of infant respiratory distress syndrome. Beneficial and adverse effects. *Clin Exp Obstet Gynecol.* 1995;22(3):204-11.
- King JF, Flenady VJ, Papatsonis DN, Dekker GA, Carbonne B.** Calcium channel blockers for inhibiting preterm labour. *Cochrane Database Syst Rev.* 2002;(2):CD002255

- Koivisto M, Marttila R, Saarela T, Pokela ML, Valkama AM, Hallman M.** Wheezing illness and re-hospitalization in the first two years of life after neonatal respiratory distress syndrome. *J Pediatr.* 2005 Oct;147(4):486-92.
- Kolås T, Saugstad OD, Daltveit AK, et al.,** : Planned cesarean versus planned vaginal delivery at term: comparison of newborn infant outcomes. *Am J Obstet Gynecol.* 2006 Dec;195(6):1538-43. Epub 2006 Jul 17.
- Krauss AN.** New methods advance treatment for respiratory distress syndrome. *Pediatr Ann.* 2003 Sep;32(9):585-91.
- Kumar A, Bhat BV.** Epidemiology of respiratory distress of newborns. *Indian J Pediatr.* 1996 Jan-Feb;63(1):93-8.
- Kumar A, Bhatnagar V.** Respiratory distress in neonates. *Indian J Pediatr.* 2005 May;72(5):425-8.
- Kumar P, Kiran PS.** Changing trends in the management of respiratory distress syndrome (RDS). *Indian J Pediatr.* 2004 Jan;71(1):49-54.
- Kurl S, Heinonen KM, Kiekara O.** The first chest radiograph in neonates exhibiting respiratory distress at birth. *Clin Pediatr (Phila).* 1997 May;36(5):285-9.
- Laubscher B, van Melle G, Fawer CL, Szekarski N, Calame A.** Haemodynamic changes during high frequency oscillation for respiratory distress syndrome. *Arch Dis Child Fetal Neonatal Ed.* 1996 May;74(3):F172-6.
- Lemyre B, Davis PG, de Paoli AG.** Nasal intermittent positive pressure ventilation (NIPPV) versus nasal continuous positive airway pressure (NCPAP) for apnea of prematurity. *Cochrane Database Syst Rev.* 2002;(1):CD002272.

- Lewis V, Whitelaw A.** Furosemide for transient tachypnea of the newborn. *Cochrane Database Syst Rev.* 2002;(1):CD003064.
- Lipschultz SE, Rifai N, Sallan SE, et al.** Predictive value of cardiac troponin T in pediatric patients at risk for myocardial injury. *Circulation.* 1997;96:2641-2648.
- Lumley J.** Method of delivery for the preterm infant. *BJOG.* 2003 Apr;110 Suppl 20:88-92.
- Mair J, Artner-Dworzak E, Lechleitner P, Smidt J, Wagner I, Dienstl F, Puschendorf B.** Cardiac troponin T in diagnosis of acute myocardial infarction. *Clin Chem* 1991;37:845-52.
- Mair J.** Cardiac troponin I and troponin T: are enzymes still relevant as cardiac markers? [Review]. *Clin Chim Acta* 1997;257:99-115.
- Man DW, Hamdy MH, Hendry GM, Bisset WH, Forfar JO.** Congenital lobar emphysema: problems in diagnosis and management. *Arch Dis Child.* 1983 Sep;58(9):709-12.
- Mazela J, Merritt TA, Finer NN.** Aerosolized surfactants. *Curr Opin Pediatr.* 2007 Apr;19(2):155-62.
- Milner AD.** Surfactant and respiratory distress syndrome. *Turk J Pediatr.* 1996 Jan-Mar;38(1):37-43.
- Moen MD, Perry CM, Wellington K.** Lucinactant: in neonatal respiratory distress syndrome. *Treat Respir Med.* 2005;4(2):139-45.
- Möller JC, Thielsen B, Schaible TF, Reiss I, Kohl M, Welp T, Gortner L.** Value of myocardial hypoxia markers (creatine kinase and its MB-fraction, troponin-T, QT-interval) and serum creatinine for the retrospective diagnosis of perinatal asphyxia. *Biol Neonate.* 1998;73(6):367-74.

- Moss TJ.** Respiratory consequences of preterm birth. Clin Exp Pharmacol Physiol. 2006 Mar;33(3):280-4.
- Moya FR, Montes HF, Thomas VL, Mouzinho AM, Smith JF, Rosenfeld CR.** Surfactant protein A and saturated phosphatidylcholine in respiratory distress syndrome. Am J Respir Crit Care Med. 1994 Dec;150(6 Pt 1):1672-7.
- Mukhopadhyay K, Kumar P, Narang A.** Role of early postnatal dexamethasone in respiratory distress syndrome. Indian Pediatr. 1998 Feb;35(2):117-22.
- Nagy ZL, Collins M, Sharpe T, Mirsadraee S, Guerrero RR, Gibbs J, Watterson KG.** Effect of two different bypass techniques on the serum troponin-T levels in newborns and children: does pH-Stat provide better protection? Circulation. 2003 Aug 5;108(5):577-82.
- Neil M, Peter H, Rosalind S.** Forfar & Arneil's textbook of pediatrics (6th Ed.) (1986)
- Nikhilesh J, Sathyamurthy I.** Troponins: current status in coronary artery disease. J Assoc Physicians India. 2005 Feb;53:116-8.
- O'Brodovich HM.** Immature epithelial Na⁺ channel expression is one of the pathogenetic mechanisms leading to human neonatal respiratory distress syndrome. Proc Assoc Am Physicians. 1996 Sep;108(5):345-55.
- Onrust SV, Dooley M, Goa KL.** Calfactant: a review of its use in neonatal respiratory distress syndrome. Paediatr Drugs. 1999 Jul-Sep;1(3):219-43.

- Osborn DA, Hunt RW.** Postnatal thyroid hormones for respiratory distress syndrome in preterm infants. Cochrane Database Syst Rev. 2007 Jan 24;(1):CD005946.
- Parvin CA, Kaplan LA, Chapman JF, McMahonon TG, Gronowski AM.** Predicting respiratory distress syndrome using gestational age and fetal lung maturity by fluorescent polarization. Am J Obstet Gynecol. 2005 Jan;192(1):199-207.
- Pattle RE, Wedd GD, Burgess F.** The acute toxic effects of black smoke. Br J Ind Med. 1959 Jul;16:216-20.
- Pattle RE.** Properties, function and origin of the alveolar lining layer. Nature. 1955 Jun 25;175(4469):1125-6.
- Pfister RH, Soll RF, Wiswell T.** Protein containing synthetic surfactant versus animal derived surfactant extract for the prevention and treatment of respiratory distress syndrome. Cochrane Database Syst Rev. 2007 Oct 17;(4):CD006069.
- Primhak RA, Jedeikin R, Ellis G, Makela SK, Gillan JE, Swyer PR, Rowe RD.** Myocardial ischaemia in asphyxia neonatorum. Electrocardiographic, enzymatic and histological correlations. Acta Paediatr Scand. 1985 Jul;74(4):595-600.
- Primhak RA, Jedeikin R, Ellis G, Makela SK, Gillan JE, Swyer PR, Rowe RD.** Myocardial ischaemia in asphyxia neonatorum. Electrocardiographic, enzymatic and histological correlations. Acta Paediatr Scand. 1985 Jul;74(4):595-600.
- Rana SS, Bhasin DK, Sinha SK, Singh K.** Coexistence of chronic calcific pancreatitis and celiac disease. Indian J Gastroenterol. 2007 May-Jun;26(3):150.

- Ranjit MS.** Cardiac abnormalities in birth asphyxia. *Indian J Pediatr.* 2000 Mar;67(3 Suppl):S26-9.
- Ravkilde J.** Creatine kinase isoenzyme MB mass, cardiac troponin T, and myosin light chain isotype 1 as serological markers of myocardial injury and their prognostic importance in acute coronary syndrome. *Dan Med Bull.* 1998 Feb;45(1):34-50.
- Remppis A, Scheffold T, Greten J, Haass M, Gröten T, Kübler W, Katus HA.** Intracellular compartmentation of troponin T: release kinetics after global ischemia and calcium paradox in the isolated perfused rat heart. *J Mol Cell Cardiol.* 1995 Feb;27(2):793-803.
- Roberts WE, Morrison JC.** Pharmacologic induction of fetal lung maturity. *Clin Obstet Gynecol.* 1991 Jun;34(2):319-27.
- Robertson NJ, McCarthy LS, Hamilton PA, Moss AL.** Nasal deformities resulting from flow driver continuous positive airway pressure. *Arch Dis Child Fetal Neonatal Ed.* 1996 Nov;75(3):F209-12.
- Rodriguez RJ, Martin RJ, Fanaroff AA.** The respiratory distress syndrome and its management. In: Fanaroff AA, Martin RJ, editors. *Neonatal-perinatal medicine*, 7th ed. St Louis: Mosby-Year Book; 2002.
- Rodriguez RJ, Martin RJ.** Exogenous surfactant therapy in newborns. *Respir Care Clin N Am.* 1999 Dec;5(4):595-616.
- Rodriguez RJ.** Management of respiratory distress syndrome: an update. *Respir Care.* 2003 Mar;48(3):279-86; discussion 286-7.
- Schmidt BK.** Antithrombin III deficiency in neonatal respiratory distress syndrome. *Blood Coagul Fibrinolysis.* 1994 Jan;5 Suppl 1:S13-7; discussion S59-64.

- Schmidt KG, Silverman NH, Hoffman JI.** Determination of ventricular volumes in human fetal hearts by two-dimensional echocardiography. *Am J Cardiol.* 1995 Dec 15;76(17):1313-16.
- Schrag S, Gorwitz R, Fultz-Butts K, Schuchat A.** Prevention of perinatal group B streptococcal disease. Revised guidelines from CDC. *MMWR Recomm Rep.* 2002 Aug 16;51(RR-11):1-22.
- Schwartz RM, Luby AM, Scanlon JW, Kellogg RJ.** Effect of surfactant on morbidity, mortality, and resource use in newborn infants weighing 500 to 1500 g. *N Engl J Med.* 1994 May 26;330(21):1476-80.
- Shiao SY, Ou CN.** Validation of oxygen saturation monitoring in neonates. *Am J Crit Care.* 2007 Mar;16(2):168-78.
- Sims EJ, Vermillion ST, Soper DE.** Preterm premature rupture of the membranes is associated with a reduction in neonatal respiratory distress syndrome. *Am J Obstet Gynecol.* 2002 Aug;187(2):268-72.
- Sinha S, Moya F, Donn SM.** Surfactant for respiratory distress syndrome: are there important clinical differences among preparations? *Curr Opin Pediatr.* 2007 Apr;19(2):150-4.
- Sinha SK, Donn SM.** Volume-controlled ventilation. Variations on a theme. *Clin Perinatol.* 2001 Sep;28(3):547-60, vi.
- Smolich JJ, Berger PJ, Walker AM.** Interrelation between ventricular function, myocardial blood flow, and O₂ consumption changes at birth in lambs. *Am J Physiol.* 1996 Feb;270(2 Pt 2):H741-9.
- Snyder JM, Mendelson CR.** Insulin inhibits the accumulation of the major lung surfactant apoprotein in human fetal lung explants maintained in vitro. *Endocrinology.* 1987 Apr;120(4):1250-7.

- So BH, Tamura M, Mishina J, Watanabe T, Kamoshita S.** Application of nasal continuous positive airway pressure to early extubation in very low birthweight infants. *Arch Dis Child Fetal Neonatal* Ed. 1995 May;72(3):F191-3.
- Soll RF, Blanco F.** Natural surfactant extract versus synthetic surfactant for neonatal respiratory distress syndrome. *Cochrane Database Syst Rev*. 2001;(2):CD000144.
- Soll RF, Morley CJ.** Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants. *Cochrane Database Syst Rev*. 2001;(2):CD000510.
- Soll RF.** Multiple versus single dose natural surfactant extract for severe neonatal respiratory distress syndrome. *Cochrane Database Syst Rev*. 2000;(2):CD000141.
- Soll RF.** Synthetic surfactant for respiratory distress syndrome in preterm infants. *Cochrane Database Syst Rev*. 2000;(2):CD001149.
- Stutchfield P, Whitaker R, Russell I.** Antenatal Steroids for Term Elective Caesarean Section (ASTECS) Research Team. Antenatal betamethasone and incidence of neonatal respiratory distress after elective caesarean section: pragmatic randomised trial. *BMJ*. 2005 Sep 24;331(7518):662. Epub 2005 Aug 22.
- Subramaniam P, Henderson-Smart DJ, Davis PG.** Prophylactic nasal continuous positive airways pressure for preventing morbidity and mortality in very preterm infants. *Cochrane Database Syst Rev*. 2000;(2):CD001243.
- Suresh GK, Soll RF.** Lung surfactants for neonatal respiratory distress syndrome: animal-derived or synthetic agents? *Paediatr Drugs*. 2002;4(8):485-92.

- Sweet D, Bevilacqua G, Carnielli V, Greisen G, Plavka R, Didrik Saugstad O, Simeoni U, Speer CP, Valls-I-Soler A, Halliday H, Working Group on Prematurity of the World Association of Perinatal Medicine, European Association of Perinatal Medicine.* European consensus guidelines on the management of neonatal respiratory distress syndrome. *J Perinat Med.* 2007;35(3):175-86.
- Sweet DG, Halliday HL.* Current perspectives on the drug treatment of neonatal respiratory distress syndrome. *Paediatr Drugs.* 1999 Jan-Mar;1(1):19-30.
- Tang W, Ridout D, Modi N.* Influence of respiratory distress syndrome on body composition after preterm birth. *Arch Dis Child Fetal Neonatal Ed.* 1997 Jul;77(1):F28-31.
- Teeratakulpisarn J, Taksaphan S, Pengsaa K, Wiangnon S, Kosuwon W.* Prediction of idiopathic respiratory distress syndrome by the stable microbubble test on gastric aspirate. *Pediatr Pulmonol.* 1998 Jun;25(6):383-9.
- Torday JS.* Androgens delay human fetal lung maturation in vitro. *Endocrinology.* 1990 Jun;126(6):3240-4.
- Trevisanuto D, Lachin M, Zaninotto M, Pellegrino PA, Plebani M, Cantarutti F, Zanardo V.* Cardiac troponin T in newborn infants with transient myocardial ischemia. *Biol Neonate.* 1998;73(3):161-5.
- Trevisanuto D, Zaninotto M, Altinier S, Plebani M, Zanardo V.* High serum cardiac troponin T concentrations in preterm infants with respiratory distress syndrome. *Acta Paediatr.* 2000 Sep;89(9):1134-6.

- Vakrilova L, Kalaïdzhieva M, Slüncheva B, et al.** The significance of parameters of the acid-base status, blood gas and blood lactate level for the adequate resuscitation and prognosis in newborns with very low birth weight, *Akush Ginekol (Sofia)*. 2004.; 43 (5):25-31.
- van Kaam AH, Rimensberger PC.** Lung-protective ventilation strategies in neonatology: what do we know--what do we need to know? *Crit Care Med*. 2007 Mar;35(3):925-31.
- Van Marter LJ, Allred EN, Pagano M, Sanocka U, Parad R, Moore M, Susser M, Paneth N, Leviton A.** Do clinical markers of barotrauma and oxygen toxicity explain interhospital variation in rates of chronic lung disease? The Neonatology Committee for the Developmental Network. *Pediatrics*. 2000 Jun;105(6):1194-201
- Van Meurs K, Hintz S, Rhine W, Benitz W.** The use of inhaled nitric oxide in the premature infant with respiratory distress syndrome. *Minerva Pediatr*. 2006 Oct;58(5):403-22.
- Veille JC, Hanson R, Steele L, Tatum K.** M-mode echocardiographic evaluation of fetal and infant hearts: longitudinal follow-up study from intrauterine life to year one. *Am J Obstet Gynecol*. 1996 Oct;175(4 Pt 1):922-8.
- Verder H.** Nasal CPAP has become an indispensable part of the primary treatment of newborns with respiratory distress syndrome. *Acta Paediatr*. 2007 Apr;96(4):482-4.
- Verma RP.** Respiratory distress syndrome of the newborn infant. *Obstet Gynecol Surv*. 1995 Jul;50(7):542-55.

- Victory R, Penava D, da Silva O.** Umbilical cord pH and base excess values in relation to neonatal morbidity for infants delivered preterm. *Am J Obstet Gynecol.* 2003 Sep; 189(3):803-7.
- Vitali SH, Arnold JH.** Bench-to-bedside review: Ventilator strategies to reduce lung injury - lessons from pediatric and neonatal intensive care. *Crit Care.* 2005 Apr;9(2):177-83.
- Walther FJ, Benders MJ, Leighton JO.** Early changes in the neonatal circulatory transition. *J Pediatr.* 1993 Oct;123(4):625-32.
- Walther FJ, Siassi B, Ramadan NA, Wu PY.** Cardiac output in newborn infants with transient myocardial dysfunction. *J Pediatr.* 1985 Nov;107(5):781-5.
- Watts CL, Fanaroff AA.** Fibronectin: role in respiratory distress syndrome and bronchopulmonary dysplasia. *Semin Perinatol.* 1992 Jun;16(3):162-9.
- Wiberg N, Källén K and Olofsson P.** Base deficit estimation in umbilical cord blood is influenced by gestational age, choice of fetal fluid compartment, and algorithm for calculation. *Am J Obstet Gynecol.* 2006 Dec;195(6):1651-6.
- Wijnberger LD, Huisjes AJ, Voorbij HA, Franx A, Bruinse HW, Mol BW.** The accuracy of lamellar body count and lecithin/sphingomyelin ratio in the prediction of neonatal respiratory distress syndrome: a meta-analysis. *BJOG.* 2001 Jun;108(6):583-8.
- Wiswell TE, Mendiola J.** Respiratory distress syndrome in the newborn: innovative therapies. *Am Fam Physician.* 1993 Feb 1; 47(2):407-14.

Yost CC, Soll RF. Early versus delayed selective surfactant treatment for neonatal respiratory distress syndrome. Cochrane Database Syst Rev. 2000;(2):CD001456.

Yu VY. Recent advances in assisted ventilation for neonatal respiratory distress syndrome. Indian Pediatr. 1998 Jul;35(7):631-40.

Zimmermann LJ, Janssen DJ, Tibboel D, Hamvas A, Carnielli VP. Surfactant metabolism in the neonate. Biol Neonate. 2005; 87(4):296-307.