

LIST OF CONTENTS

	<i>Page No.</i>
Introduction	1 – 2
Aim of the work	3
Review of literature	4 – 45
Subjects and Methods	
▪ Neo-Neuro & Up Score	48 – 76
▪ Normal cranial ultrasound	76 – 79
▪ Statistical analysis	80 – 81
Results	
▪ Statistical Results	82-115
▪ Case Demonstration	116-125
Discussion	126-132
Summary and Conclusion	133-134
Recommendations	135
References	136-148
Arabic summary	٢-١

LIST OF ABBREVIATIONS

AAP	American Academy of Pediatrics
ACOG	American College of Obstetricians and Gynecologists
ALT	Alanine Transaminase
AST	Aspartate Transaminase
ATNR	Asymmetrical Tonic Neck Reflex
ATP	Adenosine Tri-Phosphate
BPM	Beat Per Minute
CBF	Cerebral Blood Flow
CBV	Cerebral Blood volume
CK-MB	Creatine Kinase-MB
CN XII	Cranial nerve XII
CNS	Central nervous system
CPP	Cerebral Perfusion Pressure
CT	Computed Tomography
CUSF	Cranial Ultrasound Findings
CV	Co-efficient of Variation
DIC	Disseminated Intravascular Coagulopathy
DNA	Double Strands Nucleic Acid
ECG	Electro Cardio Gram
EEG	Electro Encephalo Gram
GA	Gestational Age
HIE	Hypoxic – Ischemic Encephalopathy
ICE	Infant Cooling Evaluation
ICH	Intra Cranial Hemorrhage
ICP	Intracranial Pressure
IGF-1	Insulin like Growth Factor-1
IPPV	Intermittent Positive Pressure Ventilation
IVH	Intra Ventricular Hemorrhage

MRI	Magnetic Resonance Imaging
MRS	Magnetic Resonance Spectroscopy
NEC	Necrotizing Enterocolitis
NIRS	Near- Infrared Spectroscopy
NMDA	N- Methyl – D – Aspartate
NMDH	N- methyl - D-hydroxylase
NNUS	Neo-Neuro & Up Score
NO	Nitric Oxide
NOS	Nitric Oxide Synthetase
PAF	Platelet Activating Factor
PET	Positron Emission Tomography
PT	Prothrombin Time
PTT	Partial Thromboplastin Time
PVL	Periventricular leucomalacia
SD	Standard Deviation
SPECT	Single – Photon Emission Computed Tomography
TOBY	Total Body Cooling Trial
US	Ultrasound

LIST OF FIGURES

<i>No</i>	<i>Title</i>	<i>Page</i>
1	Simplified schematic representation of the mechanisms involved in secondary neuronal injury following hypoxic-ischemia	20
2	Resting position in prone. The more mature a new born, the more tightly flexed is the resting posture with more adduction of the shoulders.	49
2:A	Term resting posture	
2:B	More premature resting posture	
3	Abnormal posturing	49
3:A	Opisthotonic: the neck & arms are hyperextended, legs and trunk may also hyperextended.	
3:B	Decerebrate: the legs and arms are extended with the wrists flexed and hands fisted.	
3:C	Decorticate: the arms are flexed and legs extended.	
4:A	Finger grasp	51
4:B	The grasp can be strong in even tiny infants that he can be lifted off the matters	
5	Planter grasp	52
6	Scarf sign	55
7	Popliteal angles	57
8	Heel to ear	58
9	Pull to sitting	60
9:A	The infant actively assists in getting to a sitting position with his head kept in line with the body axis with active flexion.	
9:B	Head lag at the beginning of the maneuver should correct when the upright position is attained.	
9:C	Abnormal response with no assistance from the infant.	
10	Neck control	64
10:A	Anterior neck muscles	
10:B	Posterior neck muscles	
11	Ventral suspension	68
11:A	Good tone	
11:B	Poor tone	
12	Moro reflex by body drop	69
12:A	Infant is supported with arms in comfortable resting position across the chest.	
12:B	Both hands are dropped without tilling the head. The first part of the response is extension at the elbows and abduction of the arms. Hands open fully.	69

12:C	The second part of the response is adduction and flexion with curling of the fingers.	
13	Neo Neuro & Up Score	73
14	Scoring – use corrected gestational age	75
15	Normal cranial ultrasound	80
16	Classification of gestational age for infants with hypoxic-ischemic encephalopathy	82
17	Classification of gender for infants with hypoxic-ischemic encephalopathy	83
18	Classification of mode of delivery for infants with hypoxic-ischemic encephalopathy	84
19	Classification of birth weight for infants with hypoxic-ischemic encephalopathy	85
20	Classification of head circumference for infants with hypoxic-ischemic encephalopathy.	86
21	Classification of Sarnat staging for infants with hypoxic-ischemic encephalopathy	87
22	Classification of Neo-Neuro & Up Score for infants with hypoxic-ischemic encephalopathy	88
23	Classification of outcome for infants with hypoxic-ischemic encephalopathy.	89
24	Classification of cranial ultrasound findings for infants with hypoxic-ischemic encephalopathy.	90
25	Classification of premature rupture of membrane (PROM) for infants with hypoxic-ischemic encephalopathy.	91
26	Classification of sepsis for infants with hypoxic-ischemic encephalopathy.	92
27	Classification of diagnosis at admission for infants with hypoxic-ischemic encephalopathy.	93
28	Relationship between gestational age and Neo-Neuro & Up Score	94
28A	Direct Relationship between gestational age and Neo-Neuro & Up Score	95
28B	Relationship between gestational age and severity of abnormal Neo-Neuro & Up Score	96
29 A	Relationship between gender and the normality of Neo-Neuro & Up Score	97
29B	Relationship between gender and the Severity of abnormal Neo-Neuro & Up Score	98
30A	Relationship between mode of delivery and the normality of Neo-Neuro & Up Score	99
30B	Relationship between mode of delivery and the severity of	100

	abnormal Neo-Neuro & Up Score.	
31A	Relationship between birth weight and the normality of Neo-Neuro & Up Score.	101
31B	Relationship between birth weight and the severity of abnormal Neo-Neuro & Up Score	102
32A	Relationship between Sarnat stages and the normality of Neo-Neuro & Up Score.	103
32B	Relationship between Sarnat stages and the severity of abnormal Neo-Neuro & Up Score.	104
33A	Relationship between outcome and the normality of Neo-Neuro & Up Score.	105
33B	Relationship between outcome and the severity of abnormal Neo-Neuro & Up Score.	106
34A	Relationship between cranial ultrasound findings and the normality of Neo-Neuro & Up Score.	108
34B	Relationship between cranial ultrasound findings and the severity of abnormal Neo-Neuro & Up Score.	108
35	Relationship between Sarnat stages and cranial ultrasound findings.	109
36A	Relationship between sepsis and the normality of Neo-Neuro & Up Score.	110
36B	Relationship between sepsis and the severity of abnormal Neo-Neuro & Up Score.	111
37A	Relationship between diagnosis at admission and the normality of Neo-Neuro & Up Score.	112
37B	Relationship between diagnosis at admission and the severity of abnormal Neo-Neuro & Up Score.	113
38	Scatter diagram of the correlation coefficient between birth weight and head circumference.	114
39	Cranial ultrasound is consistent with marked I.V.H. with periventricular hemorrhage	117
40	Cranial ultrasound revealed bright cerebral parenchyma suggesting cerebral oedema and small intraventricular cyst in right lateral ventricle	119
41	Cranial ultrasound is consistent with periventricular leukomalacia as result of ischemic brain insult	121
42	Cranial ultrasound is consistent with brain oedema & mild ventriculomegaly	123
43	Cranial ultrasound is consistent with cerebral oedema	125

LIST OF TABLES

<i>No</i>	<i>Title</i>	<i>Page</i>
1	Essential criteria of perinatal asphyxia	4
2	Some factors that place the new born infant at high risk asphyxia	8
3	Essential criteria of perinatal asphyxia	9
4	Apgar scoring system (Apgar and James 1962)	10
5	Interpretation of Apgar score (Carlo and Chatburn 1988)	10
6	Sarnat & Sarnat stages of hypoxic ischemic encephalopathy	11
7	Classifications of cranial ultrasound findings	26
8	Classification of gestational age for infants with hypoxic ischemic encephalopathy	82
9	Classification of gender for infants with hypoxic-ischemic encephalopathy.	82
10	Classification of mode of delivery for infants with hypoxic-ischemic encephalopathy.	84
11	Classification of birth weight for infants with hypoxic-ischemic encephalopathy	85
12	Classification of head circumference for infants with hypoxic-ischemic encephalopathy.	86
13	Classification of Sarnat staging for infants with hypoxic-ischemic encephalopathy	87
14	Classification of Neo-Neuro & Up Score for infants with hypoxic-ischemic encephalopathy	88
15	Classification of outcome for infants with hypoxic-ischemic encephalopathy.	89
16	Classification of cranial ultrasound findings for infants with hypoxic-ischemic encephalopathy.	90
17	Follow up cranial ultrasound findings	90
18	Classification of premature rupture of membrane (PROM) for infants with hypoxic-ischemic encephalopathy.	91
19	Classification of sepsis for infants with hypoxic-ischemic encephalopathy.	92
20	Classification of diagnosis at admission for infants with hypoxic-ischemic encephalopathy.	93
21	Relationship between gestational age and Neo-Neuro & Up Score	94
21:A	Direct Relationship between gestational age and Neo-Neuro & Up Score	95

22	Relationship between gender and Neo-Neuro & Up Score	97
23	Relationship between mode of delivery and Neo-Neruo & Up Score	98
24	Relationship between birth weight and Neo-Neruo & Up Score	101
25	Relationship between Sarnat stages and Neo-Neruo & Up Score	103
26	Relationship between outcome and Neo-Neruo & Up Score	105
27	Relationship between cranial ultrasound findings & Neo-Neuro & Up Score	107
28	Relationship between abnormal cranial ultrasound findings & Neo-Neuro & Up Score	107
29	Relationship between Sarnat stages and cranial ultrasound findings.	109
30	Relationship between sepsis and Neo-Neuro & Up score	110
31	Relationship between diagnosis at admission and Neo-Neuro & Up Score	112
32	Relationship between cranial ultrasound findings, Neo-Neuro & Up Score and Sarnat stages	115