

REFERENCES

- Aceves SS, Newbury RO, Dohil R, Bastian JF, Broide DH.** Esophageal remodeling in pediatric eosinophilic esophagitis. *J Allergy Clin Immunol* 2007; 119: 206-12.
- Adams RJ, Fuhlbrigge AL, Finkelstein JA, Weiss ST.** Intranasal steroids and the risk of emergency department visits for asthma. *J Allergy Clin Immunol* 2002; 109(4): 636-42.
- Akbari O, DeKruyff RH, Umetsu DT.** Pulmonary dendritic cells producing IL-10 mediate tolerance induced by respiratory exposure to antigen. *Nat Immunol* 2001; 2: 725-731.
- Akdis M, Verhagen J, Taylor A, Karamloo F, Karagiannidis C, Cramer R, Thunberg S, Deniz G, Valenta R, Fiebig H, Kegel C, Disch R, Schmidt-Weber CB, Blaser K, Akdis CA.** Immune responses in healthy and allergic individuals are characterized by a fine balance between allergen-specific T regulatory 1 and T helper 2 cells. *J Exp Med* 2004; 199: 1567-1575.
- Apelberg BJ, Aoki Y, Jaakkola JJ.** Systematic review: exposure to pets and risk of asthma and asthma-like symptoms. *J Allergy Clin Immunol* 2001; 107: 455-460.
- Asher MI, Montefort S, Björkstén B, Lai CK, Strachan DP, Weiland SK, Williams H. ISAAC Phase Three Study Group.** Worldwide time trends in the prevalence of symptoms of asthma, allergic rhinoconjunctivitis, and eczema in childhood: ISAAC Phases One and Three repeat

multicountry cross-sectional surveys. *Lancet* 2006; 368: 733-743.

Bacharier LB, Boner A, Carlsen KH, Eigenmann PA, Frischer T, Götz M, Helms PJ, Hunt J, Liu A, Papadopoulos N, Platts-Mills T, Pohunek P, Simons FE, Valovirta E, Wahn U, Wildhaber J; European Pediatric Asthma Group. Diagnosis and treatment of asthma in childhood: a PRACTALL consensus report. *Allergy* 2008; 63(1): 5-34.

Balzar S, Chu HW, Silkoff P. Increased TGF-beta2 in severe asthma with eosinophilia. *J Allergy Clin Immunol* 2005; 115: 110-117.

Barbato A, Turato G, Baraldo S, Bazzan E, Calabrese F, Tura M, Zuin R, Beghe B, Maestrelli P, Fabbri LM, Sactta M. Airway inflammation in childhood asthma. *Am J Respir Crit Care Med* 2003; 168(7): 798-803.

Batra V, Musani AI, Hastie AT. Bronchoalveolar lavage fluid concentrations of transforming growth factor (TGF)-beta1, TGF-beta2, interleukin (IL)-4 and IL-13 after segmental allergen challenge and their effects on alpha-smooth muscle actin and collagen III synthesis by primary human lung fibroblasts. *Clin Exp Allergy* 2004; 34: 437-444.

Behera AK, Kumar M, Lockey RF, Mohapatra SS. Adenovirus-mediated interferon gamma gene therapy for allergic asthma: involvement of interleukin 12 and STAT4 signaling. *Hum Gene Ther* 2002; 13: 1697-1709.

- Benayoun L, Letuve S, Druilhe A.** Regulation of peroxisome proliferator-activated receptor gamma expression in human asthmatic airways: relationship with proliferation, apoptosis, and airway remodeling. *Am J Respir Crit Care Med* 2001; 164: 1487-1494.
- Bener A, Ehlayel MS, Alsowaidi S, Sabbah A.** Role of breast feeding in primary prevention of asthma and allergic diseases in a traditional society. *Eur Ann Allergy Clin Immunol* 2007; 39(10): 337-43.
- Bernard A, Carboneille S, Michel O, Higuete S, De BC, Buchet JP.** Lung hyperpermeability and asthma prevalence in schoolchildren: unexpected associations with the attendance at indoor chlorinated swimming pools. *Occup Environ Med* 2003; 60: 385-394.
- Bernstein DI.** ABCs of Asthma. *Clin Cornerstone* 2008; 8(4): 9-25.
- Bettelli E, Carrier Y, Gao W.** Reciprocal developmental pathways for the generation of pathogenic effector TH17 and regulatory T cells. *Nature* 2006; 441: 235-238.
- Bisgaard H, Hermansen MN, Loland L, Halkjaer LB, Buchvald F.** Intermittent inhaled corticosteroids in infants with episodic wheezing. *N Engl J Med* 2006; 354: 1998-2005.
- Bisgaard H.** A randomized trial of montelukast in respiratory syncytial virus postbronchiolitis. *Am J Respir Crit Care Med* 2003, 167: 379-383.

- Bousquet J, Jeffery PK, Busse WW, Johnson M, Vignola AM.** Asthma. From bronchoconstriction to airways inflammation and remodeling. *Am J Respir Crit Care Med* 2000; 161: 1720-1745.
- Bousquet J, Van Cauwenberge P, Khaltaev N; Aria Workshop Group; World Health Organization.** Allergic rhinitis and its impact on asthma. *J Allergy Clin Immunol* 2001; 108(5 Suppl): S147-334.
- Boxall C, Holgate ST, Davies DE.** The contribution of transforming growth factor-beta and epidermal growth factor signalling to airway remodelling in chronic asthma. *Eur Respir J* 2006; 27(1): 208-29.
- Braunstahl GJ, Overbeek SE, KleinJan A, Prins JB, Hoogsteden HC, Fokkens WJ.** Nasal allergen provocation induces adhesion molecule expression and tissue eosinophilia in upper and lower airways. *J Allergy Clin Immunol* 2001; 107: 469-476.
- Broide DH.** Immunologic and inflammatory mechanisms that drive asthma progression to remodeling. *J Allergy Clin Immunol* 2008; 121(3): 560-70; quiz 571-2.
- Buckova D, Izakovicova HL, Benes P, Znojil V, Vacha J.** TGF-beta1 gene polymorphisms. *Allergy* 2001; 56: 1236-1237.
- Burgess JK, Johnson PR, Ge Q.** Expression of connective tissue growth factor in asthmatic airway smooth muscle cells. *Am J Respir Crit Care Med* 2003; 167: 71-77.

- Burney P.** The changing prevalence of asthma? *Thorax* 2002; 57: II36-II39.
- Carlsen KH.** Pharmaceutical treatment of asthma in children. *Curr Drug Targets Inflamm Allergy* 2005; 4(5): 543-9.
- Cash R, Blonski J.** In patients with asthma that is not well controlled with inhaled steroids, does salmeterol (Serevent) or montelukast (Singulair) offer better symptom relief? *J Fam Pract* 2001; 50(9): 802.
- Chakir J, Shannon J, Molet S, Fukakusa M, Elias J, Laviolette M.** Airway remodeling-associated mediators in moderate to severe asthma: effect of steroids on TGF-beta, IL-11, IL-17, and type I and type III collagen expression. *J Allergy Clin Immunol* 2003; 111: 1293-8.
- Chalmers GW, Macleod KJ, Little SA, Thomson LJ, McSharry CP, Thomson NC.** Influence of cigarette smoking on inhaled corticosteroid treatment in mild asthma. *Thorax* 2002; 57: 226-230.
- Chaudhari BR, Murphy RF, Agrawal DK.** Following the TRAIL to apoptosis. *Immunol Res* 2006; 35: 249-262.
- Chernick V, West J.** The functional basis of respiratory disease. In: Chernick V, Boat T, Wilmott R, Bush A, editors. *Kendig's disorders of the respiratory tract in children*. Philadelphia, PA: Saunders, 2006: 29-64.
- Chipps BE, Murphy KR.** Assessment and treatment of acute asthma in children. *J Pediatr* 2005; 147(3): 288-94.

- Cho JY, Miller M, Baek KJ, Han JW, Nayar J, Lee SY.** Inhibition of airway remodeling in IL-5 deficient mice. *J Clin Invest* 2004; 113: 551-60.
- Chu HW, Balzar S, Seedorf GJ.** Transforming growth factor-beta2 induces bronchial epithelial mucin expression in asthma. *Am J Pathol* 2004; 165: 1097-1106.
- Chu HW, Trudeau JB, Balzar S, Wenzel SE.** Peripheral blood and airway tissue expression of transforming growth factor β by neutrophils in asthmatic subjects and normal control subjects. *J Allergy Clin Immunol* 2000; 106: 1115-1123.
- Cokugras H, Akcakaya N, Seckin, Camcioglu Y, Sarimurat N, Aksoy F.** Ultrastructural examination of bronchial biopsy specimens from children with moderate asthma. *Thorax* 2001; 56: 25-29.
- Cottrez F, Hurst SD, Coffman RL, Groux H.** T regulatory cells 1 inhibits a Th2-specific response in vivo. *J Immunol* 2000; 165: 4848-4853.
- Covar RA, Spahn JD, Martin RJ, Silkoff PE, Sundstrom DA, Murphy J.** Safety and application of induced sputum analysis in childhood asthma. *J Allergy Clin Immunol* 2004; 114: 575-582.
- Crystal-Peters J, Neslusan C, Crown WH, Torres A.** Treating allergic rhinitis in patients with comorbid asthma: the risk of asthma-related hospitalizations and emergency department visits. *J Allergy Clin Immunol* 2002; 109(1): 57-62.

- DaCosta BS, Major C, Laping NJ, Roberts AB.** SB-505124 is a selective inhibitor of transforming growth factor-beta type I receptors ALK4, ALK5, and ALK7. *Mol Pharmacol* 2004; 65: 744-752.
- Dahl R, Bjermer L.** Asthma Consensus Group. *Respir Med* 2000; 94(4): 299-327.
- D'Amato G, Liccardi G, D_Amato M, Holgate S.** Environmental risk factors and allergic bronchial asthma. *Clin Exp Allergy* 2005; 35: 1113-1124.
- Danov Z, Guilbert TW.** Prevention of asthma in childhood. *Curr Opin Allergy Clin Immunol* 2007; 7(2): 174-9.
- De Marco R, Locatelli F, Cerveri I.** Incidence and remission of asthma: a retrospective study on the natural history of asthma in Italy. *J Allergy Clin Immunol* 2002, 110: 228-235.
- Denburg JA, Sehmi R, Saito H, Pil-Seob J, Inman MD, O_Byrne PM.** Systemic aspects of allergic disease: bone marrow responses. *J Allergy Clin Immunol* 2000; 106: S242-S246.
- Devereux G, Seaton A.** Diet as a risk factor for atopy and asthma. *J Allergy Clin Immunol* 2005; 115: 1109-1117.
- Dong GH, Ding HL, Ma YN, Jin J, Cao Y, Zhao YD, He QC.** Asthma and asthma-related symptoms in 16 789 Chinese children in relation to pet keeping and parental atopy. *J Investig Allergol Clin Immunol* 2008; 18(3): 207-13.

- Downs SH, Marks GB, Sporik R, Belosouva EG, Car NG, Peat JK.** Continued increase in the prevalence of asthma and atopy. *Arch Dis Child* 2001; 84: 20-23.
- Duvernelle C, Freud V, Frossard N.** Transforming growth factor-beta and its role in asthma. *Pulm Pharmacol Ther* 2003; 16: 181-196.
- Eder W, Klimecki W, Yu L, von ME, Riedler J, Braun-Fahrlander C.** Opposite effects of CD 14/-260 on serum IgE levels in children raised in different environments. *J Allergy Clin Immunol* 2005; 116: 601-607.
- Elphick HE, Sherlock P, Foxall G, Simpson EJ, Shiell NA, Primhak RA.** Survey of respiratory sounds in infants. *Arch Dis Child* 2001; 84: 35-39.
- Ernst P, Ghezzo H, Becklake MR.** Risk factors for bronchial hyperresponsiveness in late childhood and early adolescence. *Eur Respir J* 2002; 20: 635-639.
- Everard ML, Bara A, Kurian M, Elliott TM, Ducharme F, Mayowe V.** Anticholinergic drugs for wheeze in children under the age of two years. *Cochrane Database Syst Rev* 2005; CD001279.
- Fainaru O, Shay T, Hantisteanu S.** TGFbeta-dependent gene expression profile during maturation of dendritic cells. *Genes Immun* 2007; 8: 239-244.
- Fiocchi A, Besana R, Ryden AC, Terracciano L, Andreotti M, Arrigoni S.** Differential diagnosis of IgE mediated allergy

in young children with wheezing or eczema symptoms using a single blood test. *Ann Allergy Asthma Immunol* 2004; 93: 328-333.

Flaherman V, Rutherford GW. A meta-analysis of the effect of high weight on asthma. *Arch Dis Child* 2006; 91: 334-339.

Floistrup H, Swartz J, Bergstrom A, Alm JS, Scheynius A, van HM. Allergic disease and sensitization in Steiner school children. *J Allergy Clin Immunol* 2006; 117: 59-66.

Flood-Page P, Menzies-Gow A, Phipps S, Ying S, Wangoo A, Ludwig MS. Anti-IL-5 treatment reduces deposition of ECM proteins in the bronchial subepithelial basement membrane of mild atopic asthmatics. *J Clin Invest* 2003; 112: 1029-36.

Fox SW, Lovibond AC. Current insights into the role of transforming growth factor-beta in bone resorption. *Mol Cell Endocrinol* 2005; 243: 19-26.

Fu M, Zhang J, Zhu X. Peroxisome proliferators activated receptor gamma inhibits transforming growth factor beta-induced connective tissue growth factor expression in human aortic smooth muscle cells by interfering with Smad3. *J Biol Chem* 2001; 276: 45888-45894.

Gauderman WJ, Avol E, Lurmann F, Kuenzli N, Gilliland F, Peters J. Childhood asthma and exposure to traffic and nitrogen dioxide. *Epidemiology* 2005; 16: 737-743.

- Georgy V, Fahim HI, El-Gaafary M, Walters S.** Prevalence and socioeconomic associations of asthma and allergic rhinitis in northern Africa. *Eur Respir J* 2006; 28(4): 756-62.
- Gern JE, Brooks GD, Meyer P, Chang A, Shen K, Evans MD.** Bidirectional interactions between viral respiratory illnesses and cytokine responses in the first year of life. *J Allergy Clin Immunol* 2006; 117: 72-78.
- Ghosh AK, Bhattacharyya S, Lakos G, Chen SJ, Mori Y, Varga J.** Disruption of transforming growth factor beta signaling and profibrotic responses in normal skin fibroblasts by peroxisome proliferator-activated receptor gamma. *Arthritis Rheum* 2004; 50: 1305-1318.
- GINA Workshop Report.** Global strategy for asthma Management and Prevention. updated 2008. <http://www.ginasthma.com>.
- Global Strategy for Asthma Management and Prevention.** 2 ed. National Institutes of Health, 2002.
- Glushkova AV, Grjibovski AM.** Prevalence and correlates of asthma among children in central St. Petersburg, Russia: cross-sectional study. *Croat Med J* 2008; 49(6): 741-50.
- Godar S, Horejsi V, Weidle UH.** M6P/IGFII-receptor complexes urokinase receptor and plasminogen for activation of transforming growth factor-beta1. *Eur J Immunol* 1999; 29: 1004-1013.
- Gold MS, Kemp AS.** Atopic disease in childhood. *Med J* 2005; 182: 298-304.

- Grotendorst GR, Duncan MR.** Individual domains of connective tissue growth factor regulate fibroblast proliferation and myofibroblast differentiation. *FASEB J* 2005; 19: 729-738.
- Gruber C, Illi S, Lau S, Nickel R, Forster J, Kamin W.** Transient suppression of atopy in early childhood is associated with high vaccination coverage. *Pediatrics* 2003; 111: e282-e288.
- Guevara JP, Ducharme FM, Keren R, Nihtianova S, Zorc J.** Inhaled corticosteroids versus sodium cromoglycate in children and adults with asthma. *Cochrane Database Syst Rev* 2006; CD003558.
- Guilbert TW, Morgan WJ, Zeiger RS, Bacharier LB, Boehmer SJ, Krawiec M.** Atopic characteristics of children with recurrent wheezing at high risk for the development of childhood asthma. *J Allergy Clin Immunol* 2004; 114: 1282-1287.
- Guilbert TW, Morgan WJ, Zeiger RS, Mauger DT, Boehmer SJ, Szeffler SJ.** Long-term inhaled corticosteroids in preschool children at high risk for asthma. *N Engl J Med* 2006; 354: 1985-1997.
- Guo B, Koya D, Isono M, Sugimoto T, Kashiwagi A, Haneda M.** Peroxisome proliferator-activated receptor- γ ligands inhibit TGF- β 1-induced fibronectin expression in glomerular mesangial cells. *Diabetes* 2004; 53: 200-208.
- Gustafsson D, Sjöberg O, Foucard T.** Development of allergies and asthma in infants and young children with atopic dermatitis-

-a prospective follow-up to 7 years of age. *Allergy* 2000; 55(3): 240-5.

Halken S. Prevention of allergic disease in childhood: clinical and epidemiological aspects of primary and secondary allergy prevention. *Pediatr Allergy Immunol* 2004; 15 (Suppl. 16): 4-32.

Hall CB, Wakefield D, Rowe TM, Carlisle PS, Cloutier MM. Diagnosing pediatric asthma: validating the Easy Breathing Survey. *J Pediatr* 2001; 139: 267-272.

Han C, Demetris AJ, Liu Y, Shelhamer JH, Wu T. Transforming growth factor-beta (TGF-beta) activates cytosolic phospholipase A2alpha (cPLA2alpha)-mediated prostaglandin E2 (PGE)2/EP1 and peroxisome proliferator-activated receptor-gamma (PPAR-gamma)/Smad signaling pathways in human liver cancer cells. A novel mechanism for subversion of TGF-beta-induced mitoinhibition. *J Biol Chem* 2004; 279: 44344-44354.

Heaton T, Rowe J, Turner S, Aalberse RC, de KN, Suriyaarachchi D. An immunoepidemiological approach to asthma: identification of in-vitro T-cell response patterns associated with different wheezing phenotypes in children. *Lancet* 2005; 365: 142-149.

Heymann PW, Carper HT, Murphy DD, Platts-Mills TA, Patrie J, McLaughlin AP. Viral infections in relation to age, atopy, and season of admission among children hospitalized for wheezing. *J Allergy Clin Immunol* 2004; 114: 239-247.

- Holgate ST, Holloway J, Wilson S, Bucchieri F, Puddicombe S, Davies DE.** Epithelial-mesenchymal communication in the pathogenesis of chronic asthma. *Proc Am Thorac Soc* 2004; 1: 93-98.
- Holt PG, Upham JW, Sly PD.** Contemporaneous maturation of immunologic and respiratory functions during early childhood: implications for development of asthma prevention strategies. *J Allergy Clin Immunol* 2005; 116: 16-24.
- Honda K, Marquillies P, Capron M, Dombrowicz D.** Peroxisome proliferator-activated receptor gamma is expressed in airways and inhibits features of airway remodeling in a mouse asthma model. *J Allergy Clin Immunol* 2004; 113: 882-888.
- Host A, Andrae S, Charkin S, az-Vazquez C, Dreborg S, Eigenmann PA.** Allergy testing in children: why, who, when and how? *Allergy* 2003; 58: 559-569.
- Howe PH.** Transforming growth factor β . In: Thompson AW, Lotze MT (eds). *The Cytokine Handbook*, 4th edn. Academic Press: San Diego, CA, 2003, pp 1119-1152.
- Howell JE, McAnulty RJ.** TGF-beta: its role in asthma and therapeutic potential. *Curr Drug Targets* 2006; 7(5): 547-65.
- Hyvärinen MK, Kotaniemi-Syrjänen A, Reijonen TM, Korhonen K, Kiviniemi V, Korppi M.** Responses to inhaled bronchodilators in infancy are not linked with asthma in later childhood. *Pediatr Pulmonol* 2006; 41(5): 420-7.

- Hyttiainen M, Penttinen C, Keski-Oja J.** Latent TGF-beta binding proteins: extracellular matrix association and roles in TGF-beta activation. *Crit Rev Clin Lab Sci* 2004; 4: 233-264.
- Illi S, von ME, Lau S, Bergmann R, Niggemann B, Sommerfeld C.** Early childhood infectious diseases and the development of asthma up to school age: a birth cohort study. *BMJ* 2001; 322: 390-395.
- Illi S, von ME, Lau S, Nickel R, Gruber C, Niggemann B.** The natural course of atopic dermatitis from birth to age 7 years and the association with asthma. *J Allergy Clin Immunol* 2004; 113: 925-931.
- Illi S, von ME, Lau S, Niggemann B, Gruber C, Wahn U.** Perennial allergen sensitisation early in life and chronic asthma in children: a birth cohort study. *Lancet* 2006; 368: 763-770.
- Ishikawa T, Kume H, Kondo M, Ito Y, Yamaki K, Shimokata K.** Inhibitory effects of interferon-gamma on the heterologous desensitization of beta-adrenoceptors by transforming growth factor-beta 1 in tracheal smooth muscle. *Clin Exp Allergy* 2003; 33: 808-815.
- Johansson SG, Bieber T, Dahl R, Friedmann PS, Lanier BQ, Lockey RF.** Revised nomenclature for allergy for global use: report of the Nomenclature Review Committee of the World Allergy Organization, October 2003. *J Allergy Clin Immunol* 2004; 113: 832-836.

- Joos GF.** The role of neuroeffector mechanisms in the pathogenesis of asthma. *Curr Allergy Asthma Rep* 2001; 1: 134-143.
- Joseph J, Benedict S, Badrinath P, Wassef S, Joseph M, Abdulkhalik S, Nicholls MG.** Elevation of plasma transforming growth factor beta1 levels in stable nonatopic asthma. *Ann Allergy Asthma Immunol* 2003; 91(5): 472-6.
- Joseph J, Benedict S, Badrinath P.** Elevation of plasma transforming growth factor beta1 levels in stable nonatopic asthma. *Ann Allergy Asthma Immunol* 2003; 91: 472-476.
- Jutel M, Akdis M, Budak F, Aebischer-Casaulta C, Wrzyszc M, Blaser K, Akdis AC.** IL-10 and TGF- β cooperate in regulatory T cell response to mucosal allergens in normal immunity and specific immunotherapy. *Eur J Immunol* 2003; 33: 1205-1214.
- Karakoc F, Remes ST, Martinez FD, Wright AL.** The association between persistent eosinophilia and asthma in childhood is independent of atopic status. *Clin Exp Allergy* 2002; 32(1): 51-6.
- Kenyon NJ, Ward RW, McGrew G, Last JA.** TGF-beta1 causes airway fibrosis and increased collagen I and III mRNA in mice. *Thorax* 2003; 58: 772-777.
- Khalil N.** TGF-beta: from latent to active. *Microbes Infect* 1999; 1(15): 1255-63.
- Kihlström A, Lilja G, Pershagen G, Hedlin G.** Exposure to high doses of birch pollen during pregnancy, and risk of

sensitization and atopic disease in the child. *Allergy* 2003; 58(9): 871-7.

Klwamoto T, Ishii Y, Morishima Y, Yoh K, Maeda A, Ishizaki K. Transcription factor T-bet and GATA-3 regulate development of airway remodeling. *Am J Respir Crit Care Med* 2006; 174: 142-151.

Knorr B, Franchi LM, Bisgaard H, Vermeulen JH, LeSouef P, Santanello N, Michele TM, Reiss TF, Nguyen HH, Bratton DL. Montelukast, a leukotriene receptor antagonist, for the treatment of persistent asthma in children aged 2 to 5 years. *Pediatrics* 2001; 108(3): E48.

Kokturk N, Tatlicioglu T, Memis L, Akyurek N, Akyol G. Expression of transforming growth factor beta1 in bronchial biopsies in asthma and COPD. *J Asthma* 2003; 40: 887-893.

Kotaru C, Schoonover KJ, Trudeau JB, Huynh ML, Zhou X, Hu H. Regional fibroblast heterogeneity in the lung implications for remodeling. *Am J Respir Crit Care Med* 2006; 173: 1208-1215.

Kucich U, Rosenbloom JC, Herrick DJ. Signaling events required for transforming growth factor-beta stimulation of connective tissue growth factor expression by cultured human lung fibroblasts. *Arch Biochem Biophys* 2001; 395: 103-112.

Kurukulaaratchy RJ, Fenn MH, Waterhouse LM. Characterization of wheezing phenotypes in the first 10 years of life. *Clin Exp Allergy* 2003; 33: 573-578.

- Laping NJ, Grygielko E, Mathur A.** Inhibition of transforming growth factor (TGF)-beta1-induced extracellular matrix with a novel inhibitor of the TGF-beta type I receptor kinase activity: SB-431542. *Mol Pharmacol* 2002; 62: 58-64.
- Larché M.** Regulatory T cells in allergy and asthma. *Chest* 2007; 132(3): 1007-14.
- Lasserson TJ, Cates CJ, Ferrara G, Casali L.** Combination fluticasone and salmeterol versus fixed dose combination budesonide and formoterol for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2008; (3): CD004106.
- Lau S, Illi S, Sommerfeld C.** Transient early wheeze is not associated with impaired lung function in 7-yr-old children. *Eur Respir J* 2003, 21: 834-841.
- Le AV, Cho JY, Miller M, McElwain S, Golgotiu K, Broide DH.** Inhibition of allergen-induced airway remodeling in smad 3-deficient mice. *J Immunol* 2007; 178: 7310-6.
- Lebman DA, Edmiston JS.** The role of TGF-beta in growth, differentiation, and maturation of B lymphocytes. *Microbes Infect* 1999; 1: 1297-1304.
- Leff AR, Hamann KJ, Wegner CD.** Inflammation and cell-cell interaction in airway hyperresponsiveness. *Am J Physiol* 1991; 260: L189-206.

Lemanske RF Jr. Issues in understanding pediatric asthma: epidemiology and genetics. *J Allergy Clin Immunol* 2002; 109(suppl 6): S521-S524.

Lewkowich IP, Herman NS, Schleifer KW, Dance MP, Chen BL, Dienger KM. CD4⁺ CD25⁺ T cells protect against experimentally induced asthma and alter pulmonary dendritic cell phenotype and function. *J Exp Med* 2005; 202: 1549-1561.

Li MO, Wan YY, Sanjabi S. Transforming growth factor-beta regulation of immune responses. *Annu Rev Immunol* 2006; 24: 99-146.

Lin YZ, Huang FY. Infantile wheezing and bronchodilator treatment. *Acta Paediatr Taiwan.* 2005; 46(1): 3-5.

Liu AH, Murphy JR. Hygiene hypothesis: fact or fiction? *J Allergy Clin Immunol* 2003; 111: 471-478.

Liu AH, Covar RA, Spahn JD, Leung DYM. Childhood Asthma. In: Kliegman (ed) *Nelson Textbook of Pediatrics*, 18th ed. 2007, Saunders.

Majeed R, Rajar UD, Shaikh N, Majeed F, Arain AA. Risk factors associated with childhood asthma. *J Coll Physicians Surg Pak* 2008; 18(5): 299-302.

Makinde T, Murphy RF, Agrawal DK. The regulatory role of TGF-beta in airway remodeling in asthma. *Immunol Cell Biol* 2007; 85(5): 348-56.

- Malmberg LP, Pelkonen AS, Haahtela T, Turpeinen M.** Exhaled nitric oxide rather than lung function distinguishes preschool children with probable asthma. *Thorax* 2003; 58(6): 494-9.
- Malmström K, Korhonen K, Kaila M, Dunder T, Nermes M, Klaukka T, Sarna S, Juntunen-Backman K.** Acute childhood asthma in Finland: a retrospective review of hospital admissions from 1976 to 1995. *Pediatr Allergy Immunol* 2000; 11(4): 236-40.
- Martinez FD.** Development of wheezing disorders and asthma in preschool children. *Pediatrics* 2002, 109(suppl 2): 362-367.
- Martinez FD.** Respiratory syncytial virus bronchiolitis and the pathogenesis of childhood asthma. *Pediatr Infect Dis J* 2003, 22(suppl 2): S76-S82.
- McMillan SJ, Xanthou G, Lloyd CM.** Manipulation of allergen-induced airway remodeling by treatment with anti-TGF-beta antibody: effect of the Smad signaling pathway. *J Immunol* 2005; 174: 5774-80.
- McParland BE, Macklem PT, Pare PD.** Airway wall remodeling: friend or foe? *J Appl Physiol* 2003; 95(1): 426-34.
- Meiler F, Zimmermann M, Blaser K, Akdis CA, Akdis M.** T-cell subsets in the pathogenesis of human asthma. *Curr Allergy Asthma Rep* 2006; 6: 91-96.

- Meurer JR, Lustig JV, Jacob HJ.** Genetic aspects of the etiology and treatment of asthma. *Pediatr Clin North Am* 2006; 53(4): 715-25.
- Mihrshahi S, Peat JK, Webb K, Oddy W, Marks GB, Mellis CM.** Effect of omega-3 fatty acid concentrations in plasma on symptoms of asthma at 18 month of age. *Pediatr Allergy Immunol* 2004; 15: 517-522.
- Miller MR, Crapo R, Hankinson J, Brusasco V, Burgos F, Casaburi R.** General considerations for lung function testing. *Eur Respir J* 2005; 26: 153-161.
- Minshall EM, Leung DY, Martin RJ.** Eosinophil-associated TGF- β 1 mRNA expression and airways fibrosis in bronchial asthma. *Am J Respir Cell Mol Biol* 1997; 17: 326-333.
- Miyake Y, Tanaka K, Sasaki S, Kiyohara C, Ohya Y, Fukushima W, Yokoyama T, Hirota Y; Osaka Maternal and Child Health Study Group.** Breastfeeding and the risk of wheeze and asthma in Japanese infants: the Osaka Maternal and Child Health Study. *Pediatr Allergy Immunol* 2008; 19(6): 490-6.
- Moshhammer H, Hoek G, Luttmann-Gibson H, Neuberger MA, Antova T, Gehring U.** Parental smoking and lung function in children: an international study. *Am J Respir Crit Care Med* 2006; 173: 1255-1263.
- Murray CS, Poletti G, Keadze T, Morris J, Woodcock A, Johnston SL.** Study of modifiable risk factors for asthma exacerbations: virus infection and allergen exposure

increase the risk of asthma hospital admissions in children. *Thorax* 2006; 61: 376-382.

Nafstad P, Brunekreef B, Skrondal A, Nystad W. Early respiratory infections, asthma, and allergy: 10-year follow-up of the Oslo Birth Cohort. *Pediatrics* 2005; 116: e255-e262.

Nair SJ, Daigle KL, DeCuir P, Lapin CD, Schramm CM. The influence of pulmonary function testing on the management of asthma in children. *J Pediatr* 2005; 147: 797-801.

Nakao A, Miike S, Hatano M. Blockade of transforming growth factor β /Smad signaling in T cells by overexpression of Smad7 enhances antigen-induced airway inflammation and airway reactivity. *J Exp Med* 2000; 192: 151-158.

National Heart Lung and Blood Institute. Guidelines for the Diagnosis and Management of Asthma, Expert Panel Report 3. NIH Publication No. 08-4051; 2007. www.nhlbi.nih.gov/guidelines/asthma

Nogami M, Romberger DJ, Rennard SI, Toews ML. TGF β 1 modulates beta-adrenergic receptor number and function in cultured human tracheal smooth muscle cells. *Am J Physiol* 1994; 266: L187-L191.

Nordvall SL, Janson C, Kalm-Stephens P, Foucard T, Toren K, Alving K. Exhaled nitric oxide in a population-based study of asthma and allergy in schoolchildren. *Allergy* 2005; 60: 469-475.

- Ober C, Hoffjan S.** Asthma genetics 2006: the long and winding road to gene discovery. *Genes Immun* 2006; 7: 95-100.
- Oddy WH, Sherriff JL.** Breastfeeding, body mass index, asthma and atopy in children. *Asia Pac J Public Health*. 2003; 15 Suppl: S15-7
- Osman M, Tagiyeva N, Wassall HJ, Ninan TK, Devenny AM, McNeill G.** Changing trends in sex specific prevalence rates for childhood asthma, eczema, and hay fever. *Pediatr Pulmonol* 2007; 42: 60-65.
- Papadopoulos NG, Stanciu LA, Papi A, Holgate ST, Johnston SL.** A defective type 1 response to rhinovirus in atopic asthma. *Thorax* 2002; 57: 328-332.
- Parsons JP, Mastronarde JG.** Exercise induced bronchoconstriction in athletes. *Chest* 2005; 128: 3966-3974.
- Patel HJ, Belvisi MG, Bishop-Bailey D, Yacoub MH, Mitchell JA.** Activation of peroxisome proliferators activated receptors in human airway smooth muscle cells has a superior anti-inflammatory profile to corticosteroids: relevance for chronic obstructive pulmonary disease therapy. *J Immunol* 2003; 170: 2663-2669.
- Paull K, Covar R, Jain N, Gelfand EW, Spahn JD.** Do NHLBI lung function criteria apply to children?. A crosssectional evaluation of childhood asthma at National Jewish Medical and Research Center, 1999-2002 *Pediatr Pulmonol* 2005; 39: 311-317.

- Payne DN, Rogers AV, Adelroth E, Bandi V, Guntupalli KK, Bush A.** Early thickening of the reticular basement membrane in children with difficult asthma. *Am J Respir Crit Care Med* 2003; 167: 78-82.
- Peat JK, Mahrshahi S, Kemp AS, Marks GB, Tovey ER, Webb K.** Three-year outcomes of dietary fatty acid modification and house dust mite reduction in the Childhood Asthma Prevention Study. *J Allergy Clin Immunol* 2004; 114: 807-813.
- Perzanowski MS, Ronmark E, Platts-Mills TA, Lundback B.** Effect of cat and dog ownership on sensitization and development of asthma among preteenage children. *Am J Respir Crit Care Med* 2002; 166: 696-702.
- Pohunek P, Warner JO, Turzikova J, Kudrmann J, Roche WR.** Markers of eosinophilic inflammation and tissue remodelling in children before clinically diagnosed bronchial asthma. *Pediatr Allergy Immunol* 2005; 16: 43-51.
- Priftis KN, Mantzouranis EC, Anthracopoulos MB.** Asthma symptoms and airway narrowing in children growing up in an urban versus rural environment. *J Asthma* 2009; 46(3): 244-51.
- Profita M, Gagliardo R, Di Giorgi R.** In vitro effects of flunisolide on MMP-9, TIMP-1, fibronectin, TGF-beta1 release and apoptosis in sputum cells freshly isolated from mild to moderate asthmatics. *Allergy* 2004; 59: 927-932.

Prud'homme GJ, Piccirillo CA. The inhibitory effects of transforming growth factor-beta-1 (TGF-beta1) in autoimmune diseases. *J Autoimmun* 2000; 14: 23-42.

Prud'homme GJ. Pathobiology of transforming growth factor beta in cancer, fibrosis and immunologic disease, and therapeutic considerations. *Lab Invest* 2007; 87(11): 1077-91.

Pulley L, Newton R, Adcock IM, Barnes PJ. TGFbeta1 allele association with asthma severity. *Hum Genet* 2001; 109: 623-627.

Rasmussen F, Lambrechtsen J, Siersted HC, Hansen HS, Hansen NC. Low physical fitness in childhood is associated with the development of asthma in young adulthood: the Odense schoolchild study. *Eur Respir J* 2000; 16: 866-870.

Redington AE, Madden J, Frew AJ, Djukanovic R, Roche WR, Holgate ST. Transforming growth factor-beta 1 in asthma. Measurement in bronchoalveolar lavage fluid. *Am J Respir Crit Care Med* 1997; 156: 642-7.

Ribeiro SM, Poczatek M, Schultz-Cherry S. The activation sequence of thrombospondin-1 interacts with the latency-associated peptide to regulate activation of latent transforming growth factor beta. *J Biol Chem* 1999; 274: 13586-13593.

Robinson DS. Regulatory T cells and asthma. *Clin Exp Allergy* 2009; 39(9): 1314-23.

Robinson M, Smart J. Allergy testing and referral in children. *Aust Fam Physician* 2008; 37(4): 210-3.

- Robinson PD, Van Asperen P.** Asthma in childhood. *Pediatr Clin North Am* 2009; 56(1): 191-226, xii.
- Rodrigo GJ, Castro-Rodriguez JA.** Anticholinergics in the treatment of children and adults with acute asthma: a systematic review with meta-analysis. *Thorax* 2005; 60: 740-746.
- Rudolf M and Levene M (eds).** *Paediatrics and child health*. 2nd ed. Blackwell Publishing, Massachusetts, Oxford, Carlton, 2006, Ch 21, PP: 283-321.
- Sagara H, Okada T, Okumura K.** Activation of TGFbeta/ Smad2 signaling is associated with airway remodeling in asthma. *J Allergy Clin Immunol* 2002; 110: 249-254.
- Saglani S, Malmstrom K, Pelkonen AS, Malmberg LP, Lindahl H, Kajosaari M.** Airway remodeling and inflammation in symptomatic infants with reversible airflow obstruction. *Am J Respir Crit Care Med* 2005; 171: 722-727.
- Saglani S, Nicholson AG, Scallan M, Balfour-Lynn I, Rosenthal M, Payne DN.** Investigation of young children with severe recurrent wheeze: any clinical benefit? *Eur Respir J* 2006; 27: 29-35.
- Salpeter SR, Buckley NS, Ormiston TM, Salpeter EE.** Meta-analysis: effect of long-acting beta-agonists on severe asthma exacerbations and asthma-related deaths. *Ann Intern Med* 2006; 144: 904-912.
- Schaub B, Lauener R, von ME.** The many faces of the hygiene hypothesis. *J Allergy Clin Immunol* 2006; 117: 969-977.

- Seddon P, Bara A, Ducharme FM, Lasserson TJ.** Oral xanthines as maintenance treatment for asthma in children. *Cochrane Database Syst Rev* 2006; (1): CD002885.
- Silverman ES, Palmer LJ, Subramaniam V.** Transforming growth factor-beta1 promoter polymorphism C-509T is associated with asthma. *Am J Respir Crit Care Med* 2004; 169: 214-219.
- Simons FE, Villa JR, Lee BW, Teper AM, Lyttle B, Aristizabal G.** Montelukast added to budesonide in children with persistent asthma: a randomized, double-blind, crossover study. *J Pediatr* 2001; 138: 694-698.
- Skoner DP, Greos LS, Kim KT, Roach JM, Parsey M, Baumgartner RA.** Evaluation of the safety and efficacy of levalbuterol in 2-5-year-old patients with asthma. *Pediatr Pulmonol* 2005; 40: 477-486.
- Sorkness CA, Lemanske RF Jr, Mauger DT, Boehmer SJ, Chinchilli VM, Martinez FD.** Long-term comparison of 3 controller regimens for mild-moderate persistent childhood asthma: the Pediatric Asthma Controller Trial. *J Allergy Clin Immunol* 2007; 119: 64-72.
- Spahn JD, Chipps BE.** Office-based objective measures in childhood asthma. *J Pediatr* 2006; 148: 11-15.
- Stein RT, Holberg CJ, Morgan WJ, Wright AL, Lombardi E, Taussig L, Martinez FD.** Peak flow variability, methacholine responsiveness and atopy as markers for

detecting different wheezing phenotypes in childhood. *Thorax* 1997; 52(11): 946-52.

Straub DA, Minocchieri S, Moeller A, Hamacher J, Wildhaber JH. The effect of montelukast on exhaled nitric oxide and lung function in asthmatic children 2 to 5 years old. *Chest* 2005; 127: 509-514.

Straub DA, Moeller A, Minocchieri S, Hamacher J, Sennhauser FH, Hall GL. The effect of montelukast on lung function and exhaled nitric oxide in infants with early childhood asthma. *Eur Respir J* 2005; 25: 289-294.

Sugaru E, Sakai M, Horigome K. SMP-534 inhibits TGF-beta-induced ECM production in fibroblast cells and reduces mesangial matrix accumulation in experimental glomerulonephritis. *Am J Physiol Renal Physiol* 2005; 289: F998-F1004.

Szeffler SJ, Phillips BR, Martinez FD, Chinchilli VM, Lemanske RF, Strunk RC. Characterization of within subject responses to fluticasone and montelukast in childhood asthma. *J Allergy Clin Immunol* 2005; 115: 233-242.

Tal A, Simon G, Vermeulen JH, Petru V, Cobos N, Everard ML, de Boeck K. Budesonide/formoterol in a single inhaler versus inhaled corticosteroids alone in the treatment of asthma. *Pediatr Pulmonol* 2002; 34(5): 342-50.

Tanaka K, Miyake Y, Sasaki S, Ohya Y, Hirota Y; Osaka Maternal and Child Health Study Group. Maternal smoking and environmental tobacco smoke exposure and

the risk of allergic diseases in Japanese infants: the Osaka Maternal and Child Health Study. *J Asthma* 2008; 45(9): 833-8.

Taussig LM, Wright AL, Holberg CJ. Tucson Children's Respiratory Study: 1980 to present. *J Allergy Clin Immunol* 2003, 111: 661-675.

ten Brinke A, Zwinderman AH, Sterk PJ, Rabe KF, Bel EH. Factors associated with persistent airflow limitation in severe asthma. *Am J Respir Crit Care Med* 2001; 164: 744-8.

Tepas EC, Litonjua AA, Celedón JC, Sredl D, Gold DR. Sensitization to aeroallergens and airway hyper-responsiveness at 7 years of age. *Chest* 2006; 129(6): 1500-8.

Todorovic V, Jurukovski V, Chen Y. Latent TGF-beta binding proteins. *Int J Biochem Cell Biol* 2005; 37: 38-41.

Vălean C, Tătar S, Nanulescu M, Leucuța A, Ichim G. [Relationship between asthma and obesity in school age students]. *Pneumologia* 2009; 58(1): 55-8.

van Adelsberg J, Moy J, Wei LX, Tozzi CA, Knorr B, Reiss TF. Safety, tolerability, and exploratory efficacy of montelukast in 6- to 24-month-old patients with asthma. *Curr Med Res Opin* 2005; 21: 971-979.

van den Toorn LM, Overbeek SE, de Jongste JC, Leman K, Hoogsteden HC, Prins JB. Airway inflammation is present

during clinical remission of atopic asthma. *Am J Respir Crit Care Med* 2001; 164: 2107-2113.

Villeneuve PJ, Leech J, Bourque D. Frequency of emergency room visits for childhood asthma in Ottawa, Canada: the role of weather. *Int J Biometeorol* 2005; 50: 48-56.

von Berg A, Koletzko S, Filipiak- Pittroff B, Laubereau B, Grubl A, Wichmann HE. Certain hydrolyzed formulas reduce the incidence of atopic dermatitis but not that of asthma: three-year results of the German Infant Nutritional Intervention Study. *J Allergy Clin Immunol* 2007; 119: 718-725.

von Berg A, Koletzko S, Grubl A, Filipiak-Pittroff B, Wichmann HE, Bauer CP. The effect of hydrolyzed cow's milk formula for allergy prevention in the first year of life: the German Infant Nutritional Intervention Study, a randomized double-blind trial. *J Allergy Clin Immunol* 2003; 111: 533-540.

von Mutius E, Radon K. Living on a farm: impact on asthma induction and clinical course. *Immunol Allergy Clin North Am* 2008; 28(3): 631-47, ix-x.

von Mutius E. Environmental factors influencing the development and progression of pediatric asthma. *J Allergy Clin Immunol* 2002; 109 (6 Suppl): S525-S532.

Walker C, Bode E, Boer L, Hansel TT, Blaser K, Virchow JC. Allergic and nonallergic asthmatics have distinct patterns of T-cell activation and cytokine production in peripheral

blood and bronchoalveolar lavage. *Am Rev Respir Dis* 1992; 146: 109-115.

Walker S, Monteil M, Phelan K, Lasserson TJ, Walters EH. Anti-IgE for chronic asthma in adults and children. *Cochrane Database Syst Rev* 2006; CD003559.

Ward C, Pais M, Bish R, Reid D, Feltis B, Johns D, Walters EH. Airway inflammation, basement membrane thickening and bronchial hyperresponsiveness in asthma. *Thorax* 2002; 57(4): 309-16.

Wark PA, Johnston SL, Bucchieri F, Powell R, Puddicombe S, Laza-Stanca V. Asthmatic bronchial epithelial cells have a deficient innate immune response to infection with rhinovirus. *J Exp Med* 2005; 201: 937-947.

Wen FQ, Kohyama T, Skold CM. Glucocorticoids modulate TGF-beta production. *Inflammation* 2002; 26: 279-290.

Wever-Hess J, Hermans J, Kouwenberg JM, Duiverman EJ, Wever AM. Hospital admissions and readmissions for asthma in the age group 0-4 years. *Pediatr Pulmonol* 2001; 31(1): 30-6.

Woerly G, Honda K, Loyens M. Peroxisome proliferator-activated receptors alpha and gamma downregulate allergic inflammation and eosinophil activation. *J Exp Med* 2003; 198: 411-421.

- Wong GW, Chow CM.** Childhood asthma epidemiology: insights from comparative studies of rural and urban populations. *Pediatr Pulmonol* 2008; 43(2): 107-16.
- Wood RA.** Skin testing: making the most of every prick. *Ann Allergy Asthma Immunol* 2002; 88: 347-349.
- Wyatt TA, Sisson JH, Forget MA, Bennett RG, Hamel FG, Spurzem JR.** Relaxin stimulates bronchial epithelial cell PKA activation, migration, and ciliary beating. *Exp Biol Med (Maywood)* 2002; 227: 1047-1053.
- Wynn A.** Common and unique mechanisms regulate fibrosis in various fibroproliferative diseases. *J Clin Invest* 2007; 117: 524-9.
- Xepapadaki P, Papadopoulos NG, Bossios A, Manoussakis E, Manousakas T, Saxoni-Papageorgiou P.** Duration of postviral airway hyperresponsiveness in children with asthma: effect of atopy. *J Allergy Clin Immunol* 2005; 116: 299-304.
- Xie S, Sukkar MB, Issa R, Khorasani NM, Chung KF.** Mechanisms of induction of airway smooth muscle hyperplasia by transforming growth factor- β . *Am J Physiol Lung Cell Mol Physiol* 2007; 293: L245-53.
- Xu L, Kitani A, Fuss I.** Cutting edge: regulatory T cells induce CD4⁺CD25⁺Foxp3⁺ T cells or are self-induced to become Th17 Cells in the absence of exogenous TGF- β . *J Immunol* 2007; 178: 6725-6729.

Xuan W, Marks GB, Toelle BG, Belousova E, Peat JK, Berry G.

Risk factors for onset and remission of atopy, wheeze, and airway hyperresponsiveness. *Thorax* 2002; 57: 104-109.

Yu Q, Stamenkovic I. Cell surface-localized matrix metalloproteinase-9 proteolytically activates TGF-beta and promotes tumor invasion and angiogenesis. *Genes Dev* 2000; 14: 163-176.

Yu Q, Stamenkovic I. Transforming growth factor-beta facilitates breast carcinoma metastasis by promoting tumor cell survival. *Clin Exp Metastasis* 2004; 2: 235-242.

Zapletal A, Chalupova J. Forced expiratory parameters in healthy preschool children (3-6 years of age). *Pediatr Pulmonol* 2003; 35: 200-207.