

REFERENCES

- Albrecht J, Jones EA. (2004):*** Hepatic encephalopathy: molecular mechanisms underlying the clinical syndrome. *J Neurol Sci.* Nov 30; 170(2):138-46.
- Albrecht J. (2004):*** Roles of neuroactive amino acids in ammonia neurotoxicity. *J Neuro sci Res.* Jan 15; 51(2):133-8.
- Allard P, Grenier A, Korson MS, Zytkevich TH. (2004):*** Newborn screening for hepatorenal tyrosinemia by tandem mass spectrometry: analysis of succinylacetone extracted from dried blood spots. *Clin Biochem.* ; 37:1010–1015.
- Alqahtani S, Federico P, Myers RP. (2007):*** A case of valproate-induced hyperammonemic encephalopathy: look beyond the liver. *CMAJ*; 177:568-9.
- Al Tawil K, Abu-Ekteish FM, Tamimi O, Al Hathal MM, Al Hathlol K, Alfirevic Z. (2000):*** Early amniocentesis versus transabdominal chorion Villus sampling for prenatal diagnosis. *Cochrane Database Syst Rev.* ;(2):CD000077.
- American Academy of Pediatrics, (2002):*** Newborn Screening Task Force. Serving the family from birth to the medical home: newborn screening: a blueprint for the future. *Pediatrics.* ; 106:389–422.
- American Academy of Pediatrics, (2002):*** Medical Home Initiatives for Children with Special Needs Project Advisory Committee. The medical home. *Pediatrics.* ; 110:184–186.

- Andrews LB, Fullarton JE, Holtzman NA, Motulsky AG, (1994):** Assessing Genetic Risks: Implications for Health and Social Policy. Washington, DC: National Academy Press.
- Andrews LB, Fullarton JE, Holtzman NA, Motulsky AG, eds. (1994):** Washington, DC: National Academy of Sciences.
- Andresen BS, Dobrowolski SF, O'Reilly L, et al. (2001):** Medium chain acyl-CoA dehydrogenase (MCAD) mutations identified by MS/MS-based prospective screening of newborns differ from those observed in patients with clinical symptoms: identification and characterization of a new, prevalent mutation that results in mild MCAD deficiency. *Am J Hum Genet.* ; 68:1408–1418.
- Antenatal Corticosteroids Revisited, (2000):** Repeat Courses. NIH Consent Statement Online August 17-18; [cited year, month, day]; 17(2): 1-10.
- Arnold CL, Davis TC, Frempong JB, et al. (2006):** Assessment of newborn screening parent education materials. *Pediatrics*; 117(5).
- Applegarth DA, Toone JR., (2000):** Incidence of inborn error of metabolism in British Columbia; 1996 *pediatrics*, Jan; 105 (1) 10.
- Avey, et al., (2004):** pathophysiology and management of newborn. (Eds.) 5, Philadelphia.
- Attar MA, Donn SM. (2002):** Mechanisms of ventilator-induced lung injury in premature infants. *Semin Neonatol.* Oct; 7(5):353-60.

- Bachmann C. (2003):** Inherited hyperammonemia in: Blaw N, Durun M, Blaskouics M physician's guide to the laboratory diagnosis of metabolic disease. Springer, Berlin Heidelberg New York PP.; 261 -276.
- Bachmann C. (2003):** Long-term outcome of patients with urea cycle disorders and the question of neonatal screening. Eur J Pediatr. ; 162(suppl 1):S29–S33.
- Ballard JL, Khoury JC & Wedig K. (1991):** New Ballard Score expanded to include extremely premature infants. J Pediatrics; 119:417-423.
- Banta-Wright SA, Steiner RD (2004):** Tandem mass spectrometry in newborn screening: a primer for neonatal and perinatal nurses. J Perinat Neonatal Nurs.; 18:41–58.
- Barbara J.Stoll and Robert Kliegman M.(2007):** Metabolic disease in: Richard E. Beherman , Robert Keigman M ,Hal B. Jensen(Eds.), Nelson Text book of pediatric(17th edition) Saunder ;74:399: 433.
- Barbosa P. (2003):** Analysis of naturally occurring and site directed mutation of arginino succinate lyase gene. J boil chem. 266: 52861.
- Barsolti RG.(2001):** measurement of ammonia in blood .J pediatr;138:511-20.
- Barton L, Hodgman JE, Pavlova Z. (1999):** Causes of death in the extremely low birth weight infant. Pediatrics. Feb; 103(2):446-51.
- Batshaw,Brusilow.(1984):**hyperammonemia.Curr Probl Pediatr ;14:1-69.

Batshaw ML, (2002): Inborn errors of urea synthesis ann. nearol Feb; 35 (2): 133-41.

BEDDIS IR, E A HUGHES, E ROSSER, AND J C B FENTON(1980): Plasma ammonia levels in newborn infants admitted to an intensive care baby unit. Archives of Disease in Childhood, 55, 516-520.

Behrman RE, Kliegman R, Nelson WE. (2000): Nelson Textbook of Pediatrics. W.B. Saunders Company; 16th edition (January 15).

Bernbum et al., (2004): primary care of the preterm infant. St Louis, Mosby Book.

Bhutta ZA, Yusuf K. (1997): Profile and outcome of the respiratory distress syndrome among newborns in Karachi: risk factors for mortality. J Trop Pediatr. Jun; 43(3):143-8.

Bilk-Mutanowski M,(1999): inherited hyperammonemia. Prezegl ; 55 (6):337- 41.

Blau N, Duran M, Blaskovics ME, (1996): Physician's Guide to the Laboratory Diagnosis of Metabolic Diseases. London, England: Chapman and Hall.

Blau N, Erlandsen H. (2004): The metabolic and molecular bases of tetrahydrobiopterin-responsive phenylalanine hydroxylase deficiency. Mol Genet Metab. ; 82:101–111.

BL Jr. (2001): US newborn screening policy dilemmas for the twenty-first century. Mol Genet Metab; 74:64–74.

Bober K, Swietliński J. (2006): Diagnostic utility of ultrasonography for respiratory distress syndrome in neonates. Med Sci Monit. Oct; 12(10):CR440-6.

- Bonanno C, Fuchs K, Wapner RJ. (2007):** Single versus repeat courses of antenatal steroids to improve neonatal outcomes: risks and benefits. *Obstet Gynecol Surv.* Apr; 62(4):261-71.
- Boo NY, Cheong KB, Cheong SK, Lye MS, Zulfiqar MA. (1997):** Usefulness of stable micro bubble test of tracheal aspirate for the diagnosis of neonatal respiratory distress syndrome. *J Paediatr Child Health.* Aug; 33(4):329-34.
- Boyd S. (2004):** Causes and treatment of neonatal respiratory distress syndrome. *Nurs Times.* Jul 27-Aug 2; 100(30):40-4.
- Brem AS. (1992):** Electrolyte disorders associated with respiratory distress syndrome and bronchopulmonary dysplasia. *Clin Perinatol.* Mar; 19(1):223-32.
- Brion LP, Soll RF. (2000):** Diuretics for respiratory distress syndrome in preterm infants. *Cochrane Database Syst Rev.* ;(2):CD001454.
- Burlina AB, Bonafe' L, Zacchello (1999):** Clinical and biochemical approach to the neonate with a suspected inborn error of amino acid and organic acid metabolism. *Semin Perinatol.*; 23: 162–173.
- Brusilow SW, Horich AL, (2006):** The metabolic and molecular bases of inherited disease, Eds 7. New York, MC graw Hill; P 1187.
- Brusilow SW (2006):** Urea cycle enzymes vol. II. Mc Grow-Hill New York. PP 1909-1963.
- Brown GM, Ohen PP (2005):** Comparative biochemistry of urea synthesis. *J. Biol chem.*; 234: 1769-74.

- Burlina AB, Bonafe' L, Zacchello, (1999):** Clinical and biochemical approach to the neonate with a suspected inborn error of amino acid and organic acid metabolism. *Semin Perinatol.* ; 23: 162–173.
- Carrit B,Gold farb.(2003):** chromosome assignment of human gene for argininosuccinate synthetase expression. *Exp cell Res*;106:71.
- Caukwell S & Murphy DJ (2002):** The effect of mode of delivery and gestational age on neonatal outcome of the non-cephalic-presenting second twin. *Am J Obstet Gynecol* 187:1356–1361.
- Centers for Disease Control and Prevention. (2003):** HIPAA privacy rule and public health: guidance from the CDC and the US Department of Health and Human Services. *MMWR Morb Mortal Wkly Rep.*; 52:1–17, 19–20.
- Center of disease control "CDC". (2001):** Low birth weight--United States, 1975-1987. *MMWR*; 39:148-51.
- Centers for Disease Control and Prevention. (2001):** Using tandem mass spectrometry for metabolic disease screening among newborns: a report of a work group. *MMWR Recomm Rep.*; 50(RR-3):1–34.
- Chace DH, Kalas TA. (2005):** A biochemical perspective on the use of tandem mass spectrometry for newborn screening and clinical testing. *Clin Biochem*; 38:296–309.

Chace DH, Hillman SL, Millington DS, Kahler SG, Roe CR, Naylor EW.

(2000): Rapid diagnosis of maple syrup urine disease in blood spots from newborns by tandem mass spectrometry. Clin Chem; 41:62–8.

Chace DH, Hillman SL, Millington DS, Kahler SG, Adam BW, Levy HL.

(2001): Rapid diagnosis of homocystinuria and other hypermethioninemias from newborns' blood spots by tandem mass spectrometry. Clin Chem; 42:349–55.

Chambers CD, Hernandez-Diaz S, Van Marter LJ, Werler MM, Louik C,

Jones KL, Mitchell AA.(2006): Selective serotonin-reuptake inhibitors and Risk of persistent pulmonary hypertension of the newborn. N Engl J Med. Feb 9; 354(6):579-87.

Chantrenne H. (1951): The requirement for coenzyme A in the enzymatic synthesis of hippuric acid. J Biol Chem.; 189: 227–233.

Chard T, Soe A, Costeloe K. (1997): The risk of neonatal death and respiratory distress syndrome in relation to birth weight of preterm infants. Am J Perinatol. Oct; 14(9):523-6.

Charles, L.; Anderson, J. and Stewart, I.E. (1998): Retinopathy of prematurity: In Colherty J and Stark A (Eds), Manual of Neonatal Care 4th ed., Philadelphia, Lippincott-Raven, P: 643-648.

Chatson, K., Fant, M.E., and Cloherty, J., (1998): Temperature control: In Colherty J. and Stark A. (ed.) Manual of Neonatal Care.4th.ed.Lippincott-Raven Philadelphia p-p 139.

- Chauhan SP, Hendrix NW, Magann EF. (2005):*** Neonatal organ dysfunction among newborns at gestational age 34 weeks and umbilical arterial pH<7.00. *J Matern Fetal Neonatal Med.* Apr; 17(4):261-8.
- Chiang MF, Arons RR, Flynn JT, Starren JB. (2004):*** Incidence of retinopathy of prematurity from 1996 to 2000: analysis of a comprehensive New York State patient database. *Ophthalmology*; 111:1317–1325.
- Chaw, V Candhi et al., (2003):*** The significance of high plasma ammonia value arch *Dis child*; 89: 585.
- Chung My, Chen CC. (2005):*** Transient hyperammonemia of the neonate *Acta pediat*, Mar; 46 (2): 44-9.
- Clinical and Laboratory Standards Institute. (2003):*** Blood Collection on Filter Paper for Newborn Screening Programs; Approved Standard. 4th ed. Wayne, PA: Clinical and Laboratory Standards Institute; CLSI/NCCLS document LA4-A4.
- Clark J TR. (2006):*** A Clinical Guide to Inherited Metabolic Diseases. 3rd ed. Cambridge, United Kingdom: Cambridge University Press.
- Clarke J TR. (2004):*** Acute metabolic illness in the newborn. In: A Clinical Guide to Inherited Metabolic Diseases. New York, NY: Cambridge University Press; 176–204.
- Cleary GM, Wiswell TE. (1998):*** Meconium stained amniotic fluid and the meconium aspiration syndrome. An update. *Pediatr Clin North Am.* Jun; 45(3):511-29.

- Cohn RM, Roth KS. (2004):** Hyperammonemia, bane of the brain. Clin Pediatr (Phila). Oct.; 43(8):683-9.
- Cole FS, Noguee LM, Hamvas A. (2006):** Defects in surfactant synthesis: clinical implications. Pediatr Clin North Am. Oct; 53(5):911-27.
- Cosmi EV, La Torre R, Piazzze JJ, Maranghi GL, Lerro N, Bianco D, Anceschi MM.(1997):** Intra-amniotic surfactant for prevention of neonatal Respiratory distress syndrome (IRDS): rationale and personal experience. Eur J Obstet Gynecol Reprod Biol. Feb; 71(2):135.
- Cowett RM, Loughhead JL. (2002):** Neonatal glucose metabolism: differential diagnoses, evaluation, and treatment of hypoglycemia. Neonatal Netw. Jun; 21(4):9-19.
- Crowley P. (1992):** Corticosteroids after preterm premature rupture of membranes. Obstet Gynecol Clin North Am. Jun; 19(2):317-26.
- Crowther CA, Harding JE. (2007):** Repeat doses of prenatal corticosteroids for women at risk of preterm birth for preventing neonatal respiratory disease. Cochrane Database Syst Rev. Jul 18 ;(3):CD003935.
- Das A, Henderson D. (1996):** Hyperammonaemic encephalopathy in a four year old child with prune belly syndrome. Pediatr Infect Dis J.; 10:922–3,925–6.
- Davis TC, Humiston SG, Arnold CL, et al. (2006):** Recommendations for effective newborn screening communication: results of focus groups with parents, providers, and experts. Pediatrics. ; 117(5). Available at: www.pediatrics.org.
- Davison AN, Sandler M. (1985):** Inhibition of 5-hydroxytryptophan decarboxylase by phenylalanine metabolites. Nature. ; 181:186–187.

- Del Rosario M, Werlin SL, Lauer SJ. (1999):** Hyperammonemic encephalopathy after chemotherapy. Survival after treatment with sodium benzoate and sodium phenyl acetate. *J Clin Gastroenterol.* Dec; 25(4):682-4.
- Demissie K, Ananth CV, Martin J, Hanley ML, MacDorman MF & Rhoads GG (2002):** Fetal and neonatal mortality among twin gestations in The United States: the role of intrapair birth weight discordance. *Obstet Gynecol* 100:474–480.
- Deodato F, Boenz S, and Rizzo C (ed.) Deodatof, Boenzis (2004):** inborn error of metabolism *acta pediatri* suppl may; 93 (445): 18-21.
- De Paoli A, Davis P, Faber B, Morley C. (2008):** Devices and pressure sources for administration of nasal continuous positive airway pressure (NCPAP) in preterm neonates. *Cochrane Database Syst Rev.* Jan 23 ;(1):CD002977.
- Diamond DA, Blight A, Ransley PG. (1989):** Hyperammonaemic encephalopathy: a complication associated with prune belly syndrome. *J Urol*; 142: 361–2.
- Duhowitz LMS, Dubowitz V, Goldberg C. (1991):** Clinical assessment of gestational age in the newborn infant. *J Pediatr* ; 77:1-10.
- Dyke MP, Kohan R, Evans S. (1995):** Morphine increases synchronous ventilation in preterm infants. *J Pediatr Child Health.* Jun; 31(3):176-9.
- Edwards MS. (1997):** Antibacterial therapy in pregnancy and neonates. *Clin Perinatol.* Mar; 24(1):251-66.
- Egberts J, de Winter JP, Sedin G, de Kleine MJ, Broberger U, van Bel F,**

- Egerman RS, Mercer BM, Doss JL, Sibai BM. (1998):** A randomized, controlled trial of oral and intramuscular dexamethasone in the prevention of neonatal respiratory distress syndrome. *Am J Obstet Gynecol.* Nov; 179(5):1120-3.
- Egyptian National Neonatal Care Program [ENNCP]. (2001):** Gestational age assessment should be unhurried.
- Elias-Jones AC, Barrett DA, Rutter N, Shaw PN, Davis SS. (1991):** Diamorphine infusion in the preterm neonate. *Arch Dis Child.* Oct; 66(10 Spec No):1155-7.
- Emdin M, Passino C, Prontera C, Iervasi A, Ripoli A, Masini S, Zucchelli GC, Clerico A.(2004):**
Cardiac natriuretic hormones, neuro-hormones, thyroid hormones and cytokines in normal subjects and patients with heart failure. *Clin Chem Lab Med* 42:627–636.
- Erickson SJ, Grauaug A, Gurrin L and Swaminathan M (2000):** Hypocarbia in the ventilated preterm infants and its effect n intraventricular hemorrhage and bronchopulmonary dysplasia. *J Pediatr Child Health.*38 (6):560-2.
- Fanaroff AA, Martin RJ (2001):** Neonatal-perinatal medicine- diseases of the fetus and infants.Ed.5, St Louis, Mosby year book.
- Fellman JH. (1956):** Inhibition of DOPA decarboxylase by aromatic acids associated with phenylpyruvic oligophrenia. *Proc Soc Exp Biol Med.*; 93:413–414.
- Feillet F, Leonard JV. (1998):** Alternative pathway therapy for urea cycle disorders. *J Inherit Metab Dis.*; 21(suppl 1):101–111.
- Forero,(2002):**Reanimation of cardiopulmonary neonatal disorders
EN Roa J :1-39a 6.

- Fernandez J. Saudbray JM. (2000):** Inborn error diseases diagnosis and treatment, 3rd ed. Heidelberg, spring –varday.
- Friedman S, Shinwell ES. (2004):** Prenatal and postnatal steroid therapy and child neurodevelopment. Clin Perinatol 31:529–544.
- Furman B, Shoham-Vardi I, Bashiri A, Erez O & Mazor M. (2000):** Preterm premature rupture of membranes is not an independent risk factor for neonatal morbidity. J Matern Fetal Med 10:107–111.
- Fujiwara T, Maeta H, Chida S, Morita T, Watabe Y, Abe T.(1980):** Artificial surfactant therapy in hyaline-membrane disease. Lancet. Jan 12; 1(8159):55-9.
- Gardner DS, Fowden AL, Giussani DA. (2002):** Adverse intrauterine conditions diminish the fetal defense against acute hypoxia by increasing nitric oxide activity. Circulation. Oct 22; 106(17):2278-83.
- Gershanik J, Boecler B, Ensley H, Mc- Closkey S, George W.(1982):** The gasping syndrome and benzyl alcohol poisoning. N Engl J Med. ;307:1384–1388.
- Ghafoor T, Mahmud S, Ali S, Dogar SA. (2003):** Incidence of respiratory distress syndrome. J Coll Physicians Surg Pak. May; 13(5): 271-3.
- Gibson AT. (2002):** Perinatal corticosteroids and the developing lung. Pediatr. Respir. Rev. Mar; 3(1):70-6.
- Gill AB, Weindling AM. (1993):** Echocardiographic assessment of cardiac function in shocked very low birth weight infants. Arch Dis Child. Jan; 68(1 Spec No):17-21.

- Gilbert C, Fielder A, Gordillo L, et al. (2005):** Characteristics of infants with severe retinopathy of prematurity in countries with low, moderate, and high levels of development: implications for screening programs. *Pediatrics*; 115(5). Available at: www.pediatrics.org/cgi/content/full/115/5/e518.
- Goldstein RF, Thompson RJ, Oehler JM, Brazy JE. (2001):** Influence of acidosis, hypoxemia, and hypotension on neurodevelopmental outcome in very low birth weight infants. *Pediatrics*. Feb; 95(2):238-43.
- Gomella TL. (2004):** Neonatology: management, procedures, on-call problems, diseases and drugs. Gomella, TL, Cunningham, MD., Eyal, FG, Zenk, KE (Eds.). 5th edition. Medical Publishing Division, McGraw-Hill Companies.
- Gostin LO. Public Health Law: Power, Duty, Restraint. Berkley, CA (2000):** University of California Press.
- Gottfried, et al., (2001):** home oxygen weight gain in infants with bronchopulmonary dysplasia, *Am Dis child*; 141:992-995.
- Greenough A, Donn SM. (2007):** Matching ventilatory support strategies to respiratory pathophysiology. *Clin Perinatol*. Mar; 34(1):35-53.
- Greene CL, Goodman SI. (1997):** Catastrophic metabolic encephalopathies in the newborn period: evaluation and management. *Clin Perinatol.* ; 24:773–786.
- Grompe M. (2001):** The pathophysiology and treatment of hereditary tyrosinemia type 1. *Semin Liver Dis.*; 21:563–571.

- Green TP, Marchessault RP, Freese DK. (1993):** Disposition of sodium benzoate in newborn infants with hyperammonemia. *J Pediatr.* ; 102:785–790.
- Griffith AD, Cyr DM, Egan SG, Tremblay GC. (1999):** Inhibition of pyruvate carboxylase by sequestration of coenzyme A with sodium benzoate. *Arch Biochem Biophys.* ; 269:201–207.
- Gregus Z, Fekete T, Varga F, Klaassen CD. (1992):** Availability of glycine and coenzyme A limits glycine conjugation in vivo. *Drug Metab Dispos.* ; 20:234–240.
- Grier DG and Halliday HL (2004):** Effects of glucocorticoids on fetal and neonatal lung development. *Treat, Respire Med.* 3(5):295-306.
- Gregory M. Enns and Seymour, (2001):** Packman Diagnosing Inborn Errors of Metabolism in the Newborn: Clinical Features *NeoReviews*; 2; 183.
- Guffon N., et al., (2005):** a new neonatal case of N- Acetyl glutamate synthetase deficiency treated by carbamyl glutamate, *J Inher Metab Dis*; 18:61-5.
- Guthrie R (2000):** The origin of newborn screening; 1: 5-15.
- Haberle J; Joch HG (2004):** Hyperammonemia Diagnosis and therapy *deutsches medizinisches wochenblatt*, Jun; 129 (24): 1381: 4.
- Hack M, Wright LL, Shankaran S, Tyson JE, Horbar JD, Bauer CR, Younes N. (2000):** Very low birth weight outcomes of the National Institute of Child Health and Human Development Neonatal Network, November 1989 to October 1994. *Am J Obstet Gynecol.* Feb; 172(2 Pt 1):457-64.

- Hacking D, Watkins A, Fraser S, Wolfe R, Nolan T. (2001):** Respiratory distress syndrome and birth order in premature twins. Arch Dis Child Fetal Neonatal Ed. Mar; 84(2):F117-21.
- Hallman M, Teramo K. (1981):** Measurement of the lecithin/sphingomyelin ratio and phosphatidylglycerol in amniotic fluid: an accurate method for the assessment of fetal lung maturity. Br J Obstet Gynaecol. Aug; 88(8):806-13.
- Hammoud MS, ElSORI HA, Hanafi EA, Shalabi AA, Fouda IA, Devarajan LV. (2003):** Incidence and risk factors associated with the Patency of ductus arteriosus in preterm infants with respiratory distress syndrome in Kuwait. Saudi Med J.Sep; 24(9):982-5.
- Hansen AK, Wisborg K, Uldbjerg N and Henriksen TB.(2008):** Risk of respiratory morbidity in term infants delivered by elective caesarean section: cohort study. BMJ. Jan 12; 336(7635):85-7. Epub .Dec 11.
- Harte GJ, Gray PH, Lee TC, Steer PA, Charles BG. (1997):** Haemodynamic responses and population pharmacokinetics of midazolam following administration to ventilated, preterm neonates. J Pediatr Child Health. Aug; 33(4):335-8.
- Hegeman (2000):** neonatology update, the pediatric clinics of North America Philadelphia. W.B Saunders Company.
- Hermansen CL, Lorah KN. (2007):** Respiratory distress in the newborn. Am Fam Physician. Oct 1; 76(7):987-94.
- Ho JJ, Subramaniam P, Henderson-Smart DJ, Davis PG. (2002):** Continuous distending pressure for respiratory distress syndrome in preterm infants. Cochrane Database Syst Rev. ;(2):CD002271.

- Iafolla AK, Thompson RJ Jr, Roe CR. (1994):** Medium-chain acylcoenzyme A dehydrogenase deficiency: clinical course in 120 affected children. *J Pediatr.* ; 124:409–415.
- Iraj Rezani (2007):** defects in metabolism of amino acids.urea cycle defects. In Nelson Text book of pediatrics, Behrman R.E., Kleigman R.M. and Jenson H.B. (eds.) 18th ed., W.B. Saunders Co., London; 85.11:555-561.
- Jaeken J, (2003):** Devlieger. Neonatal hyperammonemia Jun; 51 (3): 101-4.
- Jain L, Eaton DC. (2006):** Physiology of fetal lung fluid clearance and the effect of labor. *Semin Perinatol.* Feb; 30(1):34-43.
- Jenkinson SG. (1993):** Oxygen toxicity. *New Horiz.* Nov; 1(4):504-11.
- Johnson A. (2002):** Genetic privacy. *Genet Brief.* ; 3:1–2.
- Johnson A. (2003):** Birth defects registries: a resource for research. *NCSL Legis Brief.* ; 11:1–2.
- Johns Hospkins (2001):** Therapy of urea cycle enzymopathies: case study *med J.*; 133:4.
- Kala P, Ten Have T, Nielsen H, Dunn M, Floros J. (1998):** Association of pulmonary surfactant protein A (SP-A) gene and respiratory distress syndrome: interaction with SP-B. *Pediatr Res.* Feb; 43(2):169-77.
- Kalbag SS, Palekar AG. (1988):** Sodium benzoate inhibits fatty acid oxidation in rat liver: effect on ammonia levels. *Biochem Med Metab Biol.*; 40:133–142.

- Kamper J, Wulff K, Larsen C, Lindequist S. (1993):** Early treatment with nasal continuous positive airway pressure in very low-birth-weight infants. *Acta Pediatr.* Feb; 82(2):193-7.
- Kattwinkel JM. (2006):** The new Textbook of Neonatal Resuscitation, 4th edition, Multimedia CD-ROM. American Academy of Pediatrics. (March 31st).
- Kazi Imran Majeed, MD, (2007):** Private Practice, Dallas Pediatric Neurology Associates Hyperammonemia. Article Last Updated: Jan 10.
- Kevin V, Lomely, Sussan R. (2000):** Continuous renal replacing therapy in initial management of neonatal hyperammonemia: *NeoReviews*; 1: 173.
- Kotecha S. (2001):** growth and nutrition: Implications for the newborn infant. *Arch Dis Child Fetal Neonatal Ed* 82:F69–74.
- Kumar P, Kiran PS. (2004):** Changing trends in the management of respiratory distress syndrome (RDS). *Indian J Pediatr.* Jan; 71(1):49-54.
- Larsson A, Therrell BL. (2002):** Newborn screening: the role of the obstetrician. *Clin Obstet Gynecol.*; 45:697–710.
- Lemyre B, Davis PG, de Paoli AG. (2002):** Nasal intermittent positive pressure ventilation (NIPPV) versus nasal continuous positive airway pressure (NCPAP) for apnea of prematurity. *Cochrane Database Syst Rev.* ;(1):CD002272.

- Lemley KV, Hintz SR, Enns GM. (2002):** Continuous renal replacement therapy in the initial management of neonatal hyperammonemia due to urea cycle defects. *Neo- Reviews*; 1:e173–e179.
- Leonard JV, Vijayaraghavan S, Walter JH. (2003):** The impact of screening for propionic and methylmalonic acidemia. *Eur J Pediatr*; 162 (suppl 1):S21–S24.
- Leung KC, Hammond JW, Chabra S, Carpenter KH, Potter M, Wilcken B (1992):** A fatal neonatal case of medium-chain acylcoenzyme A Dehydrogenase deficiency with homozygous A–G985 transition. *J Pediatr*. ; 121:965–968.
- Levy HL, (1998):** Newborn screening by tandem mass spectrometry: a new era. *Clin chen*; 44:2401-2.
- Lewis V, Whitelaw A. (2002):** Furosemide for transient tachypnea of the newborn. *Cochrane Database Syst Rev*. ;(1):CD003064.
- Lippincott and Wilkins (2004):** Inborn errors of metabolism, an update epidemiology and on neonatal onset hyperammonemia *Acta pediatr suppl*; 445: 18-21.
- Lin HC, Warg S, Hsy Y, Yeh T and Chang F. (2001):** Risk for respiratory distress syndrome in preterm infants born to mothers complicated by placenta previa. *Early Hum Dev*; 60(3):215-24.
- Lindner M, Kolker S, Schulze A, Christensen E, Greenberg CR , Hoffmann GF. (2004) :** Neonatal screening for glutaryl- Co A Dehydrogenase deficiency. *J Inherit Metab Dis*; 27:851–859.

- Liebl B, Nennstiel-Ratzel U, Roscher A, von Kries R. (2003):** Data required for the evaluation of newborn screening programs. Eur J Pediatr. ; 162 (suppl 1):S57–S61.
- Li Y, Scott CR, Chamoles NA, et al. (2004):** Direct multiplex assay of lysosomal enzymes in dried blood spots for newborn screening. Clin Chem.; 50:1785–1796.
- Lumley J. (2003):** Method of delivery for the preterm infant. BJOG. Apr; 110 Suppl 20:88-92.
- Maestri NE (2000):** Long term survival of patients with arginino succinate defficiency. J pediatr 127:929-935.
- Mc Call M, (2004):** Valporic acid induced hyper ammonemia: a case report. J chio psycho pharmacol; Oct; 24 (5): 521-6.
- Mc Candless SE. (2004):** A primer on expanded newborn screening by tandem mass spectrometry. Prim Care. ; 31:583–604.
- Mc Ewan,et al.(2001):**hyperammonemia in critically ill septic infants, Arch Dis Child;84:512-513.
- Mc Kinney JT, Longo N, Hahn SH, et al. (2004):** Rapid, comprehensive screening of the human medium chain acyl-CoA dehydrogenase gene. Mol Genet Metab. ; 82: 112–120.
- Meaney FJ, Kinney S, Kling S, et al. (1996):** Assessing genetic risks: implications for health and social policy: response from the Newborn Screening Committee of the Council of Regional Networks for Genetic Services. Screening. ; 4:247–249.
- Meikle PJ, Ranieri E, Simonsen H, et al. (2004):** Newborn screening for lysosomal storage disorders: clinical evaluation of a two strategy. Pediatrics. ; 114: 909–916.

- Millington DS, Kodo N, Norwood DL, Roe CR. (1990):** Tandem mass spectrometry: a new method for acylcarnitine profiling with potential for neonatal screening for inborn errors of metabolism. *J Inherit Metab Dis.*; 13:321–324.
- Moss TJ. (2006):** Respiratory consequences of preterm birth. *Clin Exp Pharmacol Physiol.* Mar; 33(3):280-4.
- Moya FR, Montes HF, Thomas VL, Mouzinho AM, Smith JF, Rosenfeld CR. (1994):** Surfactant protein A and saturated phosphatidylcholine in Respiratory distress syndrome. *Am J Respir Crit Care Med.* Dec; 150(6 Pt 1):1672-7.
- Msall M. Batshaw ML. (2000):** Neurological outcome in children with inborn error of urea cycle *NEngl J. Med.* Jun; 310 (23).
- Mutanowsk M. (1998):** Inherited hyperammonemia *prezegl*; 55(6): 337-41.
- Nagan N, Kruckeberg KE, Tauscher AL, Bailey KS, Rinaldo P, Matern D. (2003):** The frequency of short-chain acyl-CoA dehydrogenase gene Variants in the US population and correlation with the C (4) acylcarnitine concentration in newborn blood spots. *Mol Genet Metab.* ; 78:239–246.
- National Human Genome Research Institute. (1997):** Promoting Safe and Effective Genetic Testing in the United States: Final Report of the Task Force on Genetic Testing. Holtzman NA, Watson MS, eds. Bethesda, MD: National Institutes of Health.
- Nalhale Gutfon (2005):** Hyperammonemia the carbamoyl –L- glutamic acid test *J. pediatri*; 147: 260-2.

- National Newborn Screening and Genetics Resource Center. (2000):** National Newborn Screening Report.
- Nelson RM, Botkjin JR, Kodish ED, et al. (2004):** Ethical issues with genetic testing in pediatrics. *Pediatrics.* ; 107:1451–1455.
- Neil M, Peter H, Rosalind S. (1986):** Forfar & Arneil's textbook of pediatrics (6th Ed.).
- Niemi AK., (2006):** Sodium Benzoate and sodium phenyl acetate in the treatment of neonatal yperammonemia neoreview vol 7 No 9.
- Nyhan WL, Rubio et al., (2000):** Transient hyperammonemia in infants with and without organic acidenia.
- Okan f,Bereket .,(2007):**An unusual cause of hyperammonemia in a newborn infant ., *Pediatr Nephrol*,2007:106:124-130.
- Ohlsson A, Aher SM.(2006):** Early erythropoietin for preventing red blood cell transfusion in preterm and/or low birth weight infants. *Cochrane Database Syst Rev.* Jul 19;3:CD004863.
- Olpin SE, Clark S, Andresen BS, et al. (2005):** Biochemical, clinical and molecular findings in LCHAD and general mitochondrial trifunctional Protein deficiency. *J Inherit Metab Dis.*; 28:533–544.
- Packman S. (1994):** Metabolic encephalopathies. In: Berg B, ed. *Child Neurology: A Clinical Manual.* Philadelphia, Pa: JB Lippincott Co; 51–59.

- Packman S. (1996):** Approach to inherited metabolic disorders that present in the newborn period and infancy. In: Rudolph AM, Hoffman JIE, Rudolph CD, (Eds). Rudolph's Pediatrics. Stanford, Conn: Appleton and Lange; 291–294.
- Pass KA, Lane PA, Fernhoff PM, et al. (2002):** US newborn screening system guidelines II: follow-up of children, diagnosis, management, and evaluation. Statement of the Council of Regional Networks for Genetic Services (CORN). J Pediatr. ; 137: S1–S46.
- Pourmand R. (Ed.) (2000):** Metabolic myopathies, neuro clin 18:1.
- Poll, tt RJ, Green A, Mc cabe CJ, Booth A (1997):** Neonatal screening for inborn errors of metabolism: cost yield and out come. Health Technol Assess 1: 1-202.
- Porsotti RJ (2001):** Measurement of ammonia in blood J. pediatr; 138: 511-20.
- Pomeranz , (2002):** physical assessment. The pediatr clinic of North America philadilphia, W.B Saunders Company.
- Poets et al., (2002):** prolonged episodes of hypoxia in preterm infant. Pediatrics; 95:860-863.
- Pica S, Dionisi-uicic, Abeni D, pastore A and Rizzo C et al.(2001):** Extracorporeal dialysis in neonatal hyperammonemia modalities and prognostic indicators, pediatr nephrol.; 16 : 862- 7.
- Ranjit MS. (2000):** Cardiac abnormalities in birth asphyxia. Indian J Pediatr. Mar; 67(3 Suppl):S26-9.

- Rennie, J.M. and Robertson, N.R.C. (2002):** Hypoxic Ischemic Encephalopathy. A Manual of neonatal Intensive Care, 4th edition, Arnold Publishers; pp. 315 – 320.
- Renaldo P, Tortorelli S, Matern D. (2004):** Recent developments and new applications of tandem mass spectrometry in newborn screening. *Curr Opin Pediatr.* ; 16:427–433.
- Rhead WJ Irons M. (2004):** The call from the newborn screening laboratory: frustration in the afternoon. *Pediatr Clin North Am.*; 51:803–818.
- Roberts WE, Morrison JC. (1991):** Pharmacologic induction of fetal lung maturity. *Clin Obstet Gynecol.* Jun; 34(2):319-27.
- Rodriguez RJ, Martin RJ. (1999):** Exogenous surfactant therapy in newborns. *Respir Care Clin N Am.* Dec; 5(4):595-616.
- Rodriguez RJ. (2003):** Management of respiratory distress syndrome: an update. *Respir Care.* Mar; 48(3):279-86; discussion 286-7.
- Roschinger W, Olgemoller B, Fingerhut R, Liebl B, Roscher AA. (2003):** Advances in analytical mass spectrometry to improve screening for inherited metabolic diseases. *Eur J Pediatr.* ; 162(suppl 1):S67–S76.
- Rudolph, Abraham M., Hostettr and Margaret K. (2003):** Metabolic disorder, Rudolph's pediatrics, 21st edition; 9: 620: 623.
- Sakagachi Y, ruge K, Yoshino M, Yamashita F, Hashimoto T. (1998):** Hyperammonemia in the neonate with Hypoxia. *Adu Exp Med Biol*; 153: 147 – 52.

- Samtoy B, DeBeukelaer MM. (1999):** Ammonia encephalopathy secondary to urinary tract infection with *Proteus mirabilis*. *Pediatrics*; 65:294–7.
- Sanders, M. Allen M, Alexander G.R. (2002):** Gestational age assessment in preterm neonates weighting less than 1500 grams. *Pediatrics.*, 88: 542-546.
- Saudubray JM, Beaudet AL (2001):** The metabolic and molecular bases of inherited disease 8th Ed. New York; 1372-403.
- Saudubray, J-M, Charpentier C. (2001):** Clinical phenotypes: diagnosis algorithms. In: Scriver CR, Beaudet AL, Sly WS, Valle D, Eds. *The Metabolic and Molecular Bases of Inherited Disease*. New York, NY: McGraw-Hill; 1327–1403.
- Scaglia F, Wang Y, Singh RH, et al. (2000):** Defective urinary carnitine transport in heterozygotes for primary carnitine deficiency. *Genet Med.*; 1:34–39.
- Schoen EJ, Baker JC, Colby CJ, To TT. (2002):** Cost-benefit analysis of universal tandem mass spectrometry for newborn screening. *Pediatrics.* ; 110:781–786.
- Scriver CR, Beaudet AL, Sly S, Valle D. (1996):** *The Metabolic and Molecular Bases of Inherited Disease*. 8th ed. New York, NY: McGraw- Hill Publications.
- Schutze GE. Dwards MS (2000):** Hyperammonemia and neonatal herpes simplex pneumonitis *pediatr infect Dis J*; Oct; 9 (10): 749-50.

- Serving the family from birth to the medical home. (2000):*** A report from the Newborn Screening Task Force convened in Washington DC, May 10–11. *Pediatrics.* ; 106:2(2 pt 2): 383–427.
- Seymour CA, Thomason MJ, Chalmers RA, et al. (1997):*** Newborn screening for inborn errors of metabolism: a systematic review. *Health Technol Assess.* ; 1: i-iv, 1–95.
- Seashore JH, Seahore MR, Riely C. (2000):*** Hyperammoneima during parenteral nutrition in children. *JPEN J par enter Enteral Nutr;* 6: 114 – 8.
- Seashore MR, Renaldo P. (1999)*** metabolic disease of the neonate and young infant. *Semin Perinatol;* 17:318–29.
- Sharida E. Tollesfan MD. (2002):*** Neonatal hyperammonemia *pediatrics* vol. 66 No. 6 June; PP 1197-1198.
- Shaista S. usmain and Terri cabaliere (1993):*** Plasma ammonia level in VLBW *J pediater;* 123 (5): 797-800.
- Shah VA, Yeo CL, Ling YL, Ho LY. (2003):*** Incidence, risk factors of retinopathy of prematurity among very low birth weight infants in Singapore. *Ann Acad Med Singapore;* 34:169–178.
- Shiao SY, Ou CN. (2007):*** Validation of oxygen saturation monitoring in neonates. *Am J Crit Care.* Mar; 16(2):168-78.
- Simmons F; (2000):*** Goldstein, clinical trial of lactulose in hepatic encephalopathy. *Gastro enterology;* 59: 827-832.

- Soll RF, Morley CJ. (2001):** Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants. Cochrane Database Syst Rev. ;(2):CD000510.
- Soll RF. (2000):** Multiple versus single dose natural surfactant extract for severe neonatal respiratory distress syndrome. Cochrane Database Syst Rev. ;(2):CD000141.
- Stagl T.A and Gross S.j (2000):** vitamin E in.T sang RC Nutrition during infancy st, Louis, Mo: CV Mosby; 277-288.
- Stoddard JJ, Farrell PM.(2001):** State-to-state variations in newborn screening policies. Arch Pediatr Adolesc Med.; 151:561–564.
- Stoll, B.J. and Ira-Adams-Chapman. (2007):** The fetus and the Neonatal infant. Noninfectious Disorders. Hypoxia-Ischemic. In Nelson Texbook of Pediatrics, Behrman R.E., Kleigman R.M. and Jenson H.B. (eds.) 18th ed., W.B. Saunders Co., London; pp. 566- 568.
- Spiekerkoetter U, Sun B, Zytkevich T, Wanders R, Wendel U. (2003):-** based newborn and family screening detects asymptomatic patients with very-long-chain acyl-CoA dehydrogenase deficiency. J Pediatr. ; 143:335–342.
- Sue CM, Hirano M, DiMauro S, De Vivo DC. (1999):** Neonatal presentations of mitochondrial metabolic disorders. Semin Perinatol. ; 23:113–124.
- Subramaniam P, Henderson-Smart DJ, Davis PG. (2002):** Prophylactic nasal continuous positive airways pressure for preventing morbidity and mortality in very preterm infants. Cochrane Database Syst Rev. ;(2):CD001243.

Sweet D, Bevilacqua G, Carnielli V, Greisen G, Plavka R, Didrik Saugstad O, Simeoni U, Speer CP, Valls-I-Soler A, Halliday H,(2007):

Working Group on Prematurity of the World Association of Perinatal Medicine, European Association of Perinatal Medicine. European consensus guidelines on the management of neonatal respiratory distress syndrome. J Perinat Med.; 35(3):175-86.

Sweet DG, Halliday HL. (1999): Current perspectives on the drug treatment of neonatal respiratory distress syndrome. Pediatr Drugs. Jan- Mar; 1(1):19-30.

Takanashi J, Kurihara A, Tomita M, et al.(2002): Distinctly abnormal brain metabolism in late-onset ornithine transcarbamylase deficiency. Neurology ;59:210–214.

Therrell BL, Panny SR, Davidson A, et al. (1992): US newborn screening system guidelines: statement of the Council of Regional Networks for Genetic Services. Screening; 1:135–147.

Therrell BL, Hannon WH, Pass KA, et al. (1996): Guidelines for the retention, storage, and use of residual blood spot samples after newborn screening analysis: statement of the Council of Regional Networks for Genetic Services. Biochem Mol Med.; 57:116–124.

Todd DA, Wright A, Smith J, NICUS Group. (2007): Severe retinopathy of prematurity in infants _30 weeks' gestation in New South Wales and the Australian Capital Territory from 1992 to 2006. Arch Dis Child Fetal Neonatal Ed.; 92:F251–F254.

- Tuchman M. (2004):** persistent acitrulinemia after liver transplantation for carbamyl synthotase deficency. N Engl Jmed 320; 1498-1989.
- Tuchman M. (2004):** Hyperammonemia are the burdens too grave? Case study. Ethics winter; 8 (1) 1.
- Tuchman M.(1992):** transient hyperammonemia of the newborn :a vascular complication of prematurity;J Perinatal;12(3):234-6.
- Uchino T, Endo F (2001):** Neurodevelopment out come of long term therapy of urea cycle disorders in Japan J. inherit.
- US National Newborn Screening Information System (2005):** data. Available at: <http://genes-r-us.uthscsa.edu>. Accessed February 1.
- United States General Accounting Office. (2003):** Newborn Screening: Characteristics of State Programs. Report to Congressional Requesters. Washington, DC: General Accounting Office; Publication No. GAO-03-449.
- Vakrilova L, Kalaïdzhieva M, Slŭncheva B, et al.(2004):** The significance of parameters of the acid-base status, blood gas and blood lactate level for the adequate resuscitation and prognosis in newborns with very low birth weight ; 43 (5):25-31.
- Volpe, J.J. (2000a):** Hypoxic-ischemic encephalopathy intrauterine assessment. In: Neurology of the Newborn. Volpe J.J. (ed.) 4th edition, WB Saunders, Philadelphia, pp. 227 –295.

- Volpe J.J. (2000B):** Hypoxic- ischemic encephalopathy: Clinical Aspects. In Neurology of the Newborn. Vlpe J.J. (Ed.). 4th edition, WB Saunders, Philadelphia; pp. 331- 394.
- Ward JC. (2000):** Inborn errors of metabolism of acute onset in infancy. *Pediatr Rev*; 11:205–16.
- Whittington PF, Boylejt et al., (2000):** Liver transplantation for treatment of urea cycle disorders. *J inherit metab D.S*; 21 suppl., 1: 112-8.
- Wiberg N, Källén K and Olofsson P.(2006):** Base deficit estimation in umbilical cord blood is influenced by gestational age, choice of fetal fluid compartment, and algorithm for calculation. *Am J Obstet Gynecol. Dec*; 195(6):1651-6.
- Wijnberger LD, Huisjes AJ, Voorbij HA, Franx A, Bruinse HW, Mol BW. (2001):** The accuracy of lamellar body count and lecithin/sphingomyelin ratio in the prediction of neonatal respiratory distress syndrome: a meta-analysis. *BJOG. Jun*; 108(6):583-8.
- Wilcken B. (2004):** Problems in the management of urea cycle disorders. *Mol Genet Metab.*; 81(suppl 1):S86–S91.
- Wood NS, Marlow N, Costeloe K, Gibson AT, Wilkinson AR, (2000):** Neurological and developmental disability after extremely preterm birth. *N engl J Med* 343:378–384.
- Yalcin H, Tuncer M, Erdem G, Ozlap I (1981):** blood ammonia levels in premature and full term infants' .*Turk J Pediatr*; 23:171-80.

- Young SP, Matern D, Gregersen N, et al.(2003):** A comparison of in vitro acylcarnitine profiling methods for the diagnosis of classical and variant short chain acyl-CoA dehydrogenase deficiency. Clin Chim Acta. ; 337:103–113
- Yu VY. (1998):** Recent advances in assisted ventilation for neonatal respiratory distress syndrome. Indian Pediatr. Jul; 35(7):631-40.
- Zuberi SM, Stephenson JBP, Azmy AF, et al. (1998):** Hyperammonaemic encephalopathy after a subureteric injection for vesicoureteric reflux.
Arch Dis Child; 79:363–4.