

References

- Aalberse, R.C. (2000):** Specific IgE and IgG responses in atopic versus nonatopic subjects. *Am J Respir Crit Care Med*;162:124-127.
- Adcock, E.W.; Brewer, E.D.; Caprioli, R. M.; et al (1986):** Macronutrients, electrolytes and minerals in human milk ; differences over time and between population groups .In Howell RR,Morriss FH,Pickering LK,editors;Human nutrition and health.
- Adderson, E.E.; Pappin, A.; Pavia, A.T. et al (1998):** Spontaneous intestinal perforation in premature infants: a distinct clinical entity associated with systemic candidiasis. *J Pediatr Surg*. Oct 33(10):1463-7.
- Admyre, C.J.; Grunewald, J.; Thyberg, et al (2003):** Exosomes with major histocompatibility complex class II and co-stimulatory molecules are present in human BAL fluid. *Eur. Respir. J.* 22: 578-583.
- Alcorn, J.P.J. and McNamara, (2003):** Pharmacokinetics in the newborn. *Adv. Drug Delivery Rev.* 55: 667-686.
- Aline, F.; D.; Bout, S.; Amigorena, et al (2004):** Toxoplasma gondii antigen-pulsed-dendritic cell-derived exosomes induce a protective immune response against T. gondii infection. *Infect. Immun.* 72: 4127-4137.
- Allen, L.H. (1994):** Maternal micronutrient malnutrition: effects on breast milk and infant nutrition, and priorities for intervention. *SCN News* 11:21-24.

- Allen, L.H.; Rosado, J.L.; Casterline, J. E. et al (1995):** Vitamin B-12 deficiency and malabsorption are highly prevalent in rural Mexican communities. *Am. J. Clin. Nutr.* 62:1013-1019.
- Al-Tawil, Y.; Klee, G. and Berseth, C.L. (2002):** Extrinsic neural regulation of antroduodenal motor activity in preterm infants. *Dig Dis Sci.*;47 (12):2657 –2663.
- American Academy of Pediatrics, (1997):** Work group on breastfeeding. Breastfeeding and the use of human milk. *Pediatrics* 100:1035-9.
- Anand, R.; Leaphart, C.L.; Mollen, K.; et al (2007):** The Role of the Intestinal Barrier in the Pathogenesis of Necrotizing Enterocolitis. *Shock*;27:124-33.
- Andre, F.N.E. Schartz, M.; Movassagh, et al (2002):** Malignant effusions and immunogenic tumour-derived exosomes. *Lancet* 360: 295-305.
- Armogida, S.A.N.M. Yannaras, A.L.; Melton et al (2004):** Identification and quantification of innate immune system mediators in human breast milk. *Allergy Asthma Proc.* 25: 297-304.
- Ashkar, S.; Weber, G.F.; Panoutsakopoulou, V.; et al (2000):** Eta-1 (osteopontin): an early component of type-1 (cell-mediated) immunity. *Science.*;287:860–4.
- Bamji, M.S.; Chowdhury, N.; Ramalakshmi, B.A. and Jacob, C. M. (1991):** Enzymatic evaluation of riboflavin status of infants. *Eur. J. Clin. Nutr.* 45:309-313.

- Bank, M.R.; Kirksey, A.; West, K.; et al (1985):** Effect of storage time and temperature on folacin and vitamin C levels in term and preterm human milk. *Am J Clin Nutr* 41: 235–242.
- Baranyi, M.; Thomas, U. and Pellegrini, A. (2003):** Antibacterial activity of casein-derived peptides isolated from rabbit (*Oryctolagus cuniculus*) milk. *J Dairy Res*;70:189–197.
- Barton, L.; J.E.; Hodgman, and Z. Pavlova (1999):** Causes of death in the extremely low birth weight infant. *Pediatrics* **103**:446- 451.
- Bates, C.J.; Prentice, A.M.; Paul, A.A.; et al. (1982):** Riboflavin status in infants born in rural Gambia, and the effect of a weaning food supplement. *Trans. R. Soc. Trop. Med. Hyg.* 76:253-258.
- Baveye, S.; Ellass, E.; Fernig, D.G.; et al (2000) :** Human lactoferrin interacts with soluble CD14 and inhibits expression of endothelial adhesion molecules, E-selectin and ICAM-1, induced by the CD14-lipopolysaccharide complex. *Infect Immun*;68:6519–6525.
- Baveye, S.; Ellass, E.; Mazurier, J.; et al (1999):** Lactoferrin: a multifunctional glycoprotein involved in the modulation of the inflammatory process. *Clin Chem Lab Med*;37:281–286.
- Bayless, K.J.; Davis, G.E. and Meininger, G.A. (1997):** Isolation and biological properties of osteopontin from bovine milk. *Protein Expr Purif*.;9:309–14.
- Bell, M.J.; Ternberg, J.L.; Feigin, R.D.; et al (1978):** Neonatal necrotizing enterocolitis. Therapeutic decisions based upon clinical staging. *Ann Surg*;187:1-7.

- Berg, A.H.; Combs, T.P.; Du, X.; et al (2001):** The adipocyte-secreted protein Acrp30 enhances hepatic insulin action. *Nat Med*;7:947–53.
- Bernt, K.M. and Walker, W.A. (1999):** Human milk as a carrier of biochemical messages. *Acta Paediatr Suppl.*;88(430):27–41.
- Berseth, C.L.; Bisquera, J.A. and Paje, V. U. (2003):** Prolonging small feeding volumes early in life decreases the incidence of necrotizing enterocolitis in very low birth weight infants. *Pediatrics* **111**:529-534.
- Berseth, C.L.; Bisquera, J.A. and Paje, V.U. (1997):** Prolonging small feeding volumes early in life decreases the incidence of necrotizing enterocolitis in very low birth weight infants. *Pediatrics.* ;111 :529 –534.
- Bertinato, J.; Hidiirglou, N.; Peace, R.; et al (2007):** Sparing effects of selenium and ascorbic acid on vitamin C and E in guinea pig tissues. *Nutrition Journal*.;6:7. doi: 10.1186/1475-2891-6-7.
- Bi BY, Lefebvre, A.M.; Dus, D.; et al (1997) :** Effect of lactoferrin on proliferation and differentiation of the Jurkat human lymphoblastic T cell line. *Arch Immunol Ther Exp (Warsz)*;45:315–320.
- Bier, J.B.; Ferguson, A. and Anderson, L. (1993):** Breast-feeding of very low birth weight infants. *J Pediatr*; 123:773-778.
- Binns, C.W.; Win, N.N.; Zhao, Y.; et al (2006):** Trends in the expression of breastmilk 1993–2003. *Breastfeed Rev.*;14:5–9.

- Bin-Nun, A.; B.R.; Wilschanski, M.; Kaplan, M.; et al (2007) :** Oral probiotics prevent necrotizing enterocolitis in very low birth weight neonates. *J Pediatr*;147:196-199.
- Black, R.E.; Morris, S.S. and Bryce, J. (2003):** Where and why are 10 million children dying every year? *Lancet* 361:2226-2234.
- Blanchard, N.D.; Lankar, F.; Faure, et al. (2002):** TCR activation of human T cells induces the production of exosomes bearing the TCR/CD3/ complex. *J. Immunol.* 168: 3235-3241.
- Bonnet, M.; Delavaud, C.; Laud, K.; et al (2002):** Mammary leptin synthesis, milk leptin and their putative physiological roles. *Reprod Nutr Dev*;42:399-413.
- Bonnet, M.; Gourdou, I.; Leroux, C. et al (2002):** Leptin expression in the ovine mammary gland: putative sequential involvement o adipose, epithelial and myoepithelial cells during pregnancy and lactation. *J Anim Sci*;80:723-728.
- Borschel, M.W. (1995):** Vitamin B-6 in infancy: Requirements and current feeding practices. Raiten, D. J. eds. *Vitamin B6 Metabolism in Pregnancy, Lactation and Infancy*:109-124 CRC Press Boca Raton, FL.
- Borschel, M.W.; Elkin, R.G.; Kirksey, A.; et al (1986):** Fatty acid composition of mature human milk of Egyptian and American women. *Am J Clin Nutr*;44:330-5.
- Bosnjak, A.P. and Grgurić, J. (2007):** Long-term health effects of breastfeeding *Lijec Vjesn.* Aug-Sep;129(8-9):293-8.

- Bottcher, M.F.; Jenmalm, M.C.; Bjorksten, B.; et al (2000):** Chemoattractant factors in breast milk from allergic and nonallergic mothers. *Pediatr Res*;47:592–7.
- Bottcher, M.F.; Jenmalm, M.C.; Bjorksten, B.; et al (2003):** Cytokine, chemokine and secretory IgA levels in human milk in relation to atopic disease and IgA production in infants. *Pediatr Allergy Immunol*;14:35-41.
- Boyd, C.A.; Quigley, M.A. and Brocklehurst, P. (2007):** Donor breast milk versus infant formula for preterm infants: a systematic review and meta-analysis. *Arch Dis Child Fetal Neonatal*;92 (3):F169 –F175.
- Brandtzaeg, P. (2003):** Mucosal immunity: integration between mother and the breast-fed infant. *Vaccine*;21:3382-3388.
- Branen, J.K. and Davidson, P.M. (2004) :** Enhancement of nisin, lysozyme, and monolaurin antimicrobial activities by ethylenediaminetetraacetic acid and lactoferrin. *Int J Food Microbiol*;90:63–74.
- Brock, J.H.(1980):** Lactoferrin in human milk: its role in iron absorption and protection against enteric infection in the newborn infant. *Arch Dis Child*;55:417–421.
- Bryan, D.L.; Hawkes, J.S.; Gibson, R.A. et al (1999) :** Interleukin-12 in human milk. *Pediatr Res*;45:858–9.
- Buss, I.H.; McGill, F.; Darlow, B.A.; et al (2001):** Vitamin C is reduced in human milk after storage. *Acta Paediatr*;90:813–815.

- Butler, J.E. and Kehrli, M.E. (2005):** Immunoglobulins and immunocytes in the mammary gland and its secretions. Mestecky J Lamm ME Strober W Bienenstock J McGhee JR Mayer L eds. *Mucosal Immunology* 3rd ed:1763-1794 Academic Press San Diego. 
- Butte, N.F.; Wong, W.W.; Hopkinson, J.M.; et al (2000) :** Energy requirements derived from total energy expenditure and energy deposition during the first 2 years of life. *Am. J. Clin. Nutr.* 72:1558-1569.
- Caby, M.P.D.; Lankar, C.; Vincendeau-Scherrer, et al (2005) :** Exosomal-like vesicles are present in human blood plasma. *Int. Immunol.* 17: 879-887.
- Caccavo, D.; Sebastiani, G.D.; Di Monaco, C. et al (1999) :** Increased levels of lactoferrin in synovial fluid but not in serum from patients with rheumatoid arthritis. *Int J Clin Lab Res*;29:30–35.
- Calder, P.C. (1996) :** Immunomodulatory and anti-inflammatory effects of n-3 polyunsaturated fatty acids. *Proc Nutr Soc*;55:737–74.
- Calhoun, D.A.; Du Lunoe, M.Y.; Christensen, R.D.; et al (2000) :** Granulocyte colony-stimulating factor is present in human milk and its receptor is present in human fetal intestine. *Pediatrics*.;105:e7.
- Caminos, J.E.; Noguerias, R.; Gallego, R.; et al. (2005) :** Expression and regulation of adiponectin and receptor in human and rat placenta. *J Clin Endocrinol Metab*;90:4276-4286.

- Canfield, L.M.; Guiliano, A.M.; Neilson, E.M.; et al (1998)** : Kinetics of the response of milk and serum β -carotene to daily β -carotene supplementation in healthy, lactating women. *Am J Clin Nutr*;67:276–83.
- Caplan, M.S.; Sun, X.M.; Hseuh, W.; et al (1990)** : Role of platelet activating factor and tumor necrosis factor-alpha in neonatal necrotizing enterocolitis. *Journal of Pediatrics*.;116:960–4.
- Carroll, K.K. (1989)** : Upper limits of nutrients in infant formulas: polyunsaturated fatty acids and trans fatty acids. *J Nutr*;119:1810–3.
- Casabiell, X.; Pineiro, V.; Tome, M.A. et al (1997)** : Presence of leptin in colostrum and breastmilk from lactating mothers. A potential role in the regulation of neonatal food intake. *J Clin Endocrinol Metab*;82:4270-4273.
- Casey, C.E.; Smith, A. and Zhang, P. (1995)** : Minerals, ions and trace elements in milk. C. Microminerals in human and animal milks. In: *Handbook of Milk Composition* (Jensen, R.G., ed.), pp. 622–674. Academic Press, San Diego.
- Chalazonitis, A.; Pham, T.D.; Rothmanm, T.P.; et al (2001)** : Neurotrophin-3 is required for the survival-differentiation of subsets of developing enteric neurons. *J Neurosci*;21:5620-5636.
- Chandler, J.C. and Hebra, A. (2000)** : Necrotizing enterocolitis in infants with very low birth weight. *Semin Pediatr Surg*;9:63–72.
- Chandra, R.K. (1978)**: Immunological aspects of human milk. **Nutr Rev**;36:265-272.

- Chaturvedi, P.; Warren, C.D.; Altaye, M.; et al (2001):** Fucosylated human milk oligosaccharides vary between individuals and over the course of lactation. *Glycobiology*;11:365-372.
- Chiesa, C.F.; Signore, M.; Assumma, et al. (2001):** Serial measurements of C-reactive protein and interleukin-6 in the immediate postnatal period: reference intervals and analysis of maternal and perinatal confounders. *Clin. Chem.* **47**:1016-1022.
- Chowanadisai, W.; Kelleher, S.L.; Nemeth, J.F.; et al (2005):** Detection of a single nucleotide polymorphism in the human alpha-lactalbumin gene: implications for human milk proteins. *J Nutr Biochem*;16:272–8.
- Claud, E.C. and Walker, W.A. (2001):** Hypothesis: inappropriate colonization of the premature intestine can cause neonatal necrotizing enterocolitis. *FASEB J*;15(8):1398-403.
- Clayton, A.J. Court, H.; Navabi, et al. (2001):** Analysis of antigen presenting cell derived exosomes, based on immuno-magnetic isolation and flow cytometry. *J. Immunol. Methods* **247**: 163-174.
- Cobb, B.A.; Waldemar, C.A. and Namasivayam, A. (2004):** Gastric residuals and their relationship to necrotizing enterocolitis in very low birth weight infants. *Pediatrics*.; **113** :50 –53.
- Combs, T.P.; Berg, A.H.; Obici, S.; et al (2001):** Endogenous glucose production is inhibited by the adipose-derived protein Acrp30. *J Clin Invest*;180:1875–81.

- Combs-Rome, T.; Fishbein, J.; Summerville, C.; et al, (1988):** Rehospitalization of very-low-birth-weight infants. *Am J Dis Child*; 142:1109-1113.
- Crane, J.K.; Azar, S.S.; Stam, A. and Newburg, D.S. (1994):** Oligosaccharides from human milk block binding and activity of the *Escherichia coli* heat-stable enterotoxin (STa) in T84 intestinal cells. *J. Nutr.* 124:2358-2364.
- Cripps, R.L.; Martin-Gronert, S. and Ozanne, S.E. (2005):** Fetal and perinatal programming of appetite. *Clin Sci*;109:1-11.
- Dallman, P.R (1988):** Nutritional anemia of infancy: iron, folic acid, and vitamin B12. Tsang R. C. Nichols B. L. eds. *Nutrition during Infancy*;216-235 Henley and Belfus Philadelphia, PA.
- Daralow, B.A. and Graham, P.J.(2002):** Vitamin A supplementation for preventing morbidity and mortality in very low birth weight infants . *Cochrane Database Syst Rev* ,2:CD000501.
- Davidson, B.; Meinen-Derr, J.K.; Wagner, C.L.; et al (2004):** Fucosylated oligosaccharides in human milk in relation to gestational age and stage of lactation. *Adv. Exp. Med. Biol.* 554:427-430.
- Dawodu, A.; Agarwal, M.; Hossain, M.; et al (2003):** Hypovitaminosis D and vitamin D deficiency in exclusively breastfeeding infants and their mothers in summer; a justification for vitamin D supplementation of breastfeeding infants. *J Pediatr*.;142:169–173.

- Dawodu, A.; Agarwal, M.; Sankarankutty, M.; et al (2005):** Higher prevalence of vitamin D deficiency in mothers of rachitic than non rachitic children. *J Paediatr.*;147:109–111.
- Debuse, P.J. (1992):** Shoshin beriberi in an infant of a thiamine-deficient mother. *Acta Paediatr* 81:723-724.
- Decsi, T. and Koletzko, B. (1994):** Polyunsaturated fatty acids in infant nutrition. *Acta Paediatr Scand Suppl*;395:31–7.
- Denzer, K.M.; Van Eijk, M.J.; Kleijmeer, et al (2000):** Follicular dendritic cells carry MHC class II-expressing microvesicles at their surface. *J. Immunol.* 165: 1259-1265.
- Dhanireddy, R.; Senger, D.; Mukherjee, B.B.; et al (1993):** Osteopontin in human milk from mothers of premature infants. *Acta Paediatr.*;82:821–2.
- Dinauer, M.C.; Lekstrom-Himes, J.A. and Dale, D.C. (2000):** Inherited neutrophil disorders: molecular basis and new therapies. *Hematology (Am Soc Hematol Educ Program)*;303–318.
- Dollberg, S.; Kuint, J.; Mazkereth, R.; et al (2000):** Feeding intolerance in preterm infants: a randomized trial of bolus and continuous feeding. *J Am Coll Nutr*; 19 :797 –800.
- Dundar, N.O.; Anal, O.; Dundar, B.; et al (2005):** Longitudinal investigation of the relationship between breast milk leptin levels and growth in breast-fed infants. *J Pediatr Endocrinol Metab*;18:181-187.

- Eglinton, B.A.; Roberton, D.M. and Cummins, A.G.(1994):** Phenotype of T cells, their soluble receptor levels, and cytokine profile of human breast milk. *Immunol Cell Biol.*;72:306–13.
- Ehrenkranz, R.A. (2000):** Growth outcomes of very low-birth weight infants in the newborn intensive care unit. *Clin Perinatol.* 2000;27 :325 –345 .
- Elass, E.; Masson, M.; Mazurier, J.; et al (2002) :** Lactoferrin inhibits the lipopolysaccharide-induced expression and proteoglycan-binding ability of interleukin-8 in human endothelial cells. *Infect Immun*;70:1860–1866.
- El-Mohandes, A.E.; Picard ,M.B.; Simmens ,S.J.; et al (1997) :**Use of human milk in the intensive care nursery decreases the incidence of nosocomial sepsis. *J Perinatol*; 17:130-134
- Engfer, M.B.; Stahl, B. and Finke, B. (2000):** Human milk oligosaccharides are resistant to enzymatic hydrolysis in the upper gastrointestinal tract *Am. J. Clin. Nutr.* **71**,1589-1596.
- Escudier, B.T.; Dorval, N.; Chaput, et al (2005):** Vaccination of metastatic melanoma patients with autologous dendritic cell (DC) derived-exosomes: results of the first phase I clinical trial. *J. Transl. Med.* 3: 10.
- Fagarasan, S. and Honjo, T. (2004):** Regulation of IgA synthesis at mucosal surfaces. *Current Opinion in Immunology* 16:277-283.
- Fantuzzi, G. (2005):** Adipose tissue, adipokines, and inflammation. *J Allergy Clin Immunol*;115:911-919.

- Farquharson, J.; Cockburn, F.; Patrick, W.A.; et al (1992) :** Infant cerebral cortex phospholipid fatty-acid composition and diet. *Lancet*;340:810–3.
- Fenaille, F.; Parisod, V.; Visani, P.; et al (2005) :** Modification of milk constituents during processing: A preliminary benchmarking study. *Int Dairy J.*;16:728–739.
- Field, C.J. (2005):** The immunological components of human milk and their effect on immune development in infants. *J Nutr*;135:1-4.
- Filteau, S.M.; Morris, S.S.; Abbott, R.A.; et al, (1993):** Influence of morbidity on serum retinol of children in a community-based study in northern Ghana. *Am. J. Clin. Nutr.* 58:192-197.
- Frydecka, I.; Zimecki, M.; Bocko, D. et al (2002):** Lactoferrin-induced up-regulation of zeta (zeta) chain expression in peripheral blood T lymphocytes from cervical cancer patients. *Anticancer Res*;22:1897–1901. 20.
- Furaman, L.; Taylor, G.; Minich, N.; et al (2003):** The effect of maternal milk on neonatal morbidity of very low birth weight infants . *Arch Pediatr Adolesc Med*;157:66-71.
- Garofalo, R.P. and Goldman, A.S. (1998):** Cytokines, chemokines, and colony-stimulating factors in human milk: *Biol Neonate*;74:134-142.
- Garofalo, R.P. and Goldman, A.S. (1999) :** Expression of functional immunomodulatory and anti-inflammatory factors in human milk. *Clin Perinatol.*;26(2):361–377.

- Gartner, L.M.; Morton, J.; Lawrence, R.A.; et al (2005):** Breastfeeding and the use of human milk. *Pediatrics*; 115:496–506.
- Gdalevich, M. Mimouni D, Mimouni M, et al (2001):** Breastfeeding and the risk of bronchial asthma in childhood: a systematic review with meta-analysis of prospective studies. *J Pediatr* Aug; 139(2):261-6.
- Giachelli, C.M.; Lombardi, D.; Johnson, R.J.; et al (1998):** Evidence for a role of osteopontin in macrophage infiltration in response to pathological stimuli in vivo. *Am J Pathol.*;152:353–8.
- Gibson, G.R. and Roberfroid, M.B. (1995):** Dietary modulation of the human colonic microbiota: introducing the concept of prebiotics. *J Nutr.*;125:1401–12.
- Gnoth, M.J. Rudloff, S.; Kunz, C.; et al (2001):** Investigations of the in vitro transport of human milk oligosaccharides by a caco-2 monolayer using a novel high performance liquid chromatography-mass spectrometry technique *J. Biol. Chem.* **276**,34363-34370.
- Goldman, A.S.; Chheda, S. and Garofalo, R. (1998):** Evolution of Immunologic Functions of the Mammary Gland and the Postnatal Development of Immunity. *Pediatric Research*;43:1-15.
- Gossage, C.; Deyhim, M.; Moser-Veillon, P.B.; et al, (2000):** Effect of β -carotene supplementation and lactation on carotenoid metabolism and mitogenic T lymphocyte proliferation. *Am J Clin Nutr* 71:950–5.
- Green, M.H., Green, J.B., Akohoue, S.A. and Kelley, S.K. et al (2001):** Vitamin A intake affects the contribution of chylomicrons

vs. retinol-binding protein to milk vitamin A in lactating rats. J. Nutr. 131:1279-1282.

Groer M, (1996) : Walker WA What is the role of preterm breast milk supplementation in the host defenses of preterm infants? Science vs fiction. Adv Pediatr.; 43:335-358 .

Grumach, A.S.; Carmona, R.C.; Lazarotti, D.; et al.(1993) : Immunological factors in milk from Brazilian mothers delivering small-for-date term neonates. Acta Paediatr;82:289-90.

Guggenbichler, J.P. and Stahl, B. (2003): Oligosaccharides. In: Mattila-Sandholm T, editor. Functional dairy products. Cambridge: Woodhead Publishers;. p. 203–43.

Haluzik, M. (2005): Adiponectin and its potential in the treatment of obesity, diabetes and insulin resistance. Curr Opin Investig Drugs;6:988-993.

Hambraeus, L. (1986): Nutritional aspects of milk proteins. Fox, P. F. eds. Developments in Dairy Chemistry-1:289-314.

Hamosh, M. (1996): Digestion in the newborn. Clin Perinatol;23:191–209.

Hamosh, M. (1998): Protective function of proteins and lipids in human milk. Biol Neonate;74:163–176.

Hamosh, M.(2001): Bioactive factors in human milk. Pediatr Clin North Am.;48:69–86.

- Hanna, N.; Ahmed, K.; Anwar, M.; et al (2004):** Effect of storage on breast milk antioxidant activity. Arch Dis Child Fetal Neonatal Ed.;89:F518–520.
- Hanson, L.A. (2007) :** Session 1: Feeding and infant development breast-feeding and immune function. Proc Nutr Soc. Aug;66(3):384-96.
- Hanson, L.A. and Korotkova, M. (2002):** The role of breast feeding in prevention against neonatal infection Semin Nennatol;7:275-281.
- Hanson, L.A.; Korotkova, M. and Telemo, E. (2003):** Breast-feeding, infant formulas, and the immune system. Ann Allergy Asthma Immunol. Jun;90(6 Suppl 3):59-63.
- Hanson, L.A.; Korotkova, M. and Telemo, E. (2005):** Human milk: its components and their immunobiologic functions. Mestecky J Lamm ME Strober W Bienenstock J McGhee JR Mayer L eds. Mucosal Immunology 3rd ed:1795-1827 Academic Press San Diego.
- Hantusch, B.; Scholl, I.; Harwanegg, C.; et al (2005):** Affinity determinations of purified IgE and IgG antibodies against the major pollen allergens Phl p 5a and Bet v 1a: discrepancy between IgE and IgG binding strength. Immunol Lett;97:81-89.
- Hara, T.; Irie, K.; Saito, S.; et al (1995):** Identification of macrophage colony-stimulating factor in human milk and mammary gland epithelial cells. Pediatr Res.;37:437–43.
- Harzer, G.; Haug, M.; Dieterich, I.; et al (1983):** changing patterns of human milk lipids in the course of lactation and during the day .Am J Clin Nutr 37:612.

- Hawkes, J.S.; Bryan, D.L.; James, M.J.; et al (1999):** Cytokines (IL-1 β , IL-6, TNF- α , TGF- β 1, and TGF- β 2) and prostaglandin E2 in human milk during the first three months postpartum. *Pediatr Res.*;46(2):194–199.
- Heinonen, O.P.; Albanes, D.; Virtamo, J.; et al (1998):** Prostate cancer and supplementation with alpha-tocopherol and beta-carotene: incidence and mortality in a controlled trial. *J Natl Cancer Inst*;90:440–6.
- Heird, W.C. (1999):** From Nutrition Requirements During Infancy. In: Shils ME, Olson JA, Shike M, Ross AC. , editor. *Modern Nutrition in Health and Disease Ninth Edition*. Baltimore, USA. Williams and Williams;. pp. 839–843.
- Heiskanen, K.; Kallio, M.; Salmenpera, et al (1995):** Vitamin B-6 status during childhood: tracking from 2 months to 11 years of age. *J. Nutr.* 125:2985-2992.
- Henderson, T.R.; Hamosh, M.; Armand, M.; et al (2001) :** Gastric proteolysis in preterm infants fed mother's milk or formula. *Adv Exp Med Biol*;501:403–8.
- Hening, M.J. (2001):** Host defense benefits of breastfeeding for the infant: effect of breastfeeding duration and exclusivity. *Pediatric Clinics of North America* Feb; 48(1):105-123.
- Henry, M.C. and Lawrence Moss, R. (2005):** Surgical therapy for necrotizing enterocolitis: bringing evidence to the bedside. *Semin Pediatr Surg*;14(3):181-90.

- Holman, R.C.; Stoll, B.J.; Clarke, M.J.; et al (1997):** The epidemiology of necrotizing enterocolitis infant mortality in the United States. *Am J Public Health*;87:2026–2031.
- Host, A.B.; Koletzko, S.; Dreborg, A.; et al (1999):** Dietary products used in infants for treatment and prevention of food allergy: joint statement of the European Society for Paediatric Allergology and Clinical Immunology (ESPACI) committee on hypoallergenic formulas and the European Society for Paediatric Gastroenterology, Hepatology and Nutrition (ESPGHAN) committee on nutrition. *Arch. Dis. Child.* 81: 80-84.
- Hsueh, W.; Caplan, M.S.; Qu, X.W.; et al (2003):** Neonatal necrotizing enterocolitis: clinical considerations and pathogenetic concepts *Pediatr. Dev. Pathol.* 6,6-23.
- Hudak, M.L. (1991):** "Nutrition." In: Hospital care of the recovering NICU infant, Jones MD, Jr., Gleason SA, Lipstein SV, eds. Baltimore: Williams & Wilkins.
- Hutchens, T.W.; Henry, J.F. and Yip, T.T.(1991):** Structurally intact (78-kDa) forms of maternal lactoferrin purified from urine of preterm infants fed human milk: identification of a trypsin-like proteolytic cleavage event *in vivo* that does not result in fragment dissociation. *Proc Natl Acad Sci U S A*;88:2994–2998.
- Hwang, S.M.; Lopez, C.A.; Heck, D.E.; et al (1994):** Osteopontin inhibits induction of nitric oxide synthase gene expression by inflammatory mediators in mouse kidney epithelial cells. *J Biol Chem.*;269:711–5.

- Hylander, M.A.; Strobino, D.M. and Dhanireddy, R. (1998):** Human milk feedings and infection among very low birth weight infants. *Pediatrics*;102(3):E38.
- Ihara, H.; Denhardt, D.T.; Furuya, K.; et al (2001) :** Parathyroid hormone-induced bone resorption does not occur in the absence of osteopontin. *J Biol Chem*;276:13065–71.
- Institute of Medicine, (2000):** Dietary Reference Intakes for Thiamin, Riboflavin, Niacin, Vitamin B6, Folate, Vitamin B12, Pantothenic Acid, Biotin and Choline National Academy Press Washington, D.C.
- Institute of Medicine, Earl, R. Woteki, C.E. eds (1993):** Recommended Guidelines for the Prevention, Detection, and Management of Iron Deficiency Anemia among U.S. Children and Women of Childbearing Age:48-51 National Academy Press Washington, DC.
- I.p, S.; Chung, M.; Raman, G. et al (2007):** Breastfeeding and maternal and infant health outcomes in developed countries. *Evid Rep Technol Assess (Full Rep)*. Apr;(153):1-186.
- Isibasi, A.; Santa Cruz, M.; Soto Montano, X.; et al (1982):** Localization of a lipopeptidophosphoglycan extracted by phenol-water from trophozoites of the HK-9 strain of *Entamoeba histolytica*. *Arch Invest Med (Mex)*;13:57–62.
- Jadcherla, S.R. and Kliegman, R.M. (2002):** Studies of feeding intolerance in very low birth weight infants: definition and significance. *Pediatrics*, 109:516-517.

- Jain, B.K. (1994):** Vitamin requirements of very low birth weight infants: a review. *Indian J Matern Child Health*.;5:46–49.
- Jansson, L.; Akesson, B. and Holmberg, L. (1981):** vitamin E and fatty acid composition of human milk, *Am J Clin Nutr* 34:8.
- Jarolim, E.; Poulsen, L.K.; Stadler, B.M.; et al (1990):** A long-term follow-up study of hyposensitization with immunoblotting. *J Allergy Clin Immunol*;85:996-1004.
- Jensen, R.G.; Bitman, J.; Carlson, S.E.; et al (1995):** Milk lipids: A. Human milk lipids. In: Jensen RG, ed. *Handbook of milk composition*. New York: Academic Press,;495–575.
- Jiang, X.; Huang, P.; Zhong, W. et al. (2004):** Human milk contains elements that block binding of noroviruses to human histo-blood group antigens in saliva. *J. Infect. Dis.* 190:1850-1859.
- Judith Caple, R.N.C.; MSN, N.N.P, et al (2004):** Randomized, Controlled Trial of Slow Versus Rapid Feeding Volume Advancement in Preterm Infants *PEDIATRICS* Vol. 114 No. 6 December, pp. 1597-1600.
- Kafetzis, D.A.; Skevaki, C.; Costalos, C. et al (2003):** Neonatal necrotizing enterocolitis: an overview. *Curr Opin Infect Dis.* Aug ;16(4):349-55.
- Kanto, W.P. Jr, Hunter, J.E.; Stoll, B.J.; et al (1994):** Recognition and medical management of necrotizing enterocolitis. *Clin Perinatol.* Jun ; 21(2):335-46.

- Karlsson, M.S.; Lundin, U. Dahlgren, et al (2001) :** "Tolerosomes" are produced by intestinal epithelial cells. Eur. J. Immunol. 31: 2892-2900.
- Keaney, J.F. Jr, Simon, D.I.; Freedman, J.E. et al (1999):** Vitamin E and vascular homeostasis: implications for atherosclerosis. FASEB J;13:965–75.
- Kelleher, S.L. and Lonnerdal, B. (2001):** Immunological activities associated with milk. Adv Nutr Res;10:39-65.
- Kennedy, K.A.; Tyson, J.E. and Chamnanvanikij, S. (2000):** Early versus delayed initiation of progressive enteral feedings for parenterally fed low birth weight or preterm infants. Cochrane Database Syst Rev. ;(2) :CD001970.
- Khachik, F.; Spangler, C.J.; Smith, J.C. Jr, et al (1997):** Identification, quantification, and relative concentrations of carotenoids, and their metabolites in human milk and serum. Anal Chem;69:1873–81.
- Kimber, I.; Cumberbatch, M.; Dearman, R.J.; et al (2002) :** Lactoferrin: influences on Langerhans cells, epidermal cytokines, and cutaneous inflammation. Biochem Cell Biol;80:103–107.
- Kliegman, R.M.; Walker, W.A.; Yolken, R.H.; et al (1993) :** Necrotizing enterocolitis: Research agenda for a disease of unknown etiology and pathogenesis. Pediatr Res; 34:701.
- Knekt, P.; Reunanen, A.; Marniemi, J.; et al (1999) :** Low vitamin E status is a potential risk factor for insulin-dependent diabetes mellitus. J Intern Med;245:99–102.

- Kobata, A. (2003):** Possible application of milk oligosaccharides for drug development. *Chang. Gung. Med. J.* 26:621-636.
- Koletzko, B.; Thiel, I. and Abiodun, P.O. (1991):** Fatty acid composition of mature human milk in Nigeria. *Z Ernahrungswiss*;30:289–97.
- Kopelman, P.G. (2000):** Physiopathology of prolactin secretion in obesity. *Int J Obes Relat Metab Disord*;24(suppl):S104–8.
- Kosloske, A.M. (1994) :** Epidemiology of necrotizing enterocolitis. *Acta Paediatr Suppl*; 396:2.
- Kosloske, A.M. (2001):** Breast milk decreases the risk of neonatal necrotizing enterocolitis *Adv. Nutr. Res.* **10**,123-137.
- Kramer, M.S.B.; Chalmers, E.D. Hodnett, et al (2001):** Promotion of Breastfeeding Intervention Trial (PROBIT): a randomized trial in the Republic of Belarus. *J. Am. Med. Assoc.* 285: 413-420.
- Kumari, J.; Swain, T. and Sahoo, P.K. (2003):** Dietary bovine lactoferrin induces changes in immunity level and disease resistance in Asian catfish *Clarias batrachus*. *Vet Immunol Immunopathol*;94:1–9.
- Kunz, C.; Rudloff, S.; Baier, W.; et al (2000):** Oligosaccharides in human milk: structural, functional, and metabolic aspects *Annu. Rev. Nutr.* **20**,699-722.
- Labbok, M.H. (2001):** Effects of breastfeeding on the mother. *Pediatric Clinics of North America* Feb;48(1) 143-58.

- Le Pendu, J. (2004):** Histo-blood group antigen and human milk oligosaccharides: genetic polymorphism and risk of infectious diseases. *Adv. Exp. Med. Biol.* 554:135-143.
- Leahy, S.C.; Higgins, D.G.; Fitzgerald, G.F.; et al (2005):** Getting better with bifidobacteria. *J Appl Microbiol.*;98:1303–15.
- Leme, A.S.C. Hubeau, Y.; Xiang, et al (2006):** Role of breast milk in a mouse model of maternal transmission of asthma susceptibility. *J. Immunol.* 176: 762-769.
- Leske, M.C.; Chylack, L.T.; He, Q.; et al (1998):** Antioxidant vitamins and nuclear opacities: the longitudinal study of cataract. *Ophthalmology*;105:831–6.
- Life Science Research Office (1998):** LSRO report: Assessment of nutrient requirements for infant formulas. *J. Nutr.* 128:2059S-2293S.
- Lin, P.W.; Stoll, B.J. (2006):** Necrotising enterocolitis. *Lancet*; 368(9543):1271-83. 
- Lönnerdal, B. (1985):** Biochemistry and physiological function of human milk proteins. *Am. J. Clin. Nutr.* 42:1299-1317.
- Lonnerdal, B. (2003):** Nutritional and physiologic significance of human milk proteins. *Am J Clin Nutr* 77: 1537S-1543S.
- Lönnerdal, B. and Havel, P.J. (2000):** Serum leptin concentrations in infants: effects of diet, sex, and adiposity. *Am J Clin Nutr*;72:484-489.

- Lovelady, C.A. and Heining, M.J. (1991):** Determinants of energy, proteins, lipid, and lactose concentrations in human milk during the first 12 mo of lactation. *Am J Clin Nutr* 53:457.
- Lucas, A. and Cole, T.J. (1990):** Breast milk and neonatal necrotizing enterocolitis. *Lancet*; 336:1519-23.
- Luig, M. and Lui, K.(2005):** Epidemiology of necrotizing enterocolitis-part 1:changing regional trends in extremely premature infants over 14 years.*J Health*;41:169-173.
- Macias, C. and Schuweigert, F.J. (2001):** Changes in the concentration of carotenoids, vitamin A, alpha-tocopherol and total lipids in human milk throughout early lactation. *Ann Nutr Metab*.45:82-5.
- Makrides, M.; Neumann, M.A. and Gibson, R.A. (1996):** Is dietary docosahexaenoic acid essential for term infants? *Lipids*;31:115–9.
- Makrides, M.; Neumann, M.A.; Simmer, K.; et al (1995):** Are long chain polyunsaturated fatty acids essential nutrients in infancy? *Lancet*;345:1463–8.
- Malfait, P.; Moren, A.; Dillon, J.C. et al (1993):** An outbreak of pellagra related to changes in dietary niacin among Mozambican refugees in Malawi. *Int. J. Epidemiol.* 22:504-511.
- Masschalck, B. Van, Houdt, R. Van, Haver, E.G. et al (2001):** Inactivation of gram-negative bacteria by lysozyme, denatured lysozyme, and lysozyme-derived peptides under high hydrostatic pressure. *Appl Environ Microbiol*;67:339–344.
- McCormick, D.B. (1989):** Two interconnected B vitamins: riboflavin and pyridoxine. *Physiol. Rev.* 69:1170-1198.

- McCullough, A.L.; Kirksey, A.; Wachs, et al. (1990) :** Vitamin B-6 status of Egyptian mothers: relation to infant behavior and maternal infant interactions. *Am. J. Clin. Nutr.* 51:1067-1074.
- McGanity, W.J.; Dawson, E.B.; Van Hook, et al (1999):** From Maternal Nutrition. In: Shils ME, Olson JA, Shike M, Ross AC. , editor. *Modern Nutrition in Health and Disease*. Ninth. Baltimore, USA. Williams and Williams. pp. 819–820.
- McGready, R.; Simpson, J.A.; Cho, T.; Dubowitz, L.; et al. (2001):** Maternal thiamine deficiency: still a problem in some world communities. *Am. J. Clin. Nutr.* 74:712-713.
- McGuire, W. and Anthony, M. (2003):** Donor human milk versus formula for preventing necrotizing enterocolitis in preterm infants;88:F11-F14.
- McGuire, W. and Anthony, M.Y. (2007):** Formula milk versus preterm human milk for feeding preterm or low birth weight infants. *Cochrane Database Syst Rev.*;(4):CD002972.
- McLaren, D.S. and Frigg, M. (2001):** *Sight and Life Manual on Vitamin A Deficiency Disorders (VADD)* 2nd ed. 2001 Task Force Sight and Life Basel, Switzerland.
- Medoff-Cooper, B.; McGrath, J. and Shults, J. (2002):** Feeding patterns of full term and preterm infants at forty weeks post-conceptual age. *Dev Behav Pediatr.*;23:231–236.
- Meier, P. (1988):** Bottle- and breast-feeding: effects on transcutaneous oxygen pressure and temperature in preterm infants. *Nurs Res*; 37:36-41.

- Meier, U. and Gressner, A.M. (2004):** Endocrine regulation of energy metabolism: review of pathobiochemical and clinical chemical aspects of leptin, ghrelin, adiponectin, and resistin. Clin Chem;50:1511-1525.
- Meki, A.R.M.A.; Saleem, T.A.; Al-Ghazali, M.H.; Sayed, A.A. (2003):** Interleukins-6, -8 and -10 and tumor necrosis factor-alpha and its soluble receptor I in human milk at different periods of lactation. *Nutrition Research*;23:845–855.
- Meydani, S.N.; Meydani, M.; Blumberg, J.B.; et al (1998) :** Assessment of the safety of supplementation with different amounts of vitamin E in healthy older adults. Am J Clin Nutr;68:311–8.
- Meydani, S.N.; Wu, D.; Santos, M.S.; et al (1995):** Antioxidants and immune response in aged persons: overview of present evidence. Am J Clin Nutr;62(suppl):1462S–76S.
- Mihatsch, W.A.; von Schoenaich, P.; Fahrenstich, H. et al (2002):** The significance of gastric residuals in the early enteral feeding advancement of extremely low birth weight infants. Pediatrics. ;109 :457 –459.
- Mincheva-Nilsson, L. M. L. Hammarstrom, P.; Juto, S. and Hammarstrom. (1990) :** Human milk contains proteins that stimulate and suppress T lymphocyte proliferation. Clin. Exp. Immunol. 79: 463-469.
- Miranda, M.; Muriach, M.; Almansa, I.; et al (2004):** Oxidative status of human milk and its variations during cold storage. Biofactors.;20:129–137.

- Mock, D.M. (1996):** Biotin. Ziegler, E. E. Filer, L. J., Jr eds. Present Knowledge in Nutrition:220-235 ILSI Press Washington, D.C.
- Montagne, P.M.; Tregoat, V.S.; Cuilliere, M.L.; et al (2000):** Measurement of nine human milk proteins by nephelometric immunoassays: Application to the determination of mature milk protein profile. Clin Biochem.33(3):181–186.
- Mountzouris, K.C. McCartney, A.L. and Gibson, G. R. (2002):** Intestinal microflora of human infants and current trends for its nutritional modulation. Br. J. Nutr. 87:405-420.
- Narayanan, I.; Prakash, K. and Gujral, V.V. (1991):** The value of human milk in prevention of infection in the high-risk low-birth-weight infant. J Pediatr; 99:496-498.
- Narayanan, I.; Prakash, K.; Prabhakar, A.K.; et al (1982):** planned prospective evaluation of the anti-infective property of varying quantities of expressed human milk. Acta Paediatrica;71:441-445.
- Neville, M.C. (2001):** Anatomy and physiology of lactation. Pediatrics Clinics of North America;48:13-33.
- Neville, M.C.(1997):** Mammary gland biology and lactation :a short course presented at biannual meeting of the international society for research on Human milk and lactation ,October.
- Newburg, D.S. (2000):** Oligosaccharides in human milk and bacterial colonization. J. Pediatr. Gastroenterol. Nutr. 30(suppl. 2):S8-S17.
- Newcomb, P.A. and Trentham-Dietz, A. (2000):** Breast feeding practices in relation to endometrial cancer risk, USA. Cancer Causes Control Aug;11(7):663-7.

- Nilsson, L.; Binart, N.; Bohlooly, Y.M.; et al (2005):** Prolactin and growth hormone regulate adiponectin secretion and receptor expression in adipose tissue. *Biochem Biophys Res Commun* 331:1120–6.
- O'Connor, D.L.; Green, T. and Picciano, M.F. (1997) :** Maternal folate status and lactation. *J. Mammary Gland Biol. Neoplasia* 2:279-289.
- O'Connor, D.L.; Picciano, M.F.; Tamura, T. and Shane, B. (1990):** Impaired milk folate secretion is not corrected by supplemental folate during iron deficiency in rats. *J. Nutr.* 120:499-506.
- O'Connor, D.L.; Tamura, T. and Picciano, M.F.(1991):** Pteroylglutamates in human milk, *Am J Clin Nutr* 53;930.
- Obermeier, S.; Rudloff, S.; Pohlentz, G.; et al (1999):** Secretion of ¹³C-labeled oligosaccharides into human milk and infant's urine after an oral [¹³C]galactose load *Isotopes Environ. Health Stud.* 35,119-125.
- Oddy, W.H. (2002):**The impact of breastmilk on infant and child health. *Breastfeed Rev.* Nov;10(3):5-18.
- Oddy, W.H. (2001):** Breastfeeding protects against illness and infection in infants and children: a review of the evidence. *Breastfeed Rev.* ul J;9(2):11-8.
- Oddy, W.H.; Halonen, M.; Martinez, F.D.; et al (2003):** TGF- β in human milk is associated with wheeze in infancy. *J Allergy Clin Immunol.*;112(4):723–728.
- Oldberg, A.; Franzen, A. and Heinegard, D. (1986):** Cloning and sequence analysis of rat bone sialoprotein (osteopontin) cDNA

reveals an Arg-Gly-Asp cell-binding sequence. *Proc Natl Acad Sci USA*;83:8819–23.x

orbes, G.B. (1976): Calcium accumulation by the human fetus. *Pediatrics* 57: 976–977.

Palkowetz, K.H.; Royer, C.L.; Garofalo, R.; et al (1994): Production of interleukin-6 and interleukin-8 by human mammary gland epithelial cells. *J Reprod Immunol*.;26:57–64.

Peters, M.J. Dixon, G.; Kotowicz, K.T.; et al (1999): Circulating platelet-neutrophil complexes represent a subpopulation of activated neutrophils primed for adhesion, phagocytosis and intracellular killing *Br. J. Haematol.* **106**,391-399 .

Philipp, B.L. and Mere wood, A. (2004): The baby friendly way : The best breast feeding start . *pediatr clin N Am* 51:761-783.

Picciano, M.F. (2001): Nutrient composition of human milk. *Pediatr Clin North Am*.;48:53–67.

Piena-Spoel, M.; Albers, M.J.; Ten Kate, J.; et al (2001): Intestinal permeability in newborns with necrotizing enterocolitis and controls: Does the Sugar absorption test provide guidelines to re-introduce enteral nutrition? *J Pediatr Surg*, **36**:587-92.

Pisitkun, T.R.F Shen, M.A. and Knepper. (2004): Identification and proteomic profiling of exosomes in human urine. *Proc. Natl. Acad. Sci. USA* 101: 13368-13373.

Ponder, D.L.; Innis, S.M. Benson, J.D.; et al (1992): Docosaheanoic acid status of term infants fed breast milk or infant formula containing soy oil or corn oil. *Pediatr Res*;32:683–8.

- Pourcyrous, M.; Bada, H.S.; Korones, S.B. et al (1993) :** Significance of serial C-reactive protein responses in neonatal infection and other disorders. *Pediatrics*,;92 :431 –435.
- Prentice, A. and Bates, C.J. (1994) :** Adequacy of dietary mineral supply for human bone growth and mineralisation. *Eur. J. Clin. Nutr.* 48 (Suppl), 161–177.
- Prentice, A.(1995):** Regional variations in the composition of human milk. In: Jensen RG, ed. *Handbook of milk composition*. New York: Academic Press,;115–221.
- Prentice, A.; Laskey, M.A. and Jarjou, L.M.A. et al (1999):** Lactation and bone development: implications for the calcium requirements of infants and lactating mothers. In: *Nutrition and Bone Development* (Tsang, R. C. & Bonjour, J.-P., eds.), pp. 127–145.
- Princen, H.M.G.; van Duyvenvoorde, W.; Buytenhek, R.; et al (1995):** Supplementation with low doses of vitamin E protects LDL from lipid peroxidation in men and women. *Arterioscler Thromb Vasc Biol*; 15:325–33.
- Quigley, M.; Henderson, G.; Anthony, M.Y. et al (2007):** Formula milk versus donor breast milk for feeding preterm or low birth weight infants. *Cochrane Database of Systematic Reviews*, Issue.
- Raiha, N.C.; Fazzolari-Nesci, A.; Cajozzo, C.; et al. (2002):** Whey predominant, whey modified infant formula with protein/energy ratio of 1.8 g/100 kcal: adequate and safe for term infants from birth to four months. *J. Pediatr. Gastroenterol. Nutr.* 35:275-281.

- Raposo, G. H.W.; Nijman, W.; Stoorvogel, J.; et al (1996):** B lymphocytes secrete antigen-presenting vesicles. *J. Exp. Med.* 183: 1161-1172.
- Rayyis, S.; Ambalavanan, N.; Wright, L.; et al (1999):** Randomized trial of "slow" versus "fast" feed advancements on the incidence of necrotizing enterocolitis in very low birth weight infants. *J Pediatr.*;134 :293 –297.
- Reber, K.M. and Nankervis, C.A. (2004):** Necrotizing enterocolitis: preventative strategies. *Clin Perinatol.* Mar ;31(1):157-67.
- Reitman, M.L. Bi, S.; Marcus-Samuels, B. and Gavrilova, O.(2001):** Leptin and its role in pregnancy and fetal development: an overview. *Biochem Soc Trans*;29:68-72.
- Rickard, D.J.; Monroe, D.G.; Ruesink, T.J.; et al (2003):** Phytoestrogen genistein acts as an estrogen agonist on human osteoblastic cells through estrogen receptors alpha and beta. *J Cell Biochem.*;89:633–46.
- Rigas, A. and Rigas, B. (1993):** Breast-feeding and maternal smoking in the etiology of Crohn's disease and ulcerative colitis in childhood. *Ann Epidemiol*:3:387-92.
- Rocquelin, G.; Tapsoba, S.; Dop, M.C.; et al (1998):** Lipid content and essential fatty acid (EFA) composition of mature Congolese breast milk are influenced by mothers' nutritional status: impact on infants' EFA supply. *Eur J Clin Nutr*; 52:164–71.
- Ronnestad, A.; Abrahamsen, T.G.; Medbo, S.; et al (2005) :** Late-onset septicemia in a Norwegian national cohort of extremely

premature infants receiving very early full human milk feeding. Pediatrics.;115 (3).

Ross, A.C.; Pasatiempo, A.M. and Green, M.H. (2004) : Chylomicron margination, lipolysis, and vitamin A update in the lactating rat mammary gland: implications for milk retinoid content. Exp. Biol. Med. 229:46-55.

Rowe, M.I.; Reblock, K.K.; Kurk chubasche, A.G.; et al (1994) : Necrotizing enterocolitis in extremely low birth weight infant. Jpediatr surg;29:987-990.

Rudloff, H.E.; Schmalstieg, F.C.; Jr; Mushtaha, A.A.; et al (1992) : Tumor necrosis factor-alpha in human milk. Pediatr Res.;31:29–33.

Rudloff, S.; Pohlentz, G.; Diekmann, L.; et al (1996) : Urinary excretion of lactose and oligosaccharides in preterm infants fed human milk or infant formula Acta Paediatr. **85**,598-603

Russel, M.W. and Mestecky J. (2002): Humoral immune responses to microbial infections in the genital tract. Microbes Infect;4:667-77.

Saito, S.; Maruyama, M.; Kato, Y.; et al (1991): Detection of IL-6 in human milk and its involvement in IgA production. J Reprod Immunol.;20:267–76.

Salhab, W.; Perlman, J.; Silver, L.; et al (2004): Necrotizing enterocolitis and neurodevelopmental outcome in extremely low birth weight infants. J;24:534-540

- Sanchez, J.; Oliver, P.; Miralles, O.; et al (2005) :** Leptin orally supplied to neonate rats is directly uptaken by the immature stomach and may regulate short-term feeding. *Endocrinology*;146:2575-2582.
- Schanler, R.; Lau, C.; Hurst, N.; et al .(2005) :** Randomized trial of donor human milk versus preterm formula as substitutes for mothers own milk in the feeding of extremely premature infants;116:400-406.
- Schanler, R.J. (1995) :** Suitability of human milk for the low birth weight infant. *Clin. Perinatol*;22:207-222.
- Schanler, R.J.; Shulman, R.J. and Lau, C. (1999):** Feeding strategies for premature infants: beneficial outcomes of feeding fortified human milk versus preterm formula. *Pediatrics*.;103 (6pt 1):1150 –1157.
- Schanler, R. J. (2001) :** The use of human milk for premature infants. *Pediatr. Clin. North Am.* 48:207-219.
- Schondorf, T.; Maiworm, A.; Emmison, N.; et al (2005):** Biological background and role of adiponectin as marker for insulin resistance and cardiovascular risk. *Clin Lab*;51:489-494.
- Scott, O.; Guthrie, M.D.; Phillip, V.; et al (2003):** Necrotizing Enterocolitis Among Neonates in the United States, *Journal of Perinatology* 23, 278–285.
- Segre, C.A.; Armellini, P.A.; Marino, W.T. et al (2002):** Vitamin A, infection, and immune function. *Calder, P. C. Field, C. J. Gill,*

H. S. eds. Nutrition and Immune Function:151-169 CABI Publishing New York, NY.

Shea-Eaton, W.K.; Lee, P.P. Ip, M.M. (2001): Regulation of milk protein gene expression in normal mammary epithelial cells by tumor necrosis factor. *Endocrinology*;142(6):2558–2568.

Shehadeh, N.; Khaesh-Goldberg, E.; Shamir, R.; et al (2003) : Insulin in human milk: postpartum changes and effect of gestational age. *Arch Dis Child Fetal Neonatal Ed*;88:F214–6.

Shulman, R.J.; Schanler, R.J.; Lau, C.; et al (1998): Early feeding, feeding tolerance, and lactase activity in preterm infants. *J Pediatr*;133 (5):645 –649.

Siafakas, C.G.; Anatolitou, F.; Fusunyan, R.D.; et al (1999) : Vascular endothelial growth factor (VEGF) is present in human breast milk and its receptor is present on intestinal epithelial cells. *Pediatr Res*;45:652–7.

Siltanen, M.M. Kajosaari, T.; Poussa, et al. (2003): A dual long-term effect of breastfeeding on atopy in relation to heredity in children at 4 years of age. *Allergy* 58: 524-530.

Silva, L.F.P.; VandeHaar, M.J.; WeberNielsen, M.S. et al (2002): Evidence for a local effect of leptin in bovine mammary gland. *J Dairy Sci*;85:3277-3286.

Silverstre, D.; Lopez, M.C.; March, L.; et al (2006): Bacteriacidal activity of human milk: stability during storage. *Br J Biomed Sci*;63:59–62.

- Singh, B.; Merchant, P.; Walker, C.R.; et al (1996):** Interleukin -6 expression in cord blood of patients with clinical chorioamnitis . *pediatr Res*;39:976-979
- Singh, M. (2004):** Role of micronutrients for physical growth and mental development. *Indian J Pediatr.*;71:59–62.
- Singh, R.B.; Singh, N.K.; Rastogi, S.S.; et al (1997) :** Antioxidant effects of lovastatin and vitamin E on experimental atherosclerosis in rabbits. *Cardiovasc Drugs Ther*;11:575–80.
- Sisk, P.M.; Lovelady, C.A.; Dillard, R.G.; et al (2007) :** Early human milk feeding is associated with a lower risk of NEC in very low birth weight infants .*journal of perinatology* 27,428-433
- Sivan, E.; Mazaki-Tovi, S.; Pariente, C.; et al (2003) :** Adiponectin in human cord blood: relation to fetal birth weight and gender. *J Clin Endocrinol Metab*;88:5656–60.
- Smith-Kirwin, S.M.; O'Connor, D.M.; De Johnston, J.; et al (1998):** Leptin expression in human mammary epithelial cells and breast milk. *J Endocrinol Metab*;83:1810-1813.
- Soder, O. (1987):** Isolation of interleukin-1 from human milk. *Int Arch Allergy Appl Immunol.*;83:19–23.
- Song, W.O.; Chan, G.M.; Wyse, B.W.; et al (1984) :** Effect of pantothenic acid status on the content of the vitamin in human milk. *Am. J. Clin. Nutr.* 40:317-324.
- Specker, B.L.; Brazerol, W.; Ho, M.L. and Norman, E.J. et al (1990):** Urinary methylmalonic acid excretion in infants fed formula or human milk. *Am. J. Clin. Nutr.* 51:209-21.

- Specker, B.L.; Tsang, R.C.; Hollis, B.W.; et al (1985):** Effect of race and diet on human-milk vitamin D and 25-hydroxyvitamin D. *Am J Dis Child.* 139:1134–7.
- Srivastava, M.D.; Srivastava, A.; Brouhard, B.; et al (1996):** Cytokines in human milk. *Res Commun Mol Pathol Pharmacol.*;93:263–87. 10.
- Stahl, B.; Thurl, S.; Zeng, J.; et al (1994):** Oligosaccharides from human milk as revealed by matrix-assisted laser desorption/ionization mass spectrometry. *Anal. Biochem.* 223:218-226.
- Stoltzfus, R.J. and Underwood, B.A. (1995):** Breast-milk vitamin A as an indicator of the vitamin A status of women and infants. *Bull. WHO* 73:703-711.
- Strobel, S.(2001):** Immunity induced after a feed of antigen during early life: oral tolerance v. sensitisation. *Proc. Nutr. Soc.* 60: 437-442.
- Sukharev, A.E.; Nikolaev, A.A. and Vasil'ev, M. (1990):** Serum lactoferrin level in normal conditions and in pathology. *Vopr Med Khim*;36:81–83.
- Svenson, M.; Jacobi, H.H.; Bodtger, U.; et al (2003) :** Vaccination for birch pollen allergy: induction of affinity-matured or blocking IgG antibodies does not account for the reduced binding of IgE to Bet v 1. *Mol Immunol*;39:60:3-12.
- Takahata, Y.; Takada, H.; Nomura, A.; et al (2001) :** Interleukin-18 in human milk. *Pediatr Res.*;50:268–72.

- Thurnham, D.I.; McCabe, G.P., Northrop-Clewes, C.A. and Nestel, P. (2003):** Effects of subclinical infection on plasma retinol concentrations and assessment of the prevalence of vitamin A deficiency: meta-analysis. *Lancet* 362:2052-2058.
- Togawa, J.; Nagase, H.; Tanaka, K.; et al (2002):** Lactoferrin reduces colitis in rats via modulation of the immune system and correction of cytokine imbalance. *Am J Physiol Gastrointest Liver Physiol*;283:G187–G195.
- Tregoeat V, Montagne P, Bene MC, et al (2002) :** Changes in the mannan binding lectin (MBL) concentration in human milk during lactation. *J Clin Lab Anal*;16:304–7.
- Turoli, D.; Testolin, G.; Zanini, R.; et al (2004):** Determination of oxidative status in breast and formula milk. *Acta Paediatr.*;93:1569–1574.
- Uauy, R.D.; Mena, P. and Valenzuela, A. (1999):** Essential fatty acids as determinants of lipid requirements in infants, children and adults. *Eur J Clin Nutr*;53:S66–77.
- Uauy, R.D.A.A.; Fanaroff, S.B.; Korones, et al (1991):** Necrotizing enterocolitis in very low birth weight infants: biodemographic and clinical correlates. National Institute of Child Health and Human Development Neonatal Research Network. *J. Pediatr.* **119**:630-638.
- Ucar, B.; Kirel, B.; Bor, O.; et al.(2000):** Breast milk leptin concentrations in initial and terminal milk samples: relationships to maternal and infant plasma leptin concentrations, adiposity,

serum glucose, insulin, lipid and lipoprotein levels. *J Pediatr Endocrinol Metab*;13:149-156.

Uchida, K.; Matsuse, R.; Tomita, S.; et al (1994): Immunochemical detection of human lactoferrin in feces as a new marker for inflammatory gastrointestinal disorders and colon cancer. *Clin Biochem*;27:259–264.

Uysal, F.K.; Onal, E.E.; Aral, Y.Z.; et al (2002): Breast milk leptin: its relationship to maternal and infant adiposity. *Clin Nutr*;21:157–60.

Van der Westhuyzen, J.; Chetty, N. and Atkinson, P.M. (1988) : Fatty acid composition of human milk from South African black mothers consuming a traditional maize diet. *Eur J Clin Nutr*;42:213–20.

Van Elburg, R.M.; Fetter, W.P.; Bunkers, C.M.; et al (2003): Intestinal permeability in relation to birth weight and gestational and postnatal age. *Arch Dis Child Fetal Neonatal Ed*;88:F52-F55.

van Niel, G.G.; Raposo, C.; Candalh, et al.(2001) : Intestinal epithelial cells secrete exosome-like vesicles. *Gastroenterology* 121: 337-349.

Villalpando, S.; Butte, N.F.; Flores-Huerta, S.; et al (1998): Qualitative analysis of human milk produced by women consuming a maize-predominant diet typical of rural Mexico. *Ann Nutr Metab*;42:23–32.

- Walsh, J.H.; Wyse, B.W. and Hansen, R.G. (1981):** Pantothenic acid content of 75 processed and cooked foods. J. Am. Diet. Assoc. 78:140-144.
- Ward, P.P.; Mendoza-Meneses, M.; Mulac-Jericevic, B.; et al (1999) :** Restricted spatiotemporal expression of lactoferrin during murine embryonic development. Endocrinology;140:1852–1860.
- Weaver, L.T. and Lucas, A. (1993):** Development of bowel habits in preterm infants. Arch Dis Child.;68 (3 Spec No):317 –320.
- Weber, P.; Bendich, A.; Machlin, L.J.; et al (1997) :** Vitamin E and human health: rationale for determining recommended intake levels. Nutrition;13:450–60.
- Weinberg, E.D. (2001):** Human lactoferrin: a novel therapeutic with broad spectrum potential. J Pharm Pharmacol;53:1303–1310.
- Wiswell, T.E.; Robertson, C.F.; Jones, et al (1988) :** Necrotizing enterocolitis in full-term infants. A case-control study. Am J Dis Child 142:532.
- Wolfers, J. A.; Lozier, G.; Raposo, et al (2001):** Tumor-derived exosomes are a source of shared tumor rejection antigens for CTL cross-priming. Nat. Med. 7: 297-303.
- Wong, W.W.; Hachey, D.L.; Insull, W. et al (1993):** Effect of dietary cholesterol on cholesterol synthesis in breast fed and formula fed infants ,lipid Res 34;1403.
- World Health Organization, (1996) :** Indicators for Assessing Vitamin A Deficiency and Their Application in Monitoring

and Evaluating Intervention Programmes 1996 Document WHO/NUT/96.10. WHO Geneva, Switzerland.

World Health Organization (2002): Nutrient adequacy of exclusive breast feeding for the term infants during the first six months of life. Geneva:WHO;P22-6.

World Health Organization (2003): Global strategy for infant and child feeding. WHO, Geneva,

World Health Organization (2006): protecting, promoting and supporting breast feeding: The special role for maternity, Geneva,

Wulster-Radcliffe, M.C.; Ajuwon, K.M.; Wang, J.; et al (2004) : Adiponectin differentially regulates cytokines in porcine macrophages. Biochem Biophys Res Commun;316:924–9.

Xanthou, M.(1997): Human milk cells. Acta Paediatr.;86:1288–90.

Xantou, M. (1998): Immune protection of human milk. Biol Neonate;74:121-33.

Yamamoto, K.; Kiyohara, T.; Murayama, Y.; et al (2005): Production of adiponectin, an anti-inflammatory protein, in mesenteric adipose tissue in Crohn's disease. Gut;54:789–96.

Yamauchi, T.; Kamon, J.; Minokoshi, Y.; et al (2002): Adiponectin stimulates glucose utilization and fatty-acid oxidation by activating AMP-activated protein kinase. Nat Med;8:1288–95.

- Yoshitake, H.; Rittling, S.R.; Denhardt, D.T.; et al (1999):** Osteopontin-deficient mice are resistant to ovariectomy-induced bone resorption. *Proc Natl Acad Sci USA*;96:8156–60.
- Zeisel, S. (1992):** Choline: an important nutrient in brain development, liver function and carcinogenesis. *J. Am. Coll. Nutr.* 11:473-481.
- Zhou, Y.; Sun, X.; Jin, L.; et al (2005) :** Expression profiles of adiponectin receptors in mouse embryos. *Gene Expr Patterns*;5:711–5.
- Zitvogel, L.A.; Regnault, A.; Lozier, et al. (1998):** Eradication of established murine tumors using a novel cell-free vaccine: dendritic cell-derived exosomes. *Nat. Med.* 4: 594-600.