

REFERENCES

AHA. American Heart Association Guidelines for Cardiopulmonary Resuscitation and Emergency Cardiovascular Care. Part 13: Neonatal Resuscitation Guidelines. *Circulation*. 2005;112:IV-188–95.

Ainsworth SB. Pathophysiology of neonatal respiratory distress syndrome: implications for early treatment strategies. *Treat Respir Med*. 2005;4(6):423-37.

American Lung Association. Respiratory distress syndrome of the newborn fact sheet., 2006. Accessed May 7, 2007, at: <http://www.lungusa.org/site/pp.asp>

Andersson S, Merritt TA, Orpana A, Viinikka L, Ylikorkala O. High endothelin-1 in the airways of preterm infants is associated with less severe respiratory distress during the early postnatal period. *Pediatrics*. 1997;99(4):545–547.

Ashwood ER. Clinical chemistry of pregnancy. In: Burtis CA, Ashwood ER, editors. *Tietz textbook of clinical chemistry*. Philadelphia: W.B. Saunders Co; 1999. p. 1736–75.

Ashwood ER. Markers of fetal lung maturity. In: Gronowski AM, editor. Handbook of clinical laboratory testing during pregnancy. Totowa: Humana Press; 2004. p. 55–70.

Avery ME and Mead J. Surface properties in relation to atelectasis and hyaline membrane disease. American Journal of Diseases of Childhood 1959, 97:517–523.

Bancalari E. Changes in the pathogenesis and prevention of chronic lung disease of prematurity. Am J Perinatol 2001; 18:1.

Bear LM. Early identification of infants at risk for developmental disabilities. Pediatr Clin North Am. 2004 Jun;51(3):685-701.

Benjamin AC, Silveira RC, Procianoy RS. Umbilical cord blood and neonatal endothelin-1 levels in preterm newborns with and without respiratory distress syndrome. Braz J Med Biol Res. 2005 Sep;38(9):1417-22.

Benzer D, Aygun AD, Godekmerdan A, Kurt AN, Akarsu S, Yilmaz E. Serum endothelin-1 and transforming growth factor-beta levels in the newborns with respiratory distress. Mediators Inflamm. 2006;2006(5):85432.

Behrman R. Nelson Textbook of Pediatrics, 16th ed., Copyright © 2004 W. B. Saunders. Company

Bjorklund LJ, Ingimarsson J, Curstedt T. Manual ventilation with a few large breaths at birth compromises the therapeutic effect of subsequent surfactant replacement in immature lambs. *Pediatr Res* 1997; 42: 348-55

Black SM, Kumar S, Wiseman D, Ravi K, Wedgwood S, Ryzhov V, Fineman JR. Pediatric pulmonary hypertension: Roles of endothelin-1 and nitric oxide. *Clin Hemorheol Microcirc.* 2007;37(1-2):111-20.

Borkowski W, Mielniczuk H. Social and health factors of respiratory distress syndrome in preterm infants. *Ginekol Pol.* 2007 Nov;78(11):856-60.

Boscoe MJ, Goodwin AT, Amrani M, Yacoub MH. Endothelins and the lung. *Int. J. Biochem. Cell Biol.* 2000; 32: 41–62.

Bradley LM, Czaja JF, Goldstein RE. Circulatory effects of endothelin in newborn piglets. *Am J Physiol.* 1990 Nov;259(5 Pt 2):H1613-7.

Brennan LA, Steinhorn RH, Wedgwood S, Mata-Greenwood E, Roark EA, Russell JA, Black SM. Increased superoxide generation is associated with pulmonary hypertension in fetal lambs: a role for NADPH oxidase. *Circ Res.* 2003 Apr 4;92(6):683-91.

Carrapato MR, Marcelino F. The infant of the diabetic mother: The critical developmental windows. *Early Pregnancy*. 2001 Jan;5(1):57-8.

Cassin S, Kristova V, Davis T, Kadowitz P, Gause G. Tone-dependent responses to endothelin in the isolated perfused fetal sheep pulmonary circulation in situ. *J Appl Physiol*. 1991 Mar;70(3):1228-34.

Chambers CD, Hernandez-Diaz S, Van Marter LJ, Werler MM, Louik C, Jones KL. Selective serotonin-reuptake inhibitors and risk of persistent pulmonary hypertension of the newborn. *N Engl J Med* 2006;354:579-87.

Christman BW, McPherson CD, Newman JH, King GA, Bernard GR, Groves BM, Loyd JE. An imbalance between the excretion of thromboxane and prostacyclin metabolites in pulmonary hypertension. *N Engl J Med*. 1992 Jul 9;327(2):70-5.

Clark RH, Gerstmann DR, Jobe A. Lung injury in neonates: Causes, strategies for prevention, and long-term consequences. *J Pediatr* 2001; 139:478.

Cleary GM, Wiswell TE. Meconium-stained amniotic fluid and the meconium aspiration syndrome. An update. *Pediatr Clin North Am* 1998;45:511-29.

Copper RL, Goldenberg RL, Creasy RK, DuBard MB, Davis RO, Entman SS. A multicenter study of preterm birth and gestational age-specific neonatal mortality. *Am J Obstet Gynecol* 1993;168:78–84.

Cranshaw J, Griffiths MJD, Evans TW. The pulmonary physician in critical care (part 9): non-ventilatory strategies in ARDS. *Thorax* 2002, 57:823-829.

Dani C, Reali MF, Bertini G. Risk factors for the development of respiratory distress syndrome and transient tachypnoea in newborn infants. Italian Group of Neonatal Pneumology. *Eur Respir J* 1999;14:155e9.

Davie N, Haleen SJ, Upton PD, Polak JM, Yacoub MH, Morrell NW, Wharton J. ET(A) and ET(B) receptors modulate the proliferation of human pulmonary artery smooth muscle cells. *Am J Respir Crit Care Med.* 2002 Feb 1;165(3):398-405.

de Buys Roessingh AS, Herzog G, Hohlfeld J. Respiratory distress in Pierre Robin: successful use of pharyngeal tube. *J Pediatr Surg.* 2007 Sep;42(9):1495-9.

De Vroomen M, Lopes Cardozo RH, Steendijk P, Frölich M, Baan J, Van Bel F. Endothelin-1 plasma concentration increases in the early phase of pulmonary hypertension development during

respiratory distress syndrome: a study in newborn lambs. *Early Human Development*. 2001;63(1):9–21.

Dikranian K, Tomlinson A, Loesch A, Winter R, Burnstock G. Increase in immunoreactivity to endothelin-1 in the mucosal vasculature and epithelium of the large intestine during chronic hypoxia. *J. Anat.* 1994; 185: 609–15.

Dobyns EL, Eells PL, Griebel JL. Elevated plasma endothelin-1 and cytokine levels in children with severe acute respiratory distress syndrome. *Journal of Pediatrics*, 1999, 135: 246-249.

Dunn MS, Reilly MC. Approaches to the initial respiratory management of preterm neonates. *Paediatr Respir Rev.* 2003 Mar;4(1):2-8.

Engle WA; American Academy of Pediatrics Committee on Fetus and Newborn. Age terminology during the perinatal period. *Pediatrics*. 2004 Nov;114(5):1362-4.

Fagan KA, McMurtry IF, Rodman DM. Role of endothelin-1 in lung disease. *Respir Res.* 2001;2(2):90-101.

Fantz CR, Powell C, Karon B, Parvin CA, Hankins K, Dayal M. Assessment of the diagnostic accuracy of the TDx-FLM II to predict fetal lung maturity. *Clin Chem* 2002:761–5.

Fraser J, Walls M, McGuire W. Respiratory complications of preterm birth. *BMJ*. 2004 Oct 23;329(7472):962-5.

Fujii Y, Magder S, Cernacek P, Goldberg P, Guo Y, Husain SN. Endothelin receptor blockade attenuates lipopolysaccharide induced pulmonary nitric oxide production. *Am J Respir Crit Care Med* 2000, 161:982-989.

Fujiwara T, Maeta H, Chida S. Artificial surfactant therapy in hyaline membrane disease. *Lancet* 1980, 1:55–59.

Gibson AT. Outcome following preterm birth. *Best Pract Res Clin Obstet Gynaecol*. 2007 Oct;21(5):869-82.

Gilbert WM. The cost of preterm birth: the low cost versus high value of tocolysis. *BJOG*. 2006 Dec;113 Suppl 3:4-9.

Goraca A. New views on the role of endothelin (minireview). *Endocr Regul*. 2002 Nov;36(4):161-7.

Greenberg R, Waldman D, Brooks C, Ouriel K, Pegoli W, Ryan R, Green R. Endovascular treatment of renal artery thrombosis caused by umbilical artery catheterization. *J Vasc Surg*. 1998 Nov;28(5):949-53.

Griese M. Pulmonary surfactant in health and human lung diseases: state of the art. *Eur Respir J*. 1999 Jun;13(6):1455-76.

Hashemzadeh S, Aslanabadi S, Jafari Rouhi AH, Azhough R, Kaleibar NA. Congenital malformations of the lung. *Indian J Pediatr.* 2007 Feb;74(2):192-4.

Heida HS, Gomez-Sanchez CE. Hypoxia increases endothelin-1 release in bovine endothelial cells in culture, but epinephrine, norepinephrine, serotonin, histamine and angiotensin II do not. *Life Sci.* 1990; 47: 247–51.

Henderson-Smart DJ, Bhuta T, Cools F. Elective high frequency oscillatory ventilation versus conventional ventilation for acute pulmonary dysfunction in preterm infants. *Cochrane Database Syst Rev.* 2003;(1): CD000104.

Hermansen CL, Lorah KN. Respiratory distress in the newborn. *Am Fam Physician.* 2007 Oct 1;76(7):987-94.

Hermansen MC, Hermansen MG. Intravascular catheter complications in the neonatal intensive care unit. *Clin Perinatol.* 2005 Mar;32(1):141-56

Hislop AA, Zhao YD, Springall DR, Polak JM, Haworth SG. Postnatal changes in endothelin-1 binding in porcine pulmonary vessels and airways. *Am J Respir Cell Mol Biol.* 1995 May;12(5):557-66.

Horbar JD, Badger GJ, Carpenter JH. Trends in mortality and morbidity for very low birth weight infants, 1991_1999. *Pediatrics* 2002; 110: 143–151.

Hulsey TC, Alexander GR, Robillard PY, Annibale DJ, Keenan A. Hyaline membrane disease: the role of ethnicity and maternal risk characteristics. *Am J Obstet Gynecol* 1993;168:572e6.

Humbert M, Sitbon O, Simmoneau G. Treatment of pulmonary arterial hypertension. *N Engl J Med* 2004, 351:1425-1436.

Ingemarrson I. Gender aspects of preterm birth. *BJOG* 2003;110(suppl 20):34-8.

Jackson JC, MacKenzie AP, Chi EY. Mechanisms for reduced total lung capacity at birth and during hyaline membrane disease in premature newborn monkeys. *Am Rev Respir Dis* 1990; 142: 413-9

Jesse DE, Swanson MS, Newton ER, Morrow J. Racial disparities in biopsychosocial factors and spontaneous preterm birth among rural low-income women. *J Midwifery Womens Health*. 2009 Jan-Feb;54(1):35-42.

Kaplan F. Molecular determinants of fetal lung organogenesis. *Mol Genet Metab* 2000;71:321–41.

Kaplan LA, Sun PY. Risk assessment calculation for respiratory distress syndrome. *Am J Obstet Gynecol.* 2003 Nov;189(5):1513; author reply 1513-4.

Kelly LK, Wedgwood S, Steinhorn RH, Black SM. Nitric oxide decreases endothelin-1 secretion through the activation of soluble guanylate cyclase. *Am J Physiol Lung Cell Mol Physiol.* 2004 May;286(5):L984-91.

Kelly MM. The basics of prematurity. *J Pediatr Health Care.* 2006 Jul-Aug;20(4):238-44.

Kenyon S, Boulvain M, Neilson J. Antibiotics for preterm premature rupture of membranes. *Cochrane Database Syst Rev.* 2001;(4):CD001058.

Kluckow M, Evans N. Relationship between blood pressure and cardiac output in preterm infants requiring mechanical ventilation. *J Pediatr.* 1996;129(4):506–12.

Koivisto M, Marttila R, Saarela T, Pokela ML, Valkama AM, Hallman M. Wheezing illness and re-hospitalization in the first two years of life after neonatal respiratory distress syndrome. *J Pediatr* 2005;147:486-92.

Kuklin V, Kirov M, Sovershaev M, Andreassen T, Ingebretsen OC, Ytrehus K, Bjertnaes L. Tezosentan-induced attenuation of

lung injury in endotoxemic sheep is associated with reduced activation of protein kinase C. *Crit Care* 2005, 9:R211-R217.

Kumar A, Bhat BV. Epidemiology of respiratory distress of newborns. *Indian J Pediatr* 1996;63:93-8.

Kumar A, Bhatnagar V. Respiratory distress in neonates. *Indian J Pediatr.* 2005 May;72(5):425-8.

Kumar M, Paes B. Epidural opioid analgesia and neonatal respiratory depression. *J Perinatol.* 2003 Jul-Aug;23(5):425-7.

Lemke RP, al-Saedi SA, Belik J, Casiro O. Use of tolazoline to counteract vasospasm in peripheral arterial catheters in neonates. *Acta Paediatr.* 1996 Dec;85(12):1497-8.

Levin ER. Endothelins. *New England Journal of Medicine.* 1995;333(6):356–363.

López-Ongil S, Senchak V, Saura M, Zaragoza C, Ames M, Ballermann B, Rodríguez-Puyol M, Rodríguez-Puyol D, Lowenstein CJ. Superoxide regulation of endothelin-converting enzyme. *J Biol Chem.* 2000 Aug 25;275(34):26423-7.

Lorenz JM. Fluid and electrolyte therapy and chronic lung disease. *Curr Opin Pediatr.* 2004;16(2):152–6.

Lowe J , Papile L. Neurodevelopmental performance of very-low-birth-weight infants with mild periventricular, intraventricular hemorrhage. Outcome at 5 to 6 years of age. *Am J Dis Child* 1990; 144: 1242–1245.

Lynch RG. Surfactant and RDS in premature infants. *FASEB J.* 2004 Oct;18(13):1624.

Lyra JC, Mascaretti RS, Precioso AR, Chang YC, Costa MT, Vaz FA, Okay Y, Rebello CM. Different doses of exogenous surfactant for treatment of meconium aspiration syndrome in newborn rabbits. *Rev Hosp Clin Fac Med Sao Paulo.* 2004 Jun;59(3):104-12.

Maitra A. Neonatal respiratory distress syndrome (RDS). In: Kumar V, Abbas AK, Fausto N, editors. *Robbins & Cotran pathologic basis of disease.* 7th ed. Philadelphia (PA): WB Saunders, 2005: 481-3

Markewitz BA, Farrukh IS, Chen Y, Li Y, Michael JR. Regulation of endothelin-1 synthesis in human pulmonary arterial smooth muscle cells: effects of transforming growth factor- β and hypoxia. *Cardiovascular Research.* 2001;49(1):200–206.

Matsuura A, Kawashima S, Yamochi W, Hirata K, Yamaguchi T, Emoto N, Yokoyama M. Vascular endothelial growth factor increases endothelin-converting enzyme expression in vascular

endothelial cells. *Biochem Biophys Res Commun.* 1997 Jun 27;235(3):713-6.

Maurice DH. Dynamic regulation of cAMP signaling by cGMP in the cardiovascular system: roles of phosphodiesterase 2 and phosphodiesterase 3 enzymes. *Proc West Pharmacol Soc.* 2003;46:32-6.

McCabe AJ, Wilcox DT, Holm BA, Glick PL. Surfactant—A review for pediatric surgeons. *J Pediatr Surg* 2000;35:1687–700.

McConnell ME, Elixson EM. The neonate with suspected congenital heart disease. *Crit Care Nurs Q.* 2002 Nov;25(3):17-25.

McMullan DM, Bekker JM, Johengen MJ, Hendricks-Munoz K, Gerrets R, Black SM, Fineman JR. Inhaled nitric oxide-induced rebound pulmonary hypertension: role for endothelin-1. *Am J Physiol Heart Circ Physiol.* 2001 Feb;280(2):H777-85.

McMurtry IF. Introduction: pre- and postnatal lung development, maturation, and plasticity. *Am J Physiol Lung Cell Mol Physiol* 2002;282:L341–4.

Michael JR, Markewitz BA. Endothelins and the lung. *Am J Respir Crit Care Med* 1996, 154:555–581.

Minamino T, Kurihara H, Takahashi M, Shimada K, Maemura K, Oda H, Ishikawa T, Uchiyama T, Tanzawa K, Yazaki Y. Endothelin-converting enzyme expression in the rat vascular injury model and human coronary atherosclerosis. *Circulation*. 1997 Jan 7;95(1):221-30.

Mitsutomi N, Akashi C, Odagiri J, Matsumura Y. Effects of endogenous and exogenous nitric oxide on endothelin-1 production in cultured vascular endothelial cells. *Eur J Pharmacol*. 1999 Jan 1;364(1):65-73.

Nakano Y, Tasaka S, Saito F, Yamada W, Shiraishi Y, Ogawa Y, Koh H, Hasegawa N, Fujishima S, Hashimoto S, Ishizaka A. Endothelin-1 level in epithelial lining fluid of patients with acute respiratory distress syndrome. *Respirology*. 2007 Sep;12(5):740-3.

Nogee LM, Dunbar III AE, Wert SE, Askin F, Hamvas A, Whitsett JA. A mutation in the surfactant protein C gene associated with familial interstitial lung disease. *N Engl J Med* 2001;344:573–9.

O'Gorman CS. Insertion of umbilical arterial and venous catheters. *Ir Med J*. 2005 May;98(5):151-3.

Ohlsson A, Walia R, Shah S. Ibuprofen for the treatment of patent ductus arteriosus in preterm and/or low birth weight infants. *Cochrane Database Syst Rev*. 2005;(4): CD003481.

Olsen SL, Clark PL, Thibeault DW, Norberg M, Truog WE. Exhaled nitric oxide and tracheal endothelin-1 in preterm infants with and without RDS. *Pediatr Pulmonol.* 2003 Nov;36(5):421-6.

Owens R. Intraventricular hemorrhage in the premature neonate. *Neonatal Netw.* 2005 May-Jun;24(3):55-71.

Parmigiani S, Solari E, Bevilacqua G. Current concepts on the pulmonary surfactant in infants. *J Matern Fetal Neonatal Med.* 2005 Dec;18(6):369-80.

Pearl JM, Nelson DP, Raake JL, Manning PB, Schwartz SM, Koons L, Shanley TP, Wong HR, Duffy JY. Inhaled nitric oxide increases endothelin-1 levels: a potential cause of rebound pulmonary hypertension. *Crit Care Med.* 2002 Jan;30(1):89-93.

Perreault T, Coceani F. Endothelin in the perinatal circulation. *Can J Physiol Pharmacol.* 2003 Jun;81(6):644-53.

Prince AM. Tips for successful umbilical artery catheterization. *J Ark Med Soc.* 2007 Jan;103(7):181-3.

Roberts D, Dalziel S. Antenatal corticosteroids for accelerating fetal lung maturation for women at risk of preterm birth. *Cochrane Database Syst Rev* 2006;(3): CD004454.

Rossi GP, Seccia TM, Nussdorfer GG. Reciprocal regulation of endothelin-1 and nitric oxide: relevance in the physiology and pathology of the cardiovascular system. *Int Rev Cytol.* 2001;209:241-72.

Saugstad OD, Ramji S, Vento M. Resuscitation of depressed newborn infants with air or pure oxygen: a meta-analysis. *Biol Neouate.* 2005;87:27–34.

Saugstad OD, Rootwelt T, Aalen O. Resuscitation of asphyxiated newborn infants with room air or oxygen: an international controlled trial: the Resair 2 study. *Pediatrics.* 1998;102(1):e1.

Schmeck J, Heller A, Groschler A, Recker A, Neuhof H, Urbascheck R, Koch T. Impact of endothelin-1 in endotoxin induced pulmonary vascular reactions. *Crit Care Med* 2000, 28:2851–2857.

Schmidt B, Davis P, Moddemann D. Trial of indomethacin prophylaxis in preterms investigators. Longterm effects of indomethacin prophylaxis in extremely low-birth-weight infants. *N Engl J Med.* 2001;344(26): 1966–72.

Schrag S, Gorwitz R, Fultz-Butts K, Schuchat A. Prevention of perinatal group B streptococcal disease. Revised guidelines from CDC. *MMWR Recomm Rep* 2002;51(RR-11):1-22.

Sessa WC, Harrison JK, Luthin DR, Pollock JS, Lynch KR. Genomic analysis and expression patterns reveal distinct genes for endothelial and brain nitric oxide synthase. *Hypertension*. 1993 Jun;21(6 Pt 2):934-8.

Shaffer SG, Weismann DN. Fluid requirements in the preterm infant. *Clin Perinatol*. 1992;19(1):233–50.

Shennan AH, Bewley S. Why should preterm births be rising? *MJ* 2006; 332: 924–925.

Shetty SS, Okada T, Webb RL, DelGrande D, Lappe RW. Functionally distinct endothelin B receptors in vascular endothelium and smooth muscle. *Biochem Biophys Res Commun*. 1993 Mar 15;191(2):459-64.

Shimada K, Matsushita Y, Wakabayashi K, Takahashi M, Matsubara A, Iijima Y, Tanzawa K. Cloning and functional expression of human endothelin-converting enzyme cDNA. *Biochem Biophys Res Commun*. 1995 Feb 15;207(2):807-12.

Shimada S, Kasai T, Hoshi A, Murata A, Chida S. Cardiocirculatory effects of patent ductus arteriosus in extremely low-birth-weight infants with respiratory distress syndrome. *Pediatr Int*. 2003 Jun;45(3):255-62.

Short BL, Van Meurs K, Evans JR, Cardiology Group. Summary proceedings from the cardiology group on cardiovascular instability in preterm infants. *Pediatrics*. 2006;117:S34–9.

Shreenivas S, Oparil S. The role of endothelin-1 in human hypertension. *Clin Hemorheol Microcirc*. 2007;37(1-2):157-78.

Skelton R, Jeffrey HE. Factors affecting the neonatal response to artificial surfactant. *J Paediatr Child Health* 1996; 32: 236-41

Smaill F. Intrapartum antibiotics for group B streptococcal colonisation. *Cochrane Database Syst Rev*. 2000;(2): CD000115.

Soll RF. Multiple versus single dose natural surfactant extract for severe neonatal respiratory distress syndrome. *Cochrane Database Syst Rev* 2000, CD000141.

Soll RF, Blanco F. Natural surfactant extract versus synthetic surfactant for neonatal respiratory distress syndrome. *Cochrane Database of Systematic Reviews* 2001; (Issue 2). Art. No.: CD000144.

Soll RF, Morley CJ. Prophylactic versus selective use of surfactant in preventing morbidity and mortality in preterm infants. *Cochrane Database of Systematic Reviews* 2001; (Issue 2). Art. No.: CD000510.

Spiropoulos K, Trakada G, Nikolaou E. Endothelin-1 levels in the pathophysiology of chronic obstructive pulmonary disease and bronchial asthma. *Respiratory Medicine*. 2003;97(8):983–989.

Su PH, Chen JY, Su CM, Huang TC, Lee HS. Comparison of ibuprofen and indomethacin therapy for patent ductus arteriosus in preterm infants. *Pediatr Int*. 2003 Dec;45(6):665-70.

Subhedar NV, Hamdan AH, Ryan SW, Shaw NJ. Pulmonary artery pressure: early predictor of chronic lung disease in preterm infants. *Arch Dis Child Fetal Neonatal Ed* 1998;78:20–24.

Subramaniam P, Henderson-Smart DJ, Davis PG. Prophylactic nasal continuous positive airways pressure for preventing morbidity and mortality in very preterm infants. *Cochrane Database Syst Rev*. 2005;(2): CD001243.

Tan A, Schulze A, O'Donnell CP. Air versus oxygen for resuscitation of infants at birth. *Cochrane Database Syst Rev*. 2005;(2):CD002273.

Tsao PN, Wei SC, Chou HC, Su YN, Chen CY, Hsieh FJ, Hsieh WS. Vascular endothelial growth factor in preterm infants with respiratory distress syndrome. *Pediatr Pulmonol*. 2005 May;39(5):461-5.

Van Marter LJ, Allred EN, Pagano M. Do clinical markers of barotraumas and oxygen toxicity explain interhospital variation in rates of chronic lung disease? The Neonatology Committee for the Developmental Network. *Pediatrics* 2000, 105:1194–1201.

van Sonderen L, Halsema EF, Spiering EJ, Koppe JG. Genetic influences in respiratory distress syndrome: a twin study. *Semin Perinatol* 2002;26:447-9.

Vanhoutte PM. Say NO to ET. *J Auton Nerv Syst.* 2000 Jul 3;81(1-3):271-7.

Verder H, Albertsen P, Ebbesen F. Nasal continuous positive airway pressure and early surfactant therapy for respiratory distress syndrome in newborns of less than 30 weeks' gestation. *Pediatrics* 1999, 103:E24.

Wedgwood S, Black SM. Endothelin-1 decreases endothelial NOS expression and activity through ETA receptor-mediated generation of hydrogen peroxide. *Am J Physiol Lung Cell Mol Physiol.* 2005 Mar;288(3):L480-7.

Wedgwood S, Dettman RW, Black SM. ET-1 stimulates pulmonary arterial smooth muscle cell proliferation via induction of reactive oxygen species. *Am J Physiol Lung Cell Mol Physiol.* 2001 Nov;281(5):L1058-67.

Whitsett JA, Weaver TE. Hydrophobic surfactant proteins in lung function and disease. *N Engl J Med* 2002;347:2141–8.

Wilson SL, Craddock MM. Review: Accounting for prematurity in developmental assessment and the use of age-adjusted scores. *J Pediatr Psychol.* 2004 Dec;29(8):641-9.

Wojciak-Stothard B, Haworth SG. Perinatal changes in pulmonary vascular endothelial function. *Pharmacol Ther.* 2006 Jan;109(1-2):78-91.

Wong J, Vanderford PA., Winters J, Soifer SJ, Fineman JR. Endothelin b receptor agonists produce pulmonary vasodilation in intact newborn lambs with pulmonary hypertension, *J. Cardiovasc. Pharmacol.* 25 (1995), 207–215.

Yanagisawa M, Kurihara H, Kimura S, Tomobe Y, Kobayashi M, Mitsui Y, Yazaki Y, Goto K, Masaki T. A novel potent vasoconstrictor peptide produced by vascular endothelial cells. *Nature.* 1988 Mar 31;332(6163):411-5.

Yang LL, Gros R, Kabir G, Sadi A, Gotlieb AI, Husain M, Stewart DJ. Conditional cardiac overexpression of endothelin-1 induces inflammation and dilated cardiomyopathy in mice. *Circulation* 2004, 109:255-261.

Yoshibayashi M, Nishioka K, Nakao K, Saito Y, Matsumura M, Ueda T, Temma S, Shirakami G, Imura H, Mikawa H. Plasma endothelin concentrations in patients with pulmonary hypertension associated with congenital heart defects. Evidence for increased production of endothelin in pulmonary circulation. *Circulation*. 1991 Dec;84(6):2280-5.