
REFERENCES

- **Abe, E., Miyaura, C. and Sakagami, H.:** Differentiation of mouse myeloid leukemia cells induced by 1 α ,25-dihydroxyvitamin D₃. Proc. Natl .Acad. Sci. USA 78: 4990, 2000.
 - **Abitbol, C.L., Zilleruelo, G., Montane, B. and Strauss, J.:** Growth of uremic infants on forced feeding regimens. Pediatr. Nephrol. 7: 173, 1996.
 - **Abou el-Hanna, N. and El-Shiekh, S.:** The effect of recombinant human erythropoietin on the nutritional status, growth and quality of life of chronic hemodialysis children. Alexandria Journal of Pediatrics. 14: 397, 2000.
 - **Abuelo, J., Gray, P.V. and Bruce, S.C.:** Renal pathophysiology, the essentials in chronic renal failure. In: Current clinical pediatrics. 20th edition. Williams & Wilkins. P: 217, 2001.
 - **Adourue,J. and Madias, N.E.:** Management of the life-threatening acid-base disorders. N. Engl. J. Med. 338: 26, 1998.
 - **Adrissinio, G., Dacco, V. and Testa, S.:** Epidemiology of chronic renal failure in children: Italkid project. Pediatrics.111: 382, 2003.
 - **Adrouge, H.J., Madias, S.N., Atkinson, D.E. and Bourke, E.:** Metabolic aspects of the regulation of systemic parathyroid hormone. In: Kumar & Clark. 5th edition. Saunders Company. p: 689, 2004.
 - **Albaaj, F. and Hutchison, A.:** Hyperphosphatemia in renal failure: causes, consequences and current management. Drugs.63 (6): 577, 2003.
-

-
- **Alem, Y., Canalejo, A. and Hernandez, A.:** Direct effect of phosphorus on PTH secretion from whole rat parathyroid glands in vitro. *J. Bone Miner. Res.* 11: 970, 2000.
 - **Alfrey, A.C. and Chan, L.:** Chronic renal failure, manifestations and pathogenesis. In: *Renal and electrolyte disorders*. 4th edition. Schrier & Little Brown Company. P: 539, 1997.
 - **Allegra, V., Luisetto, G. and Mengozzi, G.:** Glucose-induced insulin secretion in uremia: role of $1\alpha,25(\text{HO})_2\text{-vitamin D}_3$. *Nephron*. 68: 41, 1999.
 - **Allen, J.L., Bar-Yishay, E. and Bryan, A.C.:** Respiratory mechanics in infants. *Physiological evaluation in health and disease*. American thoracic society. European Resp. Society. 5:474,1995.
 - **Allison, J., Stephen, H. and Richard, E.:** Measurement of osteocalcin. *Ann. Clin. Biochem.* 37: 432, 2000.
 - **Anderson, S. and Brenner, B.M. :** Effect of aging of renal glomerulus. *Am. J. Med.* 80(3) :435,2001.
 - **Anelli, A., Brancaccio, D. and Dammaso, R.:** Substitution of calcium carbonate for aluminum hydroxide in patients on hemodialysis. Effect of acidosis, on parathyroid function, and on calcemia. *Nephron*. 52:125,2004.
 - **Antoniazzi, F., Mengarala, F., Lauriola, S. and Serra, A.:** Growth and renal failure. *Pediatr. Med. Chir.* 19: 341, 1997.
 - **Apostolou, T. and Gokal, R.:** Neuropathy and quality of life in diabetic continuous ambulatory peritoneal dialysis patients. *Perit. Dialysis Int.* 19: 242, 1999
-

-
- **Araki, H.:** Significance of serum pepsinogen and their relationship to helicobacter pylori infection and histological gastritis in dialysis patients. *Nephrol. Dial. Transplant.* 14: 2669, 1999.
 - **Arbus, G.S., Barnor, N.A. and Hus, A.C.:** Effect of chronic renal failure, dialysis and transplantation on motor nerve conduction velocity. *Canadian Med. Assoc.* 113:517, 1995.
 - **Arnaud, C.D.:** Hormonal regulation of calcium homeostasis: Assay of calcium-regulating hormones. *Am. J. Nephrol.* 5:532,2000.
 - **Arnold, B.C., Danfot, D. and Holliday, M.A.:** Effects of calorie supplementation on growth in children with uremia. *Nephrol. International.* 28: 265, 1999.
 - **Asaka, M., Iida, H., Izumino, K. and Sasayama S.:** Depressed natural killer cell activity in uremia. Evidence for immunosuppressive factor in uremic sera. *Nephron.* 49: 291, 1998.
 - **Aschenbrenner, J.K., Sollinger, H.W., Becker, B.N. and Hullett, D.A.:** 1,25-(OH)₂D₃ alters the transforming growth factor beta signaling pathway in renal tissue. *J. Surg. Res.* 100: 171, 2001.
 - **Assouad, M. and Eknoyan, G.:** Does the choice of renal replacement therapy adversely affect hypercoagulability associated with renal diseases? *Am. J. Nephrol.* 18: 175, 1998.
 - **Atiyeh, B.A., Dabbagh, S.S. and Gruskin, A.B.:** Evaluation of renal function during childhood. *Pediatr. Rev.* 17: 175, 2001.
 - **Attman, P.O. and Aloupovic, P.:** Lipid abnormalities in CRF. *Kidney Int. Suppl.* 31: 516, 1996.
 - **Ballanti, P., Coen, C. and Mazzaferro S.:** Histomorphometric assessment of bone turnover in uraemic patients: Comparison
-

between activation frequency and bone formation rate. Histopathology. 38: 571, 2002.

- **Ballmer, P.E., McNurlan, M.A. and Hutler, H.N.:** Chronic metabolic acidosis decreases serum albumin synthesis and induces negative nitrogen balance in humans. J. Clin. Invest. 95: 39, 1995.
 - **Barakat, A.Y., Mogenson, B. and Houston, G.:** Renal diseases in children; clinical evaluation and diagnosis. In: Current pediatrics. 3rd edition. Churchill Livingstone. P: 307, 1998.
 - **Barsony, J., Renyi, I. and McKoy, W.:** Subcellular distribution of normal and mutant vit D receptors in living cells. Studies with a novel fluorescent ligand. J. Biol. Chem. 272: 774, 1997.
 - **Beckerman, B.S and Silver, J.:** Vitamin D and the parathyroid. The American J. Med. Sciences. 317(6): 363, 1999.
 - **Beckman, M.J. and DeLuca, H.F.:** Regulation of renal vitamin D receptor is an important determinant of 1alpha,25-dihydroxyvitamin D(3) levels in vivo. Arch. Biochem. Biophys. 401(1):44, 2002.
 - **Behrman, R.E.:** Acute and chronic renal failure. In: Nelson textbook of pediatrics. 15th edition. WB Saunders company. P: 139, 2000.
 - **Bergstein, M.V. and Behrman, R. E.:** Acute and chronic renal failure. In: Nelson textbook of pediatrics. 16th edition. WB Saunders Company. P: 605, 2001.
-

-
- **Berndt, T., Craig, T.A., Bowe and A.E.:** Secreted frizzled-related protein 4 is potent tumor-derived phosphaturic agent. *J. Clin. Invest.* 112: 785, 2003.
 - **Beth, A.V. and Ellis, D.A.:** Renal failure. In: *Nelson textbook of pediatrics*. 17th edition. Saunders Company. p: 1767, 2004.
 - **Bikle, D.D. and Gee, E.:** Free, and 1,25-dihydroxyvitamin D regulates 25-hydroxyvitamin D₃ metabolism by keratinocytes. *Endocrinology* 124: 649, 1999.
 - **Birn, H., Vorum, H. and Verroust, P.J.:** Receptor-associated protein is important for normal processing of megalin in kidney proximal tubules. *J. Am. Soc. Nephrol.* 11: 191, 2000.
 - **Bischof, M.G., Siu-Caldera, M.L. and Weiskopf, A.:** Differentiation pathways of 1 α ,25-dihydroxycholecalciferol metabolism in human colon adenocarcinoma-derived Caco-2 cells: production of 1 α ,25-dihydroxy-3 ϵ -cholecalciferol. *Exp. Cell. Res.* 241: 194, 1998.
 - **Bland, R., Hughes, S.V., Stewart, P.M. and Hewison, M.:** Direct regulation of 25-hydroxyvitamin D₃ 1 α -hydroxylase by calcium in a human proximal tubule cell line. *Bone*. 23: 260, 1998.
 - **Block, G.A. and Port, F.K.:** Re-evaluation of the risks associated with hyperphosphatemia and possible hyperparathyroidism in dialysis patients: Recommendation for a change in management. *A. J. Kidney Dis.* 35: 1226, 2000.
 - **Bloxsum, A. and Powell, N.:** The treatment of acute temporary dysfunction of the kidneys by peritoneal dialysis. *Pediatrics*. 129: 52, 1999.
-

-
- **Boer, I.B., Gorodetskaya, I., Young, P. and Chertow, G.M.:** The severity of secondary hyperparathyroidism in chronic renal insufficiency is GFR-dependant, race-dependant and associated with cardiovascular disease. *J. Am. Soci. Nephrol.* 13:11,2002.
 - **Bogicevic, M. and Stefanovic, V.:** Relationship between parathyroid hormone and pituitary-testicular axis in patients on maintenance hemodialysis. *Exp. Clin. Endocrinol.* 92: 357, 1998.
 - **Boirie, Y., Broyer, A. and Gagnadaux, M.F.:** Alterations of protein metabolism by metabolic acidosis in children with CRF. *Kidney Int.* 58: 236, 2000.
 - **Boland, R.:** Role of vitamin D in skeletal muscle function. *Endocr. Rev.* 7: 434, 1999.
 - **Bouillon, R., Coopmans, W. and Degroote, D.E.H.:** Immunoradiometric assay of parathyrin with polyclonal and monoclonal region specific antidotes. *Clin. Chem.* 2(36): 271, 1990.
 - **Bouillon, R., Van Cromphaut, S. and Carmeliet G.:** Intestinal calcium absorption: molecular vitamin D mediated mechanisms. *J. Cell .Biochem.* 88: 332, 2004.
 - **Brady, J.P. and Hasbargen, J.A.:** A review of the effect of correction of acidosis on nutrition in dialysis patients. *Semin. Dial.* 13(4): 252, 2000.
 - **Brenza, H.L., Kimmeljehan, C. and Jehan, F.:** Parathyroid hormone activation of the 25-hydroxyvitamin D₃ 1 α -hydroxylase gene promoter. *Proc. Natl. Acad. Sci. USA* .95: 1387, 1998.
-

-
- **Bro, S. and Olgaard, K.:** Effect of excess PTH on non-classical target organs. *Am. J. Kidney Dis.* 30(5):606, 1997.
 - **Brown, E.M., Pollak, M., Seidman, C.E. and Hebert, S.C.:** Calcium ion sensing cell surface receptors. *N. Engl. J. Med.* 333:234, 1995.
 - **Brown, A.J., Zhong, M., Finch, J., Ritter, C. and Slatopolsky, E.:** The roles of calcium and 1,25-dihydroxyvitaminD₃ in regulation of vitamin D receptor expression by rat parathyroid glands. *Endocrinology.* 136(4):1419, 1995.
 - **Brown, A.J., Ritter, C.S., Finch, J.L. and Slatopolsky, E.A.:** Decreased calcium-sensing receptor expression in hyperplastic parathyroid glands of uremic rats: Role of dietary phosphate. *Kidney Int.* 55:1284, 1999.
 - **Brown, A.J.:** Therapeutically active vitamin D analogues. *Nephrol. Dial. Transpl.* 8:145, 2003.
 - **Brunner, B.M., and Rector, F.C.:** Hematological consequences of renal failure. *The kidney* 1: 147, 1996.
 - **Brunner, B.M., Rector, F.C. and Marsen, F.:** Hematological consequences of renal failure. *The kidney.* 2: 2170, 1996.
 - **Bushinsky, D.A., Nalbantian-Brandt, C. and Favus MJ.:** Elevated Ca^{2+} does not inhibit the 1,25(OH)₂D₃ response to phosphorus restriction. *Am. J. Physiol. Renal Fluid Electrolyte Physiol.* 256: 285, 1999.
 - **Butt, M.I., Shafi, T. and Farooqi, I.:** Effect of dialysis on bleeding time in chronic renal failure. *J. Pak. Med. Assoc.* 48: 242, 1998.
-

-
- **Canella, G., Bonucci, E. and Rolla, D.:** Evidence of healing of secondary hyperparathyroidism in chronically hemodialyzed uremic patients treated with long-term intravenous calcitriol. *Kidney. Int.* 46:1124, 1999.
 - **Chan, J.C., Williams, D.M. and Roth, K.S.:** Kidney failure in infants and children. *Pediatric Review.* 23: 47, 2002.
 - **Chara, B., Bergstrom, J. and Scribner, B.H.:** Blood pressure control in dialysis patients: Importance of the lag phenomenon. *Am. J. Kidney Dis.* 32: 720, 1998.
 - **Cheng, J.B., Motola, D.L., Mangelsdorf, D.J. and Russell, D.W.:** De-orphanization of cytochrome P450 2R1: a microsomal vitamin D 25-hydroxylase. *J. Biol. Chem.* 278: 884, 2003.
 - **Cheng, J.B., Levine, M.A. and Bell, N.H.:** Genetic evidence that the human CYP2R1 enzyme is a key vitamin 25-hydroxylase. *Proc. Natl. Acad. Sci. USA* 101:7711,2004
 - **Chertow, G.M., Lazrus, J.M. and Lew, N.L.:** Intact parathyroid hormone is directly related to mortality in hemodialysis.: Parathyroid hormone. *American Society of Nephrology Conference. Toronto.* 3: 55, 2000.
 - **Chertow, B.S., Sivitz, W.I. and Baranetsky, N.G.:** Cellular mechanisms of insulin release: The effects of vitamin D deficiency and repletion on rat insulin secretion. *Endocrinology* 113: 1511, 2003.
 - **Christakos, S., Friedlander, E.J, Frandsen, B.R. and Norman, A.W.P:** Studies on the mode of action of calciferol. Development of a radioimmunoassay for vitamin D-dependent
-

chick intestinal ca-binding protein and tissue distribution. *Endocrinology* 104: 1495, 1999.

- **Coburn, J.W and Slatopolsky, E.:** Vitamin D, Parathyroid hormone, and renal osteodystrophies. In: *The Kidney*. 5th edition. W.B. Saunders. P: 58, 2001.
 - **Coburn, J.W., Maung, H.M. and Elangovan, L.:** Doxercalciferol safely suppresses parathyroid levels in patients with secondary hyperparathyroidism associated with chronic kidney disease stages 3 and 4. *Am. J. Kidney Dis.* 43:877, 2004.
 - **Cochran, M., Bulusu, L. and Horsman, A.:** Hypocalcemia and bone disease in renal failure. *Nephron*. 10: 113, 1995.
 - **Coen, G., Ballanti, P. and Bouncei, E.:** Procollagen type 1C-terminal extension peptide in predialysis chronic renal failure. *Am. J. Nephrol.* 12: 246, 1999.
 - **Cooke, N.E. and Haddad, J.G.:** Vitamin D binding protein (Gc-globulin). *Endocr. Rev.* 10: 294, 1999.
 - **Cordero, J.B., Cozzolino, M. and Lu, Y.:** 1,25-Dihydroxyvitamin D downregulates cell membrane growth- and nuclear growth-promoting signals by the epidermal growth factor receptor. *J. Biol. Chem.* 277: 38965, 2005.
 - **Cozzolino, M., Lu, Y. and Finch, J.:** p21WAF1 and TGF- α mediate parathyroid growth arrest by vitamin D and high calcium. *Kidney Int.* 60: 2109, 2004.
 - **Cumming, A.D. and Galla, J.H.:** Acid-Base Disorders. In: *Cessil textbook of Internal medicine*. 22nd Edition. Saunders Comp. P:153, 1995.
-

-
- **Cuppari, L., Avesani, C., Santos, N.S.J., Carvalho, M.E.F. and Draibe, S.A.:** Resting energy expenditure in hemodialysis patients with severe secondary hyperparathyroidism. Presented at 11th International Congress on Nutrition and Metabolism in Renal Disease. Nagoya, Japan. 11: 45, 2002.
 - **Daly, J.A and Ertingshausen, G.:** Direct method for determination of inorganic phosphate in serum with the centerifichem. Clin. Chem. 18: 263,2004.
 - **Daughaday, W.H.:** From sulfation factor to IGF-1, 40 years of research on the regulation of cartilage growth. In: Molecular mechanisms to regulate the activities of IGFs. Takano K., Hizuk N., Takahashi S. (Eds) Excerpta Medica Amsterdam. 1:63,1998.
 - **Daugirdas, J.T. and John, T.:** Complications during hemodialysis. In: handbook of dialysis. 4th edition. Lippincott Williams & Wilkins. P: 154, 2002.
 - **David, B., Endres, P.D., Robert, K. and Rude, M.D.:** Mineral and bone metabolism. In: Teitz Textbook of clinical chemistry. 3rd edition. W.B. Saunders Company. P: 620, 1999.
 - **Daynes, R.A., Enioutina, E.Y. and Butler, S.:** Induction of common mucosal immunity by hormonally immunomodulated peripheral immunization. Infect. Immun. 64: 1100, 1998.
 - **Delmonico, F.L., Sheehy, E. and Marks, W.H.:** Organ donation and utilization in the United States. Am. J. Transplant. 4: 862, 2004.
 - **Diker-Cohen, T., Koren, R., Liberman, U.A. and Ravid A.:** Vitamin D protects keratinocytes from apoptosis induced by
-

osmotic shock, oxidative stress, and tumor necrosis factor. *Ann. N.Y. Acad. Sci.* 1010: 350, 2003.

- **Di-Lorio, B.R., Bellizzi, V. and Cillo, N.:** Vascular access for hemodialysis: The impact on morbidity and mortality. *J. Nephrol.* 17(1):19, 2004.
 - **Drueke, T., Parfitt, A.M., Silver, J., Sela, S.B. and Naveh-Many, T.** : The pathogenesis of parathyroid gland hyperplasia in chronic renal failure. *Kidney Int.* 48:259, 1995.
 - **Drueke, T.B., Zhang, P. and Goguev, J.:** Apoptosis; Background and possible role in secondary hyperparathyroidism. *Nephrol. Dial. Transplant.* 12: 228, 1997.
 - **Drueke, T.B. and Eckardt, K.U. :** Role of secondary hyperparathyroidism in erythropoietin resistance of chronic renal failure patients. *Nephrol. Dial. Transplant.* 5(17):28, 2002.
 - **Dusso, A.S., Thadhani, R., and Slatopolsky, E.:** Vitamin D receptor and analogs. *Semin. Nephrol.* 24: 10, 2004.
 - **Dusso, A.S., Brown, A.J. and Slatopolsky, E.:** Vitamin D. *Am. J. Physiol. Renal Physiol.* 289: 8, 2005.
 - **Dyson, M.:** Endocrine system. In: *Gray's anatomy.* 4th edition. Churchill Livingstone. P: 897, 2000.
 - **Dzurik, R., Spustova, V. and Janekova, k.:** The prevalence of insulin resistance in kidney disease patients before the development of renal failure. *Nephron.* 69: 281, 1995.
-

-
- **Edelmann Chester, M., Jay Bernstein, S. and Roy, M.:** Hematological abnormalities in renal disease. *Pediatric Kidney disease* 1: 685, 1995.
 - **Eknoyan, G., Levin, A. and Levin, N.W. :** Bone metabolism and disease in chronic kidney disease. *Am. J. Kidney Dis.* 42: 201, 2003.
 - **Elias, J., Marian, B. and Edling, C.:** Induction of apoptosis by vitamin D metabolites and analogs in a glioma cell line, recent results. *Cancer Res.* 164: 319, 2003.
 - **Erbeck, K., Golper, T.A. and Goldfarb, S.:** Complications of chronic renal failure. In: *Renal diseases, prevention and treatment*. 1st edition. Chapman & Hall press. P: 262, 1998.
 - **Erek, P. and Cohen, M.D.:** Chronic renal failure and dialysis: Long-term dialysis. *Nephrology*.12:6, 2002.
 - **Evans, M.D., Elizabeth, D. and Laurence,A.:** Principles of renal replacement therapy in children with chronic renal failure. *Pediatric Nephrology*. 42 (6): 1579, 2000.
 - **Farid, F.A., EL–Said, Z.A. and EL–Kerdany, T.A.:** The effect of uremia and haemodialysis on antithrombin–III antigen level and protein C functional activity. *Proceeding of the 1st congress of African Pediatric Nephrology Association (AFPNA)*. 1: 42, 2000.
 - **Feld, L.G., Liceberman, E. and Mendoza, S.A.:** Management of hypertension in the child with chronic renal failure. *J. Pediatr.* 129: 518, 2000.
-

-
-
- **Fine, R.N., Kohaut, E. and Brown, D.:** Long-term treatment of growth retarded children with chronic renal insufficiency with recombinant human growth hormone. *Kid. Int.* 49: 781, 2000.
 - **Foreman, J.K.:** Chronic renal insufficiency in infants. *Journal of clinical pediatrics*.10: 365, 2001.
 - **Friedman, A.L.:** Nephrology, fluids and electrolytes. In: *Nelson Essentials of Pediatrics*. 3rd edition. W.B. Saunders comp. P: 306, 1998.
 - **Galla, J.H., Du-Bose, T.D. and Hammll, J.R.:** Acid base disorders & electrolytes imbalance In: *Cecil textbook of int. Medicine*. 22nd edition. Saunders comp. P:109, 2002.
 - **Ganesh, S.K., Stack, A.G., Levia, N.W., Hulbert-Sheraton, T. and Port, F.K.:** Association of elevated serum $\text{PO}(4)$, $\text{Ca} \times \text{Po}(4)$ product and parathyroid hormone with cardiac mortality risk in chronic hemodialysis patients. *J. Am. Soc. Nephrol.* 12: 2131, 2001.
 - **Garabedian, M., Balsan, S. and David, L.:** Parathyroid Hormone, vitamin D, and calcitonin. In: *Physiology, Pathophysiology and Clinical Aspects*. 2nd edition. Williams & Wilkins. P: 460, 1999.
 - **Garfia, B., Canadillas, S. and Canalejo, A.:** Regulation of vitaminD receptor expression by extracellular calcium. *J. Am. Soci. Nephrol.* 13: 2549, 2002.
 - **Gladziwa, U. and Koltz, U. :** Pharmacokinetic optimization of the treatment of peptic ulcer in patients with renal failure. *Clin. Pharmacokinet.* 27: 393, 1994.
-
-

-
- **Gognon, R.F., Harg, F.Z., Richard, J.K. and Borx, A.G.:** Anemia of chronic renal failure and correction with human recombinant erythropoietin. *Nephrology*. 42: 654, 1996.
 - **Gogusev, J., Duchambon, P., Hory, B., Giovannini, M., Goureau, Y., Sarfati, E. and Drueke, T.B.:** Depressed expression of calcium receptor in parathyroid gland tissue of patients with hyperparathyroidism. *Kidney Int*. 51:328, 1997.
 - **Gonzalez, E.A. and Matin, K.I.:** Bone and mineral metabolism in chronic renal failure. In: *Comprehensive clinical nephrology*. 5th edition. Mosby. P: 691, 2000.
 - **Goodman, W.G., Coburn, J.W., Slatopolsky, E. and Salusky, I.B.:** Renal osteodystrophy in adults and children. In: *Primer on the metabolic bone disease and disorders of mineral metabolism*. 4th edition. Lippincot. Williams & Wilkins. P: 247, 1999.
 - **Gotch, F.A.:** Kinetic modeling in hemodialysis. In: *Clinical dialysis*. 5th edition. Norwalk C.T., Appleton and Lange. P: 366, 2002.
 - **Graham, K.A., Reaich, D., Channon, S.M., Downie, S. and Goodship, T.H.:** Correction of metabolic acidosis in hemodialysis decreases whole-body protein degradation. *J. Am. Soc. Nephrol*. 8: 632, 1997.
 - **Green, M.G.:** Electrolyte and acid base balance. In: *The Harriet lane handbook. A manual for pediatric house officer*. 14th edition, Mosby Company. P: 96, 1997.
 - **Greenbaum, L.A., Zelikovic, I., Subramanian, R. and Khardori, R.:** Pathophysiology of body fluids & fluid therapy. In: *Nelson*
-

-
- textbook of pediatrics. 17th edition. Saunders Company. P: 91, 2004.
- **Groothoff, J.W., Gruppen, M.P., Offringa, M., Hutten, J., Lilien, M.R., Van De Kar, N.J., Wolff, E.D., Davin, J.C. and Heymans, H.S.:** Mortality and causes of death of end-stage renal disease in children: A Dutch cohort study. *Kidney Int.* 61: 621, 2002.
 - **Gupta, M., Kannan, M., Gupta, S. and Saxena, R.:** contribution of iron deficiency to anemia in chronic renal failure. *Indian J. pathol. Microbiol.* 46(4): 563, 2003.
 - **Guyton, M.D., John, E., Arthur, C. and Holl, Ph.D.:** Parathyroid hormone, calcitonin, calcium and phosphate metabolism, vitamin D, bone and teeth. *medical physiology.* 10: 899, 2000.
 - **Habner, J., F. and Potte, J., T.:** Biosynthesis of parathyroid hormone. *New Engl. J. Med.* 635: 299, 2001.
 - **Haffner, D., Wuhl, E., Schaefer, F., Nissel, R., Tonshoff, B. and Mehls, O.:** Factors predictive of the short and long-term efficacy of growth hormone treatment in prepubertal children with chronic renal failure. The German Study Group for Growth Hormone Treatment in Chronic Renal Failure. *J. Am. Soc. Nephrol.* 9: 1899, 2001.
 - **Hakim, R.M. and Lazarus, J.M.:** Progression of chronic renal failure. *Am. J. Kidney Dis.* Nov. 14(5): 396, 2000.
 - **Hamdy, N.A.T., Kanis, J.A. and Beneton, M.N.C.:** Effect of alfacalcidol on natural course of renal bone disease in mild to moderate renal failure. *Bone Min. J.* 310: 358, 2005.
-

-
- **Hamed, R.M.:** The spectrum of chronic renal failure among Egyptian children. *Journal of Nephrology*.15: 130, 2002.
 - **Hampl, H., Berweek, S., Ludat, K., Fischer, H.C. and Hertl, J.:** How can hemodialysis-associated hypotension and dialysis-induced symptoms be explained and controlled particularly in diabetics and arteriosclerotic patients? *Clin. Nephrol.* 53:69,2000.
 - **Harms, H.M., Kaptaina, U., Kulpmann, W.R. and Brabant, G.:** Pulse amplitude and frequency modulation of parathyroid hormone in plasma. *J. Clin. Endocrinol. & Metab.* 69: 843, 1998.
 - **Hayashi, S., Usui, E. and Okuda, K.:** Sex-related differences in vitamin D₃ 25-hydroxylase of rat liver microsomes. *J.Biochem.* 103: 863, 1998.
 - **Hayes, C.E., Nashold, F.E., Spach, K.M. and Pedersen, L.B.:** The immunological functions of the vitamin D endocrine system. *Cell. Mol. Biol.* 49: 277, 2003.
 - **Healy, K.D., Frahm, M.A. and DeLuca, H.F.:** 1,25- Dihydroxyvitamin D₃ up-regulates the renal vitamin D receptor through indirect gene activation and receptor stabilization. *Arch. Biochem. Biophys.* 433:466, 2005.
 - **Heilborn, D.C., Holiday, M.A., Al-Dahwi, A. and Kogan, B.A.:** Expressing glomerular filtration rate in children. *Pediatr. Nephrol.* 5:5,2000.
 - **Henry, H.L. and Norman, A.W.:** Vitamin D: metabolism and biological actions. *Annu. Rev. Nutr.* 4: 493, 1994.
-

-
- **Hernandez, A., Concepcion, M.T., Rodriguez, M., Salido, E. and Torres, A.:** High phosphorus diet increases PTH mRNA independent of calcium and calcitriol in normal rats. *Kidney Int.* 50: 872, 1996.
 - **Hertford, J.A., McKenna, J.P. and Chamovitz, B.N.:** Metabolic acidosis with an elevated anion gap. *Am. Fam. Physician.* 39:159, 1999.
 - **Hewison, M., Zehnder, D., Chakraverty, R. and Adams, J.S.:** Vitamin D and barrier function: a novel role for extra-renal 1 α -hydroxylase. *Mol. Cell. Endocrinol.* 215: 31, 2004.
 - **Hogg, R.J., Furth, S. and Lemeley, K.V.:** Clinical practice guidelines for chronic kidney disease in children. *National Kidney Foundation's Kidney Disease Outcomes Quality Initiative Clinical.* 111: 416, 2003.
 - **Hokken., K., A.C.S., Stijnen, T. and DeRidder, M.A.J.:** Growth hormone therapy in growth retarded adolescents after renal transplantation. *Lancet.* 343: 313, 2001.
 - **Holick, M.F., Holick, S.A. and Guillard, R.L.:** Photosynthesis of previtamin D in phytoplankton. In: *Current trends in comparative endocrinology.* 14th edition. Hon Kong University. P: 263, 1997.
 - **Holick, M.F.:** Vitamin D: importance in the prevention of cancers, type 1 diabetes, heart disease, and osteoporosis. *Am. J. Clin. Nutr.* 79: 362, 1998.
 - **Holliday, M., Hogg, R. and Uauy, R.:** Protein energy requirement of children with chronic renal insufficiency. A report from the
-

-
- southwest pediatric nephrology study. *Semin. Nephrol.* 9: 24, 1998.
- **Holm, E.A. and Soling, K.:** Dietary protein restriction and the progressing of chronic renal insufficiency. A review of the literature. *J. Int. Med.* 2: 99, 1999.
 - **Hullett ,D.A., Cantorna, M.T. and Redaelli, C.:** Prolongation of allograft survival by 1,25-dihydroxyvitamin D₃. *Transplantation.* 66: 824, 1998.
 - **Huting, J.:** Abnormal diastolic left ventricular filling by pulsed Doppler echocardiography in patients on continuous ambulatory peritoneal dialysis. *Clin. Nephrol.* 36:21,1996.
 - **Iqbal, S.J.:** Determination of 1,25(OH)₂ vitamin D in serum and plasma . *Clinical Chemistry.* 14: 42, 2005.
 - **Ishizuka, S. and Norman, A.W.:** The Metabolic pathways from 1 α ,25-dihydroxyvitamin D₃ to 1 α ,25-dihydroxyvitamin D₃-26,23-lactone. Stereo-retained and stereo-selective lactonization. *J. Biol. Chem.* 62: 165, 1997.
 - **Ishizuka, S., Kurihara, N. and Hakeda, S.:** 1 α ,25- Dihydroxyvitamin D₃[1 α ,25-(OH)₂D₃]-26,23-lactone inhibits 1,25-(OH)₂D₃-mediated fusion of mouse bone marrow mononuclear cells. *Endocrinology* 123: 781, 1998.
 - **Jacobson, H.R., Striker, G.E. and Klahr, S.:** The principles and practice of renal disorders. In: *Nephrology.* 12th edition. Mosby. Philadelphia. P: 451, 2000.
 - **Janigan, D.T.:** Calcified subcutaneous arterioles with infarcts of the subcutis and skin “calciophylaxis” in chronic renal failure. *Am. J. Kidney Dis.* 35: 588, 2000.
-

-
- **Johnston, T.D., Thacker, L.R. and Jeon, H.:** Sensitivity of expanded-criteria donor kidneys to cold ischaemia time. *Clin. Transplant.*:18:12, 2004.
 - **Josifovska, T., Nonoguchi, H., Machida, K. and Tomita, K.:** Mechanisms of down-regulation of the renal parathyroid hormone receptor in rats with chronic renal failure. *Nephron Exp. Nephrol.* 93(4): 141, 2003.
 - **Kates, D.M., Sherrard, D.J. and Andress, D.L.:** Evidence that serum phosphate is independently associated with serum PTH in patients with chronic renal failure. *Am. J. Kidney Dis.* 30: 809, 1997.
 - **Kawahara, M., Iwasaki, Y., Sakaguchi, K., Taguchi, T., Nishiyama, M., Nigawara, T., Tsugita, M., Kambayashi, M., Suda, T. and Hashimoto, K.:** Predominant role of 25OHD in the negative regulation of PTH expression: clinical relevance for hypovitaminosis D. *Life Sci.* 2008 Mar 26(13): 677, 2008.
 - **Kellum, J.A.:** Metabolic acidosis in the critically ill: lessons from the physical chemistry. *Kidney Int. suppl.* 66: 81, 1998.
 - **Ketttyle, W.M. and Arky,R.A.:** The parathorormone and acid base status. In: *Endocrine pathophysiology*. 7th edition. Philadelphia. Lippincot – Raven. P: 88, 1998.
 - **Kher, K.K. and Makkel, S.P.:** Chronic renal failure. In: *Clin. Pediatr. Nephrol* 3rd edition. Mc Graw-Hill. P: 501, 1997.
 - **Kohau, E.C. and Tejani, A.:** The annual report of the North American Pediatric Cooperative Study. *Pediatr. Nephrol.* 10: 422, 1996.
-

-
- **Kooman, J.P., Deutz, NEP. and Zijlmans, P.:** The influence of bicarbonate supplementation on plasma levels of branched chain amino acids in hemodialysis patients with metabolic acidosis. *Nephrol. Dial. Transplant.* 12:2397,1997.
 - **Korbet, S.M.:** Percutaneous renal biopsy. *Semin. Nephrol.* 22: 254, 2002.
 - **Korkor, A.B. :** Reduced binding of [3H] 1,25-dihydroxyvitamin D3 in the parathyroid glands of patients with renal failure. *N. Engl. J. Med.* 316: 1573, 1997.
 - **Kovacic, V., Roguljic, L., and Kovacic, V.:** Metabolic acidosis of chronically haemodialyzed patients. *Am J Nephrol.*, 23(3): 158, 2003.
 - **Kramer, B.K., Krager, B. and Mack, M:** Steroid withdrawal or steroid avoidance in renal transplant recipients; focus on tacrolimus-based immunosuppressive regimens. *Transplant. Proc.* 37(4): 1789, 2005.
 - **Kraut, J.A., Gordon, E.M., Horst, R.R., Slatopolsky, J.E. and Kurokawa. K.:** Effect of chronic metabolic acidosis on vitamin D metabolism in humans. *Kidney int.* 24: 644, 1983.
 - **Kraut, J.A.:** The role of metabolic acidosis in the pathogenesis of renal osteodystrophy. *Adv. Ren. Replace. Ther.* 2(1) :40, 1995.
 - **Kraut, J.A.:** Disturbances of acid-base balance and bone disease in end-stage renal disease. *Seminars in dialysis.* 13(4): 261, 2000.
 - **Krieger, N.S., Sessler, N.E. and Bushinsky, D.A.:** Acidosis inhibits osteoblastic and stimulates osteoclastic activity in vitro. *Am. J. Physiol.* 226: 442, 1999.
-

-
- **Krieger, N.S., Frick, K.K and Bushinsky, D.A.:** Mechanism of acid-induced bone resorption. *Curr. Opin. Nephrol. Hypertens.* 13(4): 423, 2004.
 - **Kuhlmann, A., Haas, C.S. and Gross, M.L.:** 1,25(OH)₂D₃ decreases podocyte loss and podocyte hypertrophy in the subtotaly nephrectomized rat. *Am. J. Physiol. Renal Physiol.* 286: 526, 2004.
 - **Kurnik, B.R. and Hruska, K.A.:** Mechanism of stimulation of renal phosphate transport by 1,25-dihydroxycholecalciferol. *Biochim. Biophys.* 87: 42, 2005.
 - **Langman, C.B.:** Calcitriol metabolism during chronic metabolic acidosis. *Semin. Nephrol.* 9: 65, 1989.
 - **Lefebvre, A., de Vernejoul, M.C., Gueris, J., Goldfarb, J., Graulet, A.M. and Morieux, C.:** Optimal correction of acidosis changes progression of dialysis osteodystrophy. *Kidney Int.* 36: 112, 1989.
 - **Levi, M and Popovtzer, M.:** Disorders of phosphate balance. In: *Atlas of disease of the kidney.* 3rd edition. Lipincott Williams & Wilkins. P: 522, 1999.
 - **Levi, M.:** Post-transplant hypophosphatemia. *Kidney Int.* 59: 377, 2001.
 - **Lewin, E., Wang, W. and Olgaard, K.:** Reversibility of experimental secondary hyperparathyroidism. *Kidney Int.* 52: 232, 1997.
 - **Liach, F., Hervas, J. and Cerezo, S.:** The importance of dosing intravenous calcitriol in dialysis patients with severe hyperparathyroidism. *Am. J. Kidney dis.* 26:845, 1997.
-

-
- **Liach, F. and Bover, J.:** Renal osteodystrophies. In: The kidney. 6th ed. WB Saunders. P: 1103, 2000.
 - **Liach, F., Velasquez, K. and Forero, F.:** Secondary hyperparathyroidism in chronic renal failure: Pathogenic and clinical aspects. Am. J. Kidney Dis. 38: 49, 2001.
 - **Li, Y.C., Amling, M. and Pirro, A.E.:** Normalization of mineral ion homeostasis by dietary means prevents hyperparathyroidism, rickets, and osteomalacia, but not alopecia in vitamin D receptor-ablated mice. Endocrinology 35: 391, 1998.
 - **Li, Y.C., Kong, J. and Wei, M.:** 1,25-Dihydroxyvitamin D₃ is a negative endocrine regulator of the renin-angiotensin system. J. Clin. Invest. 110: 229, 2003.
 - **Lindstrom, F. and Diehl, M.:** Clinical guide to laboratory tests. Analyt. Chem. 16:32, 2000.
 - **Lipton, M., Rotundo, A. and Nevins, T.E.:** Progressive encephalopathy in children with chronic renal insufficiency. Kidney Int. 21: 486, 1995.
 - **Loghman-Adham, M.:** Safety of new phosphate binder for chronic renal failure. Drug Safety. Int. J. of Med. Tox. and drug experience. 26: 1093, 2003.
 - **London, G.M.:** Left ventricular alterations and end-stage renal disease. In: Centre Hospitaliere France. Nephrol. Dial. Transplant. 1:29, 2002.
 - **Lourdes, C., Maria, P. M., Isabel, M., Montserrat, R., and Elvira, F.:** Mineral metabolism parameters throughout chronic kidney disease stages 1–5 achievement of K/DOQI target ranges. 22(5): 1171, 2007.
-

-
- **Lu, K.C., Lin, S.H., Yu, F.C., Ch, S.H. and Shieh, S.D.:** Influence of metabolic acidosis on serum 1,25(OH)₂D₃ levels in chronic renal failure. *Miner Electrolyte Metab.* 21(6):398, 1995.
 - **Mackay-Sim, A., Feron, F. and Eyles, D.:** Schizophrenia, vitamin D, and brain development. *Int. Rev. Neurobiol.* 59: 351, 2004.
 - **Magnusson, P., Sharp, C.A. and Risteli, J.:** Effect of chronic renal failure on bone turnover and bone alkaline phosphatase isoforms. *Kidney Int.* 60: 257, 2001.
 - **Mahesh, S. and Kaskel, F.:** Growth hormone axis in chronic kidney disease. *Pediatr. Nephrol.* 23(1):41, 2008 .
 - **Mak, H.K.:** Effect of metabolic acidosis on insulin action and secretion in uremia. *Kidney Int.* 54(2):603, 1998.
 - **Makoff, R.:** The value of calcium carbonate in treating acidosis, phosphate retention and hypocalcemia. *Nephrol. News issues.* 5:16, 2004.
 - **Malluche, H. and Faugere, M.C.:** Renal bone disease. An unmet challenge for the nephrologists. *Kidney Int.* 38: 193, 1995.
 - **Mannstadt, M., Juppner, H. and Gardella, T.J.:** Receptors for PTH and PTHrP: Their biological importance and functional properties. *Am. J. Physiol.* 277:665, 1999.
 - **Mountokalakis, T.D.:** Magnesium metabolism in chronic renal failure. *Magnes. Res.* 13(2):121, 1990.
 - **Maria, V.D., Nathalie, B. and Proesman, S.W.:** Conservative treatment for chronic renal failure from birth. A 3 year follows up study. *Springer Pediatric Nephrology.* 15(9): 865, 1999.
-

-
- **Marks, K., Kilary, R. and Tally, N.M.:** Calcium, vitamin D and the parathyroid. *Pediatr. Nephrol.* 10: 364, 1996.
 - **Martin, K.J., González, E.A. and Slatopolsky, E.:** Renal osteodystrophy. In: *The Kidney*. 7th edition. Elsevier. P: 256, 2004.
 - **Martiz, K.M., Gaik, B.L. and Wintour, E.M.:** Developmental regulation of erythropoietin and erythropoiesis. *Am. J. Physiol.* 273: 829, 1997.
 - **Massry, S.G., Popovtzer, M.M., Coburn, J.W., Makoff, D.L., Maxwell, M.H. and Kleeman, C.R.:** Intractable pruritus as a manifestation of secondary hyperparathyroidism in uremia. Disappearance of itching after subtotal parathyroidectomy. *N. Engl J. Med.* 29. 697, 1998.
 - **Mathiasen, I.S., Sergeev, I.N. and Bastholm, L.:** Calcium and calpain as key mediators of apoptosis-like death induced by vitamin D compounds in breast cancer cells. *J. Biol. Chem.* 77. 738, 2003.
 - **Mathur, R.P., Dash, S.C., Gupta, N., Prakash, S., Saxena, S. and Bhowmik, D.:** Effects of correction of metabolic acidosis on blood urea and bone metabolism in patients with mild to moderate chronic kidney disease: a prospective randomized single blind controlled trial. *Ren. Fail.* 28(1):1, 2006.
 - **Mazzaferro, S., Pasquali, M. and Ballanti, P.:** Diagnostic value of serum peptides of collagen synthesis and degradation in dialysis renal osteodystrophy. *Nephrol. Dial. Transplant.* 10: 52, 1995.
-

-
- **McCarthy, T.L., Centrella, M. and Canalis, E.:** Parathyroid hormone enhances the transcript and polypeptide levels of insulin-like growth factor I in osteoblast-enriched cultures obtained from fetal rat bone. *Endocrinology*. 124(3):1247, 2002.
 - **Mehls, O. and Schaefer, F.:** Endocrine, metabolic and growth disorders. In: *Pediatric Nephrology*. 3rd edition. Williams & Wilkins. P: 1261, 1998.
 - **Mezzano, D., Tagle, R. and Panes, O.:** Haemostatic disorders of uremia: The platelet defect, main determinant of prolonged bleeding time, is correlated with indices of activation of coagulation and fibrinolysis. *Thromb. Haemost.* 76(3): 312, 1996.
 - **Mitch, W.E., Price, S.R. and May, R.C.:** Metabolic consequences of uremia: Extending the concept of adaptive responses to protein metabolism. *Am. J. Kidney Dis.* 23: 224, 1995.
 - **Mitch, W.E. and Wasler, M.:** Nutritional therapy for the uremic patients. In: *The Kidney*. 5th edition. WB Saunders Company. P: 523, 1996.
 - **Mitch, W.E. and Maroni, B.J.:** Factors causing malnutrition in patients with chronic renal failure. *Am. J. Kidney. Dis.* 33: 176, 1999.
 - **Mitch, W.E.:** Metabolic and clinical consequences of metabolic acidosis. *J Nephrol.* 19 (9): 70, 2006.
 - **Mitsnefes, M.M., Kimball, T.R., Border, W.L., Witt, S.A., Glascock, B.J., Khoury, P.R. and Daniels, S.R.:** Impaired left
-

ventricular diastolic function in children with chronic renal failure. *Kidney Int.* 65: 1461, 2004.

- **Moallem, E., Kilav, R., Silver, J. and Naveh-Many, T.:** RNA-protein binding and post-transcriptional regulation of parathyroid hormone gene expression by calcium and phosphate. *J. Biol. Chem.* 273(9): 253, 1998.
 - **Moal, V., Brunet, P. and Dav, L.:** Impaired expression of glycoproteins on resting and stimulated platelets in uremic patients. *Nephrol. Dial. Transplant.* 18(9):834, 2003.
 - **Moe, S.M. and Sprangue, S.M.:** Uremic encephalopathy. *Clin. Nephrol.* 42: 521, 1994.
 - **Moe, S.M. and Chen, N.X.:** Calciphylaxis and vascular calcification a continuum of extraskeletal osteogenesis. *Int. Pan. North. Am.* 18: 969, 2003.
 - **Monkawa, T., Yoshida, T. and Wakino, S.:** Molecular cloning of cDNA and genomic DNA for human 25-hydroxyvitamin D₃ 1 α -hydroxylase. *Biochem. Biophys. Res. Commun.* 239: 527, 2004.
 - **Mora Parma, F.J., Ellis, H.A., Cook, D.B., Dewar, J.H., Ward, M.K., Wilkinson, R. and Kerr, D.N.S.:** Osteomalacia in patients with chronic renal failure before dialysis or transplantation. *Q. J. Med.* 52: 332, 1983.
 - **Morimoto, S. and Kumahara, Y.:** A patient with psoriasis cured by 1 α -hydroxyvitamin D₃. *Med. J. Osaka Univ.* 35: 51, 1995.
 - **Movelli, E., Zani, R., Carlio, O., Sangalli, L., Pola, A. and Camerini, C.:** Direct effect of correction of acidosis on plasma parathyroid hormone concentrations, calcium and phosphate in
-

-
- hemodialysis patients: A prospective study. *Nephron*. 87:257, 2001.
- **Munger, M.A., Ateshkad, A. and Cheung, A.K.:** Cardiopulmonary events during hemodialysis: Effects of dialysis membranes and dialysate buffers. *Am. J. Kidney Dis*. 36: 130, 2000.
 - **Nakagawa, N., Kinosaki, M. and Yamaguchi, K.:** RANK is the essential signaling receptor for osteoclast differentiation factor in osteoclastogenesis. *Biochem. Biophys. Res. Commun*. 253: 395, 2001.
 - **Nasri, H. and Baradaran, A.:** Strong inverse association of serum parathormone with plasma HCO_3 in female hemodialysis patients. *Pakistan J. Nutrit*. 4(6): 409, 2005.
 - **National kidney foundation (NKF-K/DoQI).:** Clinical practice guidelines for chronic kidney disease; evaluation, classification and stratification. Kidney Disease Outcome Quality Initiative. *Am. J. Kidney Dis*. 39: 51, 2002.
 - **National kidney foundation (NKF-K/DoQI).:** Clinical practice guidelines for bone metabolism and disease in children with chronic kidney disease. *Am. J. Kidney Dis*. 46:121, 2005.
 - **Naveh-Many T, Rahamimov R, Livni N and Silver J:** Parathyroid cell proliferation in normal and chronic renal failure rats: The effects of calcium, phosphate, and vitamin D. *J. Clin. Invest*. 96: 1786,1995.
 - **Norman, M.Z., Behrman, R.E. and Kliegman, R.M.:** Renal osteodystrophy. In: *Nelson Textbook of Pediatrics*. 15th edition. WB Saunders Company. P:1205,1996.
-

-
- **Nykjaer, A., Dragun, D. and Walther, D.:** An endocytic pathway essential for renal uptake and activation of the steroid 25-(OH) vitamin D₃. *Cell*. 96: 507, 1999.
 - **Oettinger, C.W. and Oliver, J.C.:** Normalization of Uremic acidosis in hemodialysis patients with a high bicarbonate dialysate. *J. Am. Soc. Nephrol.* 3:1804, 1993.
 - **Omdahl, J.L., Gray, R.W. and Boyle, I.T.:** Regulation of metabolism of 25-hydroxycholecalciferol by kidney tissue in vitro by dietary calcium. *Nat. New Biol.* 237:63, 1997.
 - **Oski, F.A., Catherine, D.D., Feigen, R.D. and Julia, A.:** Principles and practice of pediatric chronic renal failure. In: *The kidney*. 3rd edition. Jonathan Wpne Jr. Press. P: 1777, 2002.
 - **Oster, J.R., Singer, I., Contreras, G.N., Ahmed, H.I. and Vieira, C.F.:** Metabolic acidosis with extreme elevation of anion gap: case report and literature review. *Am. J. Med. Sci.* 17:538, 1999.
 - **Panda, D.K., Miao, D., Bolivar, I., Huo, R., Hendy, G.N., and Goltzman, D.:** Inactivation of the 25-hydroxyvitamin D 1 α -hydroxylase and vitamin D receptor demonstrates independent and interdependent effects of calcium and vitamin D on skeletal and mineral homeostasis. *J. Biol. Chem.* 279(16): 16754, 2004.
 - **Parekh, R.S., Carroll, C.E., Wolfe, R.A. and Port, F.K.:** Cardiovascular death in children and young adults with end-stage kidney disease. *J Pediatr* 141: 191, 2002.
 - **Petersen, H.H., Hilpert, J. and Miltz, D.:** Functional interaction of megalin with the megalin binding protein (MegBP), a novel
-

-
- tetratrico peptide repeat-containing adaptor molecule. *J.Cell. Sci.* 116: 453, 2003.
- **Picton, M.L., Moore, P.R. and Mawer, E.B.:** Down-regulation of renal PTH-receptors in chronic renal failure. *Nephrol. Dial. Transplant.* 12:22,2000.
 - **Pollock, C.A., Ibels, L.S. and Allen, B.J.:** Nutritional markers and survival in maintenance dialysis patients. *Nephron.* 74: 625, 1996.
 - **Portale, A.A., Booth, B.E., Tsai, H.C. and Morris, R.C.:** Reduced plasma concentration of 1,25-dihydroxyvitamin D in children with moderate renal insufficiency. *Kidney Int.* 21: 627, 1995.
 - **Portale A.A., Booth, B.E., Tsai, H.C. and Morris, R.C.:** Reduced plasma concentration of 1,25-dihydroxyvitamin D in children with moderate renal insufficiency. *Kidney Int.* 21: 627, 1997.
 - **Powell, D.R., Durhan, S.K. and Brewer, E.D.:** Effect of chronic renal failure and growth hormone treatment on serum levels of IGFBP-4 and 5 in children. *J. Clin. Endocrinol. Metab.* 84: 596, 2002.
 - **Przedlacki, J., Manelius, J. and Huttunen, K.:** Bone mineral density evaluated by dual-energy X-ray absorptiometry after one-year treatment with calcitriol started in the predialysis phase of chronic renal failure. *Nephron* 69: 433, 2004.
 - **Purkerson, M.C. and Cole, B.R. :** Chronic renal failure in: *Pediatric textbook of fluid and electrolyte*, Williams & Wilkins. 75(6)698,1997.
 - **Rahman, M.H., Hossain, M.M., Sultana, S., Jamal, C.Y. and Karim, M.A.:** Correlation of serum parathyroid hormone level
-

with biochemical parameters in chronic renal failure. *Indian Pediatrics*. 42: 250, 2005.

- **Ramirez, J.A., Salusky, I.B. and Goodman, W.G.:** Recent advances in the management of renal osteodystrophy in children. *Current opinion in Nephrology*. 2(4):580, 2000.
 - **Reaich, D., Channon, W., Scrimgeour, C.M., Daley, S.E., Wilkinson, R. and Goodship, T.H.J.:** Correction of acidosis in humans with chronic renal failure decreases protein degradation and amino acid oxidation. *Am. J. Physiol*. 265: 230, 1993.
 - **Reaich, D., Graham, K.A. and Channon, S.M.:** Insulin-mediated changes in PD and glucose uptake after correction of acidosis in humans with CRF. *Am. J. Physiol*. 268:121, 1995.
 - **Reddy, G.S.G., Jones, S., Kooh, W. and Fraser, D.:** Inhibition of 25(OH)3D- hydroxylase by chronic metabolic acidosis. *Am. J. Physiol*. 243(4): 256, 1982.
 - **Remuzzi, G. and Bertani, T.:** Pathophysiology of progressive nephropathies. *N. Engl. J. Med* .339:1448, 2004.
 - **Richard, N., Marcella, S. and Deogracias, P.:** Causes of death for children on chronic dialysis. A 20 years analysis. *Archive Dialysis and Transplantation*. 24: 78, 1995.
 - **Ritz, E., Bundschu, H.D. and Massry, S.G.:** Chronic renal insufficiency. In: *Textbook of Nephrology*. 3rd edition. William & Wilkins. P: 1474, 2000.
 - **Rix, M., Andreassen, H. and Eskilden, P.:** Bone mineral density and biochemical markers of bone turnover in patients with predialysis chronic renal failure. *Kidney Int*. 56: 1048, 2002.
 - **Rix, M., Eskildsen, P. and Olgaard, K.:** Effect of 18 months of treatment with alfacalcidol on bone in patients with mild to
-

-
- moderate chronic renal failure. *Nephrol. Dial. Transplant.* 19:870, 2004.
- **Rhaman, A.I. and Fine, R.N.:** Chronic renal failure in children; Medical management. *Saudi J. Kidney Dis. Trans.* 8: 269, 2000.
 - **Rhoades, R.A. and Tanner, G.A:** Endocrine regulation of calcium, phosphate and bone metabolism. *Med. Physiol.* 3:721, 1999.
 - **Ro, H.K., Tembe, V., Krug, T., Yang, P.Y., Bushinsky, D.A. and Favus MJ.:** Acidosis inhibits 1,25-(OH)₂D₃ but not cAMP production in response to parathyroid hormone in the rat. *J. Bone Miner. Res.* 5(3): 273, 1990.
 - **Ro, Y., Hamada, C. and Io, H.:** Rapid, simple and reliable method for diagnosis of continuous ambulatory peritoneal dialysis peritonitis using the new MMP-9 test kit. *J. Clin. & Lab. Anal.* 18: 224, 2004.
 - **Robertson, K.E. and Mueller, B.A.:** Uremic pruritis. *Am. J. Health System Pharm.* 53: 2159, 1996.
 - **Rodrigo, E.U.:** Renal transplantation in children. Report of the North American Pediatric Transplantation. In: *Nelson textbook of Pediatrics*, 16th edition. P: 612, 2000.
 - **Rosen, H., Reshef, A. and Maeda, N.:** Markedly reduced bile acid synthesis but maintained levels of cholesterol and vitamin D metabolites in mice with disrupted sterol 27-hydroxylase gene. *J. Biol. Chem.* 273: 805, 1998.
 - **Ross, E.A. and Koo, L.C.:** Improved nutrition after the detection and treatment of occult gastroenteritis in nondiabetic dialysis patients. *Am. J. Kidney Dis.* 31: 62, 1998.
-

-
- **Rostand SG, Sanders C, Kirk KA, Rutsky EA and Fraser RG:** Myocardial calcification and cardiac dysfunction in chronic renal failure. *Am. J. Med.* 85: 651, 1999.
 - **Rowe, P.S.N., Kumagai, Y. and Garrett, R.:** CHO-cells expressing MEPE, PHEX and co-expressing MEPE/PHEX cause major changes in BMD, P_i and serum alkaline phosphatase in nude mice. *J. Bone Miner. Res.* 17: 211, 2004.
 - **Saarem, K., Bergseth, S., Oftebro, H. and Pedersen, J.I.:** Subcellular localization of vitamin D₃ 25-hydroxylase in human liver. *J. Biol. Chem.* 259: 936, 1997.
 - **Safadi, F., Thornton, P. and Magiera, H.:** Osteopathy and resistance to vitamin D toxicity in mice null for vitamin D binding protein. *J. Clin. Invest.* 103: 239, 1999.
 - **Safouh, H.:** A profile of renal diseases in Egyptian children. *Journal of 1st pan Arab Pediatric Nephrology Conference, Cairo.* 1: 22:1996.
 - **Salusky, I.B:** Bone and mineral metabolism in childhood end-stage renal disease. *Pediatr. Clin. Of North America.* 42:1531,2000.
 - **Samokhvalova, N.A., Romanchishen, A.F., Gerasimchuk, R.P., Grinev, K.M. and Zemchenkov, A.Iu.:** Secondary hyperparathyroidism: incidence, clinical presentations and treatment. *Vestn. Khir. Im. I I Grek.* 166(5): 78, 2007.
 - **Sanchez, C.P., Goodman, W.G. and Salusky, I.B.:** Prospectives and pathogenesis of Osteodystrophy. In: *Pediatric Nephrology.* 4th edition. Lippincot Williams & Wilkins. P: 1231, 1997.
-

-
- **Sanchez, C.P., Salusky, I.B. and Goodman, W.G.:** Growth of long bones in renal failure; roles of hyperparathyroidism, growth hormone and calcitriol. *Kidney Int.* 21(5):441, 1998.
 - **Santos, F., Carbajo-Pérez, E., Rodríguez, J., Fernández-Fuente, M., Molinos, I., Amil, B. and García, E.:** Alterations of the growth plate in chronic renal failure. *Pediatr. Nephrol.* 20 (3): 330, 2005.
 - **Scharer, K., Schmidt, K.G. and Soergel, M.:** Cardiac function and structure in patients with chronic renal failure. *Pediatr. Nephrol.* 13: 951, 1999.
 - **Schiavi, S.C. and Kumar, R.:** The phosphatonin pathway: New insights in phosphate homeostasis. *Kidney Int.* 65: 1, 2004.
 - **Schneider, B. and Varaghese, R.K.:** Depression Inventory in assessing mental health among patients on hemodialysis. *Psychol.Rep.* 76: 719, 1995.
 - **Schomig, M., Odoni, G. and Ritz, E.:** Chronic renal failure In: *Nephrology.* 8th edition. McGraw-Hill. P:187,2001
 - **Sedman, A.B.,Wilkening, G.N. and Wradly, B.A.:** Encephalopathy in childhood secondary to aluminum toxicity. *J. Pediatr.*4:105, 1998.
 - **SellaBrown, A., Russell, J., koszewski, N.J., Michalak, M., Naveh Many, T. and Silver, J.:** Calreticulin inhibits vitamin D's action on the PTH gene in vitro and may prevent vitamin D's effect in vivo in hypocalcemic rats. *Mol. Endocrinal.* 12:1193, 1998.
-

-
- **Selles, J., Massheimer, V. and Santillan, G.:** Effects of calcitriol and its analogues, calcipotriol (MC 903) and 20-epi-1 α ,25-dihydroxyvitamin D₃ (MC 1288), on calcium influx and DNA synthesis in cultured muscle cells. *Biochem. Pharmacol.* 53: 1807, 2000.
 - **Shimada, T., Urakawa, I. and Yamazaki, Y.:** FGF-23 transgenic mice demonstrate hypophosphatemic rickets with reduced expression of sodium phosphate co transporter type IIa. *Biochem. Biophys. Res. Commun.* 314: 409, 2004.
 - **Shuler, C.L.:** Hypertension in CRF and dialysis patients. In: *Pharmacology and management of hypertension*. 5th edition. Churchill, Livingstone. P: 173, 1994.
 - **Silver, J. and Naveh-Many, T.:** Regulation of parathyroid cell proliferation. *Curr. Opin. Nephrol.* 6:321,1997.
 - **Sirolli, V., Ballone, E. and stante, S.:** Cell activation and cellular-cellular interaction during Hemodialysis: Effect of dialyzer membrane. *Int. J. Artif. Orangs.* 25(6): 529, 2002.
 - **Slatopolsky, E., Dcrsso, A. & Brown, A.J.:** The role of phosphorus in the development of secondary hyperparathyroidism and parathyroid cell proliferation chronic renal failure. *Am. J. Med. Sic.* 317:370, 1996.
 - **Slatopolsky, E., Dcrsso, A. and Brown, A.J.:** The role of phosphorus in the development of secondary hyperparathyroidism and parathyroid cell proliferation chronic renal failure. *Am. J. Med. Sic.* 317:370,1999.
 - **Sun, L., Liu, J. and Kong, J.:** Renal protective role of vitamin D in the development of diabetic nephropathy. *J. Am. Soc. Nephrol.* 16:3, 2005.
-

-
- **Sun, L.Y., Wang, M. and Yang, L.:** Study of calcium-phosphorous metabolism and intact parathyroid hormone levels in end stage renal disease patients . Beijing Da. Xue. Xue. Bao. 37(2): 147, 2005.
 - **Swainson, C. P.:** Metabolic Acidosis. J.Clin. Invest.103, 1995.
 - **Swanson, M.C.:** Encouraging adherence to treatment regimen in a continuous cycled peritoneal dialysis patients. Nephrol. Nurs. J. 31(1): 80, 2004.
 - **Swartz, R.D.:** Fluid, electrolyte and acid-base balance changes during renal failure. Pediatr. Nephrol. 1: 289, 1998.
 - **Takemoto, F., Shinki, T. and Yokoyama, K.:** Gene expression of vitamin D hydroxylase and megalin in the remnant kidney of nephrectomized rats. Kidney Int. 64: 414, 2003.
 - **Tayyem, R.F. and Mrayyan, M.T.:** Assessing the prevalence of malnutrition in chronic kidney disease patients in Jordan. J. Ren. Nutr. 18(2):202, 2008.
 - **Tessitore, N., Venturing, A. and Adami, S.:** Relationship between serum vitamin D metabolites and dietary intake of phosphate in patients with early renal failure. Minor Electrolyte Metab. 13: 238, 1997.
 - **Thomas, A.D.:** Hemodialysis. In: Nephrology. 6th edition. McGraw Hill. P: 439, 2001.
 - **Tonelli, M., Blake, P.G. and Muirhead, N.:** Predictors of erythropoietin responsiveness in chronic hemodialysis patients. Journ. Am. Soc. Nephrology 47: 82, 2001.
-

-
- **Tonner, D.R. and Schlechte, J.A.:** Neurologic complications of thyroid and parathyroid disease. *Med. Clin. North. Am.* 77: 251, 1998.
 - **Tougaard, L., Sorensen, E. and Brochner-Mortensen, J.:** controlled trial of 1 α -hydroxycholecalciferol in chronic renal failure. *Lancet.* 1:1044, 2005.
 - **Trechsel, U., Bonjour, J.P. and Fleisch H.:** Regulation of the metabolism of 25-hydroxyvitamin D₃ in primary cultures of chick kidney cells. *J. Clin. Invest.* 64: 206, 2004.
 - **Tsujikawa, H., Kurotaki, Y. and Fujimori, T.:** Klotho, a gene related to a syndrome resembling human premature aging, functions in a negative regulatory circuit of vitamin D endocrine system. *Mol. Endocrinol.* 17: 293, 2004.
 - **Tsukamoto, Y., Moriya, R., Nagaba, Y., Morishita, T., Izumida, I. and Okubo, M.:** The Effect of administering calcium carbonate to treat secondary hyperparathyroidism in non-dialyzed patients with chronic renal failure. *Am. J. Kidney Dis.* 25: 879, 2003.
 - **Valderro Bano, F.:** Recombinant human Erythropoietin (r-HuEPO); 10 years of clinical experience. *Nephrol. Dial. Transplant.* 12: 2, 2001.
 - **Valrance, M.E. and Welsh, J.:** Breast cancer cell regulation by high-dose vitamin D compounds in the absence of nuclear vitamin D receptor. *J. Steroid Biochem. Mol. Biol.* 89: 221, 2004.
 - **Van Cromphaut, S.J., Dewerchin, M. and Hoenderop, J.G.:** Duodenal calcium absorption in vitamin D receptor-knockout
-

-
- mice: functional and molecular aspects. Proc. Nat. Acad. Sci. USA. 98: 13324, 2004.
- **Van Damme-Lombaerts, R. and Herman, J.:** Erythropoietin treatment in children with renal failure. *Pediatr. Nephrol.* 13: 148, 2001.
 - **Van Holder, R.:** The uremic syndrome. In: kidney diseases. 2nd edition. National Kidney Foundation; Academic press. P: 411, 1998.
 - **Van Stone, J.C. and Daugirdas, J.T.:** Physiologic principles of hemodialysis. In: Handbook of Dialysis. 2nd edition. Little Brown and Company. P: 425, 2001.
 - **Verrelli, M.:** Chronic renal Failure. In. *Med. Journal.* (3): 1, 2002.
 - **Verrina, E., Zacchello, G. and Edrefonti, A.:** A multicenter survey on peritoneal dialysis prescription in children. *Adv. Perit. Dial.* 17: 264, 2001.
 - **Wada, M., Furuya, Y., Sakiyama, J., Koboyashi, N., Miyata, S., Ishii, H. and Nagano, N. :** The calcimimetic compound NPS R-568 suppresses parathyroid cell proliferation in rats with renal insufficiency: Control of parathyroid cell growth via a calcium receptor. *J.Clin. Invest.* 101:2977, 1997.
 - **Walker, B.R. and Toft, A.D.:** Chronic renal failure. In: Davidson's Principles & Practical Medicine. 19th edition. Churchill Livingstone. Elsevier Limited Press. P: 1287, 2002.
 - **Wantick, S.:** Kidney. In: Current medical diagnosis & treatment. 4th edition. Mc-Graw Hil Company. P: 312, 2001.
-

-
- **Wassner, S.J. and Bauman, M.:** Physiology and management of chronic renal failure. In: *Pediatric J. Nephrology*. 5th edition. Lippincott Williams & Wilkins. P: 1155, 1999.
 - **Wattad, A.:** Chronic renal failure. In: *Current clinical pediatrics*, 11th edition. Lippincott Williams & Wilkins. P: 154, 2001.
 - **Way, A.F., Bolonger, A.M. and Gambertogli, J.G.:** Pharmacokinetics and drug dosing in children with decreased renal function. In: *Pediatric Nephrology*. 4th edition. Williams & Wilkins. P: 102, 2001.
 - **Weiss, R.A., Edelmann, C.M. and Bernstein, J.:** Dietary and pharmacologic treatment of CRF. In: *Pediatric Nephrology*. 3rd edition. Little Brown Company. P : 825, 1995.
 - **Wesseling, K., Bakkaloglu, S. and Salusky, I.:** Chronic kidney disease mineral and bone disorder in children. *Pediatr. Nephrol.* 23(2):195, 2008.
 - **Williams, A.J., Dittmer, I.D., McArley, A. and Clarke, J.:** High bicarbonate dialysate in haemodialysis patients: effects on acidosis and nutritional status. *Nephrol Dial Transplant.* 12: 2633, 1997.
 - **Williams, B., Hattersley, J., Layward, E. and Walls, J.:** Metabolic acidosis and skeletal muscle adaptation to low protein diets in chronic uremia. *Kidney Int.* 40: 779, 1998.
 - **Williams, D.M., Chan, J.C.M. and Roth, K.S.:** Kidney failure in infants and children. *American Academy of Pediatrics.* 2:361,2002.
-

-
-
- **Williams, C.H. and Pannel, M.R.:** Hemodialysis in observational studies. *Dial. Int.* 54: 263, 2004.
 - **Winkelmayer, W.C., Levin, R. and Avorn, J.:** Chronic kidney disease as a risk factor for bleeding complications after coronary artery bypass surgery. *Am. J. Kidney Dis.* 41: 84, 2003.
 - **Wolfson, M., Shuler, G.J. and Minturn, D.:** Nutritional lymphocyte function in maintenance hemodialysis patients. *Am. J. Clin. Nutr.* 39: 547, 1995.
 - **Wong, D.L.:** The children with renal dysfunction. In: *Nursing care of infants and children.* 4th edition. Whaley & Wang's. Mosby Company. P: 263, 1997.
 - **Wu, J., Garami, M. and Cao, L.:** 1,25(OH)₂D₃ suppresses expression and secretion of atrial natriuretic peptide from cardiac myocytes. *Am. J. Physiol. Endocrinol. Metab.* 68: 108, 1999.
 - **Wu, S.C., Lin, S.L. and Jeng, F.R.:** Influence of erythropoietin treatment on gonadotrophic hormone levels and sexual function in male uremic patients. *Scan. J. Nephrol.* 35: 136, 2001.
 - **Wuhle, E., Busch, C., Mehls, O. and Schaefer, F.:** Assessment of total body water in children on dialysis. *Nephrology, Dialysis & Transplantation.* 11:75, 2006.
 - **Xue, Y., Karaplis, A.C., Hendy, G.N., Goltzman, D. and Miao, D.:** Genetic models show that parathyroid hormone and 1,25-dihydroxyvitamin D₃ play distinct and synergistic roles in
-
-

postnatal mineral ion homeostasis and skeletal development. Hum. Mol. Genet. 14(11):1515, 2005.

- **Yamamoto, M., Igaroshi, T., Miramatsu, M., Fukagawa, M., Motokura, T. and Ogata, E.:** Hypocalcemia increases and hypercalcemia decreases the steady state level of parathyroid hormone messenger ribonucleic acid in the rat. J. Clin. Invest. 83: 1053, 1999.
 - **Yamane, T., Takeuchi, K. and Yamamoto, Y.:** Legumain from bovine kidney: Its purification, molecular cloning, immunohistochemical localization and degradation of annexin II and vitamin D-binding protein. Biochim. Biophys. Acta. 1: 108, 2002.
 - **Yomita, S., Suzuki, M., Akiba, T., Akizawa, T., Sieno, Y. and Kurokawa, K.:** Levels of serum 1,25(OH)₂D in patients with pre-dialysis chronic renal failure. Tohoku J. Exp. Med. 180: 45, 1996.
 - **Yoshida, K., Shina, A. and Asamo, Y.:** Uremic pericardial effusion and evolution of pericardial effusion by echocardiography. Clin. Nephrol. 13: 260, 1999.
 - **Yoshida, T., Fujimori, T. and Nabeshima, Y.:** Mediation of unusually high concentrations of 1,25-dihydroxyvitamin D in homozygous klotho mutant mice by increased expression of renal 1 α -hydroxylase gene. Endocrinology 143: 683, 2004.
 - **Young, D.S.:** Effects of drugs on clinical laboratory tests. AACC press. 42: 101, 2002.
 - **Zehnder, D., Eardley, K.S and Quinkler, M.:** Modulation of inflammation in situ by the vitamin D hormonal system in human renal disease. J. Am. Soc. Nephrol. 15:503, 2004.
-

-
- **Zerkus, M. J. and Dee Bause, N.:** Acid and base balance. In: Clinical chemistry. 8th edition. Saunders Company. P: 532, 2003.
 - **Zhao, N. and Terenhouse, H.S.:** NpT2 gene disruption confers resistance to the inhibitory action of parathyroid hormone on renal sodium-phosphate co-transport. Endocrinology. 141:2159,2000.
 - **Ziółkowska, H. and Roszkowska-Blaim, M.:** Diagnostic value of PTH total kit for estimation of bone turnover in children with chronic renal failure. Przegl Lek. 63: 149, 2006.
 - **Zittermann, A.:** Vitamin D in preventive medicine: Are we ignoring the evidence? Br. J. Nutr. 89: 552, 2003.
-