

REFERENCES

- Alfrey and Chanl. (2004):** Chronic renal failure manifestation and pathogenesis. In: Schrier R.W.(ed) : Renal and electrolyte Disorders, .7th edition ,Boston Little Brown and Company; 1132-1135.
- American Academy of Pediatric Report (2007):** Epidemiology and most common causes of chronic renal failure.
- Arief AI. (2004):** Neurogenic complication of renal insufficiency .In: Brenner and Rector's The Kidney, 7th ed., Chapter 51 : 2227-2254.
- Assoouad M. and Eknoyan G. (1998):**Does the of renal replacement therapy adversely affect hypercoagulability associated with renal disease? Am. J. Nephrol.;18(3):175-178.
- Behets GJ., Dams G. and Vercauteren SR. (2004):** Does the phosphate binder lanthanum carbonate affect bone in rats with chronic renal failure? Am J Soc Nephrol; 15: 2219-2228.
- Bergestein J.M.(2004) :**Diet in C.R.F. In: Behirman R.E., kleigman R.M., Aruim A.M. and Nelson W.E.(eds.) :Nelson Text Book Of Pediatrics, 17th ed. Sauders Company Phidelphia.; 1520-1521.
- Bergner M., (1989):** quality of life health status and clinical research. Med Care; 27: S 148-156.
- Bernestin D. (2004):** Systemic hypertention .In: Nelson Textbook Of Pediatrics. 17th ed. Chapter 437: 1592-1598.
- Bowling A. (1995):** measuring disease. Buchingham: open university.
- Brimble KS, Rabbat CG, Mckenna P. and Carlisle EJ.(2003):** Protolized anaemia management with erythropoietin in hemodialysis patients: a randomized controlled trial. Oct;14(10): 2654-61.

- Brown AG., Takahashi F. and Slatopolsky E.** (2000): Calcemic activity of 19-Nor-1,25(OH)(2)D(2) decreases with the duration of treatment. J. Am. Soc. Nephrol.; 11: 2088-2094.
- Brownbridge G, Fielding DM** (1994): Psychosocial adjustment and adherence to dialysis treatment regimes. *Pediatr Nephrol* 8:744-749.
- Chan JC., Williams DM. and Roth KS.** (2002): Kidney failure in infants and children. In: *Pediatr. Rev.* Feb.; 23(2): 47-60.
- Coburn JW., Elangovan L., and Goodman WG.** (1999) :Calcium sensing receptor and calcimimetic agents. *Kidney Int.*, 73: 552-558.
- Coladonano JA. And Ritz E.** (2002): SHPT its therapy as a cardiovascular risk factor among end-stage renal disease patients. *Adv. Ren .Replace. Ther.*;9: 193-199.
- Coresh J.,Astor BC. and Greenet** (2003): Prevalence of chronic kidney disease and decreased kidney function :Third national health and nutrition examination survey .*Am. J. Kid. Dis.* ; 41: 1-21.
- Couttenye MM., Haese PC., Verschoren WJ., Behets GJ., Schrooten I. and Broe ME.**(1999):Low bone turn in patients with renal failure. *Kidney Int.* 56 (suppl. 73): 75-76.
- Cunningham J, Danese M. and Olson K.** (2005): Effects of calcimimetic cinacalcet HCL on cardiovascular disease, fracture and health related quality of life in secondary hyperparathyroidism. *Kidn. Int.*
- Cunningham J., Urena P., and Reichel H.** (2005): Long -term efficacy cinacalcet in secondary hyperparathyroidism-(HPT) Of end stage renal disease (ESRD).XL Congress of the ERA- EDTA.
- Data from the Itakalid Project** (2003): Epidemiology of chronic renal failure in children . *Pediatrics* 111 (4) ; 382-387.

- Data From The Italkid project** (2003) : Epidemiology of chronic renal failure in children. *Pediatrics* 111 (4);382-387 .
- Dawborn J.K.**(2000):Chronic renal failure.In: Judith A, Whit Worth J.R and Laurance A.O (eds) : Text book of renal disease, 2 ed . Chnichll Livingstone Edinburgh Company; 343.
- Dobrez DG., Mathes A. and Amdahl M.** (2004): Paricalcitol-treated patients experience improved hospitalization outcomes compared with calcitriol-treated patients in real-worled clinical setting. *Nephrol. Dial. Transplant*; 19: 1174-1181.
- Drueke TB.** (2002): Treatment of secondary hyperparathyroidism with vitamin D derivatives and calcimimetics before and after start of dialysis. *Nephrol. Dial. Transplant*;17(11):20-22.
- Edward A., Ross and Janet M.** (2005): Haempdialysis and continuous therapies. In: Christopher S., Wilcox C., Craig Tisher (eds): Hand book and hypertention .5th ed., Alippincott Williams and Wilkins Company , Philadelphia;33:281-292.
- Eijssermans RM, Creemers DG, Helders PJ, Schroder CH** (2004): Motor performance, exercise tolerance, and healthrelated quality of life in children on dialysis. *Pediatr Nephrol* 19:1262–1266.
- Eiser C. & Morse R.** (2001): quality of life measures in chronic diseases of childhood. *Health Technol. Assess*; 5 (4).
- Ekneyan, Beck GJ. And cheung AK.** (2002): Haemodialysis study group,effect of dialysis on membrane flux in maintained hemodialysis. *N. Engl. J. Med.* ; 347: 2010-2019.
- Eknoyan G., Levin A. and Levin NW.** (2003): Bone metabolism and disease in chronic kidney disease. *AM. J. Kid. Dis.*; 42:1-202.

- El-Reshaid K., Madan M. and Naryanan (2000)** : Pediatric dialysis and renal transplantation in Kuwait over last 11 years , *Pediatr Nephrol.* ; 113 :259-264.
- Farid FA., El-Sayed ZA., El Kerdany TA. And Telb FA.** (2000): The effect of uraemia and hemodialysis on antithrombin - antigen level and protein c functional activity . Proceeding of the 1st congress of African Pediatric nephrology association (AFPNA).
- Feeny D. Furing W. Boyle M. Et al.** (1995): multiattribute health status classification systems: health utilities index. *Pharmacoeconomics*, 7: 490-502.
- Feld L., Lieberman E., and Springate J.** (2000): Management of hypertension in children with CRF, *J. Pediatr.* 129 : 518-526 .
- Fielding D, Brownbridge G** (1999) Factors related to psychosocial adjustment in children with end-stage renal failure. *Pediatr Nephrol* 13:766–770
- Fischbach M., Terzic R. and Menouers** (2001): Hemodialys in children, principles and practice. *Semin Nephrol.*;21: 470-479.
- Fivush BA. And Neu AM.**(198):Immunisation guidelines for pediatric renal disease. *Semin Nephrol.*; 3: 256-63.
- Francisco Lach** (2005): Renal failure, diagnosis and management In:Christopher S., WilcoxC. And Craig Tisher (eds.) :Hand book of nephrology and hypertention . 5th ed .Lippincot Williams and Wilkine Company, Philadelphia. 267-274.
- Francisco Llach** (2005): Chronic renal failure. In: Christopher S., Wilox C. and Craig Tisher (eds.) : Hand book of nephrology and hypertention. 5th ed., Alippincot Williams Wilkins Company, Philadelphia ; 31 : 267-274.

- Frazaio JM., Elangovan L. and Maung HM.** (2000): Intermittent doxicalciferol (1-alpha-hydroxyvitamin-D2) therapy for secondary hyperparathyroidism. *Am. J. Kid. Dis.*;36: 550-561.
- Garabed Eknoyan** (2001): the importance of early treatment of the anemia of chronic kidney disease. *Nephrol. Dial. Transplant.* 16; suppl. (5) 45-49.
- Garalda ME., jmeson RA., Reynolds JM. and Posstlethwaite RG.** (1998): Psychiatric adjustment in children with chronic renal failure. *J. Child Psychol Psychiatry*; 29:79-90.
- George LB.** (2003): Hypertention and nephrology. In: *American Journal of medicine*; 115: 519-529.
- Gerson A, Hwang W, Fiorenza J, Barth K, Kaskel F, Weiss L, Zelikovsky N, Fivush B, Furth S** (2004) Anemia and healthrelated quality of life in adolescents with chronic kidney disease. *Am J Kidney Dis* 44:1017–1023.
- Gocal R. and Mallick NP.** (1999): Peritoneal dialysis. *Lancet*;353:823-882.
- Goldstein S.L., Gerson CA. and Susan Furth** (2007): Health related quality of life in children with chronic kidney disease. *Advances in chronic kidney disease*, Vol 14, No4 (October) p364-369.
- Goldstein S.L., Nicole Graham and Bradly AW.** (2008): Measuring health related quality of life in children with end stage renal disease. *Am. J. Kidney Dis.* 51:285-297.
- Goldstein S.L., Nicole Graham and Bradly AW.**(2006): Health related quality of life in pediatric patients with end stage renal disease. *Pediatr Nephrol* 21: 846-850.

- Goldstein SL, Graham N, Burwinkle T, et al** (2006) : Healthrelated quality of life in pediatric patients with ESRD. *Pediatr Nephrol* 21:846-850, 2006.
- Gotay C.C., Korn E.L. McCabe M.S. et al** (1992): quality of life assessment in cancer treatment protocols. *Research ISSUES in protocol development. J Natl Cancer Inst*; 84: 575-579.
- Gudmundsodotir H. and Turka LA.** (2000): Transplantation tolerance ,mechanisms and stratigies; *Semin Nephrol.* ; 20 : 209-216.
- Guyatt G.H., Feeny D.H. Patrick D.L.** (1993): measuring health related quality of life. *Ann Intern Med*; 118: 622-629.
- Hayashi M. Tsuchya Y. and Itaya y.** (2004): Comparison of the effects of calcitriol and maxacalcitol on secondary hyperparathyroidism in patients on chronic hemodialysis: a randomized prospective multicenter study. *Nephrol. Dial. Transplant*;19: 2067-2073.
- Humphries JE.** (2000): Anaemia of renal failure. Use of erythropoietin. *Clin. Of North Am.*;76: 711-725 .
- Ira D., Davis D., Ellis D., & Avner.** (2007)): Chronic kidney disease.In:Beehrman R.E, kliegman R.M and Jenson H.B. (eds) : *Nelson Textbook of Pediatric* ; 18th edition ; Philadelphia Sauders Company ; P :2210-2213.
- James W Varni Christine A Limbers and Tasha M Burwinkle** (2007): Impaired health-related quality of life in children and adolescents with chronic conditions: a comparative analysis of 10 disease clusters and 33 disease categories/severities utilizing the PedsQL™ 4.0 Generic Core Scales. *Health and Quality of Life Outcomes* 2007, 5:43-49.

- Kestenbaum B., Sampson JN. And Rudser KD.** (2005): Serum phosphate levels and risks among people with chronic kidney disease. J. Am. Soc. Nephrol.; 16:520-528
- Kher KK.** (1992): Chronic renal failure. In: Clin. Pediatr. Nephrol. 3rd ed. : Kher , Makel SP. And Mc.Graw-Hill., In:New York; 501-529.
- Kimmel pl., Peterson RA. And Karen L.** (1995): Aspects of quality of life in hemodialysis patients. J.Am. Soc. Nephrol. 6: 1418-1428.
- Klaus G., Waston G., Edfoni A., Fishbach M., Ronnholm k., Schafer F., Simkova E., Stefanidis CJ., Strazdins V., Vande Valle J., Schroder C., Zurowska A., Ekim M.; European Pediatric Dialysis Working Group (EPDWG)** (2006): Pervention and treatment of renal osteodystrophy in children with chronic renal failure.European Guidelines Pediatric Nephrology. Feb; 21(2): 151-9.
- Kuizon BD. And Salusky IB.** (2003): Renal osteodystrophy . Pediatric J. Of Nephrology. Lippincot Williams and Wilkins. USA Wolters Company, 5th ed., P 1347-1366.
- Leidy N.K. (1994)** : Functional status and the forward progress of merrygo rounds .Tward a coherent analytical framework. Nurs. Res., 43: 196-502.
- Lindstorm B., and Koehler L. (1991):** Youth; disability and quality of life. Pediatrician; 18(2): 121-128.
- Lipton M., Rotundo A. and Nevins TE.** (1982): Progressive encephalopathy in children with chronic renal insufficiency. Kidney Int. 21: 486-491.
- London GM.** (2003): Left ventricular hypertrophy :Why does it happen? In: Department of nephrology and dialysis, Manhes Hospital, Fleury Merogis, France. Nephrol . Dial. Transplant,18 suppl.18 :2-6.

- Mauer SM., Nevins TE. And Ascher N.** (1992): Renal transplantation in children. In : Edelman CM. J. (editor): Pediatric kidney disease. Boston, Little, Brown and Company; 941-981.
- Meyer T., Babolak and Brenner BM.** (2004): Nephron adaptation no renal injury . Brenner BM. (eds) : The Kidney ,7th ed. W.B. Saunders Company, Philadelphia ; 2011.
- Micheal R., Clarkson and Barry M.** (2005): Renal osteodystrophy. In: Brenner and Rector's : The Kidney, 7th ed. Elsevier Saunders Company, Philadelphia; 519-537.
- Micheal R, Clarkson and Barry M.**(2005) : Hematological consequences of renal failure In:Brenner and Rectors :The Kidney, 7th ed. Elsevier Saunders Company ,Philadelphia; P.2170-2181.
- Moosa MR. and Kidd M.** (2006): The dangers of rationing dialysis treatment: the dilemma facing a developing country. Kidney Int. 70 : 1107-1114.
- Moreno F., lopez Gomez and Valderbanof I.** (1996): Quality of life in dialysis patients. A Spanish multicenter study. Nephrol Dial. Transplant 11 (supp 2): 125-129.
- Muirhead N., Borgman J. and Burgess E.** (2000):Evidence-based recoimmedations for the clinical use of recombinant human erythropoietin. Am. J. Kid. Dis.;26(1):1-24.
- National Kidney Foundation (K / DOQI)** (2003): Clinical practice guidelines. Am. J. Kid. Dis. ;(3): 52-102.
- National Kidney Foundation. Kidney Disease Outcomes Quality Initiative (NKF-K/DOQI)** (2000): Clinical practice guidelines for nutrition in chronic renal failure. Am. J. Kidney Dis. 35(suppl 2): 1-40

- National Kidney Foundation. Kidney Disease Outcomes Quality Initiative (NKF-K/DOQI)** (2000): Clinical practice guidelines for chronic kidney disease: evaluation , classification and stratification. Am. J. Kidney Dis., 39(suppli) :1-266.
- Newacheck PW, Strickland B, Shonkoff JP, Perrin JM, McPherson M, McManus M, Lauver C, Fox H, Arango P** (1998): An epidemiologic profile of children with special health care needs. Pediatrics 102:117-123.
- Newacheck PW, Taylor WR** (1992): Childhood chronic illness: Prevalence, severity, and impact. American Journal of Public Health, 82:364-371.
- Niu SF. And Li IC.** (2005): Quality of life in patients having renal replacement therapy. J.Adv. Nurs. 51(1):15-21.
- Noris M. and Remuzi G.** (1999): Uremic bleeding: closing the circle 30 years of controversies. In: Blood, Vol. 94, No. 8: pp 2569-2574.
- Norman M.Z** (2004): Renal osteodystrophy. In :Nelson W.E; Behrman R.E., Kliegman R.M. and Aruim M.A. :Nelson Text Book OF Pediatric, 17th (eds.) .Sauders Company Philidelphia.; 1520-1521.
- North American Pediatric Renal Transplant Cooperative Study (NAPRTCS) Report**(2001) :Renal transplantation, dialysis and chronic renal failure.
- Palmer CA.** (2002): Neurologic manifestations of renal disease. Neurol Clin. ; 20(1): 23-34.
- Paul L. Kimmel,2 Rolf A. Peterson, Karen L. Weihs, Samuel J. Simmens, Deneane H. Boyle, Illuminado Cruz, Walter O. Umana, Sylvan Alleyne, and Judith H. Veis** (1995): Aspects of Quality of Life in Hemodialysis Patients. J . Am. Soc. Nephrol. 6:1418-1426.

- Paul Stevens** (2005): Optimizing renal anaemia management—benefits of early referral and treatment. *Nephrol Dial Transplant* (2005) 20 [Suppl 8]: viii22–viii26 doi:10.1093/ndt/gfh1113.
- Reichel H., Drueke T. and Ritz E.** (2004): Skeletal disorder In: Davison AM., Cameron JS., Grunfeld JP., Kerr DNS., Ritz E., Winearls C.,(eds.): *Oxford Text Of Clinical Nephrology*. 4th ed., Oxford: Oxyford University Press; 1954-1981.
- Remuzzi G, Schippati A. and Minetti L.** (2004): Hematologic consequences of renal failure. In: Brenner and Rectors *The Kidney*, 7th ed. Chapter 49: p 2165-2183.
- Rodrigo EU.** (2004): Renal transplantation in children.In: *Nelson Text Book Of Pediatrics*. 17th edition. Chapter 528: P1775-1782.
- Ronco C., Bellomo R. and Kellum JA.** (2002): Continuous renal replacement therapy ,opinions and advances. *Adv. Ren. Replace Ther.* ; 9 :229-244.
- Safouh H.** (1996): A profile of renal disease in Egyptian children . 1 st Pan Arab Pediatric Nephrology Conference, Cairo.
- Sangeef and Gulati MD.** (2007): Chronic kidney disease (CKD). *Pediatr Nephrol* ; 22 :120-125.
- Scharer K, Schmidt KG. and Sorgel M.** (1999): Cardiac function and structure in patients with chronic renal failure. *Pediatr. Nephrol.*, 13(9): 951-65.
- Schipper H., Clinich J.J. and Olweny C.L.M.,** (1996): Quality of life studies: definitions and conceptual frameworks. In: Spilker B, editor . *Quality of life and pharmacoeconomics in clinical trials*. 2nd ed. Philadelphia: Lippincott-Raven Publisher.

- Sherrard DJ., Hercz G., Pei Y., and Greenwood C.** (1999): The spectrum of bone disease in end stage renal disease – an evolving disorder. *Kidney Int.*, 43(2): 436-442.
- Shuler CL. And Wolfson M.** (1999): Malnutrition and intradialytic parental nutrition in end stage renal disease patients. In principle and practice of dialysis. William- Henrich (ed.), 2nd edition, Williams and Wikins. (26): 373-386 .
- Slatopolsky E., Finch J., Denda M., et al** (1996): phosphorus restriction prevents parathyroid gland growth. High phosphorus directly stimulates PTH secretion in vitro. *JClin Invest.*, 97; 2534-2540.
- Stuart L. Goldstein, Arlene C. Gerson, and Susan Furth** (2007): Health Related Quality of Life for Children With Chronic Kidney Disease. *Advances in Chronic Kidney Disease*, Vol 14, No 4 pp 364-369.
- Tasic V.** (2005): management of renal osteodystrophy in children. *Turk J Pediatr.*, 47 Suppl: 13-18.
- Teng M., Wolf M. and Lowrie E.** (2003): Survival of patients undergoing hemodialysis with paricalcitol or calcitol therapy. *N. Engl. J. Med.*;349: 446-456.
- Testa M.A. & Simonson D.C.** (1996): assessment of quality of life outcomes. *N Engl J Med*; 334: 835-840.
- Travis L.B., Kalia A., Gugluzza K.K.** (1999): Renal transplantation in children; experience of 23 years at the children's renal centre of the university of Texas medical Branch at Galveston. *Texas med.*, 87; 12
- Valderbanof, Jofre R. and Lope Z.** (2001): Quality of life end stage renal disease patients on dialysis . *Am. J. Kid. Dis.*;38:443-464.
- Valderrabano F** (2000) Quality of life benefits of early anaemia treatment. *Nephrol Dial Transplant* 15(Suppl 3):23–28.

- Van Damme, Lombaerts R. and Herman J.** (2001): Erythropoietin treatment in children with renal failure. *Pediatr. Nephrol.* ;13(2): 48-52.
- Varni JW, Burwinkle TM, Lane MM** (2005): Health-related quality of life measurement in pediatric clinical practice: An appraisal and precept for future research and application. *Health and Quality of Life Outcomes* 3:34:1-9.
- Varni JW., Limbers CA. and Burwinkle TM. (2007): Impaired health related quality of life in children and adolescents with chronic conditions. *Health and quality Of Life Outcomes*, 5:43.
- Vogt B.A., and Avner E.D.,** (2004): chronic renal failure. In: Nelson text book of pediatrics. 17th edition. Chapter 527: p 1771-1774.
- Wasner S.J** (2000): Conservative management of chronic renal insufficiency .In: Holliday M.A, Barratt T.M and Anver E.D.(eds) : *Pediatric Nephrology* , 4th ed., Williams and Wilkians, Baltimore, 1314-1332.
- Wassner S.J., and Baum M.** (1999): physiology and managenmet of chronic renal failure. In *Pediatric J Nephrology*. Lippincott Williams & Wilkins. USA: Woltwrs company, 4th ed, p 1155- 1182.
- Wilson I.B., and Cleary P.D.,** (1995): Linking clinical variables with health related quality of life. *JAMA*; 59-65.
- Wong C.S., Gipson D.S., Gillen D.L. et al.** (2000) anthropometric measures and risk of death in children with ESRD. *Am J. Kidney Dis.* 36 (4): 811- 819.
- World Health Organization** (1948): Constitution of the World Health Organization: Basic Document. Geneva, Switzerland , World Health Organization.

Young EW., Albert JM., and Satayathum S. (2005): Predictors and consequences of altered mineral metabolism. The dialysis outcomes and practice pattern study. *Kidney Int.*;65:1179-1187.