

## REFERENCES

- \* Alexander, J.A. and Rodgers, B.M. (1980):  
“Diagnosis and management of pulmonary insuff. “  
Surg. Clin. North Am., 60(4), pp. 983.
- \* Avery, A.; Fanaroff and Martin, R.J. (1983):  
“Respiratory distress syndrome “. In Fanaroff A.A. and Martin, R.J.  
Neonatal perinatal medicine : 3, pp. 427, 3ed edition, C.V. Mosby  
Company.
- \* Avery, M.E. and Taeusch, H.W. (1984):  
“Respiratory distress in the newborn “. In Shaffer's diseases of the  
newborn, 5th edition, W.B. Saunder's Comp. Philadelphia, Toronto,  
London, p. 131.
- \* Bacsik, R.D. (1977):  
Meconium aspiration syndrome.  
Clin. N. Amer., 24:463.
- \* Ballard, P.L. (1984):  
“Combined hormonal treatment and lung maturation “. Seminars in  
Perinatology, 8:283.
- \* Ballard, J.L.; Musial, M.J. and Myers, M.G. (1986):  
“Hazards of delivery room resuscitation using oral method of  
endotracheal suctioning “.   
Pediatric Infect. Dis., S. pp. 198.
- \* Bartlett, R.H. (1984):  
“Extracorporeal membrane oxygenation in neonates “.

Hosp. Prac., 19:139-151.

\* Behraman, R.E. and kliegman, (1987):

“ Respiratory distress syndrome “. In Behraman R.E. and Vaughan V.C., Nelson Text Book of Pediatric, 13th edition, 7, pp. 373, W.B. Saunder Comp.

\* Bernhand, W.F.; Malcolm, J.A. and Berry, R.W. (1983);

“ A study of the pathogenesis and management of spontaneous pneumothorax “. In Behrman R. and vaughan V.C. Nelson Textbook of pediater., 12th edition, 12:1082, W.B. Saunder Company.

\* Block, M.F.; Kallenberger, D.A.; Kern, J.D. and Nepiveux, R.D. (1981):

“ In utero meconium aspiration by baboon fetus “.

Obstet. Gynecol., 57:26.

\* Bochner, C.J.; Medearis, A.R.; Ross, M.G.; Oakes, G.K.; Jones, P.; Hobel, C.J. and wade, M.E. (1987):

“ The role of antepartum testing in the management of postterm with heavy meconium in early labour “.

\* Boccon - Gibod. L., Roucayrol - AM.

Meconium periorchitis

Pediatric - Pathol. 1992 Nov. - Dec. : 12(6)251-6.

\* Brady, J.P. (1979):

“ Management of meconium aspiration syndrome “. In Gregory G.A. and Thiabeault D.W. Neonatal pulmonary care, 19:296-306.

\* Brown, B.L. and Gleicher, N. (1981):

“ Intrauterine meconium aspiration “.

Obstet. Gynecol., 57:26.

\* Canningham, A.S.; Lawson, E.E.; Martin, R.J. and Pildes, R.S. (1990):

Tracheal suction and meconium: A proposed standard of care. J. Pediatric, 153:154.

\* Carter, M.M.; Gerstmann, D.R.; Clark, M.R.H. (1990):

High frequency oscillatory ventilation and extracorporeal membrane oxygenation for the treatment of the treatment of acute respiratory failure.

Pediatrics, 85(2).

\* Casiro, O.; and Seshia, M. (1989):

Management of meconium stained neonates.

J. Pediatrics, 114 (6).

\* Clark, D.A.; Nieman, G.A.; Thompson, J.E.; Paskanik, A.M.; Rollhor, J.E. and Bredenberg, C.E. (1987):

" Surfactant displacement by meconium free fatty acids. An alternative explanation for atelectasis in meconium aspiration syndrome "

J. Pediatrics, 110, 760-765.

\* Cloherty., J.P. and Jose, J.A. (1985):

Meconium aspiration. In Cloherty J.P. and Stark, A.R. Manual of neonatal care, 2nd edition, Boston M.A. Little Brown, P. 203-206.

\* Cockburn, F. and Drillien, C.M. (1974):

Disorders of respiration. In Neonatal medicines, 1st edition. Blackwell Scientific Publication Oxford, London, Edinburg.

\* Coetraman and Sunshine, P. (1976):

Neonatal hypoxia and pulmonary vasospasm response to tolazoline.

J. Pediatrics Clin., 896 (17).

\* Cole, J.W.; Partman, R.J.; Perlman, J.M. and Robson, A.M. (1985):

Urinary B2 microglobulin in fullterm newborns : Evidence of proximal tubular dysfunction in infants with meconium - stained amniotic fluid “.

Pediatrics, 76 (6); 958-963.

\* Coltart, T.M.; Byrane, D.L. and Bates, S.A. (1989):

“ Meconium aspiration syndrome a 6-year retrospective study “. Brit. J. Obstet. Gynecol., 96 (411), pp. 4-14.

\* Dalal, G. (1988):

“ The legal imperative and the meconium stained newborn “.

AJDC; 142; pp. 250-251.

\* Davis, R.O.; Philips, J.B.; Harris, B.A.J.R.; Wilson, E.R. and Huddleston, J.F. (1989):

Fetal meconium aspiration syndrome occuring despite airway management considered appropriate “.

Am. J. Obstet. Gynecol., 151; 731-736.

\* Drummond, W.H.; Gregory, G.A.; Heymann, M.A. and Philbs, R.A. (1981):

“ The independent effect of hyperventilation, Tolazoline and Dopamine in infants with persistent pulmonary hypertension “.

J. Pediatric; 98; 603.

\* Estroff, J.A., Bromley, B., et al.,

Fetal meconium peritonitis without sequelae pediatric radiol - 1992, 22 (4) : 277-8

- \* Fakhoury -k., Durie - PR et al .,  
Meconium ileus in absensence of cystic fibrosis Arch - Dis - child  
1992 Oct.: 67(10 spec No) :1204-6
- \* Falciglia , H.S. (1988):  
"Failure to prevent meconium aspiration syndrome".  
Obstet . Gynecol ., 71(3) ;1:379.
- \* Fanaroff , A.A.;Martin ,R.J. and Miller, M.J (1987) :  
"Meconium aspiration syndrome" . In Fanaroff,  
A.A. and Martin, R.J. Neonatal perinatal medicine . Diseases of the  
fetus and newborn (5) 604, 4th edition , C.V. Mosby Company.
- \* Fenton, A.N. and Steer, C.M. (1962):  
Am. J. Obstet. Gynecol., 63:354.
- \* Fisher, D.E. and paton, J.B. (1979):  
" Resuscitation of the newborn infant ". In Kalaus M.H. and  
Fanaroff, A.A. eds. Care of high risk neonate, 2ed edition,  
Philadelphia W.B. Saunders Co., 23-24.
- \* Ficheux, H.; Levillain, P.; Francoual, J.; Leluce, R. and  
Lemonnier, A. (1989):  
" Simultaneous determination of hemoglobin and coporoporphrin by  
second derivative differential spectrophotometry as a method for  
diagnosis of meconium aspiration syndrome ".  
Clin. Chem. Acta; 15:182 (1), p. 53-61.
- \* Fox, W.W.; Berman, L.S.; Dawnes, J.J. and Peckham, G.J. (1975):  
" The therapeutic application of end-expiratory pressure in the  
meconium aspiration syndrome ".

Pediatrics; 56 (2), 214-217.

\* Fox, W.W.; Gewitz, M.; Dinwiddie, R.; Drummond, W. and Peckham, G. (1977):

“ Pulmonary hypertension in the perinatal aspiration syndrome “. Pediatrics, 59; 205-209.

\* Frantz, I.D.; Wong, N.S. and Thack, B.T. (1975):

“ Experimental meconium aspiration. The effect of glucocorticoids treatment “. J. Pediatric; 86:438.

\* Gage, J.E.; Taeusch, H.W.; Traves, S. and Goldicott, W. (1981):

“ Suctioning of upper airway meconium in newborn infants “. JAMA; 246 (22); 2590-2592.

\* Gardner, T.W.; Domm, A.c.; Brock, C.E. and Pruitt, A.W. (1983): Congenital pulmonary lymphangiectasia.

Clin. Pediatrics, 22:75.

\* Godfrey, S. (1981):

Growth and development of the respiratory system. In Davis J.A. and Dobbing J. Scientific foundations of Pediatric, 2ed edition, William Heinemann Medical Book Ltd, London.

\* Gooding, C.A.; Gregory, G.A.; Taber, P. and Wright, R.R. (1971):

An experimental model for the study of meconium aspiration of the newborn.

Radiology, 100:173.

\* Govaert, P., Van-Hecke, R., et al.,

Meconium peritonitis : diagnosis, etiology and treatment Tijdschr, Kinder geneesked : 1991 Jun : 59 (3) : 98-105

\* Graves, E.D.; Loe, W.A.; Redmond, C.R.; Falterman, K.W.; Arensman, R.M. (1989):

Extracorporeal membrane oxygenation as treatment of severe meconium aspiration.

Outh Med. J.; 82 (6), 296.

\* Gregory, G.A.; Goodling, C.A.; Phibbs, R.H. and Tooley, W.H. (1974):

“ Meconium aspiration in infants a prospective study “.

J. Pediatric, 85 (6), 248.

\* Halliday, H.L.; Meclure, G. and Reid, M. (1985):

“ Respiratory problems “ in Hand book of neonatal intensive care, 2ed edition, W.B. Saunders Co.

\* Hansel, B.C. (1986):

Personal communication May 28.

\* Haworth, S.G. and Reid, L.M. (1976):

Persistent fetal circulation: Newly recognized structural features.

J. Pediatric, 88; 614.

\* Hegi, T. and Hiatt, I.M. (1980):

“ Tolazoline and Dopamine therapy in neonatal hypoxia and pulmonary vasospasm “.

Acta Pediatric Scand. J., 69, 101-103.

\* Hirsch and Bartlett, R.H. (1978):

“ Extracorporeal membrane oxygenation support in cardiorespiratory failure “.

- Adv. Surg., 12; 189-212.
- \* Hoskins, I.A.; Hemming, V.G.; Trnson, T.R.B. and Winkel, C.A. (1987):  
“Effect of alteration of zinc to phosphorous ratio and meconium content on group B Streptococcus growth in human amniotic fluid in vitro “.
- Am. J. Obstet. Gynecol., 157; 770-773.
- \* Jovanovic, R. and Nguyen, H. (1989):  
“Experimental meconium aspiration in guinea pigs “.
- Obstet. Gynecol., 75:652.
- \* Kojima, T., Hahori, K. et al.,  
Meconium-induced lung injury mediated by activation of alveolar macrophages.
- Life-Sci., 1994 : 54 (21) : 1559-62.
- \* Linder, N.; Aranda, J.V.; Tsur, M.; Matoth, I.; Yetsiv, I.; Mandelberg, H.; Rottem, M.; Feigenbaum, D.; Ezra, Y. and Tamir, I. (1988):  
“Need for endotracheal intubation and suction in meconium stained neonates “.
- J. Pediatric; 112(4), 613-615.
- \* Loughlin, G. and Taussing, L.M. (1979):  
Pulmonary function in children with history of laryngotracheobronchitis “.
- J. Pediatric; 94; 365-369.
- \* Macfarlane, P.I. and Heaf, D.P. (1988):  
“Pulmonary function in children after neonatal meconium aspiration”.

Arch. Dis. Child., 68; 368-372.

\* Mammel, M.C.; Gordon, M.G; connet; Boros J.; Boros, S.j. and -  
Minn, S.P (1983):

Comparison of high frequency jet ventilation and conventjonal  
mechanical mechanical ventilation in meconium aspiration model.

J. Pediatric, 103, (4), 630.

\* Meadow, B.R. and Smithells, R.W (1981):

“ Respiratory distress syndrome”. In Meadow B.R. and Smithells  
R.W. editors. Lecture notes in Pediatrics, 4th edition; 2 p. 30,  
Blackwell Scientific Publications, Oxford, London, ?Edinburgh,  
Boston, Melbourne.

\* Miller, F.C; Sacks, D.A.; Yehsy, Poul, R.H; Schiffrin, B.S.; Martin,  
C.B and Hon, E.H. (1975):

“ Significance of meconium during labour ”.

Am. J. obstet. Gynecol., 122 ( 3 ), 573.

\* Mok, J.y.G. and simpson, H. (1984):

“ Outcome of acute bronchitis, bronchiolitis and pneumonia in  
infancy”.

Arch. Dis. child., 59; 306.

\* Moonan, J.A; Walters, L.R. and reeves J.t. ( 1970):

“ Congenital lymphangiectasia”.

Am. J Dis. child., 120:314.

\* Moses, D., Holm, BA., et al.,

Inhibition of pulmonary surfactant function by meconium.

Am. J. Obstet. Gynecol. 1991 Feb : 164 (2), 477-81

- \* Murphy, J.D; Vawter, G.F. and Reid, L.M. ( 1984 ):
  - “ Pulmonary vascular diseases in fetal meconium aspiration “.
  - J. Pediatric, 104, p. 758.
- \* Neldam, S. ( 1982):
  - “ Fetal respiratory movement relationship to postnatal respiratory capacity”.
  - Am. J obstet. Gynecol. 142: 862.
- \* Ostrea, E.M. and Naqvi, M. ( 1981):
  - “ Meconium passage in utero, fetal distress and gestional age”.
  - Pediatrics, 67; 307.
- \* Paul, V. K.; Shanker, V., Deorari, A.K. and Singh, M. (1989):
  - “ Tracheal suction in meconium stained amniotic fluid”.
  - J. Pediatric, 114(3), 308.
- \* Perelman, R.H.; Engle, M.J. and Farrel, P. (1981):
  - “ care of high risk neonates”. In Fanaroff A.A. and kalu, S.M. aditors, P. 406, Philaddephia, W.B. Saunders Co.
- \* Philips, J.P. ; Wilson, E.R.; Donis, R.o.; Huddleston, J.F and Harris, B.A. (1985):
  - “ Meconium aspiration Syndrome”.
  - Am. J. Obstet. Gynecol., 153(5), 553-555.
- \* Pisa, J.E.; Gonzalez, M.P.; Northrop, C.C and Every, R.D (1989):
  - “ Meconium contamination of the neonatal middle ear ”.
  - Pediatrics, 115; 910-914.

- \* Pretlow, R.A. (1987):  
 " Hand powered apparatus for aspiration of meconium from airway "  
 Pediatrics, 79(4) : 642.
- \* Pullen, C.R. and Hey, R.N. (1982):  
 " Wheezing, asthma and pulmonary dysfunction ten years after infection with respiratory syncytial virus "  
 Brit. Med. J., 284:1665-69.
- \* Radner, M., Vergesslich, KA., et al.,  
 " Meconium peritonitis : a new finding in rubella syndrome.  
 J. Clin, ultra sound. 1993 Jun : 21 (5) : 346 : 9.
- \* Rawlings, C.S. and Symith, L.F.R. (1984):  
 " Transient tachypnea of the newborn : An analysis of the neonatal and obstetric risk factors "  
 AJDC, 138 : 869.
- \* Rescorla, FJ. : Grosfeld, JL.,  
 " Contemporary management of meconium ileus word, J. Surg. 1993 May. Jun., 17 (3) : 318-25.
- \* Rimmer, S. and fawcitt, J. (1982):  
 " Delayed clearance of pulmonary fluid in the neonate :.  
 Arch. Dis. Child., 57:63.
- \* Robertson, N.R.C. (1982):  
 " Advance in respiratory distress syndrome "

Brit. Medical Journal, 284:917-918.

\* Robertson, N.R.C. (1986):

“Pulmonary diseases of the newborn “. In Textbook of neonatology, 1st edition, Churchill livingstone.

Edinburgh, London, Melbourne and New York.

\* Runkle, B. and Bancalari, E. (1984):

“Acute cardiopulmonary effect of pancuronium bromide in mechanically ventilated newborn infants “.

J. Pediatric; 104(4) 614.

\* Russi, E.M.; Phillipson, E.H.; William, S.T.G. and Kalhan, S.C. (1989):

“Meconium aspiration syndrome : Intrapartum and neonatal attributes “.

Am. J. Obstet. Gynecol., 161:1106.

\* Sadovsky, Y.; Amon, E.; Bade, M.E. and petrie, R.H. (1989):

“Prophylactic amnioinfusion during labour complicated by meconium : A preliminary report “.

Am. J. Obstet. Gynecol., 161(3), 613-617.

\* Saling, E. (1968):

“Foetal and neonatal hypoxia in relation to clinical obstetric practice, London, Edward Arnold Ltd, p. 117.

\* Salle, J.L., de-Fraga, J.C. et al.,

“Congenital replure of scrotum. an unusual complication of meconium peritonitis.

J. Vrol. 1992 Oct. : 148(4) : 1242-3.

\* Scott, A.; Moat, V. and Onsted, M. (1986):

“ Meconium aspiration syndrome “. In Hutchison J.H. and Cockburn F. editors practical pediatric problems, 6th edition, Loyd-Luck (Medical books), Ltd 4, bedford square, London.

\* Sepkowitz, S. (1987):

“ Influence of the legal imperative and medical guidelines on the incidence and management of the meconium stained newborn.

AJDC, 141.

\* Simpson, H. and Mok, J.Y.O. (1985):

“ Outcome of respiratory disease in childhood “. In Milner A.D. and Martin R.J. eds. Neonatal and Pediatric Respiratory Medicine, London : Butterworth, 211-235.

\* Soong, JH. Hsieh, CC. et al.,

“ Meconium peritonitis, antenatal diagnosis by ultra sound.

Chang-Keng-I-Hsueh-1992 Sep. : 15 (3) : 155-60.

\* Stern, R.C. (1983):

“ In Behrman, R.E. and Vaughan, V.C. Nelson Textbook of Pediatrics, 12th edition, W.B. Saunders Company.

\* Sunoo, C.; Kosasa, T. and Hale, R.W. (1989):

“ Meconium aspiration syndrome without evidence of fetal distress in early labour before elective cesarean section “.

Obstet. Gynecol., 73:707.

\* Swaminathan, S.; Quinn, B.A.; Stabille, M.D. (1989):

Long-term pulmonary sequelae of meconium aspiration syndrome.

J. Pediatric, 114(61), 336.

\* Symth, J.A.; Tahacknik, E.; Dancan, W.J.; Rielly, B.J. and levison, H. (1981):

“ Pulmonary function and bronchial hyperreactivity in long term survivor of bronchopulmonary dysplasia “.

Pediatrics; 68:336-340.

\* Ting, P. and Brady, J. (1975):

“ Tracheal suction in meconium aspiration “.

Obstet. Gynecol., 122 : 767.

\* Tridade, O.; Goldberg, R.N. and Bancalari, E. (1989):

“ Conventional vs high frequency Jet ventilation in a piglet model of meconium aspiration comparison of pulmonary and hemodynamic effects “.

J. Pediatrics; 107 (1), 115.

\* VanDyke, R.B. and Spector, S.A. (1984):

“ Transmission of herpes simplex virus type I to a newborn infant during endotracheal suctioning for meconium aspiration “.

Pediatric infect. Dis.; 3:153-156.

\* Walker, J. (1950):

Am. J. Obstet. Gynecol., 77:94.

\* Wang, YL., Chen-Hc., et al.,

“ Meconium peritonitis neonates.

Chung-Hua-1-Hsueh-Tsa-Chih-Taipei: 1994 Jan. 53(1) : 49-53.

\* Wenstrom, K.D. and Parsons, M.T. (1989):

" The prevention of meconium aspiration in labour using amnioinfusion "

Obstet. Gynecol., 73(4), 647.

\* Wiswell, T.E.; Raulings, C.S.; Smith, C.R. and Goo E.D. (1985):

" The effect of flurosemide on the clinical course of transient tachypnea of the newborn "

Pediatrics, 75:908.

\* Wiswell, T.E.; Tuggle, J.M. and Turner, B.C. (1990):

Meconium aspiration syndrome : Have we made a difference "

Pediatrics, 85; 715-721.