

REFERENCES

REFERENCES

Abdul Karim R., Assali N.S. (1961).

Renal functions in human pregnancy and the effect of oxytocin on renal hemodynamics and water and electrolyte excretion. *J. Lab. Clin. Med.* 56 : 522, C.F. Iatrogenic hyponatremia of the newborn due to maternal fluid over load, Tarnow et al., *Br. Med. J.* Vol.283, p. 639 - 642, 1981.

Ahmed, A.J. ; Clark, E.H. and Jacobs, H.S. (1975).

Water intoxication associated with oxytocin infusion *Post. Grand Med. J.* 51: 249-252. C.F. Iatrogenic hyponatremia of the newborn due to maternal fluid over load, Tarnow et al., *Br. Med. J.* Vol. 283, p. 639 - 642, 1981.

Al-Dahhan, J.; Haycock, G.B. and Chantter, C. et al. (1983).

Sodium homeostasis in term and preterm neonates *Arch. Dis. Child.* 58: 335.

Anderson, B. (1974).

Central control of body fluid homeostasis *Proc. Aust. Physiol. Pharmacol. Soc.* 5: 139, C.F. Body composition, Leighton L.H. *Ped. Clin of North Am.* Vol. 37, No.2 450 - 452, 1990.

Andersson, K.E. ; Forman, A. and Ulmsten, U. (1983).

Pharmacology of labour *Clin. Obst. Gyn.* Vol.26, 56.

Apria, A., Broberger . O., Thodenius, K. et al. (1972).

Renal response to an oral sodium load in newborn full term infants. *Acta Ped. Scand.* 61 : 670.

Arieff, A.I. (1988) .

Osmotic failure, physiology and strategies for treatment Hosp. Pract.
23: 173, C.F. Hyponatremia, Berry. P.L. and Belsha C.W. Ped.
Clin. of North. Am. Vol. 37, No.2, 350 - 360, 1990.

Areiff, A.I. and Guisado, R. (1976).

Effects on the central nervous system of hypernatremic and
hyponatremic states Kidney, Int. 10, 104 : 116.

Aronson, P.S. (1981).

Identifying secondary active solutes transport in epithelia. Am. J.
Physiol, 240, Fl.

Barltrop, D. (1992) .

Nutrition , In Campbell AGM, McIntosh N. (ed) .Forfar & Arneil's
text book of pediatrics, Fourth ed. Churchil Livingstone , Edinburgh
p. 1277.

**Behrman, R.E.; Kliegman, R.M. ; Nelson , W.E. and Vaughan, V.C.
(1992).**

Sodium. In Textbook of pediatrics, 14 th ed, Behrman R.E. et al., p.
179 - 182, W.B. Saunders company.

Bello-Reuss, E.; Colindres, R.E.; Pastorizra-Munoz, E. et al. (1975).

Effects of acute unilateral renal denervation in the rat J. Clin. Invest.
56, 208 - 217.

Bello-Reuss, E.; Trevino, D.L.; Gottschalk, L.W. (1976).

Effects of renal sympathetic nerve stimulation on proximal water and
sodium reabsorption J. Clin. Invest., 57, 1104 - 1107.

Berry, P.L.; Belsha, C.W. (1990).

Hyponatremia. Ped. Clin. of North. Am. Vol. 37, No.2 , P. 35 -361.

Biollaz, J.; Bidiville, J. ; Diezi, J. et al., (1987).

Site of action of a synthetic atrial natriuretic peptide evaluated to humans . *Kidney Int.*, 32, 537 - 546.

Bileck, W.; Dorr, P. (1970).

Water intoxication and grandmal seizures due to oxytocin *Can. Med. Assoc. J.* 103, 374 - 382. C.F. Iatrogenic hyponatremia of the newborn due to maternal fluid overload, Tarnow et al., *Br. Med. J.* Vol. 283, P. 639 - 642, 1981.

Blanco, J.D., Finley, B.S. (1987).

Induction and stimulation of labour. *Clinical obstetrics*, Carl J., Pauerstein, 1 st ed., John Wiley and Sons Inc.

Brass, E.P., Thompson, W.L. (1982).

Drug induced electrolyte abnormalities *Drugs*, 24, 207 - 228.

Brem, A.S. (1990).

Disorders of potassium homeostasis *Ped. Clin. of North. Am.* Vol. 37, No. 2 p. 414 - 426.

Brenner, B.M. ; Troy, J.L., Daugherty, T.M. (1973).

Quantitative importance of changes in postglomerular colloid osmotic pressure in mediating glomerular tubular balance in the rat *J. Clin. Invest.*, 52, 190-198.

Burnett, J.E. , Jr., Knox, F.G. (1980).

Renal interstitial pressure and sodium excretion during renal vein constriction. *Am. J. Physiol.*, 238 , p. 279 - 282.

Burt, R.L., Oliver , K.L., Whitener, D.L. (1969).

Water intoxication complicating elective induction of labour at term. Report of a patient who survived *Obst. Gyn.*, 34, 212-219.

Cahill, D.J. ; Boylan,P.C.; Oherliby, C.(1992).

Does oxytocin augmentaton increase perinatal risk in primigravid labour Am. J. Obst. Gyn., 166, p. 847.

Cardozo, L.D.; Gibb, D.M.F., Studd, J.W.W. et al. (1982).

Predictive value of cervimetric labour patterns in primigravidae. Bri. Med. J. Obst. Gyn.,80,33.

Casteel,H.B., Feidorek, S.C. (1990).

Oral rehydration therapy Ped. Clin. of North Am., Vol. 37, No.2, p.295-299.

Chard, T.; Hudson, C.N. ; Edward, C.R.W.; Boyd, N.R.H. (1971).

Release of oxytocin and vasopressin by the human fetus during labour. Nature 234, 352-354, C.F. Iatrogenic hyponatremia of the newborn due to maternal fluid overload. Tornow et al., Br. Med., J. Vol.283, p. 639-642, 1981.

Clark, D.D. (1989).

Potassium disorders, In Abuelo . G.J. (ed) Renal pathophysiology: The essentials. Baltimore, Williams and Wilkins, p. 116-133.

Cloherthy,J.P., Stark, A.R. (1991).

Normal blood chemistry values in the newborn. Manual of neonatal care, 3 rd (ed) Little, Brown and Company Boston, p.722-723.

Conley, S.B. (1990).

Hypernatremia. Ped. Clin of North Am. Vol.37, No.2, p. 365-370.

Cunningham, F.G.; MacDonald,P.C.; Gant, N.F. et al. (1993).

Williams Obstetrics, 19 th ed., Prentice Hall inter. Incor. p. 338- 340.

Dale , H.H. (1906).

The pharmacology and clinical application of various oxytocin drugs.
J. Physio. 34, 163, C.F. Munsick R.A., Am. J. Obs. Gyn. 93(3),
442, 1965.

Dahlenburg, G.W. , Burnell, R.E.; Braybrook, R. (1980).

The relation between cord serum sodium levels in newborn infants
and maternal intravenous therapy during labour . Bri. J. Obs. Gyn.
87, 519.

Davis, G.R.; SantaAna, C.A.; Morawski, S.G.et al. (1982).

Permeability characteristics of human jejunum, ileum, proximal
colon and distal colon. Gastroentrology 83, 844.

DeBold, A.J.; Borenstein, H.B.;Veress, A.T et al., (1981).

Arapid and potent natriuretic response to intravenous injection of
atrial myocardial extract in rats. Life Sci., 89-94, C.F. Body
composition, Leighton, L.H. Ped . Clin. of North Am. p. 250-254.

DeFronzo, R.A.; Bia,M. (1985).

Extrarenal potassium homeostasis. In Seldin, D.W., Giebisch, G.
(eds) The Kidney: Physiology and pathophysiology. Raven Ress, N.Y.
p. 1179-1206.

DeFronzo, R.A., Lee, R. Jones, A. et al. (1980).

Effects of insulinopenia and adrenal hormone defficiency on acute
potassium tolerance. Kidney Int. 17: 586-594.

Devlin, T.M. (1986).

The urea cycle. Creatine and creatinine Textbook of biochemistry
with clinical correlations 2nd (ed) Wiley Med. Publ., p. 443-451, p.
479-485.

Doolan, P.D., Aplén, L., Thiel, G.B. (1982).

Clinical appraisal of the plasma concentration and endogenous clearance of creatinine Am. J. Med., 32, 65 - 79.

Doucet, A. (1988).

Function and control of Na-K ATPase in single nephron segments of the mammalian kidney. Kidney Int. 34, 749-760.

DuVigneaud, V., Nessler, C.; Trippetts. (1953).

The sequence of amino acids in oxytocin with a proposal for the structure of oxytocin. J. Biol. Chem. 205, 949, C.F. Clinical obstetrics, Carl J., Pauerstein 1st (ed), John Wiley and Sons, C. 1987.

DuVigneaud, V.; Ressler, C., Swan, J.M. et al. (1954).

J. Am. Chem. Soc., 76, 3115, C.F. Postgraduate Obs. and Gyn. 3rd (ed) Browne FJ, Browne, J.C. 1964.

Eggers, T.R.; Fleigner, J.R. (1979).

Water intoxication and syntocinon intoxication Aust. N.Z. J. Obs. Gyn. 19: 59 C.F. Williams Obstetrics 18th (ed) Appleton and Lange, California 1989.

Engelke, S.C.; Shah, B.L.; Vasan, U. et al. (1978).

Sodium balance in very low birth weight infants J. Ped., 93, 837.

Finberg, L. (1982).

Hypernatremic dehydration. In Finberg, L. Kravath, R.E., Fleischman, A.R. (eds) water and electrolytes in pediatrics, Philadelphia . W.B. Saunders p. 78-89.

Finberg.L.(1982).

Therapeutic management of hyponatremic dehydration. In Finberg,L.
Kraveth, R.E., Fleischman A.R. (eds) water and electrolytes in
pediatrics Philadelphia , W.B. Saunders p. 129 - 135.

Fitch, D.S.; Chevli, R. (1980).

Inhibition of creatine and phosphocreatine accumulation, In Skeletal
muscles and heart metabolism , 29, 686-690.

Friel, J.P. (1981).

Dorland's illustrated medical dictionary, 26 th (ed), p. 1046, 1423.
W.B. Saunder Company.

Frizzell, R.A.; Field, M.; Schultz, S.G. (1979).

Sodium coupled chloride transport by epithelial tissue Am. J. Physio.
236, F1.

Fucs, A.R. ; Fucs, F.; Husslein,P.; Soloff, M.S. (1984).

Oxytocin receptors in the human uterus during pregnancy and
parturition Am. J. Obs. Gyn., 150, 734.

Fucs, A.R. ; Goeschen,K.; Husstein,P. et al. (1983).

Oxytocin and the intiation of human labour Am. J. Obs. Gyn.,
147,99.

Fucs , A.R., Husslein , P., Fuchs , F. (1981) .

Oxytocin and intiation of human parturition . Am. J. Obs. Gyn, 141 ,
694 .

Freidman, E.A. (1978).

Labour, In Clinical evaluation and management. 2nd (ed), Newyork
Appleton.

Garg, L.C.; Knepper, M.A.; Burg, M.B. (1981).

Mineralocorticoid effects on Na-K ATPase in individual nephron segments. *Am. J. Physio.*, 240, F536-544.

Goldbery, M. (1981).

Hyponatremia *Med. Clin. of North. Am.* , 65, 251.

Goodkin, D.A.; Narins, R.G. (1986).

Quantitation of serum potassium changes during acute acid-base disturbances. In whelton. P.K. , Whelton, A., Walker, W. (eds) , potassium in cardiovascular and renal medicine. *Kidney Disease*. Vol.6, Marrel Dekker, NY, p. 67-83.

Gross, P.A., Ketteler, M. Hausmann, C. et al. (1987).

The charted and uncharted waters of hyponatremia. *Kidney Int.* 32, 567.

Gruskin, A.B. ; Baluarte, H.J. ; Prebis, J.W et al. (1982).

Serum sodium abnormalities in children. *Ped. Clin. of North Am.* , 29, 907.

Hayek, A.; Peake, G .T. (1982).

Hypothalamic adipsia without demonstrable structural lesion *Pediatrics* 70, 275 - 278.

Hill, J.G. (1984).

Evaluation of renal function *Pediatric Clinical Chemistry*. Hick , J.M., Boeck, R.T., 113-119. W.B. Saunders Comp.

Jamison, R.L. (1987).

The renal concentrating mechanism . *Kidney Int.* 37, 543 - 550.

Josey, W.E.; Pinto, A.P.; Plant, R.F. (1969).

Oxytocin induced water intoxication . *Am. J. Obst. Gyn.*, 104, 926.

Kastrup, E.K. ; Pharm, B.S.; Bernie, R. et al. (1986).

Contraindications of oxytocin administration, Drugs Facts and Comparison, p. 315.

Katz, A.I. (1986).

Distribution and function of classes of ATPase along the nephron
Kidney Int. 29, 21-31.

Kinne, R.K.H. (1988).

Polarity, diversity and plasticity in proximal tubule transport systems
Ped. Nephrol. , 2, 477-484.

Klahr, S. (1984).

The kidney and body fluids in health and disease. 2nd (ed) Newyork,
Planum press.

Knochel, J.P.; Dotin, L.N.; Hamburger, R.J. (1972).

Pathophysiology of intense physical conditioning in hot climate,
Mechanism of potassium depletion. J. Clin. Invest. 51, 242-255.

Kraus, J.F., Bullerns, M., Greenland, S. (1990).

A nested case-control study of oxytocin and sudden infant death
syndrome. Am. J. Obs. Gyn., p. 604.

Krummel, T.M.; Llyold, D.A.; Rowe, M.I. (1985).

The postoperative response of the term and preterm newborn infant
to sodium administration. J. Ped.Surg. 20: 803, C.F. Special needs
of the newborn infant in fluid therapy, sayem El-Dahr, S., Chevalier
R.L., Ped. Clin. of North. Am. Vol.37, No.2, 323-331, 1990.

Leake, R.D. Weitzman, R.E. Fisher, D.A. (1980).

Pharmacokinetics of oxytocin in the human subject. Obst. Gyn. 56,
701.

Leighton, L.H. (1990).

Body composition, normal electrolyte concentration and the maintenance of normal volume, tonicity and acid base metabolism
Ped. Clin. of North. Am. Vol.37, No.2, p. 247-249.

Leveno, K.J. ; Cunningham, F.G. ; Pritchard, J.A. (1985).

Ces. Section. Answer to the house of horne Am. J. Obst. Gyn. 153,
p. 838.

Liggins, G.C. (1962).

Acute water retention associated with continuous slow infusion of oxytocin. J. Obs. Gyn. of the Bri. Common Wealth, 69, 277-281,
C.F.Iatrogenic hyponatremia of the newborn due to maternal fluid overload. Tarnow et al. Bri. Med. J. Vol. 283, p. 642,1981.

Linshaw, M.A. (1987).

Potassium homeostasis and hypokalemia. Ped. Clin of North. Am.
Vol. 34, No.2 p. 650-675.

Lorenz, J.M.; Kleinman, L.T. ; Kotgol, U.R. et al. (1982).

Water balance in very low birth weight infants J. pediatrics 101,
423.

Maack, T.; Camargo,M.J.F. ; Kleinert, H.D. et al.(1985).

Atrial natriuretic factor, structure and functional properties Kidney
Int. , 27, 607-615.

Macaulay, D.; Watson,M. (1967).

Hypernatremia in infants as a cause of brain damage Arch. Dis.
Child., 42, 485-491.

Maldonado, M. (1980).

Inappropriate antidiuretic hormone secretion of unkown origin
Kidney Int., 17, 554.

Marx ,C.M. , Stoukides , C.A. (1991) .

Effect of maternal drugs on the fetus . In Manual of neonatal care.
Third ed. Cloherty J.P., Stark , A.R. (eds.), Little , Brown and
Campany. Boston p. 652 .

Mckeown,J.W. (1986).

Disorders of total body sodium. In Kikko, J.P., Tanner RL(eds).
Fluids and electrolytes. Philadelphia. W.B. Saunders.

McNeilly,A.S.;Robinson,I.C.A.; Houston,M.J.; Howie, P.W.(1983).

Release of oxytocin and prolactin in response to suckling. Br. Med.
J., 286, 257.

Morgan , D.B., Kirwan , N.A., Hancock , K.W., et al. (1977) .

Water intoxication and oxytocin infusion. Br.J. Obst. Gyn.84. 6 - 12.

Munsick , R.A.(1965) .

Oxytocin . Am . J. Obst. Gyn. 93 (3).442 .

Murray , K.R.; Graner, K.; Mayes, A.P. et al. (1988).

Biochemistry, 20th ed, 635-654, Printice Hall Inter. edition Long
medical book.

Nelson, D.C.; McGraw, W.R.G.; Hoyumpa, A.M. (1983).

Hypernatremia and lactulose therapy. JAMA, 249, 1295-1298.

Nicholis, G.L.; Kahn,T.; Sanchez, A. et al. (1981).

Glucose induced hyperkalemia in diabetic subjects Arch. Inter. Med.
141, 49-53.

Niijima, A. (1977).

Afferent discharges from venous pressoreceptors in liver Am. J.
Physio.,232, 76-81.

- Omigbodun, A.O.; Fajimi, J.L.; Adeleye, J.A. (1991).**
Effects of using either saline or glucose as a vehicle for infusion in labour. *East African Med. J.*, 88-92.
- Orhue, A.A.E, Unuigbo, J.A., Ezimokhai, M., Ojo, V.A. (1984) .**
Outcome of induced labour in 931 term pregnancies. *Obst. Gyn* 64-108.
- Paillard, M., Bichara, M. (1989).**
Recent advances in the cellular mechanisms and hormonal regulation of urine acidification. *Adv. Nephrol.*, 18, 141-168.
- Paintal, A.S. (1973).**
Vagal sensory receptors and their reflex effects. *Physiol. Rev.*, 53, 159. C.F. Body composition, Leighton, L.H., *Ped. Clin. of North Am.* Vol. 37, No.2, p.249-254.
- Paneth, N. (1980).**
Hypernatremic dehydration of infancy An epidemiologic review. *Am. J. Dis. Child.*, 134, 785-792.
- Pauerstein (1976).**
Ecbolic agents *Am. J. Obst. Gyn.* 108, 729.
- Peyser, M.R.; Toaff, R. (1972).**
Rupture of uterus in the first trimester caused by high concentration oxytocin drip. *Obst. Gyn.*, 40, 371.
- Pittman, J.G. (1963).**
Water intoxication due to oxytocin *N.Eng. J. Med.*, 268, 481-483, *C.F. Br. Med. J.*, Vol. 283, 634-642, 1981.
- Ponce, S.P.; Jennings, A.E., Medias, N.E. et al. (1985).**
Drug induced hyperkalemia *Medicine*, 64, 357-370.

Rayburn ,W.F., Lavin , J.P. (1984) .

Obstetrics, page 169 - 171 Williams & Wilkins ed. Baltimore .

Rector, F.C. (1983).

Sodium, bicarbonate and chloride absorption by the proximal tubule.

Am. J. Physio.,244,F 461-471.

Rees,L.;Shaw, J.C.L.; Brook, C.G.D. et al. (1984).

Hyponatremia in the first week of life in preterm infants Arch.,Dis. Child., 59, 423.

Roberston, G.L.(1984).

Abnormalities of thirst regulation Kidney Int. 25, 460-469.

Rose, B.D. (1984).

Clinical Physiology of acid-base and electrolyte disorders 2nd (ed).

McGraw-Hill, NY p. 248-268.

Roy R., Change. G.W. Radde, I.C. et al. (1976).

Late Hyponatremia in very low birth weight infants (< 1.3 Kg) Ped.

Res.,10 : 526.

Sagy,M.; Barzilay, Z.; Biochis,H. (1988).

The diagnosis and management of acid-base imbalance Ped. Emerg.

Care 4, 259. C.F. Disorders of acid-base balance , Brewer E.D.;

Ped. Clin. of North Am. Vol.37, No.2, p. 430, 1990.

Samir Sayen El-Dahr, Chevalier, R.L. (1990).

Special needs of the newborn infant in fluid therapy Ped. Clin. of

North Am. Vol.37, No.2, 323-330.

Satin, A.J.; Leveno, K.J.; Sherman, M.L. et al. (1992).

High versus low dose oxytocin for labour stimulation Obst. Gyn., 80,

111.

Satlin, L.M.; Schwart, G.J. (1990).

Disorders of potassium metabolism, Pediatric text book of fluid and electrolytes. Baltimore, Williams, Wilkins

Savage , M.D.; Jefferson,I.G.;Dillon,M.J. et al. (1982).

Pseudohypoaldosteronism, sever salt wasting in infancy caused by generalized mineralocorticoid unresponsiveness. J. Pediatrics., 101,239.

Schrier, R.W. ; Berl,T., Anderson,R.J. (1979).

Osmotic and nonosmotic control of vasopressin release. Am. J. Physio., 236 F 321.

Schwartz, G.J.; Burge, M.B. (1978).

Mineralocorticoid effects on cation transport by cortical collecting tubules invitro Am. J. Physio. 235, F 576-585.

Schwartz, R.H.;Jones, R.W.A. (1978).

Transplacental hyponatremia due to oxytocin. Br. Med. J. 152-155.

Seitchik, J.; Amico. J.; Robinson, A.G.; Castillo, M. (1984).

Oxytocin augmentation of dysfunctional labour, I.V. oxytocin pharmacokinetics. Am. J. Obst. Gyn., 150, 225.

Shaffer , S.G. ; Kilbride, H.W.; Hayenlk, et al. (1992).

Hyperkalemia in very low birth weight infants. J. Pediatrics. Vol. 121, No.2, p. 275-278.

Shwachman, H. Mahmoodian, A.;Neff, R.K. (1981).

The sweat test, sodium and chloride values J. Pediatrics 98, 576.

Silva, P.; Allan, M.S. (1966).

Water intoxication due to high doses of synthetic oxytocin Obst. Gyn., 27, 517.

Silverman, M. (1989).

Molecular biology of the Na^+ -D-glucose co-transporter Hosp. Pract. 24, 110-134, C.F. The pharmacology and therapeutics of diuretics in the pediatric patients, Wells T.G. Ped. Clin of North Am. Vol. 37, No.2, p. 463-470, 1990.

Simmons, C.F. (1991).

Fluid and electrolyte management of the newborn, In Manual of neonatal care, Cloherty J.P. and Stark A.R., 3rd (ed) , Little, Brown and Company, p. 457-467.

Simmons, M.A. ; Adcock, E.W.; Bard, H. et al. (1974).

Hypernatremia and intracranial hemorrhage in neonates N. Engl. J. Med. 291, 6-10, C.F. Hypernatremia, Conley S.B., Ped. Clin. of North Am. Vol.37, No.2, p.365-370 (1990).

Singhi, s.; Chookang, E.; Hall, J.S.T.E., Kolghatgis (1985).

Iatrogenic neonatal and maternal hyponatremia following oxytocin and aqueous glucose infusion during labour Br. J. Obst. Gyn. 92, 356-363.

Spencer, S.A. ; Mann, N.P.; Smith, M.L. et al. (1981).

The effect of intravenous therapy during labour on maternal and cord serum sodium levels. Br. J. Obst. Gyn. Vol. 88, 480-483.

Spitzer, A. (1982).

The role of the kidney in sodium homeostasis during maturation. Kidney Int. 21, 539.

Stapleton, F.B. ; Nelson, B.; Vates, T.S. et al. (1976).

Hypokalemia associated with antibiotic treatment. Am. J. Dis. Child., 130, 1104-1108.

Starling, E.H. (1986).

On the absorption of fluids from the connective tissue spaces J. Physio., 19, 312.

Stern, P.; LaRochette, F.T.J. ; Little, G.A. 1974).

Role of vasopressin in water imbalance in the sick newborn. *Kidney Int.* 16, 956.

Sterns R.H. 1989).

The treatment of hyponatremia, Unsafe at any speed *AKF Nephrol. Letter.* 6:1, C.F. Hyponatremia, Berry P.L., Belsha, C.W. *Ped. Clin. of North Am.* Vol. 37, No.2, p. 351-360, 1990.

Sterns R.H. ; Thomas, D.J. ; Herndon, R.M. (1989).

Brain dehydration and neurologic deterioration after rapid correction of hyponatremia. *Kidney Int.* 35, 69.

Stokes, J.B. ; Kokko, J.P. (1977).

Inhibition of Sodium transport by prostaglandin E_2 across the isolated perfused rabbit collecting tubules. *J. Clin. Invest.* 59, 1099-1104.

Storch, A.S. (1971).

Acute water retention associated with continuous slow infusion of oxytocin. *Obst. Gyn.* 37, 109-111.

Stork, J.E. (1992).

Disorders of potassium and calcium metabolism. In manual of emergency pediatrics, Reece, R.M. Fourth ed., W.B. Saunders Comp. Philadelphia p. 176-178.

Suki , W.N. ; Rouse, D. (1981).

Mechanisms of calcium transport, minor electrolyte transport 5, 175-182 . E.F. Pharmacology and therapeutics of diuretics in the pediatric patients, Wells.T.G. *Ped. Clin. of North Am.* Vol. 37, No.2, p. 463-470 (1990) .

Sulyok, E.; Kovacs, L. Lichardus, B. et al. (1985).

Late hyponatremia in premature infants. Role of aldosterone and vasopressin J. Pediatrics 106, 990.

Tarnow, W.O.-Mordi, Shaw, J.C.L.; Liud Gardner, D.A. (1981).

Iatrogenic hyponatremia of the newborn due to maternal fluid overload, a prospective study. Br. med. J. 283, 639-642.

Thier, S.O. (1986).

Potassium Physiology. Am. J. Med. 80, 3-7.

Thurston, J.H. ; Hauhart, R.E. (1987).

Brain amino acids decrease in chronic hyponatremia and rapid correction causes brain dehydration. Possible clinical significance life Sci. 40, 2539, C.F. Hyponatremia, Berry P.L.; Belsha, C.W., Ped. Clin. of North Am. Vol. 37, No. 2, p. 351-361.

Turcot, M.J.P. (1971).

Water intoxication induced by oxytocin Union Med. Can. 100, 1997-2000, C.F. Iatrogenic hyponatremia, Tarnow et al. Br. Med. J. Vol. 283, 639-642, 1981.

Turner, P.; Richens, A.; Routledge, P. (1986).

Drugs in endocrinology Clinical pharmacology, p. 199-203, 5th (ed), Churchill Living stone medical text.

Verrey, F.; Schaerer, E., Zoerkler, P. et al. (1987).

Regulation by aldosterone of Na-kATPase, mRNAs, protein synthesis and sodium transport in cultured kidney cells J. cell Biol. 104, 1231-1237, C.F. The pharmacology and therapeutics of diuretics in the pediatric patient, wells T.G., Ped. Clin of North Am. Vol. 37, No. 1 p. 463-470, 1990.

Walley, P.J. ; Pritchard, J.A. (1963).

Oxytocin and water intoxication JAMA 186, 601-604.

Ware, S. (1978).

Transplacental hyponatremia due to oxytocin Br. Med. J. 362.

Wells, T.G. (1990).

The pharmacology and therapeutics of diuretics in the pediatric patient
Ped. Clin. of North Am. Vol.37, No.2 p. 463-470.

Wennergren, G.; Henriksson, B.A. ; Weiss, L.B. et al. (1976).

Effects of stimulation of non medullated cardiac afferents on renal water and sodium excretion. Acta Physio. Scand. 97, 261.

Widdowson, E.M. (1968).

The fetus and neonate, In Assal N.S. (ed). Biology of Gestation Vol.2
New York Academic Press.

Winter, R.W. (1982).

Principles of pediatric fluid therapy, 2nd (ed), Little, Brown Boston,
p. 145-148.

Wootton, I.D. Freeman, H. (1982).

Kidneys in Wootton, I.D. and Freeman H. (ed). Microanalysis in
medical biochemistry, Churchill living stone, London p. 48.

Wright,, F.S.; Giebisch, G.(1985).

Regulation of potassium excretion, In Seldin, D.W. Giebisch, G.
(eds) The kidney physiology and pathophysiology, Raven press N.Y.,
p. 1223-1249.

Zierler, K. (1986)

Family periodic paralysis, In Whelton P.K , Whelton, A.;
Walker, W.E. (eds) Potassium in cardiovascular and renal medicine ,
Kidney Diseases Vol.6, Marcel Dekker N.Y.p.133-142.