

REFERENCES

REFERENCES

- Abrass C.K :** Diabetic proteinuria upsala . J. Med. SC., 90 : 514, 1984 .
- Alpers J.B (ed) :** Normal blood chemistry values in the newborn . In : Cloherty J.P., Stark A.R., Manual of neonatal care. 3rd ed. Little, Brown and Company Boston, Toronto, London. P.723, 1991 .
- Anand S.K. :** Glomerular filtration Maluration rate : of renal function . In : Taeusch H.W; Balled R.A, Avery M.E : Schaffer and Avery's diseases of the newborn . W.B. saunders Co. Philadelphia, London, Toronto, Montreal, Sydney, Tokyo. P. 842~893, 1991.
- Anand S.K. :** Acute renal failure in the neonate . Pediatr. Clin. North. Am., 29:791-800, 1982 .
- Anand S.K., Northway I.D., Crussi F.G :** Acute renal failure in newborn infants. J. Ped., 92 : 985-88, 1978 .
- Aperia A., Broberger O., Broberger U., et al. :** Glomerulo-tubular balance in preterm and full-term infants . Acta. Pediatr. Scand. (Suppl), 305 : 70-76, 1983 .
- Aperia A., Zetterstrom P. :** Renal control of homeostasis in the newborn infant . Clin. Perinatol. 9:523-33, 1982 .
- Aperia A., Broberger O., Thodenius K. :** Renal response to an oral sodium load in newborn full-term infants . Acta Pediatr. Scand., 61:670, 1972 .
- Apgar V. :** A proposal for a new method of evaluation of the newborn infant . Anesth. Analg., 32 : 260, 1953 .

- Arant B.S. Jr :** Estimating glomerulor filtration rate in infants .
J. Pediatr. 104 : 890-893, 1984 .
- Arant B.S.Jr. :** Developmental patterns of renal functional
maturation Compared in the human neonate . J.
Pediatr., 29 : 705-12, 1978 .
- Arant B.S., Edelmann C.M., Spitzer A. :** The congruence of
creatinine and inulin clearance in children : Use
of the technicon Auto Analyser. J. Pediatr., 81 :
559-561, 1972 .
- Avery G.B. (ed) :** Normal blood chemistry values in the newborn.
In : Cloherty J.P., Stark A.R., Manuel of neonatal
care . 3rd ed. Little, Brown and company Boston,
Toronto, London. P. 723. 1991 .
- Ayatse J.O. :** Human R.B.P. its relationship to renal function in
renal diseases. West. Afr. J. Med., 10 : 226-31,
1991 .
- Bacsik R.D. :** Meconium aspiration syndrome. Clin. N. Amer.,
24 : 463, 1977 .
- Bariety J., Druet P., Laliberate F., Sapin C. et al. :** Ultrastructural
evidence by immunoperoxydase technique, for a
tubular reabsorbtion of endogenous albumin in
normal rat. Lab. Invest., 38 : 175-180, 1978 .
- Bastable M.D. :** B₂M in urine : not suitable for assessing renal
tubular function. Clin. Chem. 29 : 996-7, 1983 .
- Bauer J.H., Brooks C.S, Burch R.N :** Clinical appraisal of creatinine
clearance as a measurement of glomerular
filtration rate . Am. J.Kidney Dis., 2 : 337-346,

1982 .

Beetham R., Dawnay A., London J., Cattell W.R. : A radio-immunoassay for R.B.P. in serum and urine. Clin. chem., 31 : 1364-7, 1985 .

Behrman R.E., Lees M.H., Peterson E.N. et al. : Distribution at the circulation in the normal and asphyxiated fetal primate . Am. J. obstet. Gynecol., 108 : 956-969, 1970 .

Bell E.F., Warburton D., Stone street B.S., et al. : Effects of fluid administration on the development of symptomatic patent ductus arteriosus and congestive heart failure in premature infants . N. Engl. J. Med., 302 : 598-604, 1980 .

Bernard A.M., Vyskocil A.A., Mahieu P., Lauwerys R.R : Assessment of urinary R.B.P as an index of proximal tubular injury. Clin. Chem . 33 : 775- 9, 1987 .

Bernard A.M., Moreau D., Lauwerys R.R. : Comparison of R.B.P and B₂M determination in urine for the early detection of tubular proteinuria. Clin. chim. Acta. 126 : 1-7, 1982 .

Bernstein J., Meyer R. : Congenital Abnormalities of the urinary system .II. Renal cortical and Medullary necrosis. J. Pediatr. 59 : 657, 1961 .

Biollaz J., Bidiville J., DieJi J. : Site of action of a synthetic atrial natriuretic peptide evaluated in humans. Kideny Int., 32 : 537-46, 1987 .

Boineau F.G., Rothman J., Lewy J.E : Nephrosonography in the evaluation of renal failure and masses in infants .

J.Pediatr., 87 : 195, 1975 .

Brodehl J.; Faneken A., Gellissen K. : Maximal tubular reabsorption of glucose in infants and children . Acta. Pediatr. Scand., 61 : 413 : 1972 .

Brown J.J., Gleadle R.L., Lawson D.H. : Renin and acute renal failure studies in man. Br. Med. J., 1 : 253-7, 1970 .

Butter A.R. : The Jaffé reaction. Identification of the coloured species. Clin. Chim. Acta., 59 : 227-232, 1976 .

Calcagno P.L; Rubin M.I. : Renal extraction of paraaminohipurate in infants and children .J. clin. Invest., 42 : 1632, 1963 .

Campbell S., Wladimiroff I.W., Dewhurst C.J. : The antenatal measurment of fetal urine production. J. obstet. Gynaecol. Br.Commonw., 80 : 680, 1973 .

Carone F.A., Peterson D.R., Oparil S., Pullman T.N. : Renal tubular transport and catabolism of proteins and peptides . Kid. Int., 16 : 271-8, 1979 .

Chedru M.F., Baethke R., oken D.E. : Renal cortical blood flow and glomerular filtration in myohemoglobinunic . Kideny Int., 1 : 232, 1972 .

Chevalier R.L., Campbell F., Brendbridge A.N.A.G : Prognostic factors in neonatal acute renal failure. Pediatrics, 74 : 265-272, 1984 .

Clark P.M.R., Bryant T.N., Hall M.A., lowes J.A., Rowe D.J.E : Neonatal renal functional assessment. Archives of disease in childhood, 64 : 1264-9, 1989 .

Cloherty J.P., Snyder E.Y. (eds) : Perinatal asphyxia. In : Cloherty J.P, stark A.R, Manual of neonatal care. little,

Brown and Co. Boston, Toronto, London. 3rd ed.
P. 393, 1991 .

- Cole J.W., Portman R.J., Lim Y. :** Urinary B₂M in fullterm newborns :
Evidence for proximal tubular dysfunction in
infants with meconium-stained amniotic fluid.
Pediatr., 76 : 958-964, 1985 .
- Coulthard G.M., Hey E.N., Ruddock V. :** Creatinine and urea
clearances compared to inulin clearance in
preterm and mature babies . *Early Hum.*
Develop., 11 : 11-19, 1985 .
- Coulthard M.G. :** Comparison of methods of measuring renal
function in preterm babies using inulin. *J.*
Pediatr., 102 : 923-30, 1983 .
- Counahan R., Chantler C., Ghazali S., Kirhwood B., et al. :** Estimation
of G.F.R from plasma creatinine concentration in
children . *Arch. Dis. Child.*, 51 : 875, 1976 .
- Dauber I.M, Krauss A.N., Symchych M.S., Auld P.A :** Renal failure
following perinatal anoxia. *J.Pediatr.*, 88 : 851-
855, 1976 .
- Davies D.J., Kennedy A., Roberts C. :** Renal medullary necrosis in
infancy and childhood. *J. Pathol.*, 99 : 125, 1969.
- Deluna M.B., Hallet W.H. :** Urinary protein excretion in healthy
infants, children, and adults. *Proceedings of the*
American society of Nephrology, 15 : 16, 1967 .
- Dreszer M. :** Fluid and electrolyte requirments in the
newborn infant. *Pediatr. Clin. North. Am.*, 24 (3) :
537-46, 1977 .
- Dubowitz L., Dubowitz V., Goldberg C. :** Clinical assessment of

- gestational age in the newborn infant. J. Pediatr. 77 : 1-10, 1970 .
- Edelmann C.M.Jr:** Maturation of the neonatal kidney. In : Becker E.L, Basel karger (eds) : proceedings of the third international congress of nephrology. Vol.3, 1967 .
- Edelmann C.M.Jr, Barnett H.L, Troupkov V. :** Renal concentrating mechanisms in newborn infants : Effect of dietary protein and water content, role of urea, and responsiveness to antidiuretic hormone. J. Clin. Invest., 39 : 1062, 1960 .
- Elises J.S, Griffiths P.D., Hocking M.D., Taylor C.M., white R.H.R. :** Simplified quantification of urinary protein excretion in children . Clinical nephrology, 30 : 225-9, 1988 .
- Ellis E.M., Arnold W.C. :** Use of Urinary Indexes in Renal Failure in the Newborn . American Journal of Diseases of Children, 136 : 615-617, 1982 .
- Engle W.D. :** Evaluation of renal function and acute renal failure in the neonate. In : Apolin R. and fox W.W (eds) : Pediatric clinics of North America (The newborn I) . P. 129, 1986 .
- Fanoroff A.A., Martin R.J. :** The kidney and the urinary tract . In : Behrman's neonatal-perinatal medicine : Diseases of the fetus and infant. 3rd ed. C.V. Mobsy Co. st. Louis, Toronto. P. 785, 1983 .
- Fawer C.L., Torrado A., Guignard J.P. :** Maturation of renal function in full term and premature neonates. Helv. Pediatr. Acta, 34 : 11-21, 1979 .
- Feldmann H., Guignard J.P. :** Plasma creatinine in the first month of life. Arch. Dis. Child., 57 : 123, 1982 .

- Fetterman G.H., Shuplock N.A, philipp F.J :** The growth and maturation of human glomeruli and proximal convolutions from term to adulthood : Studies by microdissection. *Pediatrics*, 35 : 601-19, 1965 .
- Finer N.N., Robertson C.M, Richards R.T., Pinnell L.E, peters K.L. :** Hypoxic ischemic encephalopathy in term neonates : Perinatal factors and outcome. *J. Pediatr.*, 98 : 112-117, 1981 .
- Finn W.F., Chevalier R.L. :** Recovery from post ischemie A.R.F. in the rat. *Kidney Int.*, 16 : 113-123, 1979 .
- Flanigan W.J. , Oken D.E. :** Renal micropuncture study of the develepment of anuric in the rate with mercury induced acute renal failwe. *J. Clin. Invest.*, 44 : 449-54, 1965 .
- Fleming P.J., Speidel B.D., Marlow N., Dunn P.M. (eds) :** Renal disease in the newborn. In : *A neonatal vade-Mecum*. Edward Arnold. Adivision of Hodder and stoughton . London, Melbourne, Auckland. 2nd ed., P. 236, 1991 .
- Gaudio K.M., Siegel N.J. :** Pathogenesis and treatment of A.R.F. *Pediatr. Clin. North. Am.*, 34 : 771. 787, 1987 .
- Gaudio K.M., Taylor M.R., Chaudry I.H., et al. :** Accelerated recovery of single nephron function by the postischemic infusion of A.T.P-Mgcls. *Kidney Int.*, 22 : 13-20, 1982 .
- Goodman D.S. :** Vitamin A and Retinoids in health and disease . *N. Engl. J. Med.* 310 : 1023, (1984) .
- Gordillo-Paniagua G., Velasquez Jones L. :** Acute renal failure .

- Pediatr. clin. North . Am., 23 : 818, 1976 .
- Gotoff S.P. (ed) :** Meconium aspiration . In : Behrman R.E. Nelson textbook of pediatrics 14th ed . W.B. saunders Co. P. 469-470. 1992 .
- Gregory G.A., Gooding C.A., et al. :** Meconium aspiration in infants a prospective study. J. Pediatr., 85 : 848-52, 1974.
- Groshong T.D., Taylor A.A., Nolph K.D., Easterly J., Maher J.F :** Renal function following cortical necrosis in childhood . J.Pediatr., 79 : 267, 1971 .
- Grupe W.E. :** Disorders of the genitourinary tract. In : Avery M.E. and Taeusch H.W. (eds) : Schaffer's diseases of the newborn . 5th ed . W.B. Saunder's Co., Philadelphia, London . P. 395, 1984 .
- Gruskin A.B., Edelmann C.M., Yvan S. :** Maturation changes in renal blood flow in piglets. Res., 4 : 7, 1976 .
- Guignard J.P. :** Neonatal nephrology. In : Holliday M.A., Barralt T.M, vernier R.L. (eds) . Pediatric nephrology. 2nd . Ed. Baltimou, Williams and wilkins. P. 921-944, 1987 .
- Guignard J.P. :** Congenital Nephropathies, In : Strauss J. (ed); Neonatal kideny and fluid electrolytes . The Hagues, Martinus Nijhoff publishers . P. 31-35, 1983 .
- Guignard J.P. :** Renal function in the newborn infant. Ped. Clin. N. Am., 29 : 777-90, 1982 .
- Guignard J.P., Torrado A., Dacunha O., et al. :** Glomerular filtration rate in the first three weeks of life . J. Pediatr., 87 : 268, 1975 .
- Henderson K.D., Torch E.M :** Differential diagnosis of abdominal

- masses in the neonate . *Pediatr. Clin. North. Am.*,
24 : 557-78, 1977 .
- Hollenberg N.K., Adams D.F., oken D.E.** : Acute renal failure due to
nephrotoxins : Renal hemodynamic and
angiographic studies in man . *New Engl. J. Med.*,
B29 : 282, 1970 .
- Houser M.** : Assessment of proteinuria using random urine
samples. *J. of Ped.*, 104 : 845-8, 1984 .
- Houston I.B.** : Disorders of the urological system. In : Compbell
A.G.M and Mc Intosh N. (eds) : *Forfar and
Arniel's textbook of pediatrics*. 4th ed. Churchill
living stone. P. 1011, 1992 .
- Hull J., Dodd K.** : What is birth asphyxia . *Am. J. obstet . Gyn.*, 98 :
953-955, 1991 .
- Ingelfinger J.R. a** : Renal conditions in the newborn period; In :
Manual of neonatal care. Cloherty, J.P, Stark A.R
(eds) . Little, Brown and Co. Boston, Toronto,
London. 3rd ed. P. 477-495, 1991 .
- Jain R.** : Acute renal failure in the neonate. *Pediatr. Clin.*
North Am. 24 : 605, 1977 .
- Jamison R.L.** : The renal concentrating mechanism . *Kidney
Int.*, 32 (suppl 21) : 543-50, 1987 .
- John W.C., Douglas S.R., Rebecca A., et al.** : The case for routin
umbilical blood acid-base studies at delivery. *Am.*
J. obslet. Gynecol., 162 : 621-5, 1990 .
- Jones D.P., Shesnei R.W.** : Development of tubular function . In :
Bailie M.D. (ed) . *clinics in perinatology* : Renal

function and disease . Vol. 19 (1) . W.B. Saunder
Co. Philadelphia, London . Toronto, Sydney,
Tokyo. P 33-57 . 1992 .

Jones A.S., James E., Bland H., et al. : Renal failure in the newborn.
Clin. Pediatr., 9 : 286-291, 1979 .

Jose P.A, Stewart CL, Tina L.V : Renal disease . In avery G.B (ed).
Neonatology : Pathophysiology and managment of
the newborn 3rd ed. Philadelphia, JB lippincott
company. P. 795. 849, 1987 .

Karlsson F.A., Hadell L.I., Hellsing K. : Aprospective study of
urinary proteins in early infancy. Acta Pediatr .
Scand., 68:633-38, 1979 .

Karlsson F.A., Hellsing K. : Urinary protein excretion in early
infancy. J. Pediatr., 89 : 89-90, 1976 .

Larrson I., Maunsbach A.B. : The ultrastructural development of
the glomerular filtration barrier in the rat
kideny : Amorphometric analysis. J. Ultrasound
Res., 72 : 392, 1980 .

Lay K.S., Bancalari E., Malkus H., Baker R., Strauss J., : Acute
effects of albumin infusion on blood volume and
renal failure in premature infants with
respiratory distress syndrome . J. Pediatr., 97 :
619, 1980 .

Leake R.D., Trygstad C.W., Oh. W. : Inulin clearance in the newborn
infant : relationship to gestational and post natal
age. Pediat. Res., 10 : 759-62, 1976 .

Low J.A. : The role of blood gas and acid-base assessment
in the diagnosis of intrapartum fetal asphyxia .

Am. J. obstet. Gynecol., 159 : 1235, 1988 .

Maack T., Park C.H., Camargo M.J.F. : Renal filtration, transport and metabolism of proteins. In : Seldin D.W., Giebisch G.(eds); The kidney : Physiology and pathophysiology. New York, Raven press. P. 1173, 1985 .

Maack T., Johnson V., Kau S.T., Figueiredo J., Sigulem D. : Renal filtration, transport, and metabolism of low-molecular weight proteins : A review. Kid. Int., 16 : 251-270. 1979 .

Mac Donald H.M, Mulligan J.C., Allan A.C, Taylor P.M. : Neonatal asphyxia I : Relationship of obstetric and neonatal complications to neonatal mortality in 38405 consecutive deliveries. J. Pediatr. 96 : 898-902, 1980 .

Madsen K.M, Clapp W . L, Verlander J.W : Structure and function of the inner medullary collecting duct . Kidney Int., 34 : 441- 54, 1988 .

Mancini G, Carbonara A.O, Heremans J.F. : Immunochemical quantitation of antigen by single radial immunodiffusion . Immunochemistry, 2 : 235-54, 1965 .

Mathew O.P., Jones A.S., James E., et al : Renal function and cardiovascular responses during positive airway pressure. Anesthesiology, 50 : 393, 1980 .

Mauk R.H., Patak R.V., Fadem S.Z, et al. : effect of prostaglandin E administration in a nephrotoxic and a vasoconstrictor model of A.R.F. Kidney Int., 12 : 122-130, 1977 .

- Maunsbach A.B. :** Cellular mechanisms of tubular protein transport.
In : Kidney and Urinary tract physiology II,
edited by Thureau K. Baltimore, university Park
press, P. 145, 1976 .
- Mc Crory W.W :** Renal structure and development . In : Holliday
M.A, Barrat T.M., vernier R.L. (eds). In : Pediatric
nephrology, 2nd ed. Baltimore, williams, wilkins.
P. 31-44, 1987 .
- Mc Intosh N. :** The newborn (Renal disease in the neonate) . In :
Campbell A.G.M. and Mc Intosh N. (eds) : Forfar
and Arniel's textbook of pediatrics . 4th ed.
Churchill livingstone . P. 110, 1992 .
- Meites S. (ed) :** Pediatric clinical chemistry, Reference (Normal)
values, 3rd ed. Washington, D.C., Clinical
chemistry, (1989) .
- Met Coff J. :** Synchrony of organ development contributing to
water and electrolyte regulation in early life. Clin.
Nephrol, 1 : 107-118, 1973 .
- Miller F.C., Sacks D.A. :** Significance of meconium during labor.
Am. J. obstet. Gynecol., 122 : 573-80, 1975 .
- Mitchell J., Schulman H., Fleischer A., et al. :** Meconium aspiration
and fetal acidosis . Obstet . Gynecol . 65 : 352-5,
1985 .
- Moore E.S., Galvaz M.B. :** Delayed micturation in the newborn
period . J. Pediatr., 80 : 867, 1972 .
- Moses D., Holm B.A., Spitale P. et al. :** Inhibition of pulmonary
surfactant by meconium. Am. J. obstet. Gynecol.,
164 : 477-81, 1991 .

- Murphy J.D., Vawter G.F., Reid L.M. :** Pulmonary vascular diseases in fetal meconium aspiration . J. Pediatric, 104 : 758, 1984 .
- Myers BD, chuif, Hilberman M., et al :** Transtubular leakage of glomerular filtration in human A.R.F. Am. J.Physiol., 237 : F 319. F 325, 1979 .
- Nicholson J.F., Pesce M.A (eds) :** Reference ranges for laboratory tests . In : Behrman R.E, Nelson textbook of pediatrics . 14th ed. W.B. Saunders Co. Philadelphia, London, Toronto, Montreal, Sydney, Tokyo. P. 1824, 1992 .
- Norman M.E., Asadi F.K. :** Aprospective study of acute renal failure in the newborn infant . Pediatr., 63 : 475-79, 1979 .
- Oken D.E., Acre M.L., Wilson D.R. :** Glycerol- induced hemoglobinuric acute renal failure in the rat . I. micropuncture study of the development of oliguria. J. clin. Invest., 45 : 724. 30, 1966 .
- Olavarria F., Krause S., Barranco L. et al. :** Renal asphyxia in fullterm newborns following neonatal asphyxia. Pediatrics, 26 : 334-338, 1987 .
- Patton C.J., Crouch S.R. :** Analytical chemistry. 49 : 464-469, 1977 .
- Patton A.M., lever A.F., oliver N.W.J. :** Plasma angiotensin II, renin substrate and aldestrone concentration in acute renal failure in man . Clin. Nephrol., 3 : 18-22, 1975 .
- Pereira A.B., Nishida S.K., Vieira J.G. :** Monoclonal antibody-based enzyme immunoassays for the determination of

R.B.P. Clin. Chem., 37 : 1062, 1991 .

Perlman J.M. Tack E.D, Martin T., Schackelford G., Amon E : Acute systemic organ injury in term infants after asphyxia . Am . J. Dis. Child., 143 : 617-620, 1989 .

Pipkin F.B. : Medical statistic mideasy. churchil livingstone edinburgh. 1984 .

Piscator M. : Early detection of tubular dysfunction . Kid. Int. 40 (suppl 34) S 15-517, 1991 .

Rahman N., Boineau G.F., Lewis N.E. : Renal failure in the perinatal period. Clin perinatal, 8 : 241-50, 1981 .

Rask R., Anundi H., Bohme J., Eriksson u., Fredriksson A., et al., : The retinol binding protein . Scand. J. Clin. Lab. Invest. 40 : (Suppl. 154) : 45-61, 1980 .

Rector F.C. : Sodium, bicarbonate and chloride absorpton by the proximal tubule. Am. J.Physiol; 244 : 401-71, 1983 .

Reubi R.C., Grossweiler N., Gütter R. : Renal circulation in man studied by means of a dye-dilution method . Cuculation, 33 : 426, 1966 .

Roberts D.S, Haycock G.B., Dalton R.N., Turner C., Tomlinson P., Stimmley L., Scopes J.W. : Prediction of acute renal failure after birth asphyxia . Arch. Dis. child., 65 : 1021-1028, 1990 .

Royer P., Habib R., Mathiew H., Brayer M., Lualsh A. : The kideny in the newborn. In : Pediatric nephrology . W.B. Saunders Co. Philadelphia, London, Toronto. 1987 .

- Rubin M., Calcagno P. :** Acute renal failure : Pathogenesis and management . Ped. Clin . N. Am., 9 : 155, 1962 .
- Rudd P.T., Hughes E.A., Plac, K M.M., Hodes D.T. :** Reference ranges for plasma creatinine during the first month of life . Arch. Dis. Child., 58 : 212-5, 1983.
- Sandoz P.F., Biemann D., Mihatsch M. :** Value of urinary sediment in the diagnosis interstitial rejection in renal transplants . Transplantation 41 : 343-384, 1986 .
- Scarpioni L., Dall Aglio P.P., Poisetti P.G, Buzio C. :** R.B.P. in serum and urine of glomerular and tubular nephropathies. clin. chim. Acta. 68 : 107-13, 1976 .
- Schor N., Ichikaw I, Rennke H.G., et al. :** Pathophysiology of altered glomerular function in aminoglycosides-treated rates . Kidney Int., 19 : 288-296, 1981 .
- Schulz D.M., Giordano D.A., Schulz D.H. :** Weights of organs of fetuses and infants . Arch. Pothol., 74 : 244, 1962 .
- Schwartz G.J, Brion L.P., Spitzer A. :** The use of plasma creatinine concentration for estimation glomerular filtration rate in infants, children and adolescents . Pediatric Nephrology . Pediatr. Clin. North Am., 34 : 571-590, 1987 .
- Schwartz G.J., Haycock G.B., Edelmann G.M. Jr., Spitzer A. :** Late metabolic acidosis : A reassessment of the definition . J. of Ped., 95 : 102, 1979 .
- Sertel H., Scopes J. :** Rates of creatinine clearance in babies less

than one week of age . Arch. Dis. child., 46 : 158-9, 1973 .

Sesso R.S., Santos A.P., Nishida S.K., Klag M.J., et al . : Prediction of steroid responsiveness in the idiopathic nephrotic syndrome using urinary R.B.P. and B₂M. Annuals of Int. Med., 116 : 905-9, 1992 .

Sherry S.N. and Kramer J. : The time of passage of the first stool and first urine by the newborn infant. J. Pediatr., 46 : 158-59, 1955 .

Siegel S.R., Fisher D.A., Oh W. : Renal function and serum aldosterone levels in infants with respiratory distress syndrome. J. Pediatr., 83 : 854-858, 1973 .

Smellie J.M, Normand I.C.S. : Urinary tract infection . In : Campbell A.G.M and Mc Intosh N. (eds) : Forfar and Arniels textbook of pediatrics. 4th ed. Churchill livingstone . P. 1031, 1992 .

Spencer K. : Analytical reviews in clinical biochemistry : The estimation of creatinine . Ann. Clin. Biochem., 23 : 1-25, 1986 .

Spitzer A., Edelmann C.M. Jr. : Maturation changes in pressure gradients for glomerular filtration. Am.J. Physiol., 221 : 1431, 1971 .

Stapleton F.B., Jones D.P., Green R.S. : Acute renal failure : Incidence, etiology and outcome. Ped. Clin. N. Am., 34 : 771-787, 1987 .

Stark G.C. : Correlation of meconium-stained amniotic fluid, early antepartum fetal PH and apgar scores as

- predictors of perinatal outcome . Obstet. Gynecol., 56 : 604-9, 1980 .
- Stark H. and Geiger R. :** Renal tubular dysfunction following vascular accidents of the kidneys in the newborn period. J. Pediatr., 83 : 933-940, 1973 .
- Stone street B.S., Rubin L., Pollak A. :** Renal function of low birth weight infants with hyperglycemia and glucosuria produced by glucose infusion. Pediatr., 66 : 561,1980 .
- Strauss J., Zilleruelo G. and Freundlich M. :** Neonatal renal functions, fluids and electrolytes in intensive care units . In : Vidyasager D. and Sarnaik A.P. (eds) : Neonatal and pediatric intensive care . P.S.G. publishing Co., I.N.C., P. 151, (1985) .
- Strauss J., Zilleruelo G., Gormon H.M., et al :** Function renal en el feto Y recién nacido (Renal function in the fetus and neonate) : Bull Hosp. Inf. Mex., 39 : 243-52, 1982 .
- Strauss J., Daniel S.S., James L.S. :** Postnatal adjustment in renal function . Pediatrics, 68 : 802, 1981 .
- Sulyok E., Nemeth M., Teny I.T. :** Postnatal development of renin-angiotensin in aldosterone system. RAAS. in relation to electrolyte balance in premature infants . Pediatr. Res., 13 : 817, 1979 .
- Sumpio B.E., Maack T. :** Kinetics competition and selectivity of tubular absorption of proteins . Am. J. Physiol., 243 : F 379-F 392, 1982 .
- Sundelin J., Laurent B.C., Anundi H., Tragardh L., et al. :** Amino-acid sequence homologies between rabbit, rat and human serum R.B.P. J.Biol. Chem., 260 : 6472-80, 1985 .
- Tack E.D., Perlman J.M., Robson A.M. :** Renal injury in sick newborn infants : A prospective evaluation using urinary

- B₂M concentration . Pediatrics, 81 : 432-40, 1988 .
- Thomas I.T., Smith D.W. :** Oligohydramnios as a cause of the neonatal features of potter's syndrome including pulmonary hypoplasia. J. Pediatr., 84 : 811, 1974.
- Thurea K.W.C., Dahlheim H., Gruna A. :** Activation of renin in the single Juxta-glomerular apparatus by sodium chloride in the tubular fluid at the macula densa . Circulation Res., 30-31 (suppl 2) : 182, 1972 .
- Tischer C.C., Madsen K.M :** Anatomy of the kidney. In : Brenner BM, Rector F.C. (eds). The kidney . 3rd edition . Philadelphia, London, Toronto, Sydney, Tokyo : WB saunders company, 3-60, 1986 .
- Trimmer K.J., Gilstrap L.C. :** Meconiumcrit and birth asphyxia . Am. J. obstet . Gynecol. 165 : 1010-3, 1991 .
- Vertel R.M., Knochel J.P :** Non oliguric renal failure. J.A, M.A. 200 : 598, 1967 .
- Waller K.V., Ward K.M., Mahan J.D., Dorothy K.W. :** Current concepts in proteinuria . Clin. Chem., 35 : 755-65, 1989 .
- Wassner S.J. :** Acute renal failure. In Nelson N.M. (ed) : Current therapy in neonatal perinatal medicine. Toronto, B.C. Decker, P. 1985, 1985 .
- Watson A.R. :** Disorders of the urinary system (proteinuria) . In : Campbell A.G.M. and McIntosh N. (eds) : Forfar and Arinell's textbook of pediatrics . 4th ed. Churchill livingstone . P. 1055, 1992 .
- Welling L.W., Linshaw M.A. :** Structural and functional development

of outversus inner cortical proximal tubules .
Pediatr. Nephrol., 2 : 108-14, 1988 .

Wells T.G. : The pharmacology and therapeutic of diuretics
in the pediatric patient . Ped. Clin. N. Am., 37
(2): 463-505, 1990 .

Williams G.S., Klenk E.L., Winters R.W. : Acute renal failure in
pediatrics . In : Winters R.S. (ed) : The body fluids
in pediatrics . Boston, little, brown and Co., P.
523, 1973 .

Wiswell T.E, Henley M.A. : Intratracheal suctioning, systemic
infection, and the meconium aspiration
syndrome. Pediatrics, 89 : 203-206, 1992 .

Wiswell T.E, Tuggle J.M., Turner B.S. : Meconium aspiration
syndrome : have we made a difference .
Pediatrics, 85 (5), 1990 .