

REFERENCES

REFERENCES

Akbar, T. and Ardlie, Y.N. (1988):

Factors affecting concentration of vitamin K dependent clotting factors in the newborn.
Advances Pediat., 5 : 129-153.

Aballi, A.J.; Paupandh, Y. and desposito, F. (1982):

Platelet counts in premature infants.
Pediatrics, 42 : 685.

Aballi, A.J.; Paupandh, Y. and Delamerencs, F. (1983):

Coagulation changes in the neonatal period and in early infancy.
Pediat. Clin. N. Amer., 9 : 758.

Andrew, R.; Baumgartner, C.F. and Schroeder, J.E. (1987):

Haemorrhagic antiactivator its distinction from antiplasmin.
Am. J. Physiol., 220 : 1137.

Aster, R.H. (1979):

Haemostasis in the full-term newborn infants.
Haematol., 34 : 117.

Astrup, T. and Permin, P. (1987):

Fibrinolysis in the animal organism.
Nature (London), 159 : 681.

Bahakim, M.H. (1990):

"Haemostatic measurement in healthy saudi neonates".
Medical Journal, 112 : 41-44.

Balling, D.R. and Murphy, E.A. (1987):

Factors affecting concentration of vitamin K
dependent clotting factors.
Johns Hopkins Med. J., 143 : 25.

Bass, L.F.; Bang, N. and Jandl, J.H. (1979):

The clotting factors in the neonates.
J. Lab. Clin. Med., 87 : 525.

Bellies, M.; Peinman, R.D. and Majerus, P.W. (1972):

Factors affecting vitamin K dependent clotting
factors in the newborn.
Blood, 74: 180.

Bennett, J.S. and Vilaire, G. (1979):

The mechanisms of haemostasis.
J. Clin. Invest., 64 : 1393.

Bennett, J.S. and Vilaire, G. (1979):

The cascade theory of the clotting mechanism.
J. Clin. Invest., 64 : 1398.

Berndt, M.C. and Phillips, D.r. (1981):

The clotting mechanism.
J. Physiol., 162 : 67-74.

Bithell, T.C.; Athens, J.W. and Wintrobe, M.M. (1981):

Comparison of platelet aggregation in the mother and
infant.
J. Pediat., 79 : 383.

Behnke, O.; Zelonder, T. and Pederson, N.T. (1981):

The factors affecting vitamin K dependent clotting
factors in the newborn.
Secand. J. Haematol., 8 : 151.

- Bleyer, W.A.; Hakami, N. and Shepard, T.H. (1981):***
The development of haemostasis in the fetus and the newborn infant.
J. Pediat., 79 : 838.
- Born, G.V.R. (1971):***
The mechanisms of haemostasis.
Br. Med. Bull., 33: 193-197.
- Burstein, S.A.; Feinman, R.D. and Harker, L.A. (1984):***
The intrinsic clotting mechanism.
Blood, 59 : 851.
- Cade, N.W. (1969):***
Clotting factors not requiring vitamin K in their synthesis.
Blood, 74 : 117.
- Charo, I.F. (1987):***
The clotting factors.
Blood, 79 : 127.
- Coman, R.W. (1979):***
Clotting factors activities at birth in premature and fullterm newborn infants.
Scand. J. Haematol., 9 : 160.
- Cooper, H.A. (1976):***
The fibrinolytic mechanism.
Ann. Rev. Physiol., 38 : 501.
- Courten, G.M. and Rabinweiz, T. (1981):***
The haemostasis in the newborn.
Blood, 76 : 165.

Crawford, N. (1986):

Inhibitor of plasmin activity by α -2 macroglobulin.
Clin. Chim. Acta., 16 : 328.

Cronberg, S. and Caen, J.P. (1971):

The fibrinolytic reactions.
Scand. J. Haematol., 8 : 151.

Curry, J.L. (1981):

Normal development of haemostasis.
Blood, 34 : 116.

Dacie, J.V. and Lewis, S. (1989):

The intrinsic clotting mechanism. In: Practical haematology sixth edition churchill livingstone.
Edinburg. London Melbourne and New York, P. 209-212.

Dam, H. (1952):

The haemorrhagic disease of the newborn.
Advances Pediat., 5: 129-153.

Dam, H.; Tagerin, E. and Plamen, P. (1967):

Vitamin K deficiency in human milk.
Lancet, 2 : 1137.

Davis, J.W. and Kyner, J. (1982):

The clotting mechanism.
Acta haematol., 67 : 222-224.

DeGruchy, G.C. (1993):

The physiology of blood coagulation in clinical haematology. Penington, D. and Rush, B., fourth edition.

Oxford, London, Edinburgh, Boston Melbourne, 686-693.

Deprada, M.; Jakabova, M. and Luscher, E.F. (1976):

The clotting factors which don't require vitamin K for their synthesis.

J. Physiol., 257 : 495.

Detwiler, T.C. (1981):

The blood coagulation mechanisms.

Ann. N.Y. Acad. Sci., 1370 : 67.

Deykin, P.M. (1967):

The haemostatic reactions.

Br. J. Haematol., 29 : 341.

Douney, H. (1963):

Anticlotting mechanisms.

Folia Haematol., 15 : 25.

Dromandy, J.A. (1981):

The physiology of blood coagulation.

Ser. Haematol., 4 : 30.

Dreyfus, M.; Bertil, E. and Quick, P.G. (1979):

Vitamin K deficiency in the newborn.

Lancet, 23 : 1351.

Dube, H. (1986):

The haemorrhagic disease of the newborn.

Br. J. Haematol., 106 : 292-295.

Erbe, J.E. (1971):

The blood coagulation in the newborn.
Circulation, 54 : 365-370.

Evans, R.J. and Austen, D.E. (1979):

The human anticlotting mechanisms.
Br. J. Haematol., 36 : 117.

Fantl, E.M. and Simon, J.A. (1978):

The fibrinolytic reactions.
Blood, 64 : 127.

Forbes, C.D. and Pensky, J. (1980):

Inhibition of activated hageman factor and plasma
thromboplastin.
J. Lab. Clin. Med., 76: 809.

Foley, M.E.; Clayton, J.K. and Verkamp, C.G. (1987):

Factors affecting clotting factors.
Br. J. Haematol., 84 : 21-97.

Fox, S.; Heptinstall, S. and Mitchall, J.R.A. (1989):

The coagulant action of russell's viper venom.
Br. J. Haematol., 76 : 496.

Friedman, R.J.; Stemerman, M.B. and Wenz, B. (1987):

The haemostasis in the newborn.
Pediat. Clin. N. Amer., 9 : 758.

Fukami, M.H. and Salganicoff, L. (1987):

Human prothrombin activation. Immunochemical
study.
Science, 162 : 127.

Ganong, W. (1988):

The haemostatic mechanism in the newborn.
Review of Medical Physiology, 16 : 338.

Ganong, W. (1988):

Role of haemostatic plug in stoppage of bleeding.
Review of Medical Physiology, 16 : 342.

Ganong, W. (1984):

The blood clotting mechanism.
Review of Medical Physiology, 12 : 344.

Ganong, W. (1984):

The fibrinolytic system.
Review of Medical Physiology, 12 : 353.

Gardon, S.; Witul, M. and Cohen, H. (1988):

The inhibitors of thrombin.
J. Med., 10 : 345.

Gayton, N. (1990):

Stages of formation of fibrin in the blood
coagulation.
Review of Medical Physiology, 17 : 441.

Gesdal, K. (1976):

Haemostasis in the newborn.
Scand. J. Haematol., 17 : 205.

Gibson, K.H. (1989):

Vitamin K dependent clotting factors.
Chem. Soc. Rev., 4 : 589.

Glover, C.J. and Brown, C.H. (1982):

The extrinsic clotting mechanism in the haemostasis.
Thromb. Res., 7 : 185.

Hardisty, R.M. (1980):

The fibrinolytic reactions.
Br. J. Haematol., 19 : 307.

Harker, L.A. (1970):

Effect of abnormal haemostasis.
Am. J. Physiol., 218 : 1376.

Hassal, D.G.; Owen, J.S. and Bruckdorfer, K.R. (1983):

The fibrinolytic reactions of blood.
Biochem. J., 216 : 43-47.

Hathway, W.H. and Bonnar, J. (1987):

Coagulation mechanism in neonates.
Am. J. Haematol., 13 : 223.

Hathway, W.H. (1978):

Haemostasis in premature infants.
Pediat. Clin. N. Amer., 17 : 929.

Hellem, A.J. (1979):

Role of vasoconstriction in haemostasis.
Lancet., 2 : 1163.

Holmsen, H. (1988):

Haemostasis in embryo and fetus.
Ser. Haematol., 4 : 28-32.

Hougic, C. and Twomey, J. (1977):

A new type of factor IX deficiency.
Lancet., 1 : 698.

Hoving, T. (1988):

Factors affecting concentration of vitamin K
dependent clotting factors.
Ser. Haematol., 1: 30.

Hoving, T. (1988):

Differential diagnosis of bleeding in the neonates.
Ser. Haematol., 1 : 36.

Idem, E. (1988):

Haemorrhagic disease of the newborn.
Am. J. Haematol., 58 : 31.

Ingerman, M.; Wojenski, R. and Silver, M.J. (1988):

Haemostasis in the premature infants.
Br. J. Haematol., 62 : 159.

Israel, L.B.; Zipursky, A. and Hilgartner, M.W. (1966):

Factor V Level in the neonatal period.
Pediatrics, 59 : 33.

Jackson, C.A.; Greaves, M. and Brownand, C.B. (1982):

Haemorrhagic disease in the newborn.
Br. J. of Haematol., 52 : 69.

Johnson, M.; Ramey, E. and Ramwell, P.W. (1975) :

Haemostasis in the newborn.
Am. J. Haematol., 17 : 159.

Kanfer, A.; Kleinknecht, D. and Josso, F. (1970):

Role of ADP in the haemostatic mechanism.
Br. J. Haematol., 32 : 257.

Karpatkan, S.; Bologna, E. and Pearlstein, E. (1977):

The anticlotting mechanism.
Am. J. Haematol., 17 : 59.

Levin, J. and Bang, F. (1979):

The anticlotting mechanism.
Am. J. Physiol., 220 : 1137.

Levin, J. (1977):

The production of thrombin during blood clotting.
Am. J. Physiol., 240 : 1126.

Loeliger, A.; Vandery, J. and Koller, F. (1986):

Prophylaxis of haemorrhagic disease of the newborn.
Acta. Haematol., 7 : 157.

Lorand, L. (1981):

The fibrin formation in haemostatic mechanism.
Br. J. Haematology 59 :67.

Lowe, G.D.O.; Reuvey, M.M. and Forbes, C.D. (1975):

Mechanisms of blood coagulation.
Lancet, 16: 395.

Lumely, P.; Penington, D.C. and Hymphrey, P.P.A. (1981):

The haemostasis in the newborn.
Am. J. Haematol., 17 : 69.

Martin, J.; Brecher, G. and Cronket, G. (1989):

Coagulation mechanisms in premature neonates.
N. Engl. J.Med., 283 : 778.

Maupin, B. (1979):

Haemostasis in embryo and fetus.
Acta Haematol., 54 : 228.

Mielke, C.H. (1982):

Management of haemorrhagic disease of the newborn.
Blood, 60 : 1139-1142.

Mills, D.C.B. (1979):

The mechanism of haemostasis in the newborn.
Br. J. Haematol., 15 : 49.

Mori, A.; Robb, I.A. and Kasabian, A.A. (1977):

The haemorrhagic disease of the newborn.
Am. J. Haematol., 57 : 69.

Mull, P.; Thomson, S.G. and Mills, D.C.B. (1981):

Haemostasis in full-term newborn infants.
Pediat. Res., 4 : 229.

Nathan, S. and Oski, M. (1979):

Factors affecting haemostasis.
J. Clin. Invest., 49 : 803.

Nathan, S. and Oski, M. (1979):

Stages of cascade theory in haemostasis.
J. Clin. Invest., 49 : 802.

Nemerson, Y. (1987):

The extrinsic clotting mechanism.
Biochem. Wash., 11 : 4502.

Nossel, H.L.; Lanzkowsky, P. and Levy, S. (1986):

Fibrinolysis in the neonates.
Br. J. Haematol., 56: 106.

Owen, C.A.; Preston, A.E. and Ambrus, C.M. (1939):

Haemorrhagic disease of the newborn.
Br. J. Haematol., 10 : 110.

Peters, N.; Cade, J.W. and Jansen, E. (1986):

The intrinsic clotting mechanism in haemostasis.
Br. J. Haematol., 16 : 49.

Prich, R.W.; Smith, H.P. and Vann, R.L. (1984):

Placental barrier to clotting factors.

Am. J. Dis. Child, 88 : 703.

Race, J.A. (1978):

Fibrinolysis in the neonates.

Am. J. Haematol., 16 : 164.

Ratnoff, O.D. (1979):

The fibrinolytic reactions.

J. Clin. Invest., 37 : 923.

Rodda, F.C. (1980):

Coagulation tests in full term newborn infants.

Am. J. Dis. Child., 19 : 269.

Schwartz, M.L. (1981):

Fibrin stabilization in haemostasis.

J. Clin. Invest., 50 : 1506.

Steiner, G. (1971):

Mechanisms of blood coagulation.

Am. J. Physiol., 158 : 387.

Stenn, K.kS. and Blout, E.R. (1986):

The intrinsic clotting mechanism in haemostasis.

Biochem. (Wash.), 11 : 4502.

Sutherland, J. (1969):

The haemorrhagic disease of the newborn.

Br. J.; Haematol., 16 : 111.

Swank, R.L. (1977):

The extrinsic clotting mechanism.

J. Lab. Clin. Med., 73 : 60.

Terwiel, J.P.; Velkamp, J.J. and Bettina, R.M. (1985):

The haemorrhagic disease of the newborn.
Biol. Neonate, 47 : 18.

Wintrobe, M.M.; Boggs, D.R. and Lee, G.R. (1979):

The mechanism of formation of fibrin in haemostasis.
In : Clinical haematology, 7th edition.
Philadelphia : Lee P. 1234.

Wright, J.H. (1970):

The anticlotting mechanism.
J. Clin. Haematol., 39 : 701.

Yin, E.T. and Wessla, S. (1981):

The anticlotting mechanisms.
J. Biol. Chem., 246 : 3703.