

REFERENCES

- Abbasi, A., Allen, M.W., Christofar, D., and Unyar, J., (1980):**
Detection and estimation of the degree of mitral regurgitation by range-gated Doppler echocardiography. circulation, 61 : 143.
- Abdin, ZH., Abul-Fadle, M.A.M., and Minia, Wi, L.K, (1972).**
Rheumatic fever in childhood.
Ain shams Med. J, 23 : 145.
- Abau-Baker, H., Zedan, M., Azzam, F., and Farage, S., (1991):**
Echocardiographic left ventricular functions in patients with acute rheumatic arthritis without clinical evidence of carditis. Benha M.J., 8 (2) : 27-34.
- Adams, D., Mark, D.B., and Kisslo, J., (1986):**
The Doppler examination.
Basic Doppler echocardiography textbook, churchill Livingston. New York page 63.
- Adly, M., (1993):**
A study of valvular regurgitation in normal children evaluated by echocardiography.
Master degree page 63.
- Akasaka, T., Yoshikawa, J., Yoshida, K., Kaizumi, K., Takao, S., and Kato, H., (1987):**
Age related valvular regurgitation. A study by Doppler echocardiography.
Circulation, 76:262-265.
- Al-Haddod, F.H., and Al- Saadon, I.A., (1988):**
The clinical profile of the initial attack of rheumatic fever in Iraque.
Ann saudi Medi, 8 : 245-247.

American Heart Association, (1956).

Committee for guidance the Jones criteria. Council on rheumatic fever and congenital heart disease.

Circulation, 13:617.

Quoted from Braunwald textbook of cardiovascular medicine 1992.

American Heart Association, (1965):

Committee to revise Jones criteria. Council on rheumatic fever and congenital heart disease.

Circulation, 32:664.

Quoted from Braunwald textbook of cardiovascular medicine 1992.

American Heart Association, (1984):

Jones criteria (revised) for guidance in the diagnosis of rheumatic fever.

Circulation, 69:204.

Ansert, H.S., (1983):

Textbook of diagnostic ultrasonography, 2nd ed St Louis: CV Mosby.

Artman, M., Parrish, M.D., and Graham, T.P., (1983):

Congestive heart failure in childhood and adolescence: Recognition and management.

Am. Heart J., 105:471.

Ascah, K.J., Stewart, W.J., Jiang, L and Guerrero, J.L., (1985):

A Doppler two dimensional echocardiographic method for quantitation of mitral regurgitation.

Circulation, 172:377.

Ayoub, E.M., Taranta, A., and Bartley, T.D., (1974):

Effect of valvular surgery on antibody to the group A streptococcal carbohydrate.

Circulation, 50:144-150.

Ayoub, E.M., (1984):

The search for host determinations of susceptibility to rheumatic fever: The missing link:

circulation, 69:197-201.

Baker, D.W., Rubenstein, S.A., and Lorch, G.S., (1977):

Pulsed Doppler echocardiography principles and applications.
Am. J. Med., 63:69-80.

Barrett, D.J., (1983):

Pathogenesis of acute rheumatic fever. Research on cardiac and renal sequelae of streptococcal infection. Sponsored and organized by Kuwait Heart Foundation and University of Kuwait: 42-45.

Bass, J.W., (1986):

Treatment of streptococcal pharyngitis revisited.
JAMA, 256:740-743.

Beachy, E.H., (1981):

Bacterial adherence, adhesion receptor interaction mediating the attachment of bacteria to mucosal surfaces.
J. Infect. Dis., 143:325.

Beachy, E.H., and Norton, W.L., (1982):

The control of rheumatic fever.
K. F.S.H. Med, 2: 1-2.

Beachy, E.H., (1987):

Protective immunogenicity and T lymphocyte specificity of a trivalent hybrid peptid containing NH2 terminal sequences of types 5,6 and 24 streptococcal M protein synthesized in tandem.
Journal of experimental medicine, 166:647.

Becker, R.E., and Lai, H., (1983):

pharmacological approaches to the treatment of hemiballismus and hemichorea.
Brain Res. Bull, 11:187.

Benedict, F., Massell, M.D., Christopher, G., Chute, M.D., and Alexander, M., (1988):

Penicillin and the marked decrease in morbidity and mortality from rheumatic fever in the united states.
New England Journal of Medicine. Feb (4): 280-285.

Bhattachary, As, Reddy, K.S., Sundaram, K.R., (1987):

Differentiation of patients with rheumatic fever from those with inactive rheumatic heart disease using the artificial subcutaneous nodule test, myocardial reactive antibodies, serum immunoglobulin and serum complement levels.
Int. J. Cardiol, 14: 71-78.

Bird, M.T., Palkes, H., and prensky, A.L., (1976):

A follow up study of Sydenham chorea.
Neurology, 26:601.

Bisno, A.L., (1980):

The concept of rheumatogenic and non-rheumatogenic group A streptococci in:
Reed, S.E., Zabriskie, J.B, (eds): Streptococcal diseases and the immune response. New york, Academic press.

Bisno, A.L., (1988):

Rheumatic fever.
Cecil's textbook of Medicine. 18th ed, edited by wyngaarden, and Smith, philadelphia, W.B. Saunder Co. page 1580.

Bland, E.F., (1987):

Rheumatic fever: The way it was.
Circulation, 76: 1190-1195.

Blumlein, S., Bouchard, A., and Schiller, N.B., (1986):

Quantitation of mitral regurgitation by Doppler echocardiography.
Circulation, 14: 306-314.

Bommer, W, J., (1985):

Basic principles of flow imaging.
Echocardiography, 2: 501-509.

Brand, A., Shaul, D., and Keren, A., (1992):

The prevalence of valvular regurgitation in children with structurally normal hearts: A color Doppler echocardiography study.
American Heart Journal, 123 (1): 172-180.

Brandenburg, R.O., Fuster, V., and Guiliani, E.R., (1987):

Cardiology: Fundamentals and Practice, year book medical publishers inc. chicago, 1564-1565.

Braunwald, E., (1980):

Rheumatic fever, Textbook of cardiovascular medicine, W.B saunders Co. philadelphia 1st ed, 1724.

Braunwald, E., (1984):

Rheumatic fever, Textbook of cardiovascular medicine. W.B saunders co. philadelphia 2nd ed 1647.

Braunwald, E., (1992):

Rheumatic fever, Textbook of cardiovascular medicine W.B. saunders Co. philadelphia 4 th 1727.

Brown, J.K., (1984):

Extrapyramidal disorders: Dyskinesias. Forfar textbook of Pediatrics churchill Livingstoneg Edinburgh, 3 rd ed., 1:729.

Budnick, L.D., (1987):

Statistics. In: Cassems B.J: Preventive Medicine and Public Health 43-77.
New York JohnWiley sons.

Bywaters, E.G., (1980):

Skin manifestations of rheumatic disease in. Dermatology in General Medicine. 2 nd ed, edited by Fitzpatrick, Eisen, wolff, Feedberg and Austen, New york McGraw-Hill book Co. 201.

Caldwell, J.L., Funderberg, H.H., Stites, D.P., and Wells, J.V., (1976):

In basic and clinical immunology lang. Medical publication california eds: 467-478.

Change, S. (1982):

M-Mode echocardiographic technique and pattern recognition philadelpha. Lea, Febiger. page 78.

Chen, C., Jams, D., Anconina, J., Harrigan, P., Mueller, L., Michael, H., Robert, A., Arther, E., and Weyman, M.D., (1991):
Impact of impinging wall jet on color Doppler quantification of mitral regurgitation.
Circulation, 84 (2) : 712-720.

Cheadle, W.B., (1989):

Harveian lectures on Various manifestations of the rheumatic states as exemplified in childhood and early life . Lancet, 1: 821-827.

Choong, M.B.B., Christopher, Y., ViVian, M., Abascal, N., Jean, N., Weyman, R.N., Robert, A. and James, D., (1989):
Prevalence of valvular regurgitation by Doppler echocardiography in patients with structurally normal hearts.
American Heart Journal, 117 (3): 636.

Clark, M., and Keith, J.D., (1972):

Atrioventricular conduction in acute rheumatic fever.
Br. Heart, J., 34:472.

Craig, M., (1991):

Echocardiography instruments and principles.
Echocardiography textbook volume II. Edited by Marveen craig, international ultrasound institute, Dallas, Texas, J.B., Lippincott company, philadelphia, London page 43.

Cromarite, W.J.; Croddock, J. G., Schwab, J.H., Anderie, S.K., and yang, C.H., (1977):

Arthritis in rats after systemic infection of streptococcal cells or cell wall.
J. EXP. Med., 146: 1585-1602.

Daijani, A.S., Bisno, A.L., Chung, K.J., Gerber, A.M., Kaplan, E.L., and Shulman, ST., (1988):

Prevention of rheumatic fever. A statment of health professionals by committe on rheumatic fever, endocarditis and kawasaki disease of the council on cardiovascular disease in the young.
Circulation, 78 : 1082.

Daijani, A.S., Bisno, A.L., kyung, J.Chug, M.D., David, T., Durack, M.B., Michoel, F., and Gerber, M.D., (1990):

Prevention of bacterial endocarditis. Recommendations by the American Heart Association.

JAMA., 12 Vol- 264. number 22 : 2919-2922.

Dale, J.B., (1991):

Group A streptococcal M protein vaccines.

Seminars in pediatric infectious diseases, Vol 2, No 3 : 207-212.

Dang, T.; Gardin, J.M.; Clark, S. and Allife, A.(1987):

Refining the criteria for pulsed Doppler diagnosis of mitral regurgitation.

Am. J. Cariol. 160:663.

Denny, F.W.T., (1987):

rheumatic fever in rheumatic fever.

Circulation, 76 : 963-970.

Depace, N.L., nestico, P.F., Kolter, M.N., Mintz, G.S., Kimbiris, D., Goel, Z.P., Glazier, E.E., and Ross, J (1989):

Comparisons of echocardiography and angiography in determining the cause of severe aortic regurgitation.

Br Heart. J., 36:51.

Disciascio, G., and Taranta, A., (1980):

Rheumatic fever in children.

Am. Heart J., 99: 635.

Disessa, T.G., Hagen, A.D., and Isabel-Jones, J.B., (1981):

Two dimensional echocardiographic evaluation of the discret subaortic stenosis from the apical long axis view.

Am. Heart, J., 101 : 774-782.

Eggleton, R.C., (1978):

Interim AIUM standard nomenclature.

Refflections, 4 : 275.

El-Daher, N.T.; Hijazi, S.S., Rawashdeh, N.M.; Al-Khalil, L.A.H.; Abu-Ektaish, F.M. and Abdel-Lalif, D.I. (1991):

Immediate vs delayed treatment of group A beta hemolytic streptococcal pharyngitis with penicillin V.

Pediatr. Infect. Dis J, 10:126-130.

El-Dakhakhny, M.; Al-Saied, A.H. and El-Dafrawy, M.S. (1990):

Level of antistreptolysin O antibody correlated to throat colonization with hemolytic streptococci.

E.M.J., 7 (11) : 638-643.

El-Naggar, B.M.; Sherif, M.M.; El-Banna, H.H. and Abdin, M. Y.Z. (1991):

Immunoregulatory role of T lymphocytes in children with rheumatic fever.

The Gaz. Egypt, Ped, Ass, 39: 1-4.

Fainstein, V., and Musher, D.M. (1979):

Bacterial adherence to pharyngeal cell in smoker, non smoker and chronic bronchitis.

Immun 26: 178.

Feigenbaum, H. (1981):

Echocardiography Textbook. 3 rd ed. Philadelphia: Lea, Febiger.

Feigenbaum, H. (1986):

Echocardiography Textbook 4 th ed philadelphia, Lea, Febiger.

Fischetti, V.A.; (1989):

Streptococcal M protein: Molecular design and biological behavior.

Clin. Microbiol Review, 2 : 285.

Fischetti, V.A., Hodges, W.M., and Hruby, D.E. (1989):

Protection against streptococcal pharyngeal colonization with a vaccinia M protein recombinant.

Science, 244: 1487-1490.

Folger, Jr.; Gordon, M. and Hajar, R. (1989):

Doppler echocardiographic finding of mitral and aortic regurgitation in children manifesting only rheumatic arthritis.

The American Journal of cardiology, 83: 1278-1280.

Folger, Jr.; Hajar, R.; Robida, A. and Hajar, A.; (1992):

Occurrence of valvular heart disease in acute rheumatic fever without evident carditis. Colour flow Doppler identification.
Br. Heart J., (6) : 434-438.

Forfar, J.D.; and Arneil, G.C. (1984):

Rheumatic fever. Forfar textbook of Pediatrics, Churchill Livingstone, Edinburgh, 3 rd ed : 1741.

Friedman, I.; Laufer, A.; Ron, N. and Davies, A.M. (1971):

Experimental myocarditis: In vitro and in vivo studies of lymphocytes sensitized to heart extracts and group A streptococci.
Immunology, 20:225-232.

Fyler, D.C. (1992):

Rheumatic fever. Nadas Pediatric cardiology textbook. Mosby year book INC, Boston philadelphia, page 306.

George, S.A.; (1991):

The mitral and tricuspid valves.
Diagnostic Medical sonography volume II edited by Marveen Craig, Lippincott company, Philadelphia page 185.

George, S.A. and Craig, M.(1991):

M-mode echocardiography.
Echocardiography textbook, volume II, edited by Craige, M, J.B.Li. ppincott company philadelphia 83.

Gerber, M.A. (1989):

Comparison of throat culture and rapid streptozyme test for diagnosis of streptococcal pharyngitis.
Pediatric Inf. Dis J., 8:820.

Ghanem, M.H.; El - Kashlan, K.M.; and Konbor, A.A.; (1971):

A comparative study of rheumatic fever in urban and rural areas in Egypt.
Egyptain Rheumatology, 9: 1-6.

Glynn, L.E. (1975):

Rheumatic fever, In cell PGH/commbs RRA, lachiman, PJ ed. Clinical aspect of immunology. Oxford, London, Edinburgh, Melborn, Blackwell scientific publication 1079-1099.

Grodan, S.K. and Scotte, O. (1989):

Heart disease in pediatrics, 3rd edition, Butterworth London, toronto.

Gordis, L.; (1984):

Changing, risk, of rheumatic fever in Schulman, St., Management of pharyngitis in an era of declining rheumatic fever: report of Ross conference on ped research colombus, ohio, Ross laboratories, 7-13.

Gostman, M. (1985):

Rheumatic fever and rheumatic heart disease.
Medicine, 2: 765.

Gray, E.D.; Regelmann, W.E. and Abdin, Z. (1987):

Compartmentalization of cells bearing rheumatic cell surface antigens in peripheral blood and in tonsils in rheumatic heart disease.
J. Infec Dis. 155:247.

Grayburn, P.A.; Smith, M.D.; Handshoe, R.; Friedman, B.J. and Demaria A.N. (1986):

Detection of aortic insufficiency by standard echocardiography, pulsed Doppler echo and auscultation.
Ann intern. Med, 104,5:599-605.

Guilherme, L.; Weideback, W.; Kiss, M.H.; Smitcowsky, R. and Kalil, J.; (1991):

Association of human leuckocytes class II antigens with rheumatic fever or rheumatic heart disease in a Brazilian population.
Circulation, 83 (6): 1995-1998.

Hafez, M.; El-Shennawy, F.; El-Salab, S.H.; El-Morsi, R.; El-Ziny, M.; El-Tonbary, M.; Abdalla, A. and Abu El Enein, A. (1988):

Studies of peripheral blood T lymphocyte in assecement of disease activity in rheumatic fever.
Br. J. Rheumatol., 27: 181-186.

Hakki, A.H., Kimbivis, D.; and Iskandrian, A.S.; (1980):

Angina pectoris and coronary artery disease in patients with severe aortic valvular disease.
Am Heart, J., 100:441.

Hallet, M.; and Kaufman, C. (1981):

Physiological observations in Sydenham chorea.
J. Neurology Neurosurgery and psychiatry, 44:829.

Hamadan, J.; Manasra, K. (1988):

Acute rheumatic fever, incidence in the eastern province of Saudi Arabia.
Ann. Saudi. Med., 8:245-247.

Harold, L.; Klawans, M.D.; Melaine, M. and Brandabur, M.D. (1993):

Chorea in childhood.
Pediatric annals, 22 (1), 41-50.

Harrigan, P. (1991):

Two dimensional and Doppler echocardiography.
Diagnostic Medical sonography volume II edited by Marveen craig, Lippincott company, philadelphia, page 91.

Hatle, L. and Angelsen, B. (1985):

Doppler ultrasound in cardiology 2 nd ed., philadelphia, Lea, Febiger page 216-220.

Helmcke, F.; Nada, N.C.; Husin, MC.; Soto, B.; Adey, C.K.; Groyal, R.G. and Gatewood, J. (1987):

Color Doppler assesement of mitral regurgitation with orthogonal planes.
Circulation, 75:175-183.

Henneke, K.H., Dennig, K.; Daciam, S. and Rudolph, W. (1987):

Comparison of various colour and continuous wave Doppler parameter for assesement of aortic regurgitation.
(Abstract) of 7th symposium on echocardiography, Rotterdam pag 15.

Hershman, W.Y. and Marten, K.I. (1989):

Utility of echocardiography in patients with suspected mitral valve prolapse.

Am, Med, J., 87:337.

Hill, D.R. and Bowery, N.G. (1980):

Sodium valproate in Sydenham chorea.

Nature, 290:149.

Hosier, D.M.; Craenen, J.M.; Teske, D.W. and Weller, J.J.(1987):

Resurgence of acute rheumatic fever.

Am. J. Dis Chil, 141: 730-733.

Hung, Chi-Lue (1986):

Rheumatic fever. Pediatric cardiology textbook edited by Eugenie, F., Doyle, M., Engle M. and Rashkind page 1021-1022.

Husby, G.; Van de Rijn, I.; Zabriskie, J.B.; Abdin, Z.H. and Williams R.C. Jr, (1976):

Antibodies reacting with cytoplasm of subthalamic and caudate neurons in chorea and acute rheumatic fever.

J. Exp. Med, 14:1049-1110.

Husby, G. (1979):

IgG antineural antibody in Sydenham chorea.

Clin. Immunol. Immunopath, 14:361.

Husby, G.H., Arora, R. and William, R.C (1986):

Immunofluorescent studies of florid rheumatic Aschoff lesions.

Arthritis Rheum. 29:207.

Hutchins, G.M. and Payne K.T. (1973):

Possible origin of the myocardial Aschoff bodies of rheumatic fever from nerves.

Johns Hopkins Med. J., 132:315-333.

Jaffe, M., (1986):

Myocardiomyopathy: Clinical picture and prognosis.
Pediatric cardiology (Proceedings of second world congress)
eds E.F., Dogle, M.A., Engle, W.M. Springer-verlay, New
York.

Jones, T.D. (1944):

Diagnosis of rheumatic fever.
JAMA, 126:481-484.
Quoted from circulation, 69:204, 1984,

John, A.; Bittle, M. and Joseph, K.P. (1983):

Chronic post rheumatic arthropathy of Jaccoud.
Am. Heart J., 105:515.

Jordan, S. and Scott, O. (1989):

Heart Disease in Paediatrics, 3 rd ed, Butterworth Co.,
London, Boston.

Kalra, V. and Ghai, O.P. (1980):

Rheumatic chorea.
Ind. Med. J., 72 (11): 696.

Kamel, H.B. (1973):

Immunological aspect of rheumatic fever.
Gaz, Egypt. Ped. Ass, 21 (3) 1-4.

Kan, G.; Visser, C.A. and Lie, K.I. (1981):

Left ventricular volumes and ejection fraction by two
dimensional echo.
Europ Heart J. 2:339.

Kaplan, E.L., Binso, A. and Derricke, W. (1977):

Prevention of rheumatic fever. American Heart. Association
committee on rheumatic fever and bacterial endocarditis.
circulation, 55:1-4.

Kaplan, E.L., (1980):

The group A streptococcal upper respiratory tract carrier state
(an enigma).
Jour. of ped, 9:337.

Kassem, A.S.; Bader, Eldin, M.K. and Madkour, A. A.(1982):

The pattern of rheumatic fever in Alexandria with 10 years
follow up of valvular lesions.
The Gazet of Egyptain ped. Ass, 30(3) : 232.

- Kassem, A.S.; El-Azouny, O.; El-Wahli, I, Abou, Shleib, H. and Hassan, Z. (1992):**
Bioavailability study of different long acting penicillin preparations in the serum of children with rheumatic heart disease.
Alexandria journal of Pediatrics, 6 (1): 1-14.
- Kassem, A.S.; Madkour, A.A.; Massoud, B.Z. and Zaher, S.R. (1992):**
Benzathin penicillin for rheumatic fever prophylaxis: a 2 weekly versus 4 weekly regimen.
pediatrics annals 21, (12): 816.
- Kassem, A.S. and Zaher, S.R. (1992):**
Comparison of the prevalence of streptococcal infection and rheumatic fever in children.
ped. annals, 21 (12): 838-842.
- Kaye, D., (1976):**
Definition and demographic characteristics. In: Kaye D, ed. Infective endocarditis. Baltimore University, Park press.
- Keith, J.J.; Rowe, D.R. and Vald, P. (1976):**
Heart disease in infancy and childhood 3 rd ed, New York, McMillian Publishing Co. page 203.
- Kennedy, H.L. and Das, S.K. (1976):**
Post myocardial infarction Dressler's syndrome. report of a case with immunological and viral studies.
Am. Heart. J., 91:233-239.
- Kenneth, M.; Zangwill, M.D.; Ellen, R.; Wald, M. and Londino, Jr. (1991):**
Acute rheumatic fever in western Pennsylvania, a persistent problem into 1990.
Journal. Pediat, April: 1561.
- Kent, L. and Richard, S. (1991):**
Assesment of aortic and pulmonic stenosis by echocardiography.
circulation supplement I, 84 (3): 182.

kingston, D. and Glynn, L.E. (1976):

Antistreptococcal antibodies reacting with brain tissue.
Br. J. Exp Path, 57:114-128.

Kisslo, J., Von, Ramm, O.T. and Thurstone, F. (1976):

Cardiac imaging using a phased array ultrasound system II.
Clinical technique and applications.
Circulation, 53:262-267.

Kisslo, J.; David, B.; Adams, R.C.P.T., Robert, N. and Belkin, O.(1988):

Conventional pulsed and continuous wave Doppler.
Doppler colour flow imaging textbook. Churchill Livingstone.
New York, London, Melbourne page 17.

Kostucki, W.; Vandenbossche, J.L.; Friart, A. and Englert, M. (1986):

Pulsed Doppler regurgitant flow patterns in normal valves.
Am. J. Cardiol, 58:309.

Leech, G.J.; Davis, M.J.; Brooksby, I.; Parker, J. and Brainbridg, M.V. (1978):

Use of M-mode echocardiography to detect pathogenesis of
aortic regurgitation.
Br Heart J. 40:460.

Lembo, N.J.; Dellitalia, L.J. and Craufard, M.H. (1988):

Mitral valve prolaps in patients with prior rheumatic fever.
Circulation, 177:830-836.

Levin, R.M.; Grossman, M. and Jordan, C. (1988):

Group A streptococcal infection in children younger than 3
years of age.
Ped Infec Dis J. 7:58.

Lewis, J.F.; Kuo, L.; Nelson, J.G.; Limacher, M.C. and Quinones, M.A. (1984):

Pulsed Doppler echocardiographic determination of stroke
volume and cardiac output: clinical validation of two methods
using the apical window.
circulation, 10:425-43.

Liebman, I.; and Feej, M. (1990):

Acute rheumatic fever, Nelson, Essential of ped 1st ed, philadelphia, W.B Sounder, Co. Sec. 12 .

Lieu, T.A.; Fleisher, G.R. and Schwartz, J.S. (1990):

Cost effectiveness of rapid latex agglutination testing and throat culture for streptococcal pharyngitis.
Pediatrics, 85:246.

Lockman, L.A. (1975):

Movement disorders. The practice of ped neurology, C.V. Mosby Co.m St Louis, page 218.

Logan, P. (1991):

Acquired aortic and Pulmonic valvular heart disease
Echocardiography textbook volume II edited by craig, M., J. B. Lippincott company, philadelphia. 201-233.

Louie, E.K.; Moson, T.J.; Shah, R. and Moore, A.M. (1988):

Determination of anterior mitral leaflet fluttering in pure aortic regurgitation from pulsed Doppler study of the early diastolic interaction between the regurgitant jet and mitral inflow.
Am. J cardiol, 61 : 1085-1091.

Lue, H.; Wue, M. and Hsich, K. (1986):

Rheumatic fever recurrences: controlled study of 3 weeks versus 4 weeks benzathin penicillin G prevention program.
Journal Ped., 108:299.

Maharaj, B.; Hammond, M.G.; Appadoo, B.; Leary, W.P. and Pudifin, D.J. (1987):

HLA-A, B, DR and Dq antigens in black patients with severe chronic rheumatic heart disease.
Circulation, 76:259-261.

Majeed, H.A.; Yousof, A.M.; Pokarny, J.; Bicova, R.; Bahr, G.; Behbahani, K. and Rotta, J. (1991):

Human heart sarcolemmal sheath antibodies in children with non suppurative sequelae of group A streptococcal infection, a follow up study.
Annals of rheumatic disorders, 50:752-754.

Markowitz, M. and Gordis, L. (1972):

Rheumatic fever, 2 nd ed sounders, philadelphia.

Markowitz, M. (1981):

Obsevation on epidemiology and preventability of rheumatic fever in developing countries.

Clin. Therap, 4:240-251.

Markowitz, M. (1985):

Decline of rheumatic fever. Role of medical intervention.

Journal pediat, 106: 545-550.

Markowitz, M. (1987):

Rheumatic fever in Nelson textbook of ped Ed. ed 13 th, edited by Behrman and Voughan.

philadelphia W.B sounder : 539.

Markowitz, M. and Kaplan El. (1989):

Reappearance of rheumatic fever.

Advances in pediat., 36:44.

Martin, R.P.; Rakawshi, H. and Kleman, J.H. (1979):

Reliability of reproducibility of two dimensional echocardiographic measurements of stenotic mitral valve orifice area.

Am. J, cardiol, 43:560.

Massell, B.F.; Chute, C.G.; walker, A.M. and Kurland, G.S. (1988):

Penicillin and the marked decrease in morbidity and mortality form rheumatic fever in united sates.

New England, J. Medicine, 318:280-286.

Maxted, W.R. (1984):

Streptococcal bacteriophage in:

Uhr, J.W., the streptococcus rheumatic fever and glomerulonephrits Baltimore.

Willimas and Wilkins Co. 25.

McLachlan, R.S. (1981):

Valproic acid in Sydenham chorea.

Br. Med. J., 283:274.

Meric, N. and Berkil, A.I. (1979):

Cellular immunity in children with acute rheumatic fever and rheumatic carditis.

Ped. Res, 13:16-20.

Meyer, T.; Sareli, P.; Pocock, W.A.; Epstein, M. and Barlow, J. (1987):

Echocardiographic and hemodynamic correlates of diastolic opening of aortic valve in severe aortic regurgitation.

Am. J. Cardiol, 159:144-148.

Michael, A.; Gerber, M.D. and Markowitz, M. (1992):

Streptococcal pharyngitis: clearing up the controversies.

Contemporary pediatrics, october 118-131.

Mische, S.M.; Manjula, B.N. and Fischetti, V.A. (1987):

Relation of streptococcal M protein with human and rabbit tropomyosin. The complete amino acid sequence of human alpha tropomyosin, a highly conserved contractile protein.

Biochem. Biophys. Res. commun, 142:813-818.

Miyatake, K.; Izumi, S.; Okamoto, K.; Takamiya, M. and Nimura, Y. (1986):

Semiquantitative grading of severity of mitral regurgitation by real-time two dimensional Doppler flow imaging technique.

J. Am. Coll cardiol, 17:82.

Monaghan, M.J. and Mills, P. (1989):

Doppler colour flow mapping technology in search of an application.

Br. Heart J. 61:133-138.

Moss, S. (1991):

Essentials of echocardiographic measurements.

Echocardiography textbook, volume II, Edited by Marveen crag, international ultrasound institute, Dallas, Texas, J.B, Lippincott comapny philaldelphia. page 149.

Mourad, M.; Mahmoud, F.; Omran, S.; Salah, Z. and El-Fouly, A.; (1990):

Echocardiographic findings in patients with rheumatic chorea.

J. A.C., Vol 1, N0 1.

Nagaraja, D.; Srinivasa, R.; Subhash, M.N. and Rao, B.S. (1983):

Homovalinic acid in C.S.F in rheumatic chorea.
Indian J. Med. Res. 78-94.

Norenthrian, S. (1985):

Echocardiography in the subacute bacterial endocarditis.
Ceylon Med J.,30:125-129.
Quoted from Marveen craig textbook volume II 1991.

Nasser, F.N. and Guillian, E. (1983):

Clinical two dimensional echocardiography. Chicago: year
Book Medical Publishers, 67-87, 106-117.

***Nausieda, P.A. Grossman, B.J. Kolber, W.C.; Winer, W.J. and
Klawans, H.L., (1980):***

Sydenham chorea.
Neurology, 30:331.

Nishimura, R.A.; Housman, P.R.; Halt, L.K. and Tajik, A.J. (1989):

Assesment of diastolic function of the heart. Background
and current application of Doppler echocardiography part I.
Physiologoc and pathophysiologic features.
Mayo clin proc, 64, 71:81.

Olson, L.J.; Subramanian, R. and Edwards, W.D. (1984):

Surgical pathology of pure aortic insufficiency: A study of 225
cases.
Mayo Clin proc, 59:935.

***Omoto, R.; Yokote, Y.; Takamato, S.; Kyo, S.; Ueda, K.; and Asano, H.
(1984):***

The development of real time two dimensional Doppler
echocardiography and its significances in acquired valvular
disease.
Jpn. Heart. J, 25:325-340.

Omoto, R.; and Kasaie, C. (1986):

Basic principles of Doppler color flow imaging.
Echocardiography, 3 : 463-473.

Oram, S. (1981):

Clinical heart disease, 2 nd ed, London, William Heine-mann, Medical books, L.T.D, 307.

patel, A.K.; Rowe, G.G.; Thomsen, J.H.; Dhanoni, S.P.; Kosolchareen, P. and Lyle L.E.W. (1983):

Detection and estimation of rheumatic mitral regurgitation in presence of mitral stenosis by pulsed Doppler echocardiography.

Am. J. Cardiol, 51:986.

Persellin, S.T.; Ramire, Z. and Moatamed, F. (1982):

Immunopathology of rheumatic pericarditis.

Arthritis and Rheumatism, 25:1054.

Perry, G.J.; Helmecke, F.; Nada, N.C.; Byard, C. and Soto, B. (1987):

Evaluation of aortic insufficiency by Doppler colour flow mapping.

J.Am. Coll cardiol, 9:952-959.

Pichichero, M.D. (1991):

The rising incidence of peinicillin treatment failures in group A streptococcal pharyngitis: An emerging role for the cephalosporins.

Pediat. Inf. Dis. J, 10:550.

Pizzarello, R.A. Turnies, J. and Goldman, M.A. (1984):

Clinical and echocardiographic features of isolated mitral regurgitation.

Clin Cardiol, 17:565.

Popp, R.L.; Fowles, R. and Coltart, J. (1979):

Cardiac anatomy vieued systematically with two dimensional echocardiography.

Chest, 75, 579-585.

Poynton, F.L. and Panic A. (1914):

Reaserches on rheumatism. New York McMillan co. quoted from O" Brien,J.R. Exhausted platelet continue to circulate.

Lancet, 2: 1316, 1978.

- Quagliata, F.; Beckerdite-Quagliata, S.; Alsobrook, R.A.; Russoc, C Indiveri, F.; Pellegrino, M.A. and Ferrone, S. (1982):**
Functional and immunological characterization of the stimulation of human lymphocytes with a mitogen from group A streptococci.
Cell Immunol, 68: 146-154.
- Quinones, M.A.; Pickering, E. and Alexander, J.G. (1978):**
Percentage of shortening of echocardiographic left ventricle dimension.
Chest, 74:59.
- Raffloul, H.; Diebde, B.; Guglierlimi, J.P. Touaty R.; Forman, J.; and Perounean, P. (1987):**
Quantification of aortic regurgitation using Doppler imaging.
Am. J. Cardiol, 42:244-250.
- Rahko, P.S. (1989):**
Prevalence of regurgitant murmurs in patients with valvular regurgitation detected by Doppler echocardiography.
Ann In. Med., 11:466-472.
- Rajapakse, C.N.A., Halimk, A.L.; Orainey, I. Al-Nozha, M. and Al-Aska, A.K. (1987):**
Antigenic marker for rheumatic heart disease.
Br Heart, J., 58:659-662.
- Ralph, C.; Williams, Jr.; Gopinath, N.; Sharma, K.B.; Cherian, K.M.; John, B.Z.; Zabriskie, J. B. and Husby, G. (1983):**
Tissue distribution of lymphocytes in rheumatic heart valves as defined by monoclonal anti Tcells antibodies.
The American Journal of Medicine, 74:90-95.
- Rammelkamp, C.H.; Wannamaker, L.W. and Denny, F.W.; (1952):**
Epidemiology and prevention of rheumatic fever. Bull Ny Acad Med, 28:321-334.
Quoted from Nadas pediatric cardiology textbook 1992.
- Rammelkamp, C.H. and Stolzer, B.L. (1961):**
Latent period before the onset of acute rheumatic fever.
J. Bio.Med., 34:386.
Quoted from Nadas Pediatric cardiology textbook, 1992.
- Ramesh, C.; Bansal, S.; Marie, De Lange and Racker, H.; (1991):**
Pericardial disease.
Echocardiography textbook volume II edited by craig, M. J.B. Lippincott company, Philadelphia page 253.

Read, S.E.; Reid, H.; Poon-king, T.; Fischetti, V.A.; Zabriskie, J.B. and Rapaport, F.T. (1977):

HLA and predisposition to the non suppurative sequelae of group A streptococcal infection.
Transplant proce, 9:543-546.

Regelmann, W.E.; Tolba, R. and Cairns, L. (1989):

Distribution of cells bearing rheumatic antigens in peripheral blood of patient with rheumatic fever, rheumatic heart disease.
J. Rheumat, 16:931.

Robert, D.F.; Rozner, L.M. and Swan, A.V. (1971):

Age of menarch, physical and environment in industrial North East England.
Acta. Pediat, Scand, 60:158-164.

Salcedo, E.; (1985):

Echocardiographic examination and measurement. Atlas of echocardiography 2 nd ed W.B sounders company philadelphia page 17.

Sanyal, S.K.; Thapar, M.K.; Ahmed, S.H.; Hooja, V. and Tewari, L. (1974):

The initial attack of acute rheumatic fever during childhood in North India. A prospective study of the clinial profile.
Circulation, 49:7.

Sanyal, S.K.; Berry, A.M. and Duggal, S.; (1982):

Sequelae of the initial attack of acute rheumatic fever in children from North India: A prospective 5-years follow up study.
Circulation, 65:375-379.

Sanyal, S.k. (1985):

Acute rheumatic fever.
Am. J. Dis. child, 139:441.

Schoenfeld, A.E.; Rubinstein, A. and Raviv, M. (1968).

Immunoglobulins in rheumatic fever.
Isr. J.Med. Soci, 4:815.

Special Writing group (1992):

Diagnosis of rheumatic fever.
JAMA, 268:2069-2073.

Smith, M.D.; Mikel, D.; Oiling Kwan, R.D.M.S; Michael, G. and Spain, M.D. (1992):

Temporal variability of color Doppler jet areas in patients with mitral and aortic regurgitation.
American Heart Journal, 123 (4) 953.

Snider, E.R. and Serwer, G. A. (1990):

Quantitation of valvular regurgitation, mapping techniques.
Echocardiography in pediatric heart diseases textbook.
Mosby year book, page 115.

Steele, R.L. and Perez, J.O. (1986):

Left ventricular diastolic collapse provoking cardiac tamponade.
Echocardiography, 3 : 149-150,

Steinfeld, L.; Ritter, S.; Rapaport, H. and Martinez, E. (1986):

Silent mitral regurgitation unmasked by Doppler studies.
Circulation (Supp II) 74:385.

Stephen, P. and Sanders, M.D. (1992):

Echocardiography.
Nadas Pediatric cardiology, Edited by Fyler DC. Mosby year book INC, St-Louis, Boston, Philadelphia Toronto page 159.

Stevens, S.L.; Tanner, M.H. and Winship, J. (1989):

Sever group A streptococcal infections associated with toxic shock like syndrome and scarlet fever toxin A.
New England. J Med. 321:1-7.

Stewart, W.J.; Palacios, I. and Tiang, L. (1983):

Doppler measurements of regurgitation fraction in patients with mitral regurgitation. A new technique
circulation, 68 (Suppl): 111.

Stewart, W.J.; Currie, P.J.; Salcedo, E.E.; Lytle, B.W.; Gill, C.C.; Schiavan, W.A.; Agler, D.A. and Cosgrove, D.M. (1990):
 Intraoperative Doppler colour flow mapping for decision making in valve repair for mitral regurgitation: Technique and results in 100 patients.
 Circulation, 81: 556-566.

Stollerman, G.H. (1975):
 The selective rheumatogenicity of strains of group A streptococci.
 Medical concepts in cardiovascular disease, 44:35.

Stollerman, G.H. (1989):
 Rheumatic fever in: Kelley W.N. Harris, E.D, Ruddy, S. and Sledge, C.B: Textbook of rheumatology 3rd ed page 1312-1323. W.B sounders company philadelphia, London, Toronto.

Switzer, D.F. and Nada, N.C. (1986):
 Colour Doppler evaluation of the valvular regurgitation
 Echocardiography, 2:543-553.

Takenaka, K.; Debestani, A.; Gardini, J.M.; Clark, S.; Allfie, A. and Henary, W.L. (1986):
 A simple Doppler echocardiographic method for estimating the severity of aortic regurgitation.
 Am. J. cardiol (3Dq) 57 (15): 1340-1343.

Tanz, R.R.; Shulman, S.T. and Borthel, M.J. (1985):
 Penicillin plus rifampin eradicates pharyngeal carriage of group A streptococci.
 Journal. Pediatric, 106:876.

Tanz, R.R.; Poncher, J.R. and Corydon, K.E. (1991):
 Clindamycin treatment of chronic pharyngeal carriage of group A streptococci.
 J. Pediatric, 119:123.

Taranta, A.; Spangenuol, M. and Feinstein, A.R. (1962):
 Chronic rheumatic fever.
 Ann. Inter. Med. 56:367.

Taranta, A. (1979):

Rheumatic fever in arthritis and allied condition 9th ed,
edited by McCarty, Philadelphia, Lea Febiger: 825.

Taranta, A. and Markowitz, M. (1981):

Rheumatic fever guidance to its recognition, prevention and
cure with special reference to the developing countries.
Ann. Intern. Med, 57:312.

Tei, C.; Shah, P.M. and Ormiston, J.A. (1981):

Echocardiographic evaluation of tricuspid annulus size and
function in normal and tricuspid regurgitation.
Am. J. Cardiol, 47:412.

Tolba, O.A. and Shaaban, N.A. (1991):

Utility of echo-Doppler study in reevaluation of children with
various presentations of rheumatic fever (detection of silent
mitral lesion).
The Gaz. Egypt. Ped. Ass (39) No 1: 21-32.

Tomas, W.A.; Averill, J.H. and Castleman, B. (1983):

The significans of Aschoff bodies in the left atrial appandage.
A comparison of 40 biopsies removed during mitral
commissurotomy with autopsy material from 40 patients with
rheumatic fever.
New England J. Med, 249:761-765.

**Tribouilloy, C.H.; Shen, W.F.; Slama, M.A.; Dufosse, H.; Choquet, D.;
Marek, A. and Lesbre, P. (1991):**

Non invasive measurement of regurgitant fraction by pulsed
Doppler echocardiography in isolated pure mitral
regurgitation.
Br Heart, J., 66:290-294.

Troppe, H.J.; Daniel, W.G.; Frank, G. and Lickten, P.R. (1987):

Comparison between diastolic fluttering and reverse doming
of anterior mitral leaflet in severe aortic regurgitation.
Am. J. Cardiol, 114:1399-1405.

Ultrasound-council on scientific Affairs (1991):

Medical diagnostic ultrasound, instrumentation and clinical interpretation.

JAMA, March 6, volume 265, No 9:1155.

United kingdom and U.S.; Joint Report on Rheumatic Heart Disease. (1965):

The natural history of rheumatic fever and rheumatic heart disease: ten-years report of a cooperative clinical trial of ACTH, cortisone and aspirin.

Circulation, 32:457-476.

Quoted from Nadas pediatric cardiology textbook. 1992.

Valkenberg, H.A.; (1971):

Streptococcal pharyngitis in general population.

The attack rate of rheumatic fever and acute glomerulonephritis in patients not treated with penicillin.

Journal of Infectious Disease, 124:348-357.

Van de Rijn, I, Zabriskie, J.B. and McCarty, M. (1977):

Group A streptococcal antigens cross reactive with myocardium. Purification of heart reactive antibody and characterization of the streptococcal antigen.

J. Exp. Med, 146:579-599.

Veasy, G. Wiedmeier, S.E. and Orsmond, G.S.; (1987):

Resurgence of acute rheumatic fever in the intermountain area of U.S.A.

New England J. Med, 316:421-427.

Vongprateep, C. (1986):

Rheumatic fever: diagnosis and therapy.

ped cardiology textbook. proceeding of the second world congress. Edited by Eugenie F, Doyle Mary, and Engle Welton, M. page 1015-1020.

Walder, R.; Dastefsky, B.; Feidt, C.; Chiponis, D. and Byers, C. (1987):

Acute rheumatic fever in Western Pennsylvania and the tristate area.

Pediatrics, 80:371-374.

Wallach, J. (1992):

Hematology reference values.
 Interpretation of diagnostic tests. textbook fifth edition.
 Little, Brown and Boston company page 122.

Wannamaker, L.W. (1970):

Medical progress differences between streptococcal
 infections of the throat and the skin.
 New England Journal of Medicine, 282:23-31, 78-85.

Watson, R.F.; Hirst, G.K.; and Lancefield, R.c. (1961):

Bacteriological studies of cardiac tissues obtained at autopsy
 from eleven patients dying with rheumatic fever.
 Arthritis rheumat, 4: 74-85.

Wells, P.N.T. (1975):

Absorption and dispersion of ultrasound in biological tissue.
 Ultrasound Med. Biol, 1:369.

Westlak, R.M.; Edwards, K.M. and Graham, T.P. (1989):

Acute rheumatic fever in Tennessee. Proceedings of the
 society for pediatric research.
 Pediatr April, :218.

Weyman, A.E.; Wann, L.S.; Rogers, E.W. and Godley, R.N. (1979):

Five years experience in correlating cross-sectional echo-
 assesment of the mitral valve with hemodynamic valve area
 determination.
 Am. J. Cardiol, 43:386.

Weyman, A.E. (1982):

Cross sectional echocardiography. Philadelphia: Leas
 Febiger, 137-192, 338-367.

WHO, (1980):

Community control of rheumatic heart disease in developing
 countires: A major public health problem.
 Chronicle, 34:336-345.

WHO, (1986):

Evaluation of streptozyme test for streptococcal antibodies.
Bulletin of WHO, 64:504.

WHO, report study group. (1988):

Rheumatic fever and rheumatic heart disease No 764 Geneva:
5-33.

Williams, R.C.; Jr., Van de Rijn, I.; Mahros, F.; Abdin, Z.H.; Reid, H. and Poomking, T. (1980):

Lymphocytes binding c-reactive protein and streptococcal membrane in acute rheumatic fever.
J. Lab. Clin. Med., 96:803-814.

Willis, J.H. and Robert, C.S. (1991):

The heart 7 th ed. page 80.

Witnack, E. and Bisno, A.L. (1980):

Rheumatic fever and other immunologically mediated cardiac disease.

Clinic. Immunology, 2 nd ed edited by Parker, Philadelphia
W.B. Sounder Co. 894.

Ximena, B. Delcampo, E. Guzman, B.R.N. and Bisno, L. (1993):

Discontinuing rheumatic fever prophylaxis in selected adolescents and young adults, a prospective study.
Annals of Internal Medicine, 18 (6) : 401.

Yock, P.G.; Schnittger, I. and Popp, R.L. (1984):

Doppler tricuspid regurgitation in normal: is it real.
Circulation (Supp II) 70: 11-40.

Zabriskie, J.B.; Hsu, K.K. and Seagal, B.C. (1970):

Heart reactive antibody associated with rheumatic fever.
Characterization and diagnostic significance.
Clin Exp. Immunol, 7:147:159.

Zabriskie, J.B. (1982):

Rheumatic fever: a streptococcal induced autoimmune disease
Ped. Ann, 11: 383-396.

Zabriskie, J.B. (1985):

Rheumatic fever the interplay between host, genetic and microbe.

Circulation, 7: 1077-1086.

Zaher, S.R.; Kassem, A.S.; Abou Shleib, H.; El-Kholy, A.G., Madkour, A. and Kaplan, E.L. (1992):

Differences in serum penicillin concentration following intramuscular injection of benzathin penicillin G (BPG) from different manufacturers.

Journal of pharmaceutical Medicine, 2: 17-23.

Zhang, Y.; Ihlen, H.; Myhre, E.; Levarsted, K. and Nitter-Hauge, S. (1985):

Measurement of mitral regurgitation by Doppler echocardiography.

Br Heart J. 54: 384-391.