

References

- **Adachi JD, Olsynki WP, Hanley DA, et al (2000):** Management of corticosteroid-induced osteoporosis. *Seminars in Arthritis and Rheumatism*; 29:228-51.
- **Alter HJ and Seeff LB (2000):** Recovery, Persistence, and Sequel in hepatitis C virus infection : a perspective on long-term outcome. *Seminars in Liver Disease*. 20(1):17-35.
- **Atrah HI and Ahmed MM (1996):** Hepatitis C virus seroconversion by a third generation ELISA screening test in blood donors. *J. Clin. Pathol.* March, 49 (3): 254- 256.
- **Bachrach LK (2001):** Acquisition of optimal bone mass in childhood and adolescence. *Trends in Endocrinology & Metabolism*. 12, 22-28.
- **Bachrach LK, Loutit C, Moss R, et al (1999) :** Bone mineral acquisition in healthy Asian , Hispanic black , and Caucasian youth . *J Clin Endocrinol Metab* 84 : 4702 – 4712.
- **Baron R(1999):** Anatomy and ultrastructure of bone. In Favus MJ (ed): *Primer on the Metabolic Bone Diseases and Disorders of Mineral Metabolism*. Philadelphia, Lippincott Williams and Wilkins, P10
- **Bailey DA, Mckay HA, Mirwald RL, et al (1999):** A six-year longitudinal study of the relationship of physical activity to bone mineral accrual in growing children : The University of Saskatchewan bone mineral accrual study . *J Bone Miner Res* 14: 1672 – 1679.
- **Bellary S, Schiano T, Hartman G, et al(1996):** Autoimmune hepatitis and/ or hepatitis C:how to decide.*Hepatology*,23 (3):647-49.

References

- **Bengoa J, Sitrin MD, Meredith S, et al (1984):** Vitamin D deficiency , Osteomalacia and primary biliary cirrhosis. *Hepatology*; 4: 261-265.
- **Binkely TL , Speckler BL , hangartner TN (1999) :** Bone parameters in preschool children as measured by peripheral quantitative computed tomography . Validation and technique. *J Bone and mineral Res* 14 : S 251.
- **Bisset WM (1998):** Disorders of the alimentary tract and liver. In: Forfar and Arneil's Textbook of Pediatrics, 5th ed. Campbell AGM and McIntosh N (eds.), Churchill Livingstone, New York, Edinburgh, London, Madrid, Melbourne, San Francisco, Tokyo, Ch. 11:423- 88.
- **Blumsohn A and Eastell R (1997):** The performance and utility of biochemical markers of bone turnover: do we know enough to use them in clinical practice? *Ann Clin Biochem* , 34 : 449 – 459.
- **Bonde M, Quist P, Fidelius C, et al (1994):** Immunoassays for quantifying type I collagen degradation products in urine evaluated. *Clin Chem* 40: 2022 – 2025. Boniolo A, Davis M and Matteja R (1982) : The use of enzyme- linked immunosorbent assay for screening hybridoma antibodies against hepatitis B surface antigen. *J Immunology Meth* , 49: 1.
- **Bortolloti F, Resti M, Giacchino R, et al (1997):** Hepatitis C virus infection and related liver disease in children of mothers with antibodies to the virus. *Journal of Pediatrics*.130;990-993.

References

- **Casella sJ , Reiner BJ, Chen Tc ,et al (1994) :** A possible genetic defect in 25-hydroxylation as a cause of rickets . J Pediatr 124: 129.
- **Chen YT (2000):** Defects in metabolism of carbohydrates. In: Nelson Textbook of Pediatrics, 16th ed., Behrman RE, Kliegman RM, Arvin AM (eds.). W.B. Saunders Company, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, 84: 405-418.
- **Clifford J, Rosen MD, Alan Tenenhouse MD (1998):** Biochemical markers of bone turnover: A look at laboratory tests that reflect bone status. Post Graduate Medicine Vol 104 / No4 / October 1998.
- **Cole DE and Cohen MM (1990):** Mutations affecting bone forming cells. Hall BK, ed. Bone: volume I The osteoblast and osteocyte . New Jersey: The Telford Press, 442-452.
- **Cole DE and Hanley DA (1990):** Osteocalcin in Hall BK, ed. Bone: Volume III. The Bone Matrix New Jersey: The Telford Press, 239 – 294.
- **Collier JD, Ninkovic M, and Compston JE (2002):** Guidelines on the management of osteoporosis associated with chronic liver disease. J Hepatol; 50: 1-9.
- **Compston JE (1986):** Hepatic osteodystrophy: Vitamin D metabolism in patients with liver disease. Gut 1986; 27: 1073 – 1990.

References

- **Corazza GR, Trevisani F, DiStefano M, et al (2000):** Early increase of bone resorption in patients with liver cirrhosis secondary to viral hepatitis. *Dig Dis Sci*; 45:1392-99.
- **Correl AL and Allen DB (2001):** Beyond height: Effects of growth hormone on body composition and physical function in children. *The endocrinologist*, 11(4), 30s.-36s.
- **Crofton Pm and Kelnar CJ (1998):** Bone and collagen markers in pediatric practice. *Int J Clin Pract* , 52: 8 , 557 – 65 , Nov 1998.
- **Crosbie OM, Freanery R, McKenna MJ, et al (1999):** Bone density and vitamin D status, and disordered bone remodeling in end-stage chronic liver disease. *Calcif Tissue Int* .64 (4):295-300.
- **Davison S (1999):** Chronic hepatitis. In: *Diseases of the Liver and Biliary System in Children*, 1st ed., Kelly DA (ed.), Blackwell Science Ltd., Oxford, London, Edinburgh. Maiden, Victoria, Paris, Berlin, Tokyo, 6: 97-123.
- **Desmet VJ, Gerber M, Hoofnagle JH, et al. (1994):** Classification of chronic hepatitis: Diagnosis, grading and staging. *Hepatology*, 19(6): 1513-1520.
- **Desmet VJ and Roskams T (1999):** Histological classification of chronic liver disease. In: *Oxford Textbook of Clinical Hepatology*. 2nd ed.,

References

- Bircher J, Benhamou JP, McIntyre N, Rizzetto M, Rodes J (eds.). Oxford University Press; Oxford, New York, Tokyo, Vol. 1; 471 -475.
- ***De Vernejoul M (1998):*** Markers of bone remodeling in metabolic bone disease. *Drug Aging*; 12(suppl 1): 9 – 14.
 - ***Diamond T, Stiel D, Lunzer M et al (1990):*** Osteoporosis and skeletal fractures in chronic liver disease .*Gut*;31:70-82.
 - ***Dienstag JL, Isselbacher KJ (1998):*** Chronic Viral Hepatitis. In: Fauci AS, BraunWald E, Isselbacher KJ, et al. , eds . *Harrison's principles of internal Medicine*. 14th ed. New Yourk : Mc Gaw – Hill, 1996 – 1704.
 - ***Dobyns WB, Goldstein NP and Gordon H (1989):*** Clinical spectrum of Wilson's disease (hepatolenticular degeneration). *Mayo Clin. Proc.*, 54: 3 5-42.
 - ***Durate MP, Farias ML, Coelho HS ,et al (2001):*** Calcium-parathyroid hormone-vitamin D axis and metabolic bone disease in chronic viral liver disease .*JJ Gastroenterol Hepatol* ; 16:1022-7 .
 - ***Erikson EF, Brixen, Chales P (1995):*** New markers of bone metabolism: Clinical use in metabolic bone disease *Eur J Endocrinol*; 132:251-263.
 - ***Eugene R, Schiff (2000):*** Viral hepatitis 50 years of progress . *AASLD update on viral hepatitis*; 17.

References

- **Evans JS (1999):** Acute and chronic hepatitis. In: Pediatric Gastrointestinal disease, 2nd ed., Wyllie R, Hyams JS (eds.), W.B. Saunders Company, Philadelphia, London, Toronto, Montreal, Sydney, Tokyo, 50: 600-623.
- **Falcini F, Bindi G, Ermini M, et al. (2000):** Comparison of quantitative ultrasound and dual energy X-ray absorptiometry in the evaluation of osteoporotic risk in children with chronic rheumatic disease. *Calcif Tissue Int*; 67: 19-22.
- **Farely JR, Hall SL , Tanner M , Wergedal JE(1994):** Specific activity of skeletal alkaline phosphatase in human osteoblast – line cells regulated by phosphate , phosphate esters , and phosphate analogs and release of alkaline phosphatase activity inversely regulated by calcium. *Journal of Bone and Mineral Research* 9 : 497 – 508 .
- **Fitzpatrick Cp, Pardue HL (1992):** Simultaneous determinations of liver and bone type alkaline phosphatase by curve – fitting inhibition of absorbance – based method. *Clin Chem*, 38: 238 – 246.
- **Floreani A, Mega A, Tizian L, et al., (2001):** Bone metabolism and gonad function in male patients undergoing liver transplantation: a two-year longitudinal study. *Osteoporos Int*; 12: 749-54.

References

- ***Foster GR, Goldin RD and Thomas HC (1998):*** Chronic hepatitis C virus infection causes a significant reduction in quality of life in the absence of cirrhosis. *Hepatology*, 27: 209-212.
- ***Francisco J, Gallego R, Jorge I, et al.,(1998):***Bone Mineral Density , Serum Insulin-Like Growth Factor 1,and Bone Turnover Markers in Viral Cirrhosis. *Hepatology*; 28:695-699.
- ***Gareno P, Grimaux M , Seguin P , delmas PD (1994) :*** Characterization of immunoreactive forms of human osteocalcin generated in vivo and in vitro . *J Bone Miner Res*, 9: 255 – 264.
- ***Garnero P, Hausheer E, Chapuy MC et al (1997):*** Markers of bone resorption predict hip fracture in elderly women: the EPIDOS prospective study *J B M R*(11) : 1531 – 1588.
- ***Garnero P, Sornay–Rendu E, Chapuy MC, et al (1996):*** Increased bone turnover in late postmenopausal women is a major determinant of osteoporosis. *J Bone Miner Res*; 11 (3): 337 – 109.
- ***Ghali et al.,(2002):*** Cairo University. Diabetic Endocrine and Metabolic Pediatric Unit and the National Research Center-Cairo, in collaboration with Wright State University .School of Medicine. Department of Community Health Lifespan. Health Research Center. From a total sample size of 33189 girls & boys (birth-21 years) for BMI.

References

- **Gilsanz V (1998):** Bone density in children A review of the available techniques and indications. Eur J Radiol 26; 177 – 182.
- **Gilsanz V, kovanlikaya A, Costin G, et al (1997):** Differential effect of gender on the sizes of the bones in the axial and appendicular skeletons. J Clin Endocrinol Metab 82: 1603 - 1607.
- **Gnudi S, Ripamonti C Malavolta N (2000):** Quantitative ultrasound and bone densitometry to evaluate the risk of non-spine fractures: A prospective study. Osteoporos INT 11 : 518 –523.
- **Guichelaar MM, Malinchoc M, Sibonag J, et al., (2002):** Bone metabolism in advanced cholestatic liver disease: analysis by bone histomorphometry .Hepatology; 36:895-903.
- **Gupta SK and Fitzgerald JF (1996):** Chronic hepatitis. In: Pediatric Gastrointestinal Disease, 2nd ed., Craven L (ed.) Mosby, St. Louis, Baltimore, Boston, Carlsbad, Chicago, Naples, New York, Philadelphia, Portland, London, Madrid, Mexico City, Singapore, Sydney, Tokyo, Toronto, Weistbaden, Vol. 2- 20: 1320-1340.
- **Gregorio GV, Portmann B, Reid F et aL (1997):** Autoimmune hepatitis in childhood: A 20-year experience. Hepatology, 25(3): 541-547.
- **Haenery RP and Motkovic V (1995):** Inadequate Peak mass . In: Riggs BT, Melton LJ, eds. Osteoporosis etiology, diagnosis and management. Edition 2 Publishers, Philadelphia: Lippincott – Raven, 115 – 131.

References

- ***Hans Orlent and John Fevery (2003):*** Hepatic osteodystrophy Journal of Hepatology 28 (2):243-246.
- ***Harris H (1989):*** The human alkaline phosphatase, what we know and what we do not know Clini Chemica Acta 186: 133-136.
- ***Hassager c , fabbri- mobelli G and Christiansen C (1993) :*** The effect of the menopause and hormone replacement therapy on serum carboxy terminal propeptide of type I collagen . Osteoporosis Int 3 : 50 – 52.
- ***Heubi JE, Heymman MB and Robert J Sh(2000):***The Impact of Liver Disease on Growth and Nutrition . Journl of Pediatric Gastroenterology and Nutrition35:855-859.
- ***Hoofnagle JH, Gerety RJ and Barker LF (1973):*** Antibody to hepatitis B virus core in man. Lancet, ii: 869.
- ***Howard AD, Berger J, Gerber L, familletti P, et al., (1989):*** Characterization of the phosphatidylinositol – glycan membrane anchore of human placental alkaline phosphate. Proc. Natl. Acad. Sci USA 84: 6055 – 6059.
- ***Idliman R, de Mario N, Uzunalimoglu O,et al.(1997) :*** Transplant Center , University of Kentucky Lexington , USA. Hepatogastroenterology 1997 Mar; 44 (14): 574 – 581.
- ***Ishak KG,Baptista A,Bianchi L, et al. (1995) :*** Histological grading and staging of chronic hepatitis. J. Hepatol. 22(6): 696-9.

References

- **Jodar Gimeno E, Munoz–Torres M, Escobar-Jimenez F, et al. (1997):** Identification of metabolic bone disease in patients with endogenous hyperthyroidism: role of biologic markers of bone turn over. *Calcif Tissue Int* ; 61(5):370-6.
- **Kelly DA (1999):** Useful Investigations in the Assessment of Liver Disease. In *Disease of Liver and Biliary System in Children*, 1st ed. Kelly DA (ed.) Black well science Oxford, London, Edinburgh, Malden, Carlton, Paris Ch 1 : 3-8.
- **Knodell RG , Ishak KG , Black WC ,et al. (1981) :** Formulation and application of a numerical scoring system for assessing histologic activity in asymptomatic chronic active hepatitis . *Hepatology*, 10:431-435.
- **Krawitt EL (1996):** Autoimmune hepatitis. *N. Engl. J. Med.*. 334: 897-903.
- **Laitinen K, Lamberg–Allardt C, Tunninen R, et al. (1992):** Bone Mineral density and abstension induced changes in bone mineral metabolism in non cirrhotic male alchoholics . *Am J Med* (93): 642 – 650.
- **Lappe JM , Stegman M, Davies KM, et al.(2000) :** A prospective study of quantitative ultrasound in children and adolescents . *J Clin Densitom.* 3: 167 – 175.

References

- **Laver GM, and Walker BD(2001):** Hepatitis C virus infection .New England Journal of Medicine ;345:41-52.
- **Lehtonen–Veromaa M, Mottonen T, Nuotio I, et al.(2000) :** Influence of physical activity on ultrasound and dual – energy X- ray absorptiometry bone measurements in peripubertal girls : Across-sectional study . Calcif Tissue Int 66: 248 – 254.
- **Leidig-Bruckner G, Hosch S, Dodidou P, et al (2001):** Frequency and predictors of osteoporotic fractures after cardiac or liver transplantation: a follow up study. Osteoporos Int 3; 357:342-7.
- **Leonard MB, Propert KJ, Zemel BS, et al (1999):** Discrepancies in pediatric bone mineral density reference data: Potential for miss diagnosis of osteopenia. J pediatr 135: 182-188.
- **Leung KS, Fung KP, Sher AHL, Leek M (1993):** Plasma specific alkaline phosphatase as an indication of osteoblastic activity Journal of Bone and Joint Surgery (Br) 75-B: 288 – 292.
- **Liang TJ , Rehermann B ,Seeff LB , Hoofnagle JH (2000) :** Pathogenesis , natural history , treatment and prevention of hepatitis C .Ann Intern Med ;132:296-305
- **Looker AC, Bauer DC, Chestnut CH et al. (2000):** Clinical use of biochemical markers of bone remodeling. Current status and future directions. Osteoporos Int ; 11(6) 467-80.

References

- **Ludwig J (1993):** The nomenclature of chronic active hepatitis . An obituary gastroenterology, 105 : 274 – 278.
- **Manolagas SC and Jilka RL (1995):** Bone marrow, cytokines, and bone remodeling: emerging insights into the pathophysiology of osteoporosis. N Engl J Med ; 332 (5):305-11.
- **Margolis RN, Canalis E, Partridge NC (1996):** Invited review of a workshop, anabolic hormones in bone: Basic Research and Therapeutic Potential .J Clin Endocrinol Metab; 81: 872 – 77.
- **Martin JC (1999):** A comparison of radial peripheral quantitative computed tomography, calcaneal ultrasound, and axial dual energy x ray absorptiometry measurements in women aged 45 years . J Clin Densit 2 (3):265-73.
- **Mary B, Leonard MD, and Bobette S (2002):** Current concepts in pediatric bone disease: Pediatric Gastroenterology and Nutrition. Pediatr Clin of North Am, 49: (1).
- **Matkovic V, Jelic T, Wardlaw GM (1994):** Timing of peak bone mass in caucasian females and its implication for the prevention of osteoporosis .From a Cross – Sectional model. J Clin Invest; 93: 799 – 808.

References

- **Mawer EB, Klass HJ, Warners TW, Berry JL (1985):** Metabolism of vitamin D in patients with primary biliary cirrhosis and alcoholic liver disease .Clin Sci; 69:561-570.
- **McHutchison JG and Younossiz (2000):** Treatment strategies for hepatitis C: making the best of limited options .Cleve Clin J Med; 67:1-5.
- **Mowat AP (1994):** Chronic hepatitis. In: Liver disorders in childhood, 3rd ed. Mowat AP (ed.), Butterworht- Heinmann Ltd, Oxford, London, Boston, Munich, New Delhi, Singapore, Sydney, Tokyo, Toronto, Wellington, Ch. 10: 180- 186.
- **NIH Consensus conference (2000):** Osteoporosis Prevention Diagnosis and Therapy Consensus Statement. March 27 – 29, 17: 1 – 45.
- **Orlent H and Fevery J (2003):** Hepatic osteodystrophy. J Hepatol ;28 (2) 243 .
- **Patrick and Pierre (2000):** Assessment of the serum levels of bone alkaline phosphatase with a new immunoradiometric assay in patients with metabolic bone disease .Journal of Clin Endoc and Metab.(77)4;1046-1053.
- **Plourde V, Cascon-Barre M, Coulombe P, et al. (1987):** In chronic liver disease the C-25 hydroxylation of vitamin D3 depends on the functional mass and not the presence of cholestasis . Hepatology; 7:1053.

References

- **Poser JW, Esch FS, Ling NC, Price PA (1980)** : Isolation and sequence of vitamin K-dependent protein from human bone J of Biolog Chem , 5: 255 – 268.
- **Prieto J, Herraiz M, Sangro B et al (2003)**: The promise of gene therapy in gastrointestinal and liver diseases. Gut 52:101-105.
- **Pugh RNH, Murray-Lyon IM, Dawson JL, et al (1973)**: Transection of the esophagus for bleeding of esophageal varices. Br J Surg; 60:646-649.
- **Rehermann B and Chisari FV (2000)**: Cell mediated immune response to the hepatitis C virus. Curr Top Microbiol Immunol ; 242 : 299-325 .
- **Rosen CJ (1996)**: Biochemical markers of bone turnover In : Rosen CJ, ed. Osteoporosis : diagnostic and therapeutic principles. Totowa, NJ: Humana Press, 129 – 141.
- **Rosenquist C, Fledelius C, Christgau S, et al. (1998)**: Serum Crosslaps One Step ELIZA. First Application of monoclonal antibodies for measurement in serum of bone – related degradation products from C-terminal telopeptides of type I collagen. Clin Chem 44:2281– 2289.
- **Rosenquist C, Quist P, Christiansen C (1995)**: Measurement of a More Stable Region of Osteocalcin in Serum by ELISA with Two Monoclonal Antibodies. Clin Chem; 41(10):1439-1445.
- **Ross PD, Armour KW, Mizrahi IA, kress BC (1997)**: Skeletal alkaline phosphatase measurements predict rapid bone loss during 18 years follow- up. JBMR 12 (Supp) S 38.

References

- **Ross PD and Knowlton W (1998):** Rapid bone loss is associated with increased levels of biochemical markers. *J Bone Miner Res*(13) : 2 – 302.
- **Scarino JK, Rosen HN, Robins SP (1998):** Serum levels of cross linked N-telopeptides in amino terminal propeptides of type I collagen indicate low bone mineral density in elderly women : *Bone* ; 23 : 471 – 477.
- **Scheuer PJ (1991):** Classification of chronic viral hepatitis. A need for reassessment. *J Hepatol.*, 13(3):372-374.
- **Schonau E, Neu CM, Rauch F, et al. (2001):** The development of bone strength at the proximal radius during childhood and adolescence . *J Clin Endocrinol Metab*; 86:613-618.
- **Shneider BL and Suchy FJ (2000):** Autoimmune (Chronic) Hepatitis. In: *Nelson Textbook of Pediatrics* 16th Ed, Behrman RE, Kilelgman RM, Arvin AM (eds), WB. Saunders Company. Philadelphia, London, toronto, montreal, sydney , Tokyo , 361 : 1216 – 1218.
- **Snyder PJ, Peachey H , Berlin JA ,et al., (2000):** Effects of testosterone replacement in hypogonadal men . *Journal of Clinical Endocrinology & Metabolism*; 85, 2670-2677.
- **Sokol RJ and Stall C (1990):** Anthropometric evaluation of children with chronic liver disease. *American Journal of Clinical Nutrition* 52,203-208.

References

- ***Steelman J and Zeitler P (2001):*** Pediatric Osteoporosis. International Symposium on a Current Review of Pediatric Endocrinology. (PP.99-107).
- ***Stellon AJ, webb A, Compston JE (2001):*** Bone histomorphometry and structure in corticosteroid treated chronic active hepatitis. Hepatology January 2001 Volume 33-Number 1.
- ***Terrence D, Daniel S, Rebecca M, et al. (1989):*** Serum vitamin D metabolites are not responsible for low turnover osteoporosis in chronic liver disease. J Clin Endocrinol Metab; 69: 1234-1239.
- ***Thio CL, Nolt KR, Astemborski J, et al. (2000):*** Screening for hepatitis C virus in human immunodeficiency virus-infected individuals. J Clin Microbiol; 38: 575-577.
- ***Tothill P, Avenell A (1998):*** Errors in dual energy X – ray absorptiometry of the lumbar spine owing to fat distribution and soft tissue thickness during weight change .Br J Radiol, 67: 71 – 75.
- ***Trautwein C, Possienke M, Schlitt H, Baker KH et al. (2000):*** Bone density and metabolism in patients with viral hepatitis and cholestatic liver diseases before and after liver transplantation .AM J Gastroenterol. 2000; 95:2343-2351.

References

- **Vedi S (1999):** Mechanical bone loss after liver transplantation. A histomorphometric analysis. *Journal of Bone and Mineral Research* 14 (2): 281 – 287.
- **Vergani D and Mieli- Vergani G (2004):** Liver transplantation in metabolic liver diseases. *Journal of Gastroenterology and Hepatology* (19):s7, S396-S397.
- **WHO (1994):** World Health Organization: Assessment of fracture risk and its application to screening for post menopausal osteoporosis. WHO Technical Report Series 843. Geneva, WHO.
- **Worman HJ (1997):** Molecular biological methods in diagnosis and treatment of liver diseases. *Clinical Chemistry* 43: 8 (B), 1476 - 1486.
- **Yan L, Prentice A et al (2000):** Bone Metabolism –Laboratory Studies. *Eur. J. Clin Nutr* ; 54 : 68 – 72.
- **Young KKY, Resnick R and Myers TW (1993):** Detection of hepatitis C virus RNA by a combined reverse transcriptase-polymerase chain reaction assay. *J of Clin Microbiology*, 31:882-886.