

REFERENCES

REFERENCES

- Abal'masova, E.A.; Mironov, A.M. and Poliakov, D.I. (1987) :***
Lechnie razlichnykh deformatsii stop distraktsion metodom detei I pod rostkov. Ortop. Traumatol. Protez 2 : 49-51; 1967
(Edited by J. Bone & Joint Surgery 69, B. 1987) 593-597.
- Addison, A.; Fiysen, J.A. and Liloyd-Roberts, G.C. (1983) :***
A review of the Dillwyn Evans type collateral operation in sever clubfeet.
J. Bone and Joint Surg. 65-B : 4-12.
- Attenbrough, C.G. (1966) :***
Sever congenital talipes equinovarus.
J. Bone and Joint Surg., 48-B : 31-39.
- Barnett, C.H. and Napier, J.R. (1952) :***
The axis of rotation at the ankle joint.
J. Anat. 86-1.
- Beaston, T.R.; Pearson, J.R. (1966) :***
A method of assessing correction in clubfoot.
J. Bone and Joint Surg., 48-B : 40-50.
- Beaty, J.H. (1987) :***
Congenital anomalies of lower extremity in Cabmpbell's Operative Othropaedics. Crenshaw, A.H., 7th Ed., Mosby-Year Book Co., St. Louis, Boston, Philadelphia, Toronto, Vol. 4-61 : 2623.
- Bensahel, H.; Catterall, A.; Chir, M. and Dimeglio, A. (1990) :***
Practical application in idiopathic clubfoot : A retrospective multicentric study in EPOS.
J. Paediat. Orthop., 10 : 186-188.
- Berman, A. and Gartland, J.J. (1971) :***
Metatarsal osteotomy for correction of adduction of the forefoot in children.
J. Bone and Joint Surg., 53-A : 498-506.
-

Bethem, D. and Weiner, D. (1978) :

Radial one stage postero-medial release for resistant clubfoot.

J. Clin. Orthop. 131 : 214-223.

Blanshard, K.S.; Finlay, D.B.L. and Scott, J.A. (1986) :

Radiological analysis of lateral ligament injuries of the ankle.

Clinical Radiology. 37-247.

Bohm, M. (1927) :

The embryonic origin of clubfoot.

J. Bone and Joint Surg. 9 : 229.

Cailliet, R. (1983) :

Structural anatomy, in foot and ankle pain. 2nd Ed. F.A. Davis, Co., V.S.A.

Carroll, N.C.; McMurtry, R. and Leete, S.F. (1978) :

The pathoanatomy of congenital clubfoot.

J. Orthop. Clinics 9 : 225-232.

Cowell, H.R. (1985) :

The management of clubfoot.

J. Bone and Joint Surg., 67-A : 991.

Cummings, R.J. and Lovell, W.W. (1988) :

Operative treatment of idiopathic clubfoot.

J. Bone and Joint Surg., 70A : 1108-1112.

Dekel, S. and Wiessman, S.L. (1973) :

Osteotomy of the calcaneus and concomitant plantar stripping in children with talipes equino-varus.

J. Bone and Joint Surg. 55-B : 802-808.

Depuy, J. and Drennan, J.c. (1989) :

Correction of idiopathic clubfoot : A comparison of results of early versus delayed posteromedial release.

J. Paediat. Orthop., 9 : 44-48.

Diaz, A.V. (1979) :

Embryological contribution to the pathology of idiopathic clubfoot.

J. Bone and Joint Surg. 61-B.

Dwyer, F.C. (1959) :

Osteotomy of the calcaneum for pes cavus.
J. Bone and Joint Surg. B. 65 : 4-12.

Dwyer, F.C. (1963) :

The treatment of relapsed clubfoot by insertion of a wedge into the calcaneum.
J. Bone and Joint Surg., 45-B : 67-75.

Evans, D. (1961) :

Relapsed clubfoot.
J. Bone and Joint Surg. 43-B : 722-732.

Fahrenbach, G.J.; Kuenhn, D.N. and Tachdjian, M.O. (1986) :

Occult subluxation of the subtalar joint in clubfoot (using computerized tomography).
J. Paediat. Orthop., 6 : 334-339.

Frank, J. and Hein, G. (1988) :

Our experiences with early operative treatment of congenital clubfoot.
J. Paediat. Orthop. 8 : 26-30.

Frank, J.; Mattner, H.R.; Hein, G. and Fliesenberger, G. (1985) :

Die operative Behandlung des angeborenen Klumpfusses.
Beitre. Orthop. Traumatol. 32 : 12-600-11 (Edited by J. Bone and Joint) Surg. 79-B , 593-597, 1987.

Franke, J.; Grill, F.; Hein, G. and Simon, M. (1990) :

Correction of clubfoot relapse using Ilizarov's apparatus in children 8-15 years old.
J. Orthop. Trauma. Surg. 110 : 33-37.

Fried, A. (1959) :

Recurrent congenital clubfoot.
J. Bone and Joint. Surg. 41-A : 243.

Garceau, G.J. (1972) :

Anterior tibial tendon transfer for recurrent clubfoot.
Clin. Orthop., 84 : 61-65.

Gartland, J.J. (1973) :

Posterior tibial transplant in the surgical treatment of recurrent clubfoot.

J. Bone and Joint Surg., 49-A : 207-231.

Ghali, N.N.; Smith, R.B.; Clayden, A.D. and Silk, F.F. (1983) :

The results of pantalar reduction in the management of congenital talipes equinovarus.

J. Bone and Joint Surg. 65-B : 1-7.

Green, A.D. and Lloyd-Robert, G.C. (1985) :

The results of early posterior release in resistant clubfeet.

J. Bone and Joint Surg. 67B : 588-593.

Greider, M.D.; Stiff, S.J. and Donova, N.M. (1982) :

Arteriography in clubfoot.

J. Bone and Joint Surg., 64-A, 837-840.

Grill, F. (1984) :

Distraction of the epiphyseal cartilage as a method of limb lengthening.

J. Paediat. Orthop. 4 : 8-105.

Grill, F. and Franke, J. (1987) :

The Ilizarov distractor for the correction of relapsed or neglected clubfoot.

J. Bone and Joint Surg. 69-13 : 593.

Hadidi, H. (1974) :

Management of congenital talipes equinovarus.

Orthop. Clinics of North American, 5 : 53-58.

Harrold, A.J. and Walker, C.J. (1983) :

Treatment and prognosis in congenital clubfoot.

J. Bone and Joint Surg. 65-B, 8 : 11.

Herzenberg, J.E.; Carroll, N.C.; Lee, E.H. and Munroe, R. (1988) :

Clubfoot analysis with three-dimensional computer modeling.

J. Paediat. Orthop., 8 : 257-262.

Heyman, C.H.; Herndon, C.H. and Strong, J.M. (1958) :

Mobilization of tarsometatarsal and metatarsal joints for the correction of resistant adduction of the forepart of the foot in congenital clubfoot and metatarsus varus.

J. Bone and Joint Surg. 40-A : 299-310.

Hicks, J.H. (1953) :

The mechanics of the foot joints.
J. Anatomy 87-345.

Hippocrates, F.A. (1927) :

The genuine works of hippocrates (Translated from greek).
Williams and Wilkins. Quoted in Turco, V.J.; Aetiology, in clubfoot, 2nd ed., Churchill Livingstone, Chapter 2, 1981.

Hofman, A.A.; Constine, R.M.; Bride, G.G. and Coleman, S.S. (1984) :

Osteotomy of the first cuneiform as treatment of residual adduction of the forefoot in clubfoot.
J. Bone and Joint Surg. 66 -A : 90-985.

Hutchins, P.M.; Foster, B.R.; Paterson, D.C. and Cole, E.A. (1985) :

Long-term results in early surgical release in clubfeet.
J. Bone and Joint Surg. 67-B : 791-799.

Ippolito, E. and Ponseti, I.V. (1988) :

Congenital clubfoot in the human foetus.
J. Bone and Joint Surg. 62-A : 8-22.

Irani, R.N. and Sherman, M.S. (1963) :

The pathological anatomy of clubfoot.
J. Bone and Joint Surg., 45-A.

Issacs, H.; Handelsman, J.E. and Pickering, A. (1977) :

The muscles in clubfoot a histological, histochemical and electron microscopic study.
J. Bone and Joint Surg., 59B.

Jahass, M. (1980) :

Tarsometatarsal truncated-wedge arthrodesis for pes cavus and equinovarus deformity of the forepart of the foot.
J. Bone and Joint Surg. 62-A : 713-722.

Jend, H.H.; Heller, M. and Schoettle, H. (1981) :

Measurement of tibial torsion by computer tomography.
Acta. Radio. (Diagn.), 22 : 271.

Joseph, B.; Carver, R.A.; Bell, M.J.; Sharrard, W.J. and Levick, R.K. (1987) :

Measurement of tibial torsion by ultrasound.
J. Paediat. Orthop., 7:317-23.

Joshi, B.J.; Land, N.S.; Kaushik, A.; Patankar, H. and Warriar (1994) :

New procedure : soft tissue procedures with distraction :
Controlled differential distraction for correction of complex
congenital talipes equino varus, 282-288. In the clubfoot the
present and a view of the future Springer Verlag. New Ork,
Berlin, Heidelberge, London, Paris.

Kapandaji, I.A. (1970) :

The physiology of the joint, lower limb. 2nd Ed., Churchill
Livingstone, Edinburgh and London.

Karski, T. and Wosko, I. (1989) :

Experience in conservative treatment of congenital clubfoot in
newborn's and infants.
J. Paediat. Orthop. 9 : 134-136.

Kite, J.H. (1970) :

Conservative treatment of the resistant recurrent clubfoot.
J. Clini. Orthop. 70 : 93-110.

Krishna, M.; Evans, R.; Taylor, J.F. and Theis, J.C. (1991) :

Tibial torsion measured by ultrasound in children with
talipes equinovarus.
J. Bone and Joint Surg., 73-B : 207-210.

Laaverg, S.J. and Ponseti, I.V. (1980) :

Long term results of treatment of congenital clubfoot.
J. Bone and Joint Surg., 62-A : 23-31.

Last, R.L. (1985) :

The lower limb, in anatomy regional and applied. 7th Ed.,
Churchill Livingstone, 3 : 126.

Lichtblau, S. (1973) :

A medial and lateral release operation for clubfoot.
J. Bone and Joint Surg., 55-A : 1377-1384.

Lloyd-Roberts, G.C.; Swann, M. and Catteralt (1974) :

Medial rotation osteotomy for sever residual deformity in
clubfoot.
J. Bone and Joint Surg., 56-B : 37-43.

Lowe, L.W. and Hannon, M.A. (1973) :

Residual adduction of the forefoot in treated congenital clubfoot.

J. Bone and Joint Surg., 55-B : 809-813.

Lumbrinudi, C. (1927) :

New operation on drop foot.

J. Surg. 15-B, 193-200.

Lundberg, B.J. (1981) :

Early Dwyer operation in talipes equino-varus.

J. Clin. Orthop., 154 : 223-227.

Magone, J.B.; Torch, M.A; Clark, R.N. and Kean, J.R. (1989) :

Comparative review of surgical treatment of the idiopathic clubfoot by three different procedures.

J. Paediat. Orthop., 9 : 49-58.

Main, B.J. and Grider, R.J. (1978) :

An analysis of residual deformity in clubfoot submitted to early operations.

J. Bone and Joint Surg., 60-B : 536-543.

Main, B.J.; Grider, R.J.; Lloyd-Roberts, G.C.; Swann, M. and Kamadar, B.A. (1977) :

The result of early operation in talipes equinovarus.

J. Bone and Joint Surg., 59-B : 337.

McCullough, C.J. and Burge, P.D. (1980) :

Rotatory stability of the load-bearing ankle.

J. Bone and Joint Surg., 62B : 460-464.

McKay, D.W. (1982) :

New concept of and approach to clubfoot treatment : Principles and morbid anatomy.

J. Pediat. Orthop. 2 : 347-356.

McKay, D.W. (1983) :

New concept of and approach to clubfoot treatment. Evaluation and result.

J. Paediat. Orthop. 3 : 10-21.

Mironov, A.M. and Poliakov, D.I. (1987) :

The Ilizarov distraction for the correction of relapsed or neglected clubfoot.

J. Bone and Joint Surg. 69-B : 593-597.

Nather, A. and Bose, K. (1987) :

Conservative and surgical treatment of clubfoot.

J. Paediat. Othop., 7 : 42-48.

Ono, K. and Hayashi, H. (1974) :

Residual deformity of treated congenital clubfoot.

J. Bone and Joint Surg. 56-A. 1577-1587.

Otremski, I.; Salama, R. and Weintroub, S. (1987) :

Residual adduction of the forefoot.

J. Bone and Joint Surg. B : 832-834.

Paley, D. (1988) :

Current technique of limb lengthening.

J. Paediatr. Orthop. 8 : 73-92.

Pandey, S.; Jha, S.S. and Pandey, A.K. (1980) :

T. Osteotomy of the calcaneum.

Int. Orthop. 4 : 24-219.

Porat, S. and Kaplan, L. (1989) :

Critical analysis of results in club-feet treated surgically along the Norris Carrol approach.

J. Paediat. Orthop. 9 : 137-143.

Scott, A. Hoffinger (1996) :

Evaluation and management of pediatric foot deformities.

Paediat. Clinic. Of North America, Vol. 43, No. 5.

Scott, W.A.; Hosking, S.W. and Catteral, A. (1984) :

Clubfoot observations on the surgical anatomy of dorsiflexion.

J. Bone and Joint Surg., 66-B : 71.

Sell, L.S. (1941) :

Tibial torsion accompanying congenital clubfeet.

J. Bone and Joint Surg., 23 : 561.

Settle, G.W. (1963) :

The anatomy of congenital talipes equinovarus.
J. Bone and Joint Surg., 45-A : 1341-1354.

Shapiro, E. and Glimcher, M.J. (1979) :

Gross and histological abnormalities of the talus in congenital clubfoot.
J. Bone and Joint Surg. 61-A : 522 : 530.

Sharrard, W.J. (1979) :

Congenital and developmental abnormalities of the foot and toes, in Paediatric Orthop. And Fractures, 2nd Ed., Blackwell Scientific Publisher, Oxford and London, Vol. 1-8 : 493.

Siguda, P.; Fritz, G. and Ulbricht, K.H. (1987) :

Nachuntersuchungsergebnisse der klumpfussbehandlung.
Therapiewache, 1982 : 32. Edited by J. Bone and Joint Surgery,
Vol. 169 : B-4.

Simons, G.W. (1985) :

Complete subtalar release in clubfoot.
Part I. J. Bone and Joint Surg., 67-A : 1044.

Simons, G.W. and Sarrafien, S. (1983) :

The microsurgical dissection of a still-born fetal clubfoot.
Clinical Orthop. 173 : 275-283.

Soder, H.; Bruschini, S.; Miranda, F.; Grider, R.J. and Hootnick, R. (1990) :

Arterial abnormalities in talipes equinovarus as associated by angiography and the Doppler technique.
J. Paediat. Orthop., 10 : 101.

Suppan, R.J. and Landers, P.A. (1981) :

Correction of sever adult congenital talipes equinovarus : a case report.
J. America Paediat. Med. Assoc., 71 : 7-453.

Swan, M.; Lloyd-Roberts, G.C. and Catterall, A. (1969) :

The anatomy of uncorrected clubfoot.
J. Bone and Joint Surg., 51-B : 263-269.

Tayton, K. and Thompson, P. (1979) :

Relapsing clubfoot.

J. Bone and Joint Surg. 61-B : 474-480.

Thompson, G.H.; Richardson, A.B. and Westin, G.W. (1982) :

Surgical management of resistant congenital talipes equinovarus deformities.

J. Bone and Joint Surg., 64A : 652-665.

Turco, V.J. (1971) :

Surgical correction of resistant clubfoot.

J. Bone and Joint Surg., 53-A : 477-497.

Turco, V.J. (1979) :

Resistant congenital clubfoot-one stage postero-medial release with internal fixation.

J. Bone and Joint Surg. 61-A : 805-814.

Turco, V.J. (1981) :

Pathologic anatomy in clubfoot. 2nd Ed., Churchill Livingstone, 4 : 35.

Vizkelety, T. and Szepesi, K. (1989) :

Reoperation in treatment of clubfoot.

J. Paediat. Orthop. 9 : 144-147.

Waisbrod, H. (1973) :

Congenital clubfoot, an anatomical study.

J. Bone and Joint Surg., 55 B : 796-801.

Watts, H. (1994) :

New procedure with distraction. Gradual midfoot distraction for the treatment of severe adductus deformity in children with relapsed clubfeet, 272-281. In George, W. and Simons editor : the clubfoot, the present and a view of the future. Springer Verlag. New York, Berlin, Heidelberg, London, Paris.

Weiner, D.S. (1985) :

The midtarsal dome osteotomy in the treatment of rigid pes cavus : a preliminary review.

J. Paediat. Orthop. 5 : 8-333.

Wood, W. and Lovell, M. (1988) :

Current concept review, operative treatment of congenital idiopathic clubfoot.

J. Bone and Joint Surg., Vol. 70-A, No. 7.

Wynne-Davies, R. (1964) :

Talipes equinovarus.

J. Bone and Joint Surgery, 46 B : 464.

Yadov, S.S. (1981) :

Observation on operative management of neglected clubfoot.

Int. Orthop. 5 : 92-189.

Yamamoto, H. and Furuya, K. (1988) :

One stage postero-medial release of congenital clubfoot.

J. Paediat. Orthop. 8 : 590-595.

Yamamoto, H. and Furuya, K. (1990) :

Treatment of congenital clubfoot with a modified Denis Brown splint.

J. Bone and Joint Surg., 72-B : 460-463.
