

# *REFERENCES*

## *References*

### *Introduction:*

1. Apley G: Indication of knee replacemnet and the alternatives . Total Knee Replacment ; Butterworth- Heinemann Ltd, P. 249,1994.
2. Hungerford D and Krackow K: total joint arthroplasty of the knee . Clin . Orthop . & Related Research , Vol 42, P. 33 , 1985.
3. Laskin , R: The spectrum of total knee replacement . Total knee replacement . Butterworth- Heinemann Ltd, P.211, 1994.
4. Riley , L : Total knee arthroplasty Clin Orthop & Related Research , Vol 52, P. 39, 1995.

### *Anatomy and surgical approaches:*

5. Hvid I: Mechanical strength of trabecular bone at the knee. Dan Med Bull 35:345, 1988
6. Fukubayashi T, Kurosawa H: The contact area and pressure distribution pattern of the knee: a study of normal and osteoarthritic nee oints. Acta Orthop Scand 51:871, 1980
7. Hvid I: Trabecular bone strength at the knee. Clin Orthop 227:210, 1988
8. Harada Y, Wevers HW, Cooke TD: Distribution of bone strength in the proximal tibia. J Arthroplasty 3:167, 1988
9. Insall JN: Technique of the total knee replacement. p.23. In Dorr LD (ed): The Knee: Papers of the First Scientific Meeting of the Knee Society. University Park Press, Baltimore, 1985.
10. Finlay JB, Bourne RB, Kramer WJ et al: Stiffness of bone underlying the tibial plateaus of osteoarthritic and normal knees. Clin Orthop 247:193,1989.
11. Trousdale RT, Hanssen AD, Rand JA, Cahalan TD: VY quadricepsplasty n total knee arthroplasty. Clin Orthop 286:48.1993.
12. Scapinelli R: Studies on the vasculature of the human knee joint. Acta Anat 70:305, 1968.
13. Scapinelli R: Blood supply of the human patella: its relation to ischemic necrosis after fracture. J Bone Joint Surg 49B:563. 1967.

14. Kayler DE, Lyttle D: Surgical interruption of patellar blood supply by total knee arthroplasty. *Clin Orthop* 229:221, 1988.
15. Hofmann AA, Plaster RL, Murdock LE: Subvastus (Southern) approach for primary total knee arthroplasty. *Clin Orthop* 269:70, 1991.
16. Kennedy JC, Alexander IJ, Hayes KC: Nerve supply of the human knee and its functional importance. *Am J Sports Med* 10:329, 1982.
17. Reider B, Marshall JL, Koslin B et al: The anterior aspect of the knee joint: an anatomical study. *J Bone Joint Surg* 63A:351, 1981.
18. Scott RD, Siliski IM: The use of a modified V-Y quadricepsplasty during total knee replacement to gain exposure and improve flexion in the ankylosed knee. *Orthopedics* 8:45, 1985.
19. Hungerford DS, Krakow K, Kenna D: *Total Knee Arthroplasty: Comprehensive Approach*. Williams & Wilkins New York, 1984.
20. Warren LF, Marshall JL: The supporting structures and layers on the medial side of the knee. *J Bone Joint Surg* 61A:56, 1979.
21. Insall JN: Surgical approaches to the knee. p.41. In *Surgery of the Knee*. Churchill Livingstone, New York, 1984.
22. Coonse K, Adams JD: A new operative approach to the knee joint. *Surg Gynecol Obstet* 77:344, 1943.
23. Merritt P, Conaty JB, Dorr LD: Effects of soft tissue releases on results of total knee replacement. p.25. In *Total Arthroplasty of the knee: proceedings of the Knee Society (1985-1986)*. Aspen Publishers, Rockville, MD, 1987.
24. Dolan MG: Osteotomy of the tibial tubercle in total knee replacement: technical note. *J Bone Joint Surg* 65A:704, 1983.
25. Whitesides LA, Ohl MD: Tibial tubercle osteotomy for exposure of the difficult total knee arthroplasty. *Clin Orthop* 260:6. 1~90.
26. Wolff AM, Hungerford DS, Krakow KA, Jacobs MA: Osteotomy of the tibial tubercle during total knee replacement: a report of 26 cases. *J Bone Joint Surg* 71A:848, 1989.

***Biomechanics:***

27. Guyton JL: Biomechanics of the knee in Total knee arthroplasty. In Canale ST, editor : Campbell's operative orthopedics Vol 1, 1998, Mosby.
28. Andriacchi TP, Galante JO: Retention of PCL in TKA, J Arthroplasty 3:13,1988.
29. Insall JN, Dorr LD, Scott RD: Rationale of the knee society clinical rating system , Clin Orthop 248:13,1989.
30. Krackow KA: The technique of TKA , St Louis 1990. Mosby.
31. Tew M, Waugh W: Tibiofemoral alignment and the results of knee replacement, J Bone Joint Surg 67-B:551, 1985.
32. Jeffery RS, Morris RW, Denham RA: Coronal alignment after total knee replacement, J Bone joint Surg 73-B:709, 1991.
33. Grood ES, Suntag WG, Noyes FR : Biomechanics of the knee-extension exercise, J Bone Joint Surg 66-A:725, 1984.
34. Hungerford DS, Barry M: Biomechanics of the patellofemoral joint, Clin Orthop 144:9, 1979.
35. Huberti MM, Hayes WC: Patellofemoral contact pressures: the influence of Q angle and tendofemoral contact, J Bone Joint Surg 66-A:715, 1984.
36. Hvid I: Trabecular bone strength at the knee, Clin Orthop 227:210, 1988.
37. Collier J, Mayor MB, McNamara JL,: Analysis of the failure of 122 polyethylene inserts from uncemented tibia' knee components, Clin Orthop 273:232, 1991.
38. Walker PS, Greene D, Reilly D : Fixation of tibial components of knee prosthesis, J Bone joint Surg 63-A:258, 1981.
39. Bartel DL, Bicknell VL, Wright TM: The effect of conformity, thickness, and material on stress in ultra-high molecular weight components for total joint replacement, J Bone Joint Surg & 68-A: 1041, 1986.
40. Landy MM, Walker PS : Wear of UHMWPE of 90 retrieved knee prosthesis J Arthroplasty 3:73,1988.

41. Cook SD, Barrack RL, Thomas KA : Quantitative analysis of tissue growth into human porous total hip components, *J Arthroplasty* 3:249,1988.
42. Mayor MB, Collier JP: The history of porous coated knee ,*Orthop Trans* 10:441, 1986.
43. Bloebaum RD, Rubman MH, Hofmann AA: Bone ingrowth into porouscoated tibial components implanted with autograft bone chips: analysis of ten consecutively retrieved implants, *J Arthroplasty* 7:483, 1992.
44. Sumner DR, Turner TM, Dawson D : Effect of pegs and screws on bone ingrowth in cementless total knee arthroplasty, *Clin Orthop* 309:150, 1994.
45. Ranawat CS, Flynn WF, Deshmukh RG: Impact of the modern technique on long term results of total condylar knee, *Clin Orthop* 309:131,1994.
46. Ritter MA, Herbst SA, Keating EM: Long term survival analysis of the PCL retaining TKA , *Clin Orthop* 309:136, 1994.
47. Harada Y, Wevers HW, Cooke TDV: Distribution of bone strength in the proximal tibia, *J Arthroplasty* 3:167, 1988.

***Indications and contraindications:***

48. Adam RF, Noble J: Primary total knee arthroplasty in the elderly, *J Arthroplasty* 9:495, 1994.
49. Ranawat CS: The patellofemoral joint in total condylar knee arthroplasty: pros and cons based on five- to ten-year follow-up observations, *Clin Orthop* 205:93, 1986.
50. Jankiewicz JJ, Sculco TP, Ranawat CS: One-stage versus two stage bilateral total knee arthroplasty, *Clin Orthop* 309:94, 1994.
51. Stem SH, Sharrock N, Kahn R, Insall JN: Hematologic and circulatory changes associated with total knee arthroplasty instrumentation, *Clin Orthop* 299:179,1994.

***Surgical technique:***

52. Johnson DP, Hughston JA, Redford P: Anterior midline or medial parapatellar incision for arthroplasty of the knee. *J Bone Joint Surg* 68B:812, 1986.

53. Moreland JR, Henker GJ: Lower extremity axial alignment of normal males. p.55. In Dorr LD (ed): *The Knee: Papers of the First Scientific Meeting of the Knee Society*. University Park Press. Baltimore, 1985.
54. Krushell R, Deland J, Miegel RE, Scott R: A comparison of the mechanical and anatomic axes in arthritis knees. p.75. In Rand JA, Dorr LD (eds): *Total Arthroplasty of the Knee*. Aspen Publishers, Rockville, MD 1987.
55. Hvid I: Trabecular bone strength at the knee. *Clin* 227 :210, 1988 .
56. Townley CO : The anatomic total knee: instrumentation and alignment: technique. p.39. In Dorr LD (ed): *The Knee Papers of the First Scientific Meeting of the Knee Society*. 3. University Park Press, Baltimore, 1985.
57. Dorr LD, Conaty JP, Schreiber R et al: Technical factors that influence mechanical loosening of total knee arthroplasty. p. 121. In Dorr LD (ed): *The Knee: Papers of the First Scientific Meeting of the Knee Society*. University Park Press, Baltimore, Colley J, Cameron RU, 1985.
58. Freeman MAR, Swanson SAV: Loosening of the femoral component in surface replacement of the knee. *Arch Orthop Traum Surg* 92:31, 1978.
59. Brand MG, Daly RJ, Ewald FC, Scott RD: Tibial tray augmentation with modular metal wedges for tibial bone stock deficiency . *Clin Orthop Rel Res* 248:71, 1989 .
60. Behrens JC, Walker PS, Shoji H: Variations in the strength and structure of cancellous bone in the knee. *J Biomech* 7:201,1974 .
61. Ritter MA, Keating EM, Faris PM: Screw and cement fixation of large defects in total knee arthroplasty: a sequel. *J Arthroplasty* 8:63, 1993.
62. Ritter MA: Screw and cement fixation for large defects in total knee arthroplasty. *J Arthroplasty* 1:125, 1986.
63. Dorr LD, Ranawat CS, Sculco TP: Bone grafts for tibial defects in total knee arthroplasty. *Clin Orthop Rel Res* 205:153, 1986.

***Problems encountered during TKA:***

64. Laskin RS: Management of flexion deformity during TKA: fixed varus deformity. In Hungerford DS, Krachow KA, Kena RV (eds): Total Knee Arthroplasty. Williams & Wilkins, Baltimore, 1984.
65. Hungerford DS, Lennox DW: Management of fixed deformity during TKA: fixed valgus deformity. In Hungerford DS, Krachow KA, Kena RV (eds): Total Knee Arthroplasty. Williams & Wilkins, Baltimore, 1984.
66. Horlocker TT, Cabanela ME, Wedel DJ: Does postoperative epidural analgesia increase the risk of peroneal nerve palsy after TKA? *Anesth analg* 79:495, 1994.
67. Bourne RB, Finley JB: The influence of tibial component intramedullary stems and implant cortex contact on the strain distribution of the proximal tibia following total knee arthroplasty. *Clin Orthop* 208:95, 1986.
68. Brooks PJ, Walker PS, Scott RD: Tibial component fixation in deficient tibial bone stock. *Clin Orthop Rel Res* 184:302, 1984.
69. Altchek D, Sculco TP, Rawlins B: Autogenous bone grafting for severe angular deformity in total knee arthroplasty. *J Arthroplasty* 4:151, 1989.
70. Dorr LD, Ranawat CS, Sculco TP: Bone grafts for tibial defects in total knee arthroplasty. *Clin Orthop Rel Res* 205:153, 1986.
71. Gross AE, Silverstein EA, Falk R, Langer T: The allotransplantation of partial joints in the treatment of osteoarthritis of the knee. *Clin Orthop* 108:7, 1975.
72. Rand JA, Bryan RS: Results of revision total knee arthroplasty using condylar prosthesis. *J Bone Joint Surg* 70A:738, 1988.
73. Fipp GJ: A bone grafting technique in reconstructive joint arthroplasty. *J Arthroplasty* 4:285, 1989.
74. Mnaymneh W, Emerson RH, Borja F: Massive allografts in salvage revisions of failed total knee arthroplasties. *Clin Orthop Rel Res* 260:140, 1990.

75. Stockley et al: Allograft reconstruction in total knee arthroplasty. *J Bone Joint Surg* 74B:395,1992.
76. Wilde A, Schickendan HB, Stulberg B, Go RT: The incorporation of tibial allografts in total knee arthroplasty. *J Bone Joint Surg* 72A:815, 1990
- 77.Mankin HJ, Doppelt S, Tumford W: Clinical experience with allograft transplantation: the first 10 years. *Clin Orthop* 174:69, 1983.
- 78.Urbaniak JR, Black KE: Cadaveric elbow allografts: a six year experience. *Clin Orthop* 197:131, 1985.

### ***Complications of TKA:***

- 79.Craig S M: Soft tissue considerations in the failed total knee arthroplasty. In *The Knee*, pp.1279-1295. Edited by W. N. Scott. St. Louis, C. V. Mosby, 1994.
- 80.Klein NE, and Cox CV: Wound problems in total knee arthroplasty. In *Knee Surgery*, edited by FH Fu, CD Harner, and K G Vince. Vol.2, pp.1539-1552. Baltimore, Williams and Wilkins, 1994.
- 81.Beer K J; Lombardi, AV: The efficacy of suction drains after routine total joint arthroplasty. *J Bone and Joint Surg.*, 73-A: 584-587. April 1991
- 82.Reilly, T.; Pakan, W.; and Reilly, M.: The use of postoperative suction drainage in total knee arthroplasty. *Clin. Orthop.*, 208:238-242, 1986.
- 83.Craig, S: Soft tissue consideration In *Total Knee Revision Arthroplasty*, pp.99-112. Edited by W. N. Scott. Orlando, Florida, Grune and Stratton, 1987.
- 84.Green, P.: Steroid therapy and wound healing in surgical patients. *British J. Surg.*, 52: 523-525, 1965.
- 85.McNamara, IJ; Lambom, PI; and Anby, GV: Effect of short-term pharmacologic doses of adrenocorticosteroid therapy on wound healing. *Ann. Surg.*, 170: 199~02, 1969.
- 86.Wahl, LM: Hormonal regulation of macrophage collagenase activity. *Biochem. and Biophys. Res. Commun.*, 74: 838-845.1977.



87. Werb Z: Biochemical actions of glucocorticoids on macrophages in culture. Specific inhibition of elastase, collagenase, and plasminogen activator secretion and effects on other metabolic functions. *J Exper. Med.*, 147:1695-1712, 1978.
88. Ambrosia RK, Shoji H, and Heater R: Secondarily infected total joint replacements by hematogenous spread. *J Bone and Joint Surg.*, 58-A: 450-453, June 1976.
89. Garner RW, Mowat AG, and Hazieman, BL: Wound healing after operations of patients with rheumatoid arthritis. *J Bone and Joint Surg.*, 55-B: 134-144, 1973.
90. Grogan, TJ and Amstnt HC: Deep sepsis following total knee arthroplasty. Ten-year experience at the University of California at Los Angeles Medical Center. *J Bone and Joint Surg.*, 68-A: 226-234, Feb. 1986.
91. Kickhaut, SC; and Page, CP: Nutritional status: importance in predicting wound healing after amputation. *J Bone and Joint Surg.*, 66-A: 71-75, Jan 1984.
92. Ecker ML., and Lotke PA.: Postoperative care of the total knee patient. *Orthop. Clin. North America*, 20:5562, 1989.
93. Benowitz, NL; and Jacob, P: Influence of nicotine on cardiovascular and hormonal effects of cigarette smoking. *Clin. Pharmacol. and Ther.*, 36: 74-81, 1984.
94. Craig, S, and Rees, T.K: The effects of smoking on experimental skin flaps in hamsters. *Plast. and Reconstr* 75: 842-846, 1985.
95. Kanfonan, T; Eichenlaulb, E H; and Klain, M: Tobacco smoking: impairment of experimental flap survival. *Ann. Plast Surg.*, 13:468-472, 1984.
96. Goodson, WH, and Hunt TK.: Studies of wound healing in experimental diabetes mellitus. *J Surg. Res.*, 22:221-227, 1977.
97. Goodson WH, and Hunt, TK: Wound healing and the diabetic patient. *Surg., Gynec. and Obstet.*, 149: 600-608, 1979.
98. Morath, MH: The effect of prostaglandin inhibitors on wound contraction and the myofibroblast. *Plast and Reconstr Surg.*, 69: 74-85, 1982.

- 110.Schoifet SD, and Morrey BE : Treatment of infection after total knee arthroplasty by debridement with retention of the implant. *J Bone and Joint Surg.*, 72-A: 1383-1390, Oct.1990.
- 111.Bengtson S, and Knutson K : The infected knee arthroplasty. A 6 year follow-up of 357 cases. *Acta Orthop Scandinavica*, 62:301-311, 1991.
- 112.Rand JA, and Bryan RS : Reimplantation for the salvage of an infected total knee arthroplasty. *J Bone and Joint Surg.*, 65-A: 1081-1086, Oct.1983.
- 113.Hill C, Flamant R and Evrard J: Prophylactic cefazolin versus placebo in total hip replacement. Report of a multicentre double-blind randomised trial. *Lancet*, 1:795-797, 1981.
- 114.Mauerhan DR, Nelson CL, and Evans RP: Prophylaxis against infection in total joint arthroplasty. One day of cefuroxime compared with three days of cefazolin. *J Bone and Joint Surg.*, 76-A: 3945,1994.
- 115.Berg M, Bergman BR, and Hoborn J: Ultraviolet radiation compared to an ultra-clean air enclosure. Comparison of air bacteria counts in operating rooms. *J Bone and Joint Surg*, 73-B: 811-815,1991.
- 116.Berg-Perier M, Cederblad A, and Persson U: Ultraviolet radiation and ultra-clean air enclosures in operating rooms. UV-protection, economy and comfort. *J Arthroplasty*, 7:457-463, 1992..
- 117.Lidwell O, Lowbuiry E and Lowe D: Effect of ultraclean air in operating rooms on deep sepsis in the joint after total hip or knee replacement: a randomised study. *British Med. J*, 285:10-14,1982.
- 118.Rand J:Evaluation and management of infected total knee arthroplasty. *J Arthroplasty* 5:178-182, 1994.
- 119.Windsor RE, and Bono IV: Infected total knee replacement. *J Am. Acad. Orthop. Surg.*, 2: 44-53, 1994.
- 120.Cawson RA : Antibiotic prophylaxis for dental treatment. For hearts but not for prosthetic joints. *British Med J*, 304:933-934, 1992.
- 121.Johnson DP, and Bannister C: The outcome of infected arthroplasty of the knee. *J Bone and Joint Surg.*, 68-B: 289-291, 1986.

122. Burger RR, Basch, T, and Hopson CN: Implant salvage in infected total knee arthroplasty. *Clin. Orthop.*, 273:105-112, 1991.
123. Drancourt M, Stein A, and Raouk, D : Oral rifampin plus ofloxacin for treatment of Staphylococcus-infected orthopedic implants. *Antimicrob. Agents and Chemother.*, 37:1214-1218, 1993.
124. Pring DJ, Marks L, and Angel JC: Mobility after amputation for failed knee replacement. *JBone and Joint Surg.*, 70-B: 770-771, 1988.
125. Windsor RE, Insall JN and Brnuse B D: Two-stage reimplantation for the salvage of total knee arthroplasty complicated by infection. Further follow-up and refinement of indications. *J Bone and Joint Surg* , 72-A: 272-278. Feb.1990.
126. Booth RE and Lotke PA: The results of spacer block technique in revision of infected total knee arthroplasty. *Clin. Orthop.*, 248:57-60,1989.
127. Stulberg IN, Insall JN and Williams GW: Deep-vein thrombosis following total knee replacement. An analysis of six hundred and thirty-eight arthroplasties. *J Bone and Joint Surg.*, 66-A: 194-201, 1984.
128. Lynch AF, Rorabeck CH and Boume RL: Extensor mechanism complications following total knee arthroplasty. *J Arthroplasty*, 2: 135 -140, 1987.
129. Oishi CS, Grady-Benson IC and Walker RH : The clinical course of distal deep venous thrombosis after total hip and total knee arthroplasty, as determined with duplex ultrasonography. *J Bone and Joint Surg.*, 76-A: 1658-1663, 1994.
130. Pellegrini VD, Keller GS and Everts CM: The natural history of thromboembolic disease following hospital discharge after total hip arthroplasty. *Clin. Orthop.*, 333: 27-40, 1996.
131. Dalldorf P G, Perkins E M, and Pellegrini VD : Deep venous thrombosis following total hip arthroplasty. Effects of prolonged postoperative epidural anesthesia. *J. Arthroplasty*, 9: 611-616, 1994.
132. Jorgensen LN, Rasmussen L S and Albrecht BE: Antithrombotic efficacy of continuous extradural analgesia after knee replacement. *British J Anaesth.*, 66: 8-12, 1991.

- 133.Nielsen PT, Jorgensen L.N and Rasmussen LS: Lower thrombosis risk with epidural blockade in knee arthroplasty. *Acta Orthop. Scandinavica*, 61:29-31, 1990.
- 134.Hirsch J: Therapeutic range for the control of oral anticoagulant therapy.*Arch. Intern. Med.*, 145:1187-1188.1985.
- 135.Hirsch J and Levine MN: The optimal intensity of oral anticoagulant therapy. *JAm. Med. Assn.*, 258:2723-2726, 1987.
- 136.Francis CW, Pellegrini VD and Marder VJ: Comparison of two warfarin regimens in the prevention of venous thrombosis following total knee replacement. *Thromb. and Haemost.*, 75: 706-711,1996.
- 137.Francis CW, Pellegrini VD and Marder VJ: Antithrombin III prophylaxis of venous thromboembolic disease after total hip or knee replacement. *Am. J. Med.*, 87 (Supplement 3B): 61S-66S, 1989.
- 138.Francis CW, Pellegrini VD and Evarts C: Prevention of venous thrombosis after total hip arthroplasty. Antithrombin III and low-dose heparin compared with dextran 40. *J Bone and Joint Surg.*, 71-A: 327-335, 1989.
- 139.Haas SB, Insall JN and Ghelman, IL: Pneumatic sequential-compression boots compared with aspirin prophylaxis of deep-vein thrombosis after total knee arthroplasty. *J. Bone and Joint Surg.*, 72-A: 27-31, 1990.
- 140.McKenaa R, Galante J and Meredith P: Prevention of venous thromboembolism after total knee replacement by high-dose aspirin or intermittent calf and thigh compression. *British Med. J*, 280:514-517, 1980.
- 141.Francis CW, Pellegrini, VD, and Leiberi K : Comparison of warfarin and external pneumatic compression in prevention of venous thrombosis after total hip replacement. *J Am. Med. Assn.* 267:2911-2915, 1992.
- 142.Leclerc JR, Geerts WH, and Bourgoum, J: Prevention of deep vein thrombosis after major knee surgery - a randomized double-blind trial comparing a low molecular weight heparin fragment (enoxaparin) to placebo. *Thromb. and Haemost*, 67:417-423, 1992.
- 143.RD Heparin Arthroplasty Group: RD heparin compared with warfarin for prevention of venous thromboembolic disease following total hip or knee arthroplasty. *J Bone and Joint Surg.*, 76-A: 1174-1185, 1994.

144. Cameron HU and Fedorkow DM : The patella in total knee arthroplasty. Clin. Orthop., 165:197-199, 1982.
145. Brick GW and Scott RD: The patellofemoral component of total knee arthroplasty. Clin. Orthop., 231:163-178, 1988.
146. Clayton ML and Thirupathi, R: Patellar complications after total condylar arthroplasty. Clin. Orthop., 170:152-155, 1982.
147. Doolittle KH and Turner RH: Patellofemoral problems following total knee arthroplasty. Orthop. Rev., 17: 696-702, 1988.
148. Moreland JR , Thomas RJ, and Freeman MA: ICLH replacement of the knee :1977 and 1978. Clin Orthop., 145:47-59,1979.
149. Dowd GS, Linge, K and Beniley, G: The transcutaneous measurement of oxygen in normal and abnormal skin. In Proceedings of the British Orthopaedic Association. J Bone and Joint Surg., 64-B(2): 248-249, 1982.
150. Lian G and Lesavoy M: Treatment of major wound necrosis following total knee arthroplasty. J Arthroplasty, 4 (Supplement): S23-S32,1989.
151. Lotke PA and Ecker, ML: Influence of positioning of prosthesis in total knee replacement. J Bone and Joint Surg., 59-A: 77-79, 1977.
152. Rand JA and Gustilo RB: Technique of patellar resurfacing in total knee arthroplasty. Tech. Orthop., 3: 57-66, 1988.
153. Ranawat CS: The patellofemoral joint in total condylar knee arthroplasty. Pros and cons based on five- to ten-year follow-up observations. Clin. Orthop., 205:93-99,1986.
154. Insall JN: Disorders of the patella. In Surgery of the Knee, pp.191-260. Edited by JN. Insall. New York, Churchill Livingstone, 1984.
155. Scott RD: Prosthetic replacement of the patellofemoral joint. Orthop. Clin. North America, 10:129-137, 1979.
156. Goldberg VM Figgie HE and Kraay M: Patellar fracture type and prognosis in condylar total knee arthroplasty. Clin. Orthop. 236:115-122,1988.
157. Hozack WL Goll SR and Booth RE: The treatment of patellar fractures after total knee arthroplasty Clin. Orthop. 236:123-127 1988.

158. Ahmed AM Burke DL and Hyder A: Force analysis of the patellar mechanism. *J Orthop Res* 5:69.85.1987.
159. Kanfer H: Mechanical function of the patella. *J Bone and Joint Surg.* 53-A: 1551-1560 1971.
160. Huherti HH and Hayes WC : Patellofemoral contact pressures The influence of Q-angle and tendofemoral contact. *J Bone and Joint Surg.* 66-A: 715-724 1984.
161. Josechak RG Finlay JB and Rorabeck CH: Cancellous bone support for patellar resurfacing. *Clin. Orthop.* 220: 192-199 1987.
162. Reuben JD McDonald CL and Henninglon LL: Effect of patellar thickness on patellar strain following total knee arthroplasty. *J. Arthroplasty* 6:251-258 1991.
163. Stulberg SD Stulberg BN and Tsao A: Failure mechanisms of metal-backed patellar components. *Clin. Orthop.* 236: 88-105 1988.
164. Goldstein SA Coale E and Matthews L S: Patellar surface strain. *j Orthop. Res.* 4: 372-377 1986.
165. Scuderi G Scharf SC and Scoff W.N: The relationship of lateral releases to patella viability in total knee arthroplasty. *J. Arthroplasty* 2: 209-214 1987.
166. Ra PJ Noble J and Hodgkinson JP: Patellar resurfacing in total condylar knee arthroplasty. Technique and results. *J Arthroplasty* : 259-265 1990.
167. Conway WK Gilula LA and Serot DI: Breakage of the patellar component of a kinematic total knee arthroplasty. A case report. *Orthopedics* 9:532-534 1986.
168. Wasilewski SA and Prankl U: Fracture of polyethylene of patellar component in total knee arthroplasty diagnosed by arthroscopy. *J Arthroplasty* 4 (Supplement): S19-S22 1989.
169. Bayley JC and Scott RD: Further observations on metal-backed patellar component failure. *Clin. Orthop.* 236: 82-87 1988.
170. Bayley JC Scoff RD and Holmes GB: Failure of the metal-backed patellar component after total knee replacement. *J Bone and Joint Surg* 70-A: 668-674 1988.

171. Rosenberg AG Andriacchi TP and Galante J: Patellar component failure in cementless total knee arthroplasty. Clin. Orthop. 236: 110-114 1988.
172. Dennis DA: Removal of well-fixed cementless metal-backed patellar components. J Arthroplasty 7:217-220 1992.
173. Dennis DA: Patellofemoral complications in total knee arthroplasty: a literature review. Am. J Knee Surg. 5:156-166 1992.
174. Beight L Yao B and Boot RE: The patellar "clunk" syndrome after posterior stabilized total knee arthroplasty. Clin. Orthop. 299:139-142 1994.
175. Hozack WL Rothman RH and Balderston L A: The patellar clunk syndrome. A complication of posterior stabilized total knee arthroplasty. Clin. Orthop. 241:203-208 1989.
176. Vemace JV, Rothman RH, and Balderston RA : Arthroscopic management of the patellar clunk syndrome following posterior stabilized total knee arthroplasty. J Arthroplasty , 4:179-182 1989.
177. Rand JA: Patellar resurfacing in total knee arthroplasty. Clin. Orthop., 260:110-117 1990.
178. Rand JA, Morrey BF, and Bryan RS: Patellar tendon rupture after total knee arthroplasty. Clin. Orthop., 244: 233-238 1989.
179. Fox JL and Poss R: The role of manipulation following total knee replacement. J Bone and Joint Surg. 63-A: 357-362 , 1981.
180. Parsley BS, Eagh GA, and Dwyer KA: Preoperative flexion. Does it influence postoperative flexion after posterior-cruciate retaining total knee arthroplasty? Clin. Orthop., 275:204-210 1992.
181. Moreland IR: Mechanisms of failure in total knee arthroplasty. Clin. Orthop., 226: 49-64 1988.
182. Ritter M.A and Campbell ED: Effect of range of motion on the success of total knee arthroplasty. J Arthroplasty., 2:95-97. 1987.
183. Schurman DJ, Parker JN and Ornstein D : Total condylar knee replacement. A study of factors influencing range of motion as late as two years after arthroplasty. J Bone and Joint Surg. 67-A: 1006-1014 1985.

184. Fern EK, Winson IG, and Getty CJ: Anterior knee pain in rheumatoid patients after total knee replacement. Possible selection criteria for patellar resurfacing. *J Bone and Joint Surg.*, 74-B(S): 745-748 1992.
185. Berman AT, Coutts RD, and Wilde AH: Symposium: the painful total knee replacement and the influence of component design. *Contemp Orthop.*, 28: 523-530, 533-536, 541-545, 1994.
186. Lintaer M, Bocell R, and Tullos S : Arthroscopic treatment of intraarticular fibrous bands after total knee arthroplasty. A follow up *Clin. Orthop.*, 309:230-233 1994.
187. Thorpe CD, Bocell JR, and Tullos HS: Intra-articular fibrous bands. Patellar complications after total knee replacement. *J Bone and Joint Surg.*, 72-A: 811-814 ,1990.
188. Becker MW, Insall JN, and Fans PM: Bilateral total knee arthroplasty. One cruciate retaining and one cruciate substituting. *Clin Orthop.* 271:122-124, 1991
189. Stiehl JB, Anouchi Y, and Dennis DA: Symposium: revision total knee replacement. *Contemp. Orthop.* 30: 249-276 1995.
190. Aaron RK and Scott R: Supracondylar fracture of the femur after total knee arthroplasty. *Clin. Orthop.*, 219:136-139.1987.
191. Bogoch E, Hastings D, and Gschwend N: Supracondylar fractures of the femur adjacent to resurfacing and MacIntosh arthroplasties of the knee in patients with rheumatoid arthritis, *Clin. Orthop.*, 229:213-220 1988.
192. Cuip RW, Schmidt RG, and Illeppenstall RB: Supracondylar fracture of the femur following prosthetic knee arthroplasty. *Clin. Orthop.* 222:212-222 1987.
193. Schmtzker L : Supracondylar fractures of the femur. In *The Rationale of Operative Fracture Care* pp.255-273. Edited by Schatzker and M. Tile. New York Springer 1987.
194. Zehntner MK, and Ganz R: Internal fixation of supracondylar fractures after condylar total knee arthroplasty. *Clin. Orthop.* 293: 219-224, 1993.



- 195.Hedy WL, Siliski JM, and Incavo S.J: Operative treatment of distal femoral fractures proximal to total knee replacements J Bone and Joint Surg. 75-A: 27-34 ,1993.
- 196.Rolston LR, Christ DJ, and Halpern A: Treatment of supracondylar fractures of the femur proximal to a total knee arthroplasty. A report of four cases.J Bone and Joint Surg., 77-A: 924-931,1995.
- 197.Kraay MJ, Goldberg VM, and Figgie MP: Distal femoral replacement with allograft/prosthetic reconstruction for treatment of supracondylar fractures in patients with total knee arthroplasty. J Arthroplasty 7:7-16 1992.

### *Discussion.*

- 198.Ferguson W: Excision of the knee joint: recovery with a false joint and a useful limb. Med Times Gaz 1861: 1: 601-12. Quoted from. Insall JN. Historical development, classification, and characteristics of knee prostheses. In: Insall JN, Windsor RE, Scott WN, Kelly MA, Aglietti P, eds. Surgery of the knee. Second ed. New York, Edinburgh, London, Madrid, Melbourne, Tokyo: Churchill Livingstone 1993: 23: 677-717.
- 199.Gunston FH: Polycentric knee arthroplasty: prosthetic simulation of normal knee movement. J Bone Joint Surg 1971: 53(B): 272-7.
200. Cloutier J: Long term results after nonconstrained total knee arthroplasty. Clin Orthop 1991; 273: 63-5.
201. Scuderi GR, Insall JN, and Moran MC: Survivorship of cemented knee replacement. J Bone Joint Surg 1989: 71 (Br): 798-803.
202. Teeny SM, Krackow KA, and Hungerford DS, : Primary total knee arthroplasty in patients with severe varus deformity: a comparative study. Clin Orthop 1991: 273:19-31.
203. Laskin RS: The posterior cruciate ligament in total knee replacement. The Knee 1995: 2(3): 139-44.
- 204.Laskin RS: Total knee replacement with posterior cruciate ligament retention in patients with a fixed varus deformity. Clin Orthop 1996: 331: 29-34.
205. Stern SH, Moeckel BH, and Insall JN. Total knee arthroplasty in valgus knees. Clin Orthop 1991: 273: 5-8.

206. Krackow KA, Jones MM, and Hungerford DS: Primary total knee arthroplasty in patients with fixed valgus deformity. *Clin Orthop* 1991; 273: 9-18.
207. Insall JN: Surgical techniques and instrumentation in total knee arthroplasty. In: Insall JN, Windsor RE, Scott WN, Kelly MA, Aglietti P, eds. *Surgery of the knee*. second ed. New York, Edinburgh, London, Madrid, Melbourne, Tokyo: Churchill Livingstone 1993; 26: 739-804.
208. Insall JN, and Kelly MA: The total condylar prosthesis. *Clin Orthop* 1986; 205: 43-8.
209. Aglietti P, and Buzzi R: Posteriorly stabilized total condylar knee replacement: three to eight years follow up of 85 knees. *J Bone Joint Surg* 1988; 70(Br): 211-6.
210. Lizaar A, Marco L, and Cebrian R: Preoperative factors influencing the range of movement after total knee arthroplasty for severe osteoarthritis. *J Bone Joint Surg* 1997; 79(Br): 626-9.
211. Insall JN, Scott WN, and Ranawat CS: The total condylar knee prosthesis: a report of two hundred and twenty cases. *J Bone Joint Surg* 1979; 61(Am): 173-80.
212. Worland RL, Jessup DE, and Johnson J: Posterior cruciate recession in total knee arthroplasty. *J Arthroplasty* 1997; 12(1): 70-3.
213. Anouchi YS, McShane M, and Stiehl J. Range of motion in total knee replacement. *Clin Orthop* 1996; 331: 87-92.
214. Insall JN, Lachiewicz PF, and Burstein AH. The posterior stabilized condylar prosthesis: a modification of the total condylar design: Two to four years clinical experience. *J Bone Joint Surg* 1982; 64(A): 1317-23.
215. Dorr LD, and Boiardo RA: Technical considerations in total knee arthroplasty. *Clin Orthop* 1986; 205: 5-11.
216. Simmons ED, Sullivan JA, and Scott RD: The accuracy of tibial intramedullary alignment devices in total knee arthroplasty. *J Arthroplasty* 1991; 6(1): 45-50.
217. Kilgus DJ, Moreland JR, and Tipton JS: Catastrophic wear of tibial polyethylene inserts. *Clin Orthop* 1991; 173: 223-31.

218. Laskin RS, and Saddler SC: Bone defects in total knee arthroplasty. In: Fu FH, Harner CD, Vince KG, eds. *Knee surgery*. Baltimore Philadelphia Hong Kong, London, Munich, Sydney: Williams & Wilkins 1994; 75: 1399 - 1405.
219. Windsor RE, Insall JN, Sculco TP: Bone grafting of tibial defects in primary and revision total knee arthroplasty. *Clin Orthop* 1986; 205: 132-7.
220. Dorr LD, Ranawat CS, and McKaskill B : Bone graft for tibial defects in total knee arthroplasty. *Clin Orthop* 1986; 205: 153-65.
221. Tria AJ, Harwood DA, and Cody RP: Patellar fractures in posterior stabilized knee arthroplasties. *Clin Orthop* 1994; 299:131-6.
222. Scuderi G, Scharf SC, and Scott WN: The relationship of lateral releases to patella viability in total knee arthroplasty. *J Arthroplasty* 1987; 2(3): 209-14.
223. Ritter MA, and Campbell ED. Postoperative patellar complications with or without lateral release during total knee arthroplasty. *Clin Orthop* 1987; 219:163-8.
224. Johnson DP: Midline or parapatellar incision for knee arthroplasty: a comparative study of wound viability. *J Bone Joint Surg* 1988; 70(Br): 656-8.
225. Scoff WN, Rubinstein M: Posterior stabilized knee arthroplasty. *Clin Orthop* 1986; 205:138-45.
226. Asp JP, Rand JA: Peroneal nerve palsy after total knee arthroplasty. *Clin Orthop* 1990; 261: 233-7.
227. Rose HA, Hood RW, and Ranawat CS: Peroneal nerve palsy following total knee arthroplasty: a review of the hospital for special surgery experience. *J Bone Joint Surg* 1982; 64(Am): 347-51.
228. Briard JL, and Hungerford DS: Patellofemoral instability in total knee arthroplasty. *J Arthroplasty* 1989; Suppl: 87-97.
229. Rhoads DD, Noble PC, and Tullos HS.:The effect of femoral component position on patellar tracking after total knee arthroplasty. *Clin Orthop* 1990; 260: 43-51.

230. Grace JN, and Rand JA. Patellar instability after total knee arthroplasty. Clin Orthop 1988; 237:184-9.
231. Merkow RL, Soudry M, and Insall JN: Patellar dislocation following total knee replacement. J Bone Joint Surg 1985; 67(Am): 1321-7.
232. Lynch AF, Rorabeck GH, and Bourne RB. Extensor mechanism complication following total knee arthroplasty. J Arthroplasty 1987; 2(2): 135-40.