

References

1. Stimson, L.A.: A treatise on Fracture, 1st ed., p 593 Philadelphia, Henry C. Lea's Son & Co 1883.
2. Hey-Groves, E.W.: Methods and Results of Transplantation of Bone in the Repair of Defects Caused by Injury or Disease. Br. J. Surg, 1918 ; 5: 185-242.
3. Küntscher G: The intramedullary Nailing of fractures. Clin. Orthop. 1968; 60: 5-12.
4. Küntscher G: The Küntscher method of intramedullary fixation. J Bone Joint Surg [Am] 1958; 40A: 17-26.
5. Fairbank AC, Thomas D, Cunningham B, Curtis M, Jinnah RH: Stability of reamed and unreamed intramedullary tibial nails: a biomechanical study. Injury 1995; 26: 483-485.
6. Küntscher G: Intramedullary surgical technique and its place in orthopaedic surgery. My present concept. J Bone Joint Surg 1964; 47A: 809-818.
7. Court-Brown CM. An atlas of closed nailing of the tibia and femur. Springer, Berlin Heidelberg New York 1991.
8. Kempf I, Grosse A, Beck G: Closed intramedullary nailing: its application to comminuted fractures of the femur. J Bone Joint Surg [Am] 1985; 67A: 709-720.
9. Kröpfl A, Berger U, Neureiter H, Hertz H, Schlag G: Intramedullary pressure and bone marrow fat intravasation in unreamed femoral nailing. J Trauma 1997; 42: 946-954.
10. Kyle RF, Schaffhausen JM, Bechtold JE. Biomechanical characteristics of interlocking femoral nails in the treatment of complex femoral fractures. Clin Orthop 1991; 267: 169-173.
11. Watson Jones R, Coltart WD: The classic. Slow union of fractures with a study of 804 fractures of the shafts of the tibia and femur. Clin Orthop 1982; 168: 2-16.

12. Whittle AP, Wester W, Russell TA: Fatigue failure in small diameter tibial nails. Clin Orthop 1995; 315: 119-128.
13. Pape HC, Giannoudis PV, Grimme K, van Griensven M, Krettek C. Effects of intramedullary femoral fracture fixation: what is the impact of experimental studies in regards to the clinical knowledge? Shock 2002; 18: 291-300.
14. Heim D, Regazzoni P, Tsakiris DA, Aebi T, Schlegel U, Marbet GA, Perren SM: Intramedullary nailing and pulmonary embolism: does unreamed nailing prevent embolization? An in vivo study in rabbits. J Trauma 1995; 38: 899-906.
15. Duwelius PJ, Huckfeldt R, Mullins RJ, Shioto T, Woll TS, Lindsey KH, Wheeler D: The effects of femoral intramedullary reaming on pulmonary function in a sheep lung model. J Bone Joint Surg 1997; 79A: 194-202.
16. Gurd A: Fat embolism: an aid to diagnosis. J Bone Joint Surg 1970; 52B: 732-737.
17. Pape HC, Dwenger A, Regel G, Krettek C, Mehler D, Sturm JA, Tscherne H: Pulmonary damage after intramedullary femoral nailing in traumatized sheep - is there an effect from different nailing methods? J Trauma 1992; 33: 574-581.
18. Jones JP: Fat embolism, intravascular coagulation and osteonecrosis. Clin Orthop 1993; 292: 294-308.
19. Keel M, Ecknauer E, Stocker R, Ungethüm U, Steckholzer U, Kenney J, Gallati H, Trentz O, Ertel W: Different pattern of local and systemic release of proinflammatory, anti-inflammatory mediators in severely injured patients with chest trauma. J Trauma 1996; 40: 907-914.
20. Müller CA, Rahn BA. Intramedullary pressure increase and increase in cortical temperature during reaming of the femoral medullary cavity: the effect of draining the medullary contents before reaming. J Trauma 2003; 55: 495-503.

21. Pape HC, Dwenger A, Grotz M, Kaefer V, Negatsch R, Kleemann W, Regel G, Sturm JA, Tschernke H: Does the reamer type influence the degree of lung dysfunction after femoral nailing following severe trauma? An animal study. *J Orthop Trauma* 1994; 8: 300-309.
22. Bhandari M, Guyatt GH, Tong D, Adili A, Shaughnessy SG: Reamed versus nonreamed intramedullary nailing of lower extremity long bone fractures: a systematic overview and meta-analysis. *J Orthop Trauma* 2000; 14: 2-9.
23. Frölke JPM, Bakker FC, Patka P, Haarman HJThM: Reaming debris in osteotomized sheep tibiae. *J Trauma* 2001; 50: 65-69.
24. Furlong AJ, Giannoudis PV, Smith RM: Heterotopic ossification: a comparison between reamed and unreamed femoral nailing. *Injury* 1997; 28: 9-14.
25. Frölke JPM, Krol E van de, Bakker FC, Patka P, Haarman HJThM: Destination of reaming debris during intramedullary reaming. *Acta Orthop Belg* 2000; 66: 337-340.
26. Colterjohn NR, Bednar DA: Procurement of bone graft from the iliac crest. *J Bone Joint Surg* 1997; 79A: 756-759.
27. Tydings JD, Martino LJ, Kircher M, Alfred R, Lozman J: The osteoinductive potential of intramedullary canal bone reamings. *Curr Surg* 1986; 43: 121-124.
28. Frölke JP, Klein Nulend J, Semeins CM, Bakker FC, Patka P, Haarman HJThM. Viable osteoblastic potential of cortical reamings from intramedullary nailing. *J Orthop Res* 2004; 22: 1271-1275.
29. Sterck JGH, Klein-Nulend J, Lips P, Burger EH. Response of normal and osteoporotic human bone cells to mechanical stress in vitro. *Am J Physiol* 1998; 274: E1113-1120.
30. Tischenko GJ, Goodman SB: Compartment syndrome after intramedullary nailing of the tibia. *J Bone Joint Surg* 1990; 72A: 41-44.
31. Rhinelander FW: Effects of medullary nailing on the normal blood supply of the diaphyseal cortex. *Instr Course Lect* 1973; 22: 161-187.

32. Hupel TM, Aksenov SA, Schemitsch EH: Effect of limited and standard reaming on cortical bone blood flow and early strength of union following segmental fracture. *J Orthop Trauma* 1998; 12: 400-406.
33. Müller Chr, Rahn BA, Pfister U, Weller S: Intramedullary pressure, strain on the diaphysis and increase in cortical temperature when reaming the femoral cavity - a comparison of blunt and sharp reamers. *Injury* 1993; 24(Suppl): S22-S30
34. Ochsner PE, Baumgart F, Kohler G: Heat-induced segmental necrosis after reaming of one humeral and two tibial fractures with a narrow medullary canal. *Injury* 1998; 29(Suppl): S1-S10.
35. Giannoudis PV, Snowden S, Matthews SJ, Smye SW, Smith RM: Friction burns within the tibia during reaming. Are they affected by the use of a tourniquet? *J Bone Joint Surg Br* 2002; 84: 492-496.
36. Eriksson RA, Albrektsson T: Temperature threshold levels for heat-induced bone tissue injury: A vital microscopy study in the rabbit. *Journal of Prosthetic Dentistry* 1983; 50: 101-107.
37. Fuchsberger A: Die schädigende Temperatur bei der spanenden Knochenbearbeitung. *Unfallchirurgie* 1988; 14: 173-183.
38. Frölke JPM, Peters R, Boshuizen K, Patka P, Bakker FC, Haarman HJThM: The use of thermocouples in the assessment of cortical heat during intramedullary reaming of long bones. *Injury* 2001; 32: 683-688.
39. Egmond van DB, Hovius SER, van der Meulen JC, den Ouden A: Heat recordings at tips of Kirschner wires during drilling through human phalanges. *J Hand Surg* 1994; 19A: 648-652.
40. Frölke JP: Practice of intramedullary locked nails New developments in techniques and applications. Springer Berlin Heidelberg 2006; 2.3: 53-54.
41. Paul JP : Forces transmitted by the joints in the human body. *Proc Inst Mech Eng* 1966-67; 181 (3J): 8-15.

42. Bergmann G, Graichen F, Rohlmann A: Hip joint loading during walking and running measured in two patients. *J Biomech* 1993; 26(8): 969-990.
43. Brown RH, Burstein AH, Frankel VH: Telemetering in-vivo loads from nail implants. *J Biomech* 1982; 15 (11): 815-823.
44. Burny F, Donkerwolke M, Moulart F, Bourgeois R, Puers R, Van Schuylenbergh K, Barbosa M, Paiva O, Rodes F, Bégueret JB, Lawes P: Concept, design and fabrication of smart orthopedic implants. *Med Eng & Physics* 2000; (22): 469-479.
45. Schneider E, Michel MC, Genge M, Perren SM: Loads acting on an intramedullary femoral nail. In: *Implantable telemetry in orthopaedics*, Bergmann, Graichen and Rohlmann, eds. *Forschungsvermittlung der FU, Berlin* 1990; 221-227.
46. Procter P, Von Oldenburg G, Von Wieding H, Speitling A: Practice of intramedullary locked nails New developments in techniques and applications. Springer Berlin Heidelberg 2006; 3.1: 67-81.
47. LePore S, Capuano N, LePore L: Preliminary clinical and radiographic results with the Fixion intramedullary nail: an inflatable self-locking system for long bone fractures. *J Orthop Traumatol* 2000; 3: 135-140.
48. Franck W, Olivieri M, Jannasch O: An expandable nailing system for the management of pathological humerus fractures. *Arch Orthop Trauma Surg* 2002; 122(7): 400-405.
49. Pascarella R, Nasta G, Nicolini M: The fixion in the lower limb. Preliminary results. *Chirurgia Degli Organi di Movimento* 2002; 87(3): 169-174.
50. Seligson D, Beucker P, Ogden JS: Practice of intramedullary locked nails New developments in techniques and applications. Springer Berlin Heidelberg 2006; 4.9: 156-158.
51. Paley D, Herzenberg JE, Paremain G, Bhavé A: Femoral lengthening over an intramedullary nail. A matchedcase comparison with Ilizarov femoral lengthening. *J Bone joint Surg Am* 1997; 79: 1464-1480.

52. Guichet JM, Deromedis B, Donnan LT, Peretti G, Lascombes P, Bado E: Gradual femoral lengthening with the Albizzia intramedullary nail. *J Bone Joint Surg Am* 2003; 85: 838-848.
53. Pascarella R, Nasta G, Nicolini M, et al. The fixation in the lower limb. Preliminary results. *Chirurgia Degli Organi di Movimento* 2002; 87(3):169-174.
54. Baumgart R, Thaller P, Hinterwimmer S, Krammer M, Heirl T, Mutschler W: Practice of intramedullary locked nails New developments in techniques and applications. Springer Berlin Heidelberg 2006; 4.11: 190-196.
55. Malik MH, Harwood P, Diggle P, Khan SA: Factors affecting rates of infection and nonunion in intramedullary nailing. *J Bone Joint Surg Br* 2004; 86: 556-560.
56. Von Eiff C, Peters G, Heilmann C: Pathogenesis of infections due to coagulase-negative staphylococci. *Lancet Infect Dis* 2002; 2: 677-685.
57. Van de Belt H, Neut D, Schenk W, van Horn JR, van Der Mei HC, Busscher HJ: Staphylococcus aureus biofilm formation on different gentamicin-loaded polymethylmethacrylate bone cements. *Biomaterials* 2001; 22: 1607-1611.
58. Espehaug B, Engesaeter LB, Vollset SE, Havelin LI, Langeland N: Antibiotic prophylaxis in total hip arthroplasty. Review of 10,905 primary cemented total hip replacements reported to the Norwegian arthroplasty register, 1987 to 1995. *J Bone Joint Surg Br* 1997; 79: 590-595.
59. Lucke M, Schmidmaier G, Sadoni S, Wildemann B, Schiller R, Haas NP, Raschke M: Gentamicin coating of metallic implants reduces implant-related osteomyelitis in rats. *Bone* 2003; 32: 521-531.
60. Alt V, Bechert T, Steinrucke P, Wagener M, Seidel P, Dingeldein E, Domann E, Schnettler R: An in vitro assessment of the antibacterial properties and cytotoxicity of nanoparticulate silver bone cement. *Biomaterials* 2004; 25: 4383-4391.
61. Li K, Meichsner J: Gas-separating properties of membranes coated by HMDSO plasma polymer. *Surface Coating Technology* 1999; 116-119, 841-847.

62. Perrin J, Despax B, Kay E: Optical properties and microstructure of gold-fluorocarbon-polymer composite films. *Phys Rev B* 1985; 32: 719-732.
63. Lamber R, Wetjen S, Schulz-Eckloff G: Metal clusters in plasma polymer matrices: gold clusters. *J Phys Chem* 1995; 99: 13834-13838.
64. Bechert T, Steinrucke P, Guggenbichler JP: A new method for screening anti-infective biomaterials. *Nat Med* 2000; 6: 1053-1056.
65. Thornes B, Murray P, Bouchier-Hayes D: Development of resistant strains of *Staphylococcus epidermidis* on gentamicin-loaded bone cement in vivo. *J Bone Joint Surg Br* 2002; 84-B: 758-760.
66. Schaffer C, Willinger R, Renault D, Kempf I, Jaeger JH: Theory of induced torsion and intramedullary nailing. In: Saha (ed) *Biomechanical engineering V: recent developments*. Pergamon, New York, 1986; p 367.
67. Steriopoulos KA, Kontakis GM, Katonis PG, Galanakis IA, Dretakis EK : Placement of the distal locking screws of the femoral intramedullary nail without radiation. *Arch Orthop Trauma Surg* 1996; 115(1): 43-44.
68. Colchero F, Orst G, Reboul C, Villalobos F, Vidal J: Enclouage centromédullaire claveté: étude expérimentale, technique opératoire, résultats. *Rev Chir Orthop Reparatrice Appar Mot* 1983; 69: 547-555.
69. De Camargo FP : Osteosfítese intramedular de Kuntscher: Contribuição à técnica e estudo crítico baseado em 240 casos. São Paulo 1952.
70. Lepore L, Lepore S, Maffuly N: Intramedullary nailing of the femur with an inflatable self-locking nail: comparison with locked nailing. *J Orthop Sci* 2003; 8(6): 796-801.
71. Kempf I, Grosse A, Taglang G, Favreul E: Le clou gamma dans le traitement a foyer ferme des fractures trochanteriennes: resultats et indications a propos d'une serie de 121 cas. *Rev Chir Orthop Reparatrice Appar Mot* 1993; 79: 29-40.

72. Lucas SE, Seligson D, Henry SL: Intramedullary supracondylar nailing of femoral fractures. A preliminary report of the GSH supracondylar nail. Clin Orthop 1993; 296: 200-206.

73. Mader K, Pennig D, Gausepohl T, Patsalis T: Calcaneotalotibial arthrodesis with a retrograde posterior to-anterior locked nail as a salvage procedure for severe ankle pathology. J Bone Joint Surg Am 2003; 85 (Suppl 4): 123-128.

74. Kanellopoulos AD, Yiannakopoulos CK, Vossinakis I, Badras LS: Distal locking of femoral nails under direct vision through a cortical window. J Orthop Trauma 2003; 17(8): 574-577.

75. Hofstetter R, Slomczykowski M, Sati M, Nolte LP: Fluoroscopy as an imaging means for computer-assisted surgical navigation. Computer Aided Surgery 1999; 4: 65-76.

76. Christian Krettek, Bernd Könemann, Theodore Miclau, Reto Kölbi, Thomas Machreich, and Harald Tscherne: A Mechanical Distal Aiming Device for distal Locking in Femoral Nails. Clinical Orthopaedics and related research 1999; 364: 256-275.

77. Christian Krettek, Bernd Könemann, Osama Farouk, Theodore Miclau, Alexander Kromm, and Harald Tscherne: Experimental Study of Distal Interlocking of a Solid Tibial Nail: Radiation -Independent Distal Aiming Device (DAD) Versus Freehand Technique(FHT). J Orthop Trauma 1998; 12(6): 373-378.