

REFERENCES

- Abrams, R.C.: Relapsed clubfoot. *J. Bone and Joint Surg.*, 51-A:270-282, 1969.
- Addison, A., Fixsen, J.A., Lloyd-Roberts, G.C.: A review of the Dillwyn Evans type collateral operation in severe clubfeet. *J. Bone and Joint Surg.*, 65-B:12-14, 1983.
- Attenborough, C.G.: Severe congenital talipes equinovarus. *J. Bone and Joint Surg.*, 48-B:31-39, 1966.
- Barnett, C.H., and Napier, J.R.: The axis of rotation at the ankle joint. *J. Anat.*, 86-1, 1952.
- Beatson, T.R., and Pearson, J.R.: A method of assessing correction in clubfeet. *J. Bone and Joint Surg.*, 48-B:40-50, 1966.
- Beaty, J.H.: Congenital anomalies of lower extremity in Campbell's Operative Orthopaedics. Crenshaw, A.H, 7th ed., Mosby-Year Book Co., St. Louis, Boston, Philadelphia, Toronto, Vol. 4-61:2623, 1987.
- Bensahel, H., Csukony, Z., Desgrippes, Y., and Chaumien, J.P.: Surgery in residual clubfoot: One-stage Medio-posterior release "a la Carte". *J. Paediat. Orthop.*, 7:145-148, 1987.
- Bensahel, H., Catterall, A., Chir, M., and Dimeglio, A.: Practical application in idiopathic clubfoot: A retrospective multicentric study in EPOS. *J. Paediat. Orthop.*, 10:186-188, 1990.
- Berman, A., and Gartland, J.J.: Metatarsal osteotomy for correction of adduction of the forepart of the foot in children. *J. Bone and Joint Surg.*, 53-A:498-506, 1971.
- Bethem, D., and Weiner, D.: Radial one stage posteromedial release for resistant clubfoot. *J. Clin. Orthop.*, 131:214-223, 1978.

- Bohm, M.: The embryologic origin of clubfoot. *J. Bone and Joint Surg.*, 9:229, 1929.
Quoted in Turco, V.J.: Aetiology, in clubfoot, 2nd ed., Churchill Livingstone, 2: , 1981.
- Brockman, E.P.: Modern methods of treatment of clubfoot. *British Med. J.*, 2:572, 1937.
Quoted in Turco, V.J.: Surgical correction of resistant clubfoot, *J. Bone and Joint Surg.*, 53-A:477, 1971.
- Cailliet, R.: Structural anatomy, in *Foot and Ankle pain*, 2nd ed., F.A. Davis Co., V.S.A., 1:1, 1981.
- Carroll, N.C., McMurtry, R., and Leete, S.F.: The patho-anatomy of congenital clubfoot. *J. Orthop. Clinics.*, 9:225-232, 1978.
- Codvilla, A.: Sulla cura delpiede equinovaro congenito. *Archivo Orthop.*, 23:245, 1906.
Quoted in Turco, V.J.: History. In: *Clubfoot*, 2nd ed., Churchill Livingstone, p. 1, 1981.
- Cowell, H.R.: The management of clubfoot. *J. Bone and Joint Surg.*, 67-A:991, 1985.
- Crawford, A.H., Marxen, J.L., and Osterfeld, D.L.: The cincinnati incision: a comprehensive approach for surgical procedures of the foot and ankle in childhood. *J. Bone and Joint Surg.*, 64-A:1355, 1982.
- Cummings, R.J., and Lovell, W.W.: Operative treatment of congenital idiopathic clubfoot. *J. Bone and Joint Surg.*, 70-A:1108-1112, 1988.
- Dekel, S., and Weissman, S.L.: Osteotomy of the calcaneus and concomitant plantar stripping in children with talipes cavo-varus. *J. Bone and Joint Surg.*, 55-B:802-808, 1973.
- Depuy, J. and Drennan, J.C.: Correction of idiopathic clubfoot: A comparison of results of early versus delayed posteromedial release. *J. Paediat. Orthop.*, 9:44-48, 1989.
- Diaz, A.V.: Embryological contribution to aetio-pathology of idiopathic clubfoot. *J. Bone and Joint Surg.*, 61-B, 1979.

- Dwyer, F.C.: The treatment of relapsed clubfoot by insertion of a wedge into the calcaneum. *J. Bone and Joint Surg.*, 45-B:67-75, 1963.
- Evans, D.: Relapsed clubfoot. *J. Bone and Joint Surg.*, 43-B:722-733, 1961.
- Fahrenbach, G.J., Kuenhn, D.N., and Tachdjian, M.O.: Occult subluxation of the subtalar joint in clubfoot (using computerized tomography). *J. Paediat. Orthop.*, 6:334-339, 1986.
- Frank, J. and Hein, G.: Our experiences with early operative treatment of congenital clubfoot. *J. Paediat. Orthop.*, 8:26-30, 1988.
- Fried, A.: Recurrent congenital clubfoot. *J. Bone and Joint Surg.*, 41-A:243, 1959.
- Garceau, G.J.: Anterior tibial tendon transfer for recurrent clubfoot. *Clin. Orthop.*, 84:61-65, 1972.
- Gartland, J.J.: Posterior tibial transplant in the surgical treatment of recurrent clubfoot. *J. Bone and Joint Surg.*, 49-A:207-231, 1967.
- Ghali, N.N., Smith, R.B., Clayden, A.D., and Silk, F.F.: The results of plantar reduction in the management of congenital talipes equinovarus. *J. Bone and Joint Surg.*, 65-B:1-7, 1983.
- Green, A.D., and Lloyd-Roberts, G.C.: The results of early posterior release in resistant clubfeet. *J. Bone and Joint Surg.*, 67-B:588-593, 1985.
- Greider, M.D., Stiff, S.J., and Donova, N.M.: Arteriography in clubfoot. *J. Bone and Joint Surg.*, 64-A:837-840, 1982.
- Grill, F., and Franke, J.: The Ilizarov distractor for the correction of relapsed or neglected clubfoot. *J. Bone and Joint Surg.*, 69-B:593, 1987.
- Hadidi, H.: Management of congenital talipes equinovarus. *Orthop. Clinics of North America*, 5:53-58, 1974.
- Harrold, A.J. and Walker, C.J.: Treatment and prognosis in congenital clubfoot. *J. Bone and Joint Surg.*, 65-B:8-11, 1983.
-

- Henry, A.K.: Extensive exposure applied to limb surgery. Williams and Wilkins, Baltimore, 1946.
Quoted in Turco, V.J.: Normal anatomy of the foot, in clubfoot, 2nd ed., Churchill Livingstone, 3:127, 1981.
- Herold, H.Z. and Torok, G.: Surgical correction of neglected clubfoot in older child. *J. Bone and Joint Surg.*, 55-A:1385, 1973.
- Herzenberg, J.E., Carroll, N.C., Lee, E.H., and Munroe, R.: Clubfoot analysis with three-dimensional computer modeling. *J. Paediat. Orthop.*, 8:257-262, 1988.
- Heyman, C.H., Herndon, C.H., and Strong, J.M.: Mobilization of the tarso-metatarsal and metatarsal joints for the correction of resistant adduction of the forepart of the foot in congenital clubfoot and metatarsus varus. *J. Bone and Joint Surg.*, 40-A:299-310, 1958.
- Hicks, J.H.: The mechanics of the foot, the joint. *J. Anatomy*, 87:345, 1953.
- Hippocrates, F.A.: The genuine works of Hippocrates (Translated from Greek), Williams and Wilkins, 1927.
Quoted in Turco, V.J.: Aetiology, in Clubfoot, 2nd ed., Churchill Livingstone, Chapt. 2, 1981.
- Hutchins, P.M., Foster, B.R., Paterson, D.C., and Cole, E.A.: Long term results of early surgical release in clubfeet. *J. Bone and Joint Surg.*, 67-B:791-799, 1985.
- Ippolito, E., and Ponseti, I.V.: Congenital clubfoot in the human fetus. *J. Bone and Joint Surg.*, 62-A:8-22, 1988.
- Irani, R.N., and Sherman, M.S.: The pathological anatomy of clubfoot. *J. Bone and Joint Surg.*, 45-A, 1963.
- Issacs, H., Handelsman, J.E., and Pickering, A.: The muscles in clubfoot - a histological, histochemical and electron microscopic study. *J. Bone and Joint Surg.*, 59-B, 1977.
- Jend, H.H., Heller, M., and Schoettle, H.: Measurement of tibial torsion by computer tomography. *Acta Radio. [Diagn.]*, 22:271-6, 1981.

- Joseph, B., Carver, R.A., Bell, M.J., Sharrard, W.J., and Levick, R.K.: Measurement of tibial torsion by ultrasound. *J. Paediat. Orthop.*, 7:317-23, 1987.
- Kapandji, I.A.: *The physiology of the joint, lower limb*, 2nd ed., Churchill Livingstone, Edinburgh and London, 1970.
- Karski, T., and Wosko, I.: Experience in conservative treatment of congenital clubfoot in newborn's and infants. *J. Paediat. Orthop.*, 9:134-136, 1989.
- Krishna, M., Evans, R., Taylor, J.F., and Theis, J.C.: Tibial torsion measured by ultrasound in children with talipes equinovarus. *J. Bone and Joint Surg.*, 73-B:207-210, 1991.
- Laaveg, S.J., and Ponseti, I.V.: Long term results of treatment of congenital clubfoot. *J. Bone and Joint Surg.*, 62-A:23-31, 1980.
- Last, R.L.: The lower limb, in *Anatomy Regional and Applied*, 7th ed., Churchill Livingstone, 3:126, 1985.
- Lichtblau, S.: A medial and lateral release operation for clubfoot. *J. Bone and Joint Surg.*, 55-A:1377-1384, 1973.
- Little, W.J.: *A treatise on the nature of clubfoot*, 1839.
Quoted in Turco, V.J.: *History, in clubfoot*, 2nd ed., Churchill Livingstone, p. 1, 1981.
- Lloyd-Roberts, G.C., Swann, M., and Catterall: Medial rotation osteotomy for severe residual deformity in clubfoot. *J. Bone and Joint Surg.*, 56-B:37-43, 1974.
- Lowe, L.W., and Hannon, M.A.: Residual adduction of the fore-foot in treated congenital clubfoot. *J. Bone and Joint Surg.*, 55-B:809-813, 1973.
- Lundberg, B.J.: Early Dwyer operation in talipes equinovarus. *J. Clin. Orthop.*, 154:223-227, 1981.
- Magone, J.B., Torch, M.A., Clark, R.N., and Kean, J.R.: Comparative review of surgical treatment of the idiopathic clubfoot by three different procedures. *J. Pediat. Orthop.*, 9:49-58, 1989.

- Main, B.J., Crider, R.J., Lloyd-Roberts, G.C., Swann, M., and Kamdar, B.A.: The result of early operation in talipes equinovarus. *J. Bone and Joint Surg.*, 59-B:337, 1977.
- Main, B.J., and Crider, R.J.: An analysis of residual deformity in clubfeet submitted to early operation. *J. Bone and Joint Surg.*, 60-B:536-543, 1978.
- McCauley, J.C.: Operative treatment of clubfoot. *J. Med.*, 47:255, 1947.
Quoted in Turco, V.J.: History, in clubfoot, 2nd. ed., Churchill Livingstone, p. 1, 1981.
- McKay, D.W.: New concept of and approach to clubfoot treatment: Principles and morbid anatomy. *J. Pediat. Orthop.*, 2:347-356, 1982.
- McKay, D.W.: New concept of and approach to clubfoot treatment: Correction of the clubfoot. *J. Pediat. Orthop.*, 3:10-21, 1983.
- McKay, D.W.: New concept of and approach to clubfoot treatment: Evaluation and result. *J. Pediat. Orthop.*, 3:141-148, 1983.
- Nather, A., and Bose, K.: Conservative and surgical treatment of clubfoot. *J. Pediat. Orthop.*, 7:42-48, 1987.
- Ono, K., and Hayashi, H.: Residual deformity of treated congenital clubfoot. *J. Bone and Joint Surg.*, 56-A:1577-1585, 1974.
- Otremski, I., Salama, R., and Weintraub, S.: Residual adduction of the forefoot. *J. Bone and Joint Surg.*, B:832-834, 1987.
- Pecak, F., Parlovcic, V., and Srakar, F.: Treatment of resistant idiopathic pes equinovarus. *J. Pediat. Orthop.*, 9:148-153, 1989.
- Phelps, W.E.: An orthopaedist in New York City, 1890.
Quoted in Turco, V.J.: History, in Clubfoot, 2nd. ed., Churchill Livingstone, p. 1, 1981.
- Porat, S., Milgrom, C., and Bentley, G.: The history of treatment of congenital clubfoot at the Royal Liverpool Children's Hospital. *J. Pediat. Orthop.*, 4:331-338, 1984.
- Porater, R.W.: Congenital talipes equinovarus, Part I. *J. Bones and Joint Surg.*, 69-B:822, 1987.

- Porater, R.W.: Congenital talipes equinovarus Part II. *J. Bone and Joint Surg.*, 69-B:826, 1987.
- Porat, S., and Kaplan, L.: Critical analysis of results in club-feet treated surgically along the Norris Carroll approach. *J. Pediat. Orthop.*, 9:137-143, 1989.
- Reimann, I., and Becker-Anderson, H.: Early surgical treatment of congenital clubfoot. *Clin. Orthop.*, 102:200-206, 1974.
- Scott, W.A., Hosking, S.W., and Catterall, A.: Clubfoot observations on the surgical anatomy of dorsiflexion. *J. Bone and Joint Surg.*, 66-B:71, 1984.
- Sell, L.S.: Tibial torsion accompanying congenital clubfoot. *J. Bone and Joint Surg.*, 23:561, 1941.
- Settle, G.W.: The anatomy of congenital talipes equino-varus. *J. Bone and Joint Surg.*, 45-A:1341-1354, 1963.
- Shapiro, E., and Glimcher, M.J.: Gross and histological abnormalities of the talus in congenital clubfoot. *J. Bone and Joint Surg.*, 61-A:522-530, 1979.
- Sharrard, W.J.: Congenital and developmental abnormalities of the foot and toes, in *Paediatric Orthopaedics and fractures*, 2nd ed., Blackwell Scientific Publisher, Oxford and London, Vol. 1-8:493, 1979.
- Simons, G.W.: A standardized method for radiographic evaluation of clubfeet. *Clinical Orthop.*, 135:107-116, 1978.
- Simons, G.W., and Sarrafian, S.: The microsurgical dissection of a still-born fetal clubfoot. *Clinical Orthop.*, 173:275-283, 1983.
- Simons, G.W.: Complete subtalar release in clubfoot, Part I. *J. Bone and Joint Surg.*, 67-A:1044, 1985.
- Simons, G.W.: Complete subtalar release in clubfoot, Part II. *J. Bone and Joint Surg.*, 67-A:1055, 1985.
- Singer, M.: Tibialis posterior transfer in congenital clubfoot. *J. Bone and Joint Surg.*, 43-B:717, 1961.

- Sodre, H., Bruschini, S., Miranda, F., Crider, R.J., and Hootnick, R.: Arterial abnormalities in talipes equinovarus as assessed by angiography and the Doppler technique. *J. Pediat. Orthop.*, 10:101, 1990.
- Somppii, E., and Sulamaa, M.: Operative treatment of clubfoot. *Acta Orthop. Scand.*, 42:513, 1971.
- Stark, J.G., Johnson, J.E., and Winter, R.B.: The Heyman-Herndon tarso-metatarsal capsulotomy for metatarsus adductus. *J. Pediat. Orthop.*, 7:303-310, 1987.
- Sundmann, E., Hald, K., and Skandfer: Features resting primary treatment of congenital clubfoot. *Acta Orthop. Scand.*, 54:850, 1983.
- Swann, M., Lloyd-Roberts, G.C., and Catterall, A.: The anatomy of uncorrected clubfeet. *J. Bone and Joint Surg.*, 51-B:263-269, 1969.
- Syme, J.: Principles of surgery, 5th ed., London, 1863.
Quoted in Porter, R.W.: Congenital talipes equinovarus. Part II. *J. Bone and Joint Surg.*, 69-B:826-831, 1987.
- Tachdjian, M.O.: Congenital deformities of the foot. In: *Pediatric Orthopedic*. W.B. Saunders Co., Philadelphia, London, Toronto, Vol. 4, p. 2421, 1990.
- Tayton, K., and Thompson, P.: Relapsing clubfeet. *J. Bone and Joint Surg.*, 61-B:474-480, 1979.
- Templeton, A.W., McAlister, W.H., and Zim, I.D.: Standardization of terminology and evaluation of osseous relationships in congenitally abnormal feet. *Am. J. Roentgenol.*, 93:374, 1965.
Quoted in Magone et al.: Comparative review of surgical treatment of idiopathic clubfoot by three different procedures at Columbus Children's Hospital. *J. Pediat. Orthop.*, 9:49-58, 1989.
- Thompson, G.H., Richardson, A.B., and Westin, G.W.: Surgical management of resistant congenital talipes equinovarus deformities. *J. Bone and Joint Surg.*, 64-A:652-665, 1982.
- Turco, V.J.: Surgical correction of resistant clubfoot. *J. Bone and Joint Surg.*, 53-A:477-497, 1971.
-

- Turco, V.J.: Resistant congenital clubfoot-one stage postero-medial release with internal fixation. *J. Bone and Joint Surg.*, 61-A:805-814, 1979.
- Turco, V.J.: Pathologic anatomy, in *Clubfoot*, 2nd ed., Churchill Livingstone, 4:35, 1981.
- Turek, S.L.: Congenital deformities, in *Orthopaedics, Principles and Their Application*, 4th ed., J.B. Lippincott Co., Philadelphia, London, Mexico City and New York, Vol. 1-11:313, 1984.
- Vizkelety, T. and Szepesi, K.: Reoperation in treatment of clubfoot. *J. Pediat. Orthop.*, 9:144-147, 1989.
- Waisbrod, H.: Congenital clubfoot, an anatomical study. *J. Bone and Joint Surg.*, 55-B:796-801, 1973.
- Wynne-Davies, R.: Talipes equinovarus. *J. Bone and Joint Surg.*, 46-B:464, 1964.
- Yamamoto, H., and Furuya, K.: One stage postero-medial release of congenital clubfoot. *J. Pediat. Orthop.*, 8:590-595, 1988.
- Yamamoto, H., and Furuya, K.: Treatment of congenital clubfoot with a modified Denis Brown splint. *J. Bone and Joint Surg.*, 72-B:460-463, 1990.
-