

Aitcheson, C.T. and Tan, E.M. (1982):
Antinuclear antibodies In : Panayi, G.S. ed scientific
basis of rheumatology churchill livingstone. Edinburgh
London - Melbourne - New York.

Alexander, G.I.M., Bacon, P.A. Calavalanti, F., Black, D.R.
and Hall, N.D. (1984) :
Low density lymphocytes, their relationship to disease a
ctivity and to antirheumatic therapy.
Br. J. Rheum. (23) : 6 - 14.

Alexander, W.R.M. and McCarthy, D.D. (1966) :
The clinical significance of the rheumatoid factor In :
A.G.S. Hill (ed) Modern trends in rheumatology, Butterworth,
London, p. 154 - 155.

Alspaugh, M.A., Jensen, F.C., Rabin, M. and Tan, E.M.
(1978):
Lymphocytes transformed by Epstein Barr Virus Induction of
nuclear reactive antibody in rheumatoid arthritis.
J. Exp. Med. (147) : 1018 - 1027.

Amos, R.S., Constable, T.J., Crockson, R.A., Crockson, A.P.
and McConkey, B. (1977) :
Rheumatoid arthritis : Relation of serum C-reactive protein
and erythrocyte sedimentation rate to radiographic changes.
Br. Med. J., I, 195.

Annotation (1971) :
Chloroquine myopathy.
Br. Med. J., 12, 605.

Ansell, B.M. (1978) :
Dermatomyositis and polymyositis In : Copeman's textbook of
the rheumatic disease ed. by Scott, J.T., 5th edition,
Livingstone, London and New York, p. 923.

Arnett, F.C., Edworthy, S.M., Bloch, D.A., et al., (1987) :
American Rheumatism Association - revised criteria for the
classification of rheumatoid arthritis.
Arthritis and Rheum. 1988 : 315 - 323.

Bacon, Q.A. (1982) :
Assessment in rheumatic diseases In : Panayi G.S. (ed)
scientific basis of rheumatology churchill Livingstone,
Edinburgh - London - Melbourne - New York.

Baker, R.J., Johnson, W.C. and Burgoon, C.F. (1971) :
Unusual skin Lesions in rheumatoid arthritis Dermatologia,
143, 305.

- Ball, J. (1971) :
Entheospathy of rheumatoid and ankylosing spondylitis.
Ann. Rheum. Dis., 30, 213.
- Barada, F.A., O'Brien, W. and Horwitz, D.A. (1981) :
Quoted from : Panayi, G.S. (ed) scientific basis of
rheumatology p. 70 :
Churchill Livingstone - Edinburgh - London. Melbourne - New
York.
- Barden, J.A. and Decker, J.I. (1971) :
Mycoplasma hyorhinis swine arthritis.
Clinical and microbiological features.
Arth. and Rheum, 14, 193.
- Baranes. C.G. and Mason, M. (1975) :
Rheumatoid arthritis In "An introduction to clinical
rheumatology", ed. by Mason, M. and Currey, H.L.F., 2nd
edition; pitman medical, p. 24.
- Bartfeild, H., (1969) :
Ann. N. Y. Acad. Sci., 168 : 30.
- Baum, J. (1971) :
Infection in rheumatoid arthritis.
Arth. and Rheum., 14, 135.
- Baum, J. and Ziff, M. (1985) :
Laboratory finding in rheumatoid arthritis In "Arthritis and
Allied Conditions".
Text of Rheumatology.
- Bayliss, C.E., Dawkins, R.L., Cuffity, G., Davis, R.E. and
Houliston, J.B. (1975) :
Laboratory diagnosis of rheumatoid arthritis.
Ann. Rheum. Dis., 34, 395.
- Behrens, F., Shepard, N. and Mitchell, N. (1976) :
Metabolic recovery of articular cartilage after
intra-articular injections of glucocorticoid.
J. Bone Joint Surg., 58A, 1157.
- Bett, I.M. (1964) :
Ann. Rehum. Dis., 25 : 556.
- Bienenstock, H. (1975) :
Rheumatoid plantar synovial cysts.
Ann. Rheum. Dis., 34, 98.

Black, D.R., Eastham, E.J. and Bacon, P.A. (1981) :
Synovial fluid ferritin in rheumatoid arthritis.
Ann. Rheum. Dis. 39, 597.

Black, D.R. and Bacon, P.A. (1981) :
Ferritin, reticuloendothelial cells dysfunction and RA.
Ann. Rheum. Dis., 39 398.

Bland, J.H. (1974) :
RA of the cervical spine.
J. Rheum. J., 319.

Bland, J.H., Van Buskirk, F.W.M., Tampods, J.P., Brown, E.
and Clyaton, E. (1965) :
A study of roentgenologic criteria for RA of cervical spine.
The American Journal of Roentgenology, Radium Therapy and
Nuclear Medicine, 95, 949.

Blends, L.M., Ansell, I.D., Liyod Jones, K., Hamilton, E.
and Williams, R., (1970) :
Liver in Felty's syndorme.
Brit. Med. J., I, 131.

Boardman, P.L. and Hart, F.D. (1967) :
Clinical measurement of the anti-inflammatory effects of
salicylates in rheumatoid arthritis.
Brit. Med. J. IV., 264.

Bowman, S.C., Turner, R. and Green, H.D. (1981) :
Peripheral vascular disease in rheumatoid arthritis .
Arth. and Rheum., 18, 389.

Brewerton, D.A. (1957) :
Hand deformities in RA.
Ann. Rheum. Dis., 16, 183.

Brodey, P.A. (1975) :
Multicentric reticulohistiocytosis.
Arare cause of destructive polyarthrititis. Radiology, 114,
327.

Buchanan, W.W. (1978) :
Clinical features of RA In "Copeman's textbook of the
rheumatic disease", ed by Scott, J.T., 5th edition,
Livingston, London and New York, p. 318.

Bucknall, R.C., Dixon, A.S.J., Glick, E.N., Woodland, J. and
Zutshi, D.W. (1975) :
Mysthenia gravis associated with penicillamine treatment for
rheumatoid arthritis.
Br. Med. J., I, 600.

Caplan, A. (1959) :

Quoted by Buchanan, W.W. (1978) : Clinical features of RA.
In "Copeman's textbook of the rheumatic diseases", ed. by
Scott, J.T., 5th ed., Livingston, London. and New York, p.
318.

Carpenter, D.F., Golden, A. and Roberts, W.C. (1976) :
Quadrivascular rheumatoid heart disease associated with left
bundle branch block.
Am. J. Med., 43, 922.

Carson, D.A. (1981) :

Rheumatoid factor In : "Textbook of rheumatology ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.,
Sanders Company, Vol. I., p. 667.

Carson, D.A. (1982) :

Rheumatoid factor In : "Textbook of rheumatology", ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.,
Saunders Company, Vol. I., p. 680.

Carson, D.A., Lawrence, S., Catalano, M.A., Vaughan, J.H.
and Abraham, G. (1977) :
Radioimmunoassay of IgG and IgM rheumatoid factors reacting
with human IgG.
J. Immunol. 119 : 295.

Cassel, S., Furst, D., Dromgoole, S. and Paulus, H. (1979) :
Steady state serum salicylate levels in hospitalised
patients with rheumatoid arthritis.
Arth. and Rheum., 22, 384.

Cassidy, J.T., Brody, G.L. and Martel, W., (1967) :
Monarticular Juvenile rheumatoid arthritis. J. pediat., 10,
867.

Claus, D.R., Osmand, A.P. and Gewurz, H. (1976) :
Radiomunoassay of human CRP and levels in normal sera.
J. Lab. Med. 87 : 120.

Clement, P.J., Yu, D.T.Y. and Levy, J. (1974) :
Effect of cyclophosphamide on B., T. Lymphocyte in
rheumatoid arthritis.
Arth and Rheum. 17, 347.

Cohen, A.S. and Calkins, E. (1958) :
Arthr. and Rheum., I, 297.

Collins, A. J., Ring, E.F.J., Cosh, J.A. and Bacon, Q.A.
(1974) :

Quantitation of thermography in arthritis using
multisothermal analysis.
Ann. Rheum. Dis., 33, 113.

Colton, C. and Darby, A. (1970) :

Giant granulomatous Lesions of the femoral head and neck in
RA.
Ann. Rheum. Dis., 29, 626.

Condemi, J.J., Barnett, E.V. and Atwater, E.C. (1965) :

The significance of antinuclear factors in rheumatoid
arthritis.
Arth. and Rhum., 8, 1080.

Copeman, W.S.C., Elkin, A.C. and Pearce, R. (1959) :

Brit. Med. J., I : 1575.

Corrigan, A.B., Robinson, R.G., Terenty, T.R., Dick, S.J.B.
and Walters, O. (1974) :

Benign rheumatoid arthritis of the aged.
Brit. Med. J., I : 444.

Costrini, N.V., and Thomson, W.M. (1979) :

Arthritis and related disorders from "Manual of medical
therapeutic"
Ch. 20 p. 340.

Crawford, D.H. and McLachlan, S.M. (1983) :

The relationship between the Epstein - Barr Virus and RA.
Br. J. Rheum. 22 (3) : 129 - 133.

Currey, H.L.F. (1975) :

Progressive systemic sclerosis and polymyositis. In : "An
introduction to clinical rheumatology", ed. by Mason, M. and
Currey, H.L.F., 2nd ed., Pitman medical, p. 114.

Currey, H.L.F. (1978) :

Aetiology and pathogenesis of RA In : "Compeman's textbook
of the rheumatoid disease", ed. by Scott, J.T. 5th ed.,
Livingstone, London and New York, p. 261.

Dacie, J.V. and Lewis, S.M. (1975) :

Practical haematology, 5th edition, Churchill Livingstone.
London.

Davis, D.V. and Palfrey, A.J. (1969) :

Viscoelastic properties of some pathological human synovial
fluid.
Ann. Rheum. Dis., 28, 194.

- Davis, J.S. (1981) :
Antinuclear antibodies. In "Textbook of rheumatology" ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.,
Sanders Company, Vol., I, p. 691.
- Dayer, J.M., Krane, S.M., Russel, G.G. and Robinson, D.R.
(1976) :
Quoted by Hatcher, V.B., Borg, J.P. Levitt, M.A. and Smith,
C. : Enhanced natural protease activity in proliferating
synovial cells. Arth. and Rheum., 24, 919.
- Deker, J.L. (1977) :
The management of rheumatoid arthritis.
Med. Times, 105, 28.
- Deodhar, S.D., Hodgkinson, R. and Buchanan, W.W. (1973) :
Measurement of clinical response to anti-inflammatory drug
therapy in rheumatoid arthritis. Quarterly J. Med. 42, 387.
- Dick, W.C. (1972) :
The use of radioisotops in normal and diseased joint.
Arth. and Rheum. I, 301.
- Dieppe, P.A., Doherty, M., Macfarlane, D., and Maddison, P.
(1985) :
"Rheumatoid Medicine".
Churchill, Livingstone, Ediburgh, London, Melbourne and New
York. Ch. 4 p. 41 - 64.
- Dixon, A. St. J. (1960) :
Rheumatoid arthritis with negative serological reaction.
Ann. Rheum. Dis., 19, 209.
- Dixon, A. St. J. (1970) :
Quoted by Harris, E.D.Jr. (1981) : Rheumatoid arthritis. The
clinical spectrum In "Textbook of rheumatology", ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.
Saunders Company, Vol. I, p. 928.
- Dixon, A. St. J. and Ball, J. (1957) :
Honeycomb Lung and chronic rheumatoid arthritis.
Ann. Rheum. Dis., 16, 241.
- Dixon, J.S., Pickup, I.E., Lowe, J.R., Hallet, C., Lee, M.R.
and Wright, V. (1980) :
Discriminatory indices of response of patients with
rheumatoid arthritis treated with D-pencilliamine.
Ann. Rheum. Dis, 39 : 301 - 311.

Dorfman, H., Norma, A. and Smith, R., (1970) :
Bone erosion in relation to subcutaneous rheumatoid nodules.
Arth. & Rheum. 13, 69.

Dunne, J.V., Carson, D.A., Spiegelberg, H.L., Alspaugh, M.A.
and Vaughan, J.H. (1979) :
IgA rheumatoid factor in the sera and saliva of patients
with rheumatoid arthritis and sjogren's syndrome.
Ann. Rheum. Dis., 38 : 161.

Duthie J.J.R., Brown, P.E., Truelove, L.H., Barage, E. and
Lawrie, A.J. (1964) :
Course and prognosis in rheumatoid arthritis.
Ann. Rheum. Dis., 23, 193.

Duthie, J., Stewart, S., Alexander, W. and Dayhoff, R.
(1976) :
Isolation of diptheroid organisms from rheumayoid synovial
membrane and fluid. Lancet, I, 142.

Elson, C.J., Scott, D.G.I., Blacke, D.R., Bacon, P.A. and
Holt, P.D.J. (1983) :
Complement - activiting rheumatoid factor containing
complexes in patients with rheumatoid vasculitis.
Ann. Rheum. Dis., 42 : 147 - 150.

Ewerhatd, F.H. (1940) :
In principles and practice of physical Therapy Vol. III,
Hagerstown, Maryland, W.F. prior Co-inc.

Farr, M., Kendall, M.J., Young, D.W., Meynell, M.J. and
Hawkins, C.F. (1976) :
Assessment of rheumatoid activity based on clinical
features, blood and synovial fluid analysis.
Arth. and Rheum. 135, 163.

Fauci, A.S. (1976) :
Glucocorticoid therapy. Mechanism of action and
clinical considerations
Ann. Inter. Med., 84, 304.

Fleming, A., Benn, R.T., Corbett, M. and Wood, P.H.N.
(1976):
Early rheumatoid disease. Pattern of joint involvement.
Ann. Rheum. Dis., 35, 361.

Fowler, P.D. (1967) :
Marrow toxicity of pyrazoles.
Ann. Rheum. Dis., 26 - 344.

Franco, A.E. and Schur, P.H. (1971).
Hypocomplementaemia in RA.
Arth. & Rheum., 14, 231.

Frangione, B. (1981) :
Immunologic aspects of inflammation :
Immunoglobulin structure and function. In "Textbook of
rheumatology" ed. by Kelly, W.N., Harris, E.D.Jr., Ruddy, S.
and Sledge, C.B., Saunders Company, Vol. I, p. 8.

Freedman, A. and Steinberg, V.I. (1960) :
Chloroquine in rheumatoid arthritis a double blind blindfold
trial of treatment for one year.
Ann. Rheum. Dis., 19, 243.

Fried, D.M. (1968) :
Rehabilitation in arthritis in "Rehabilitation and Medicine"
Sidney Light editor, New Haven, Elizabeth Light publisher
252.

Fries, J.F. (1983) :
The assessment of disability : From first to future
principles.
Br. J. Rheum. 22 (suppl.) : 48 - 58.

Fye, K.H., Moutsopoulos, H.M. and Talal, N., (1978) :
In basic and clinical immunology by Fudenberg H.H., Stites
D.P., Caldwell, J.L., and Wells, J.V. (eds.) 2nd ed. Los
Altos. California. Lang. 422 - 51.

Gahmberg, C.G. and Anderson, L.C. (1978) :
Leucocyte surface origin of human alpha-acid glycoprotein
(Orosomucoid).
J. Exp. Med. 148 : 507.

Gale, R., Bertouch, J.V., Gordon, T.P., Bradley, J. and
Roberts - Thomson, D.J. (1984) :
Neutrophil activation by immune complexes and the role of
RF.
Ann. Rheum. Dis., (43) : 34 - 39.

Gardner, D.L. (1978) :
Pathology of rheumatoid arthritis. In : "Copeman's textbook
of the rheumatic diseases", ed. by Scott, J.T., 5th edition
Livingston. London and New York, p. 173.

Gardner, D.L., Duthie, J.J.R., Macleod, J. and Allan, W.S.H.
(1957) :
Quoted by Harris, E.D.Jr. (1981) :
RA the clinical spectrum. In: "Textbook of rheumatology", ed.
by Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.,

Saunders Company, Vol. I, p. 928.

Gibberd, F.B. (1966) :

Quoted by Buchanan, W.W. (1970) : Clinical features of RA.
In : "Copeman's textbook of rheumatic diseases", ed. by
Scott, J.T., 5th ed., Livigston, London and New York, p.318.

Glass, D., Snaith, M.L., Russell, A.S. and Daly, J.R.
(1971):

Possible unnecessary prologation of corticosteroid therapy
in rheumatoid arthritis. Lancet, 2, 234.

Golding, D.N. (1978) :

Clinical picture of \$RA "Synopsis of rheumatic disease" 3rd
edition, Bristol, Wright, J. and Sons LTD, p. 62.

Golding, D.N. (1982) :

RA In : "Synopsis of rheumatic diseases", 4th ed.
Bristol, Wright, J. and Sons LTD, p. 54.

Grennan, D.M., Anderson, J.A., Kennedy, A.C., Mitchell, W.,
Dick, W.C. and Buchanan, W.W. (1975) :

Relation between haemoglobin concentration and other
clinical and laboratory parameters in rheumatoid arthritis.
Current medical research and opinion 3, 104.

Gupta, P.J. (1970) :

Quoted by Harris, E.D.Jr. (1981) RA :
The clinical spectrum. In: Textbook of rheumatology", ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.
Saunders Company, Vol. I, p. 928.

Hadler, N.M., (1980) :

Synovial fluids facilitate small solute diffusivity.
Ann. Rheum. Dis., 39 : 580 - 585.

Hamerman, D. and Schuster, H. (1958) :

Hyaluronate in normal human synovial fluid. J. clin. Invest.,
37, 57.

Hardwicke, J. and Squire, J.R. (1952) :

The basis of the Erthrocyte sedimentation rate.
Clin. Sci., 2, 333.

Harkness, J. (1971) :

Viscosity of human blood plasma; its measurement in health
and disease.
Biothodology 8, 171.

Harris J.D.Jr. (1979) :

Rheumatoid arthritis. In Rheumatology and immunology Cohen,

A.S. (ed.).
Grune & Stratton, Inc. 168 - 181.

Harris, E.D. Jr. (1981) :
Pathogenesis of rheumatoid arthritis. In : "textbook of
rheumatology", ed. by Kelly, W.N., Harris, E.D. Jr.,
Ruddy, S. Sledge, C.B., Saunders Company, Vol. I, p. 896.

Harris, E.D. Jr. Dibona, D.R. and Krane, S.M. (1971) :
Quoted by Harris, E.D. Jr. (1981) : Pathogenesis of
rheumatoid arthritis. In "Textbook of rheumatology" ed. by
Kelly, W.N., Harris E.D. Jr., Ruddy, S. and Sledge, C.B.
Saunders Compny, Vol. I, p. 896.

Harris, R. (1969) :
In arthritis and physical medicine edited by Sidney Light,
New Havan, Elizabeth light publisher.

Hart, F.D. and Clark, C.J.M. (1951) :
Measure of digital joint swelling in rheumatoid arthritis -
Lancet I, 775.

Hart, F.D. and Huskisson, E.C. (1972) :
Measurment in rheumatoid arthritis. Lancet. I, 28.

Haslock, D.I., Wright, V. and Harriman, D.G. (1970) :
Neuromascular disorders in rheumatoid arthritis.
Quarterly J. of Med. New Series 39, 335.

Hayes, G.S. and Stinson, I.N. (1976) :
Erthyrocyte sedimentation rate and age.
Arch. ophthalmol., 94, 939.

Hellebrandt, F.A. and Houtz, S.J. (1958) :
Methods of muscle training : The influence of pacing. Phys.
Ther. Rev., 38 : 319 - 322.

Holborow, E. (1978) :
"Rheumatoid factor and antinuclear antibodies" In :
"Copeman's textbook of the rheumatic diseases", 5th ed.,
edited by Scott, J.T., Livingston, London, p. 167.

Hollander, J.L. (1979) :
Arthro centesis and intra - synovial therapy In : "Arthritis
and Allied conditions", 9th. edition, ed. : McCarty, D.J.,
Lea and Febiger, philadelphia, p. 402.

Hollander, J.L. and Horrvath, S.M. (1949) :
Intra - articular temperature as a measure of joint
reaction. J. Lin. investigation, 28 - 469.

Horton, J.T., Oppenheim, J.J., Mergenhagen, S.E. et al.,
(1974) :

Quoted by Harris, E.D.Jr. (1981) : Pathogenesis of
rheumatoid arthritis In : "Textbook of rheumatology" ed. by
Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B.
Saunders Company, Vol. I, p. 896.

Horwitz, D.A. (1982) :

Cellular immunity and rheumatic disease. In : Panayi, G.S.
(ed.) Scientific basis of rheumatology.
Churchill Livingstone . Edinburgh. London. Melbourne. New
York.

Hughes, G.R.V. and Currey, H.L.F. (1975) :

Laboratory investigation In : "An introduction of clinical
rheumatology", ed. by Mason, M. and Currey, H.L.F., 2nd
edition, Pitman medical, p. 384.

Huskiison, E.C. (1982) :

Drugs which apparently affect the rheumatoid disease
processes. In : Hart, D.F. (ed.), Drug treatment of the
rheumatic disease, p. 61 Adis press. New York -Tokyo -
Mexico - Sidney - Hong Kong.

Huskiison, E.C., Gibson, J.J. and Blame, H.W. et al.,
(1974):

Trial comparing D - pencillamine and gold in rheumatoid
arthritis.
Ann. Rheum. Dis., 33, 532.

Huskiison, E.C., Wojtulewski, J.A. and Berry, H. et al.,
(1974) :

Treatment of rheumatoid arthritis with fenoprofen comparsion
with aspirin.
Br. Med. J.I., 176.

Hutchinson, R.M., Davis, P. and Jayson, M.I.V. (1976) :

The significance of antinuclear factors in rheumatoid
arthritis.
Arth. and Rheum., 8, 1080.

Jayson, M.I.V. and Jones, D.E.P. (1971) :

Scleritis and rheumatoid arthritis.
Ann. Rheum. Dis., 30, 343.

John, D.W. and Miller, L.L. (1969) :

Regulation of synthesis of serum albumin and acute phase
plasma protein.
J. Biol. Chem., 244, 6134.

- Kankrowitz, F.G., Levine, L. and Robinson, D. (1975) :
Inhibition of rheumatoid synovial prostaglandins
biosynthesis by anti-inflammatory drugs.
Arth. and Rheum., 18, 405.
- Kellgren, J. and Ball, J. (1950) :
Tendon Lesions in rheumatoid arthritis.
Ann. Rheum. Dis., 1, 48.
- Kellgren, J.H. and O'Brien, W.M. (1962) :
On the natural history of rheumatoid arthritis in relation
to sheep cell agglutination test (SCAT).
Arth. and Rheum. 5, 115.
- Kennedy, A.C., Fell, G.S., Ronney, P.J., Stevens, W., Dick,
W.C. and Buchanan, W.W. (1975) :
Quoted by Buchanan, W.W. (1978) :
Clinical features of RA. In : "Copeman's textbook of the
rheumatic diseases". ed. by Scott, J.T., 5th edition,
Livingstone, London and New York, p. 318.
- Kirwan, J.R., Chaput De Saintonge D.M., Joyce, C.R.B., and
Currey, H.L.F. (1984) :
Clinical judgement in rheumatoid arthritis III British
rheumatologists judgements of change in response to therapy.
Ann. Rheum. Dis., 43, 686 - 694.
- Kjeldsberg, C.R. and Krieg, A.F. (1984) :
Synovial fluid In : Clinical diagnosis and management. ed.
by Henery, J.B. 7th ed. W.B. Saunders Company. p. 475 - 488.
- Klinefelter, H.F. (1975) :
Reinstitution of therapy in rheumatoid arthritis after
mucocutaneous reactions.
J. Rheumatol, 2, 21.
- Koj, A. (1974) :
In : Allison, A.C. (ed.) : Structure and function of plasma
proteins, Vol. I, New York.
- Komatsubura, Y., Hirtmatsu, S., Hongo, S., et al., (1976) :
Hematological changes in the rheumatoid disease Second, J.
Rheum., 5, 97.
- Korin, H. and Tobis, J.S. (1971) :
Kinesthetic perceptual disturbance in musculoskeletal
diseases.
J. chronic. Dis., 24, 209.

Krane, S.M. (1974) :
Joint erosion in RA.
Arth. and Rheum. 17, 306.

krusen, F.H. (1942) :
Physical medicine. Philadelphia, W.B. Saunders Company.

Kulka, J.P., Bocking, D., Ropes, M.W. and Bauer, W. (1955) :
Early joint lesions of rheumatoid arthritis : Report of 8
cases with knee biopsies less than one year duration.
Arch. pathol., 59, 129.

Kushner, I. (1981) :
The acute phase reactants and the ESR. In : "Textbook of
rheumatology", ed. by Kelly, W. N., Harris, E.D.Jr., Ruddy,
S. and Seldge, C.B., Saunders Company, Vol. I, p. 672.

Kushner, I., Edington, R.S., Trimble, C., Liem, H.H. and
Muller - Eberhard, U. (1972) :
Plasma hemopexin hemostasis during acute phase response.
J. Lab. Clin. Med. 80 : 18.

Kushner, UI. and Somerville, J.A. (1971) :
Permeability of human synovial membrane to plasma protein.
Relationship to molecular size and inflammation.
Arth. and Rheum., 14, 560.

Kushner, I., Voanakis, J.E. and Gewurz, (1982) :
C-reactive protein and the plasma protein response to tissue
injury. Ann. N.Y. Acad. Sci. 389.

Lang, R.K., Weiss, T.E. and Ochsner, J.T. (1965) :
Rheumatoid arthritis and constrictive pericarditis.
Arth. and Rheu., 8, 403.

Lansbury, J. (1957) :
Numerical method of evaluating the status of RA.
Ann. Rheum. Dis., (16) 101.

Lansbury, J. (1966) :
In "Textbook Arthritis and Allied Conditions", edited by
Hollander, J.L., 7th edition, Lea and Febiger, Philadelphia
app. 781 - 846.

Larkin, J.G., Lowe, G.D.O., Strurrock, R.D. and Frobes, C.D.
(1984) :
The relationship of plasma and serum viscosity to disease
activity and smoking habit in rheumatoid arthritis.
Br. J. Rheum., 23 : 15 - 19.

Lawrence, J.S. (1970) :

Rheumatoid arthritis - Nature or Nurture.
Ann. Rheum. Dis., 29, 357.

Lea, A.J. (1964) :

An association between rheumatic disease and reticulosis.
Ann. Rheum. Dis., 23, 480.

Lee, P., Baxter, A., Dick, W.C. and Webb, J. (1974) :

An assessment of grip strength measurement in rheumatoid arthritis. Scand. J. Rheum. 3 : 17

Lee, P., Kennedy, A.C., Anderson, J. and Buchanan, W.W. (1974) :

Benifits of hospitalization in rheumatoid arthritis.
Quart. J. Med., 43, 205.

Lee, P., Webb, J., Anderson, J.A. and Buchanan, W.W. (1973):
Method for assessing therapeutic potential of
anti-inflammatory anti-rheumatic drugs in rheumatoid
arthritis.

Brit. Med. J., 2, 685.

Lehman, J.F., and Delateur, P.G. (1982) :

Diathermy and superficial heat and cold therapy In :
"Krusen's hand book of physical medicine and
Rehabilitation" edited by Kottke, F.G., Stillwell, G.K. and
Lehman, J.F., 3th ed. Saunders Company Philadelphia,
Londond. Tronto, Mexico city ch. 13 p. 275 - 350.

Levy, G. and Dick, W.C. (1975) :

The detection of change in disease activity in patients with
rheumatoid arthritis clinics. In : "rheumatic diseases" Vol.
I, No. 2.

Ligumsky, M., Rachmilewitz, D., and Zor, W. (1979) :

Role of prostaglandin in ulcerative colitis. Enhanced
production during disease and inhibition by sulphasalazine.
Gastroenterology, 75 : 638 - 640.

Linguist, P. and Mc Donnel, D. (1970) :

Rheumatoid cyst Causing extradural compression.
J. Bone Joint Surgery, 52A, 1235.

Liroy, D., Williams, F., Ring, E.F. and Cosh, J.A. (1970) :

Assessment of the anti-inflammatory effect of
intra-articular steroids by means of external temperature
measurement.

Ann. Rheum. Dis., 29, 196.

Littler, J.W. and Eaton, R.G. (1967) :
Redistribution of forces in the correction of the
bouttonniere deformity.
J. Bone Joint Surgery, 49 A, 1267.

Mallya, R.K., De Beer, F.C., Berry, H., Hamilton, E.D.B.,
Mace, B.E.W. and Pepys, M.B. (1981) :
Correlation of clinical parameters of disease activity in
rheumatoid arthritis with serum concentration of C. reactive
protein and ESR.
J. Rheumatol. 9 : 224.

Mallya, R.K. and Mace, B.E.W. (1981) :
The assessment of disease activity in rheumatoid arthritis
using a multivariate analysis.
Rheum. and Reh. 20 (I) : 14 - 17.

Mallya, R.K., Vergani, D., Tee, D.E.H., Bevis, L., De Beer,
F.C., Berry, H., Hamilton, E.D.B., Mace, B.E.W. and Pepys,
M.B. (1982) :
Correlation in rheumatoid arthritis of plasma protein, serum
rheumatoid factor, immune complexes and C-reactive protein
with each other and with clinical features of disease
activity.
Clin. Exp. Immunol. 48 - 747.

Mancini G., Carbonara, A.F. and Heremans, J.F. (1965) :
Immunochemical quantitation of antigens by single radial
immunodiffusion.
Immunochemistry 2 : 235.

Marko, J.S. and Sharp, J. (1981) :
Cervical myelopathy.
Ann. Rheum. Dis., 39, 607.

Marsden, R.A., Ryan, T.J., Van Hegan, R.I., Walshe, M.,
Hill, H. and Mowat, A.G. (1976) :
Pemphigus foliaceus indicated by penicillamine .
Br. Med. J., 2, 1423.

Martel, W., Hayes, J.T. and Duff, L.F. (1965) :
The pattern of bone erosion in the hand and wrist in
rheumatoid arthritis.
Radiology, 84, 204.

Martel, W., Holt, J.F. and Cassidy, (1962) :
Roentgenologic manifestation of juvenile rheumatoid
arthritis.
Am. J. Roentgenol., 88, 440.

Martel, W. and Page, J.W. (1960) :
Cervical vertebral erosions and subluxations in rheumatoid arthritis and ankylosing spondylitis.
Arth. and Rheum., 2, 646.

Masi, A.T., Maldonado - Cocco., J.A., Kaplan, S.B., Feigenbaum, S.L. and Chandler, R.W. (1976) :
Prospective study of the early course of rheumatoid arthritis in young adults comparison of patients with and without rheumatoid factor positivity at entry and identification of variable correlating with outcome.
Semin. Arth. and Rheum., 5, 2994.

Mathews, J.A. (1969) :
Atlantoaxial subluxation in rheumatoid arthritis.
Ann. Rheum. Dis., 88, 260.

Mattingly, S. (1966) :
Plandromic rheumatism.
Ann. Rheum. Dis., 2, 307.

Mayer, J.W., Messner, R.P. and Kaplan, R.J. (1976) :
Brain stem compression in rheumatoid arthritis.
JAMA, 236, 2094.

Mc Carty, D.J. (1979) :
Synovial fluid. In : "Arthritis and Allied conditions" edited by Mc Carty, D.J. and Hollander, J., 9th edition Lea and Febiger, Philadelphia, p. 51

Mc Carty, D.J. (1979) :
Clinical assessment of arthritis. In : Arthritis and Allied conditions", edited by Mc Carty, D.J. and Febiger, Philadelphia, p. 131.

Mc Conkey, B., Amos, R.D. and Burham, S. (1980) :
Sulphasalazine in rheumatoid arthritis. Br. Med. J., 280, 442 - 444.

Mc Conkey, B., Crockson, R.A. and Crockson, A.P. (1972) :
Assessment of rheumatoid arthritis : a study based on measurements of acute phase reactants.
Quarterly J. of Med., 41, 155 - 125.

Mc Conkey, B., Davies, P., Crockson, R.A., Crockson, A.P., Butler, M., Constable, T.J. and Amos, R. (1979) :
Effects of gold, dapsone and prednisone on serum C - reactive protein and haptoglobin and the ESR in rheumatoid artheitis.
Ann. Rheum. Dis., 38 : 141.

Mc Michael, A.J., Sasazuki, T., Mc Devitt, H.O. and Payne, R.O. (1977) :
Increased frequency of HLA - CW3 and HLA - DW4 in rheumatoid arthritis.
Arth. and Rheum., 20, 1037.

Mellors, R., Heimer, R., Corcos, J. and Korngold, L. (1961):
Cellular origin of rheumatoid factor
J.Exp.Med., 110, 875

Messner, R. P. (1974) :
Clinical aspects of T. and B. lymphocytes in rheumatic diseases.
Arth. and Rheum., 17, 329

Meyer, M. A. A. (1970) :
Laboratory findings in rheumatoid arthritis.
Amer. J. Med. Tech. Vol., 36, No.7

Milazzo, S. C. (1977) :
Seronegative peripheral arthritis In : " Clinics in rheumatic diseases ", Immunogenetics and Rheumatic disease.
Saunders

Mills, J. A., Pinals, R. S., Ropes, M. W., Short, C. L. and Sutcliffe, S. (1971) :
Value of bed rest in patients with rheumatoid arthritis.
N. Engl. I. Med., 284, 453

Mills, K. W. (1970) :
Pathology of knee joint in rheumatoid arthritis.
J. Bone Joint Surger., 52 A, 746

Mowat, A. G. (1978) :
Quoted by Scott, J. T., (1978): Surgical treatment of rheumatoid arthritis. In : " Copeman's textbook of the rheumatic diseases ", ed. by Scott, J. T., 5 th edition, Livinstone, London and New York. p. 459

Mueller, M. N. and Jurist, J. M. (1973) :
Skeletal status in rheumatoid arthritis.
Arth. and Rheum., 16, 66

Muirden, K. D. and Mills, A. K. (1971) :
Do lymphocytes protect the rheumatoid joint.
Brit. Med. J. IV, 219 - 222

Naik, K. S. Downs, A. R. and Barager, F. D. (1969) :
Involvement of large vessels in rheumatoid arthritis.
Arth. and Rheum., 12, 319

Newman, P. M. and Sweetman, R. (1969) :
Occipito - Cervical fusion
J. Bone Joint Surger., 51 - B, 423

Ohlsson, K. (1975) :
Quoted by Harris, E. D. Jr. (1981) : Pathogenesis of
rheumatoid arthritis In: " Textbook of rheumatology ", ed.
by Kelly, W. N., Harris, E. D. Jr., Ruddy, S. and Sledge, C.
B., Saunders Company, Vol. I, p.896.

Olsen, N., Ziff, M. and Jasin, H. E. (1984) :
spontaneous synthesis of Ig M rheumatoid factor by blood.
Mononuclear cells from patients with rheumatoid arthritis:
Effect of treatment with gold salts or D - peneillamine.
J. Rheumatol. II, (1): 17 - 21.

Owen, J. A. (1967) :
Effect of injury on plasma proteins
Adv. Clin. Chem., 9, 1.

Panayi, G. S. (1982) :
Scientific Basis of Rheumatology, Churchill living stone
Edinburgh - London , New York, p. 61 - 130.

Patterson, C. D., Harville, W. E. and Pierce, J. (1965) :
Rheumatoid lung disease.
Ann. Int. Med., 62, 685.

Pepys, M.B. (1981) :
C - reactive protein, serum amyloid A protein and serum a
myloid P. Component in autoimmune disease. In : Autoimmunity
clinics in immunology and allergy, ed. by Holborow, E.J.,
Vol. I, Eastbourne, W.B., Saunders Co - LTD, 77 - 101.

Pepys, M.B. (1983) :
C - reactive protein : the role of an ancient protein in
modern rheumatology.
Clin. Exp. Rheumatol. I : 3 - 7.

Pepez, H.D. and Weissman, G. (1981) :
Lysosomes as mediators of inflammation In : "Textbook of
rheumatology", ed. by Kelly, W.N., Harris, E.D.Jr., Ruddy,
S. and Sledge, C.B., Saunders Company, Vol. I, p. 179.

Peterson, J., Ingemann - Hansen, T. and Halkjaer Kirstensen,
J. (1984) :
Spontaneous and induced immunoglobulin Secretion by synovial
fluid B- lymphocytes in RA.
Ann. Rheum. Dis., (43) : 140 - 145.

- Pettersson, T., Weglius, O. and Skrifvars, B. (1970) :
Gastrointestinal disturbance in patients with severe
rheumatoid arthritis.
Acta Medica Scandinavica, 188, 189.
- Pickup, M.E., Dixon, J.S., Hallett, C., Bird, H.A. and
Wright, V. (1981) :
Plasma Viscosity - a new appraisal activity of its use as an
index of disease activity in rheumatoid arthritis.
Ann. Rheum. Dis., 40, 272.
- Piersol, G.M., Shwan, H.P., Pennell, R.B. and Cartenson,
E.L. (1952) :
Mechanism of absorption of ultrasonic energy in blood.
Arch. Phys. Med. 33, 327.
- Radin, E.I., Ehrlich, M.M., Weiss, C.A. and Parker, H.G.
(1978) :
Quoted by Gardner, D.L. (1978). Pathology of rheumatoid
arthritis. In : "Copeman's textbook of the rheumatic
diseases", ed. by Scott, J.T., 5th edition, Livingstone,
London and New York, p. 293.
- Ragan, C.J. (1954) :
"Connective tissue in health and disease", ed. by Asboe -
Hansen, G., Munksgaard Verlag, Copenhagen.
- Rajapakse, L.N.A., Holt, P.J.L. and P.J.L. and Perera, B.
(1981) :
Diagnosis of true iron deficiency in rheumatoid arthritis.
Ann. Rheum. Dis., 39, 596.
- Rask, M.R. (1978) :
Achilles tendon rupture owing to rheumatoid disease.
JAMA, 239 : 435.
- Raven, R.W., Beber, F.P. and Price, L.W. (1948) :
The necrobiotic nodules of rheumatoid arthritis, case in
which the scalp, abdominal wall Larynx, pericardium,
plaeurae and peritoneum were affected.
Ann. Rheum. Dis., 7 - 63.
- Raymond, F.D. and Bowie, M.A. (1965) :
Iron metabolism in rheumatoid arthritis.
Arth. and Rheum. Vol. 8, No. 2.
- Reza, M.J. (1980) :
Extra - articular manifestations of rheumatoid arthritis. In
: "Rheumatology", Mellinkoff, S. and Solomon, D.H., ed. by
Bluestone, R.P. 142.

Rhind, V.M., Bird, H.A., Wright, V.A. (1980) :
Comparision of clinical assessment of disease activity in
rheumatoid arthritis.
Ann. Rheum. Dis., 39 : 135 - 137.

Ring, E.F.H. and Cosh, J.A. (1986) :
Skin temperature measured by radiometry .
Brit. Med. J. IV, 448.

Ritchards, F.F., Konigsberg, W.H., Rosenstein, R.W. and
Varga, J.M. (1975) :
On the specificity of antibodies.
Science, 187, 130.

Ritchie, D., Boyle, J., McInnes, J., Jasani, M., Dalakos, T.
Grieveson, P. and Buchanan, W.W. (1968) :
Clinical studies with an articular index for the assessment
of joint tenderness in patients with rheumatoid arthritis.
Quarterly J. Med., 37 : 393.

Robinson, W. (1974) :
The aetiology of rheumatoid arthritis In : "Arthritis and
Allied Conditions", 8th ed. by Hollander, J. and Mc Carty,
D., Lea and Febiger, New York, p. 297.

Robinson, D.R., Smith, P. and Day, J. (1962) :
Tyrosyluria in rheumatoid arthritis.
Ann. Rheum. Dis., 21, 79.

Robinson, D.R., Tashjian, A.H.Jr. and Levine, L. (1975) :
PGE2 induced bone resorption by rheumatoid synovia.
J. Clin. Invest., 56, 1181.

Ropes, M.W. (1961) :
Conservative treatment in rheumatoid arthritis.
Medical clinical of North America 45, 1197.

Ropes, M.W., Bennett, G.A., Cobb, S., Jacox, R. and Jessar,
R.A. (1959) :
Diagnostic criteria for rheumatoid arthritis.
Ann. Rheum. Dis., 18 : 44 - 53.

Ropes, M.W., Muller, A.f. and Bauer, W. (1960):
The entrance of glucose and other sugars into joints.
Arth. Rheum. 3 : 496 - 514.

Ruddy, S. (1982) :
The management of rheumatoid arthritis In : "Textbook of
rheumatology", ed. by Kelly, W.N., Harris, E.D.Jr., Ruddy,
S. and Sledge C.B., Saunders Company, Vol. II, p. 1000.

Rusk, H.A., (1971) :

In : Rehabilitation medicine, by Howard, A. and Rusk, 3rd edition. The C.V. Mosby Company, Saint Louis.

Rynes, R.I., Krohel, G., Falbo, A., Reinecke, R.D. and Bartholomew, L.E. (1978) :

Ophthalmologic safety of Long term hydroxy chloroquine treatment.

Arth. and Rheum., 21, 588.

Sandson, J. and Hamerman, D. (1962) :

Isolation of hyaluronate protein from human synovial fluid. J. Clin. Invest., 41, 1817.

Sasazuki, T., McDevitt, H.O. and Grumet, F.C. (1977) :

The association between genes in the major histocompatibility complex and disease susceptibility. Ann. Rev. Med., 28, 425.

Schmid, F.R., Cooper, N.S., Ziff, M. and McEwen, C. (1961) :

Arthritis in rheumatoid arthritis. Am. J. Med., 30 : 56.

Schneider, R. and Kaye, J.J. (1975) :

Insufficiency and stress fractures of long bones occurring in patients with rheumatoid arthritis. Diag. Radiol., 116, 595.

Schumacher, H.R. (1981) :

Synovial fluid analysis. In : "Textbook of rheumatology", ed. by Kelly, W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B. Saunders Company, Vol. I, p. 568.

Scott, J.T. (1960) :

Morning stiffness in rheumatoid arthritis. Ann. Rheum. Dis., 19, 361.

Scott, J.T., Porter, L.H., Lewis, S.M. and Dixon, A. St.J. (1961) :

Studies of gastrointestinal bleeding caused by corticosteroids, salicylates and other analgesics. Quarterly J. Med., New series, 30, 167.

Seyle, H. (1951) :

Quoted by Hill, S. and Holley, H. (1974) : The endocrinology of rheumatic disease In " Arthritis and Allied conditions" 8th ed., edited by Hollander, J. and Mc Carty D., Lea and Febiger New York, p. 264.

Sheldon, P.J., Papamichail, M., and Holborow, E.J. (1974) :

Studies on synovial fluid lymphocytes in RA.

Ann. Rheum. Dis., 33, 509 - 514.

Short, C., Bauer, W. and Reynolds, W. (1957) :
Rheumatoid arthritis, Cambridge, Mass Harvard University
press.

Sigler, J.W., Bluhm, J.M., Buncan, H., Sharp, J.T., Ensign,
D.C. and Mc Crum, W.R. (1974) :
Gold salts in the treatment of rheumatoid arthritis.
Ann, intern. Med. 80, 21.

Silva, M.D.E., Kyle, V., Hazleman, F., Salisbury, R., Page,
T.P. and Wraight, (1986) :
Assessment of inflammation in the rheumatoid knee joint :
Correlation between clinical, radioisotopic and
theramographic methods.
Ann. Rheum. Dis., 45, 277 - 280.

Simkin, P.A., and Pizzorono, J.E., (1974) :
Transynovial exchange of small molecules in normal human
subjects.
Journal of Applied Physiology 36 : 581 - 587.

Smiley, .K., Taplow, E. and Bywater, E.G. (1980) :
Eye involvement in patients with disease of joints and
Locomotor system.
Eular, J., 155.

Smith, P., Benn, R.T. and Sharp, J. (1972) :
Natural history of rheumatoid cervical luxations.
Ann. Rheum. Dis., 32, 433.

Smyth, C.J. (1968) :
Med. Clin. N. Amer., 52 ; 3.

Sokoloff, L. (1974) :
The pathology of rheumatoid arthritis and Allied conditions.
In : "Arthritis and Allied conditions", 8th ed. by
Hollander, J. and McCarty, D., Lea and Febiger, New York, P.
309.

Steinberg, A.D., Plotz, P.H., Wolf, S.M. Wong, V.G., Agus,
S.G. and Decker, J.I. (1972) :
Cytotoxic drugs in the treatment of non malignant disease.
Ann. Intern. Med. 76 - 619.

Steinbrocker, O., Traeger, C. and Batterman, (1949) :
Therapeutic criteria in rheumatoid arthritis.
J. Am. Med. Ass., 140, 659.

- Straub, L.R. (1959) :
Quoted by Buchanan, W.W. (1978) : Clinical features of RA.
In : "Copeman's textbook of the rheumatic disease", ed. by
Scott, J.T., 5th edition, Livingstone, London and New York,
p. 318.
- Sweezey, H.L. (1967) :
Myocardial infarction due to rheumatoid arthritis.
JAMA, 199 - 191.
- Tait, G.B.W., Bach, F. and Dixon, A. St.J. (1965) :
Acute synovial rupture.
Ann. Rheum. Dis., 24, 273.
- Tanimoto, K., Cooper, N.R., Johnson, J.S. and Vaughan, J.H.
(1975) :
Complement fixation by rheumatoid factor. J. Clin. Invest.,
55, 437.
- Taylor - Robinson, D and Taylor, G. (1976) :
Quoted by Buchanan; J.C. (1981), Aetiology of rheumatoid
arthritis In : "Textbook of rheumatology", ed. by Kelly,
W.N., Harris, E.D.Jr., Ruddy, S. and Sledge, C.B. Saunders
Company, Vol. I, Q. 887.
- Thayer, M., Charland, C. and Field C., (1976) :
Salazopyrine and its effect on lymphocyte subpopulations and
function Gastroenterology, 75 : 638 - 640.
- Theofilopoulos, D.N., Burtonboy, G. Lospalutto, J.J. and
Ziff, M. (1974) :
IgM rheumatoid factor and Low molecular weight IgM. An
association with vasculitis.
Arth. Rheum., 17 : 272.
- Thompson, M. (1966) :
Non - articular features of rheumatoid diseases In : "Modern
trends in rheumatology", ed. by Hill, A.G.S., part I, p. 32.
- Thompson, M. and Eadie, S. (1956) :
Kerato conjunctivitis Sicca and RA.
Ann. Rheum. Dis., 15, 21.
- Tillett, W.S. and Francis, T.Jr. (1930) :
Serologic reactions in pneumonia with a non - protein
somatic fraction of Pneumococcus.
J. Exp. Med., 52 : 561.
- Traycoff, R.B., Pascual, E. and Schumacher, (1976) :
Mononuclear cells in human synovial fluid. Ann. Rheum., 19,
743.

Tsang, I.K., Patterson, C.A., Stein, H.B., Robinson, H.S. and Ford, D.K. (1977) :
D - pencillamine in the treatment of rheumatoid arthritis.
Arth. and Rheum., 20, 666.

Valentine, I.R. (1976) :
Self care through group learning.
Am. J. Nursing, 70, 2110.

Valkenburg, H.A., Ball, J., Burch, T.A. Bennett, P.H. and Lawrence, J.S. (1966) :
Rheumatoid factor in a rural population.
Ann. Rheum. Dis., 25, 497.

Vaughan, J.H. (1959) :
Arth. and Rheum., 2 ; 465.

Vernon - Roberts, B. (1975) :
Applied anatomy of joints In : " An introduction to clinical rheumatology", ed. by Mason, M. and Currey, H.L.F. 2nd ed. pitanam medical. p. I.

Vigidal, E., Jacoby, R., Dixon, A. St.J., Rattiff, A.H. and Kirkup, J. (1975) :
The foot in chronic rheumatoid artthrititis.
Ann. Rheum. Dis., 34 : 292.

Walker, W.C. and Wright, V. (1968) :
Pulmonary Lesions in rheumatoid arthritis.
Br. Med. J., 47, 501.

Ward, P.A. and Zvaifler, N.J. (1970) :
Cleaving enzyme and leucostatic factors in rheumatoid and non rheumatoid synovial fluids.
Arth. and Rheum., 13, 357.

Waston, R.G. (1965) :
A more specific method for detecting and quantitating rheumatoid factors using a simple modifications of the rheumatoid arthritis - test. Am. J. Clin. Pathol., 43, 152.

Webb, J., Downi, W.W., Dick, W.C. and Lee, P. (1973) :
Evaluation of digital joint circumference measurement in rheumatoid arthritis.
Scand. J. Rheum. 2, 127.

Wees, S. J. (1982) :
Rheumatoid arthritis. In : "Practical points in rheumatology", Medical examination publishing Co., Inc. an except medica company. p. 117.

- Wees, S.J. (1983) :
Synovial fluid analysis. In : "Practical points in
rheumatology, Medical examination publishing.
Excerpta Medica Company, new York. p. 23.
- Wernick, R., Merryman, P., Jaffe, I. and Ziff, M. (1983) :
Quantitative response to pencillamine therapy and
relationship to disease activity.
Arth. and Rheum. Vol., 26, 593.
- Westergren, A. (1962) :
Amer. Rev. Tuberc., 14 : 94.
- Whaley, K., Pack, A.T., Boyle, J.A., Dick, W.C., Dowine,
W.W., Buchanan, W.W. and Gillespie, F.C. (1968) :
The articular scan method in patients with rheumatoid
arthritis a possible method of equalitating joint
inflammation Clinical Sci., 35, 547.
- Williams, R.C., Deboard, J.R., Mellbye, O.J., Messner, R.P.
and Lindstrom, F.D. (1973) :
Studies of B. and T. lymphocytes in patients with connective
tissue disease.
Journal of Clinical investigation. 52, 283 - 295.
- Winchester, R.J., Litwin, S.D., Koffler, D. and Kunkel, H.G.
(1971) :
Observation on the eosinophilia of certain patients with
rheumatoid arthritis.
Arth. and Rheum., 14, 650.
- Wright, V. (1959) :
Some observation on diurnal variation of grip strength.
Clin. Sci., 18, 23.
- Yates, D.B. and Scott, J.T. (1975) :
Rheumatoid synovitis and joint disease.
Relationship between orthroscopic and histological changes.
Ann. Rheum. Dis., 34,, I.
- Zacharski, L.R. and Kyle, R.A. (1967) :
Significance of extensive evaluation of erythrocyte
sedimentation rate.
JAMA, 202, 264.
- Ziff, M. (1961) :
Am. J. Med. 30, 1 - 7.
- Ziff, M. (1965) :
Some immunologic aspects of the connective tissue disease.
Ann. Rheum. Dis., 24, 105.

Zvaifler, N. (1973) :
Immunopathology of joint inflammation in arthritis.
Adv. Immunol., 16, 265.

Zvaifler, N. (1974) :
Rheumatoid synovitis. An extravascular immune complex
disease.
Arth. and Rheum., 17, 297.

Zvailfer, N. (1979) :
Aetiology and pathogenesis of rheumatoid arthritis. In
:"Arthritis and Allied condition's", ed. McCarty, D.J. Ninth
edition Lea and Febiger p. 417.