References

- Abbas H.A. (1996). The relation-ship between the knowledge base of nursing staff and the quality of infection control at the Main University Hospital in Alexandria. Master Thesis Faculty of Nursing, Alexandria University.
- Abd El- Lateef, A., (1999). Establishing Basic Standard of Nursing Care for Burnt Patients in the Emergent Phase. Un published Master thesis, Faculty of Nursing, Alexandria University.
- Abd el- Sattar, M.I. (1994): Impact of head injury care self learning package on performance of nurses working at Neuro-surgical Department, Ain shams university Hospital, Doctorate thesis, High institute of nursing, Ain shams university, Egypt, pp 12, 14, 16-63.
- Abd. Salama, K.A. (1995). Assessment of nursing activities related to prevention of nosocomial urinary tract infection in patients with urinary catheter in shebin El-kom Teaching Hospital. Unpublished Master Dissertation, Menoufiyia University, Egypt.
- Abdalla S. M; (1999). Nosocomial infection control system in El-Galaa Military Hospital. Unpublished Master thesis, HIN; Cairo University.
- Abdelall, S.E.M., (1998). Factors affecting nurse's practice related to Universal infection control precautions in haemodialysis unit of Tanta University Hospital. Master thesis Faculty of nursing: Alexandria University.
- Abdel-kerim, N. (1991). Assess nurses' practice in giving oral medications of medical wards of the Main University Hospital of Alexandria Unpublished M.Sc. thesis in Nursing, Higher Institute of Nursing, Alexandria University.
- Abd-El-Moniem, H.A. (2001). Impact of training program on the performance of nurses working in intensive care units in Zagazig university hospitals. Doctorate thesis, Faculty of Nursing, Zagazig University., pp 42-69.

- Abou Shady N. A., Ibrahim YM and Salem YM (2001). Implementation and evaluation of educational program for nurses regarding nosocomial infection control at Mansoura University Hospital. The Egyptian journal of medicine, 24 (5): 226-233.
- Adam S; Batson S; (1997). A study of problems associated with the delivery of enteral feed in critically ill patients in five ICVS, in the intensive care medical journal, 23 (15); 261-266.
- Ahmed Y., Tawfik N. and El-Feky M. (1993). Nosocomial infection in Assiut University Hospital. Egypt J. Med. Microbial.; 2 (2):157-162.
- Ahmed, A. (1997). Assessment of health personal knowledge, attitude and practices in relation to infection control in a general surgical unit, Master degree, Medical-surgical Nursing, High Institute of Nursing, Ain Shams University.
- Ahmed, A.Y., (1997). Assessment of health personnel knowledge. Attitude and practice in relation to infection control in general surgical unit. Master thesis. High Institute of nursing .Ain Shams University.
- Ahrens TS. (1993). Mechanical support of ventilation. In Kinney MR, Packa DR, Dumbar SB, editors: AACN's clinical reference for critical-care nursing, st Louis, Mosby year Book.
- **Akel K.T.** (1997). The impact of an educational program on the head nurse's performance as related to the planning function. Doctorate thesis. H.I.N. Ain Shams University.
- Alferness K. (1995). Optimizing performance through process improvement.

 J. Nurs. Care Qual., Go (1).pp: 1-9.
- Ali, N.S. (1998). The effect of a designed teaching program on knowledge and performance of the internship nurses in coronary care unit at Almanial University Hospital, A thesis submitted for master degree in medical-surgical nursing, pp (57-73).
- **Ali, N.S.** (1998). The effect of a designed teaching program on knowledge and performance of the internship nurses in coronary care unit at Almanial University Hospital, A thesis submitted for master degree in medical-surgical nursing, pp (57-73).

- Alonso C, Prats G. (2000). Lack of use fullness of blood cultures to diagnose ventilator-associated pneumonia. Eur Respir J. 4:1020.
- Aly, H.S., and E.-Senousy, T; AbuNegm, L.M., and Tag El Din, M.A. (2003).

 Factors affecting management of patients on mechanical ventilation: the 7th international nursing congress toward mental health and quality of life. Ain shams university, Cairo, Egypt, 18th -20th, pp 71-72.
- American Association of Cardiovascular pulmonary Rehabliltation (1993).

 Respiratory muscle working. Guidelines for pulmonary rehabilitation programs (20-24).
- American Association of respiratory care (AARC). (2003). Endotracheal suctioning of mechanically ventilated adults and children with artificial airways. Respiratory care, vol. 38, pp. 500-504.
- Amien A. (2000). Factors influencing the development of nosocomial respiratory tract infections in artificially ventilated patients. Thesis submitted in partial fulfillment of the requirements of the master degree in medical surgical nursing, faculty of nursing, Monofia University.
- Anzueto, A.; Peters, J.; Seidner, S.; Cox, W.; Schroeder, and Coalson, J. (2000). Effects of continuous bed rotation and prolonged mechanical ventilation on healthy, adult baboond, critical care medicine, vol. 25, No. 9, pp. 1560-1563.
- Arafa, A. (1998). Infection in intensive care units. Master Degree, Anesthesia,Faculty of Medicin, Cairo University.
- Arden NH, Breiman RF, McNeil MM, et al., (2000). Guideline for prevention of nosocomial pneumonia: the Hospital Infection Control Practices Advisory Committee, Centers for Disease Control and Prevention. Infect Control Epidemiol. 19: 304.
- Attia, A.K. (1992). Development of an instrument to measure basic standards for critical care nursing, thesis submitted to the faculty of nursing, university of Alexandria in partial fulfillment of the requirements of the degree of doctor of medical-surgical nursing, pp (137-212).

- Attia F.A; Zaki L.A; Khalil H.Z; Bahgat M.M; Selim M. A. (2001). A study of the effect of teaching program on prevention of nosocomial infection in peritoneal dialysis unit in Zagazig University Hospital. Doctorate degree in medical surgical Nursing. Faculty of Nursing. Zagazeg University pp: 155, 158, 159.
- Awad A. (2003). Prevalence of typical versus atypical lower respiratory tract infection. MSc. Thesis of microbiology and immunology faculty of medicine, Cairo University.
- Ayliff G. A. Babb. J., and Taylor, L., (2000). Control of Hospital infection a practical Handbook. (4th Ed.) London: ARNOLD CO. P.P. 1-57, 16.
- Ayres, S.M., Grenvi, K.A., and Holbrook, P.A. (1995). Bacterial pneumonia in adult respiratory distress syndrome, textbook of critical care, 3rd ed., W.B. Saunders Company, United States of America, p.p. 139-1314, 1211-1212.
- **Badre YM.**, (1996). Master thesis, infection control measures in Zagazig intensive care units, faculty of medicine, Zagazig University.
- Banner, M. Kirby, R. & Blanch, p., (1993). Decreasing imposed work of the breathing apparatus to reusing pressure support ventilation, Critical Medical 21: 1333-1338.
- Banner, M. Kirby, R. & Blanch, P., (1993). Decreasing imposed work of the breathing apparatus to reusing pressure support ventilation, Critical Medical 21: 1333-1338.
- Basford p. and Downie J. (1991). Individual performance review. Nursing Times, 87 (27), 59.
- Basford, p. and Dowinem J. (1991). Individual performance review. Nursing Times, 87. 27. 59.
- Bassaly, M.S. (1996). Effect of an educational program about immediate postoperative care for cardiothoracic patients on the performance of Nurses in intensive care unit. Doctorate thesis, H.I.N, Cairo University., p 34-38.
- Beare, P.G, 7& Myers, J.L., (1998). Mechanical ventilation adult health nursing, 3rd ed. Mosby company U.S.A 304-320.

- *Beare, P.G. and Myers, J.L.* (1998). Mechanical ventilation. Adult health nursing, 3rd Ed, Mosby Company, United States of America, 299-319.
- **Beaumont**, **E.** (2005). Technology score card: focus on infection control. American Journal of Nursing, vol. 97, No. 12, pp. 51-54.
- **Beers, M. and Berkow R. (2003).** Chronic obstructive airway disorders. In Merck Manual of diagnosis and therapy, 17th ed. Beers M. and Berkow R. (Eds.). Merck research laboratories p: 87-95.
- Berman A; Synder S; Kozier B: and Erb G; (2002). Kosier ND Erb's techniques in clinical nursing; 5th edition. Prentice-Hall; New Jersey.p. 271.
- **Berry**, **J.**, (1996). Respiratory muscle strength in older adults Nursing Research. May (43). No 3.
- Black, J. and Jacobs, E. (2003). Luckman & Serensen's Medical. Surgical
 Nursing " A psychophysiologic approach", 4th ed.,
 W.B.Saunders company, U.S.A, pp. 977-984.
- *Black, J.* Hawks, J. And Keene, A., (2001): Enteral nutrition. Med. Surgical Nursing Vol. (1), 6th ed. Saunders p. 1981-1986.
- Black, J.M. (1997). Infection control medical-surgical Nursing. Clinical management for continuity of care, 5th Ed, W.B. Saunder Company United States of America, 1169-1186.
- *Black, J.M., and Jacobs, E.M. (1997).* Medical-surgical nursing, (5th ed.,), Philadelphia, W.B., Saunders Company, pp. 497-532.
- Bogdonoffm D.L., nd Stone, D.J. (1992). Ecergency management of the airway outside the operating room. Can.J. Anaesth. 39 (10): 1069-1089.
- **Boggs RL. Woddridge-King M., (1993).** AACN Procedure manual for critical care, 3rd ed., Philadelphia, WB Saunders.
- Boggs, R.L., and Wooldridge-king, M. (1993). Procedure Manual for critical care, Philadelphia. W.B. Saunders United, States of America.
- Boogs, R.L. & woold, Ridge-King, M., (1993). Procedure manual for critical care, Philadelphia. W.B saunders, stated of America.

- **Booth R** (2003). Working for patients: further implications for nurse education. Nurse education today. Journal for health care educators 12 (4): 243-249.
- Bostrom J., Tisnado J., Zimmerman J., and Lazar N. (1994). The impact of continuity of nursing care personnel on patient satisfaction, J. Nurse. Adm., 24 (10) 66.
- **Bourn, S.S.** (1993). General principles of endotracheal intubation. Oral endotracheal intubation, nasal endotracheal intubation. In adult emergency nursing procedure, 25-36.
- **Bowton D.L.** (2000). Nosocomial pneumonia in the ICU. Year 2000 and beyond. Chest mar; 115 (3 suppl.): 28-30.
- Breiman, R.; Butler, J. and Mcneil, M. (2004). Part I. Issues on preventing f nosocomial pneumonia, internet, http://www.CDC. Gov/ncidod/disease/hip/pneumonia/1-intro. Html.
- *Burns*, S.M., (1990). Advances in ventilatory therapy focus. Crit care, 5. 217-227.
- Burns, S.M., Burns, J.E., J.E., Truwit, J.D. (1994). Comparison of five clinical weaning indices. Am J Crit Care, 3 (5), 342-352.
- Cannaby A.M; Evand L; Freeman A; (2002). Nursing care of patients with nasogastric feeding tubes British journal of nursing. Apr 10; 11 (6): 366-72.
- Carolyn, M, Hudak, and Gallom (1994). Mechanical ventilation. Critical care nursing, 6th ed. J.B. Lippincott Company, United States of America, 1173-1184.
- Center for disease control (CDC). (1995). Guidelines for prevention of nosocomial pneumonia. American Journal of infection control. Vol. 22, pp. 247-292.
- Center for disease control (CDC). (1997). Guidelines for prevention of nosocomial pneumonia, internet, htt: Gilligan. Mc. Duke. Edu / oem / pneumo. htm.
- Chan, R. (2002). Nurses; knowledge and compliance with universal precautions in an acute hospital, int.J.Nurs.stud; Feb.; 39 (2) 157-160.

- Chaster J, (2002): Ventilator associated pneumonia Am J Respir Crit Care Med; 16: 1045-1048.
- Chaster J. and Fagon J. (2004). Pneumonia in the ventilator-dependent patients, in Tobin J. principles and practice of mechanical ventilation, McGraw-Hill.
- Chaster, J. (1990). Diagnosis of nosomomial bacterial pneumonia in intubated patients undergoing ventilation comparison of the usefulness of bronchoalveolar lavage and the protected specimen brush. Am J. Med. 85,499.
- Chendrasekhar A. (2003). Are routine blood cultures effective in the evaluation of patients clinically diagnosed to have nosocomial pneumonia? Am surg. 62: 373-376.
- Clark J, Kendall S. and Havertys (1997). Helping nurses to develop their health education role, a frame work for training. Nurse education towday. 7 (2): 63-70.
- Cobben N., Dren M., and Jonkers M. (1996). Outbreak of severe pseudomonas aeruginosa respiratory infections due to contaminated nebulizers. J. Hosp. Infect.; 23: 63-70.
- Cohen H. A. (2002). Hand washing patterns in two dermatology clinics.

 Dermatology 205 (4): 357-360.
- Cook DJ, Kollef MH. (2004). Risk factors for ICU-acquired pneumonia. JAMA. 279: 1605-6.
- Cook DJ, Walter SD, Cook DJ, Griffith LE, Guyatt GH, Leasa D, et al. (1998). Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. Ann Intern Med. 129:433-40.
- Cook RJ. (2000). Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. Ann intern Med. 129: 433-440.
- Cook, DJ, Kollef MH. (1998). Risk factors for ICU acquired pneumonia. JAMA. 279: 1605-1606.
- Cooper, K., Burns, K. & Torsiello, p., (1989). How do you use a double-lumen endobronchial tube? Amj nurse 89 (11):1503.

- Craven DE, Steger DA. (2005). Epidemiology of nosocomial pneumonia:

 New perspectives on an old disease. Chest. 108: Suppl: 1S16S.
- Craven, D.E. (1986). Risk factors for pneumonia and fatality in patients receiving continuous mechanical ventilation. Am Rev, Respir, Dis, 133, 742.
- *Dal Nogare A. (1994).* Nosocomial pneumonia in medical and surgical patients. Med. Clin. North. Am.; 78: 1049-1065.
- Dauglass L.M; (1996). The effective nurse: Leader and manager. 5th edition. Mosby, St. Louis, pp; 71-80, 299.
- **Dewit S.C;** (2001). Fundamental concepts and skills for nursing. W.B. Saunders Co. New York. P: 499.
- **Donald, k.j., Robertson, V.j., and Tsebelis, K.** (2000). Setting safe and effective suction pressure: the effect of using Amanometer in the suction circuit intensive care Med. Springer-varlag, 26: pp 15-19.
- **Donald, K.J., Robertson, V.J., and Tsebelis, K.** (2000). Setting safe and effective suction pressure: The effects of using a manometer in the suction circuit-intensive care Med. Springer-variag, 26: pp 15-19.
- Dossey, B.; Guzzetta, C. and Kenner, C. (2002). Critical care nursing: bodymind-spirit, 3rd. ed., J.B. Lippincott company, USA, PP. 220-222.
- *Dowe*, *P.P.A.* (1995). Surgical nursing, pengum book Co., Great Britain p.10.
- Dreyfuss, D.; DJedaini, K.; Gros, Mier, L.; Bourdelles, G.; Cohen, y.; Estagnasie, p.; coste, F. and Boussougant, Y. (2005).

 Mechanical ventilation with heated humidifiers or heat and moisture exchangers: effects on patients colonization and incidence of nosocomial pneumonia. American journal of respiratory care Medicine, vol. 151, pp.986-992.
- Dubios V., Arpin C. and Melon M. (2001). Nosocomial outbreak due to pseudomonal aeruginosa: Efficancy of cefepime-amikain therapy and analysis of B lactam resistance. J. Clin. Microbiology. 39 (6): 207-208.

- East, T.D., (1990). The ventilator of the 1990s Resp care 35 (3): 232.
- East, T.D., (1990). The ventilator of the 1990s Resp. care 35 (3):232.
- El Badawy A. (2002). Causative organisms of nosocomial pneumonia and their antibiotic sensitivity pattern. MSc. Thesis of microbiology and immunology, faculty of medicine, Cairo University.
- El Badawy, A.M.M. (1994). A study of accidental infuries among nurses as potential hazards for transmission of hepatitis B infection in the Liver Institute and Shebin El-Kom teaching Hospital. Unpublished Master Dissertation Menoufiyia Egypt.
- *El Daker, M., (1998).* Nosocomial bacterial infections in intensive care units At Mansoura Emergency Hospital, Master thesis.
- El- Touky, H. M. (1996). Staphylococcal infection in surgical Departments in Zagazig University Hospitals. An Epidemiological Study. Unpublished Master Thesis, Faculty of Medicine; Zagazig University.
- **El-ebiary M.** (1994). Validation of different techniques for the diagnosis of ventilator-associated pneumonia: comparison with immediate postmortem pulmonary biopsy. Am J Respir crit care Med. 149: 324-331.
- *Elkin MK.*, *Perry*, *AG. And Potter*, *PA.*, (2000). Nursing intervention and clinical skills. (2nd Ed,). Philadelphia: Mosby Co., pp. 48.
- Ellis, E.; Wilson,S. and Thompson, J. (2005). Respiratory disorders "Mosby's clinical Nursing series", Mosby year book, U.S.A., PP. 174-184, 258.
- *El-shamy K.F.S.* (1994). Identification of source of post operative infection in cardiac patients in intensive care unit. Master thesis. H.I.N, Cairo University. Pp: 14-16.
- El-soussi, A.H. (1997). A study of determine the adequacy of the nursing care given to patients with respiratory failure at the intensive care unit of the Alexandria Main University Hospital. Unpublished M.Sc. thesis in nursing. Higher institute of Nursing. Alexandria University.

- Es- Shafie, I., Moukable, F., Helmy F. (1995). The relationship between the knowledge of nursing staff and their compliance to universal precautions for prevention of Hepatitis B viral infection. The journal of the Egyptian public Health Association. 19 (5): 530-533.
- Esteban A, anzueto A, Frutos F, et al. (2002). Characteristics and outcomes in adult patients receiving mechanical ventilation: a 28-day international study. JAMA; 278: 345-355.
- Fagon JY, (2002): Ventilator associated pneumonia Am J Respir Crit Care Med; 16: 1045-1048.
- Fagon J-Y, Chastre J, Hance AJ. et al., (2004). Nosocomial pneumonia in ventilated patients: a cohort study evaluating attributable mortality and hospital stay. Am J Med 94: 281-288.
- Fagon, J.Y., Chastre, J., Wagnate, A., Trouillet, J.L., Novara, A., Gibert, C. (1996) nosocomial pneumonia and mortality among patients in intensive care units. JAMA, 275,866-869.
- Feldman M, Kassel M, Cantrell J, et al. (1999). The presence and sequence of indotracheal tybe colonization in patients undergoing mechanical ventilation. Eur Respir J. 13: 546-551.
- Fownfelter, D. (2001). Chest physical therapy and pulmonary rehabilitation "an interdisciplinary approach", 2nd ed., year book Medical publishers, U.S.A., pp. 201-222, 362-363.
- Galil K. and Zalenik D. (2002). Nosocomial pneumonia. Semin. Respire. Crit. Care. Med.; 23 (5): 415-425.
- Gammon, R.B., Srickland, J.H., Kennedy, J.I., et al. (1995). Mechanical ventilation: A Review of the interist. American Journal of Medicine. 99 (5), 553-562.
- *Garner*, *J.*S. (1996). Guideline for isolation precautions in Hospitals. Inf. Cont. and Hospital Epid; 17: 54-58.
- Gayness R and Edwards JR. (2005). Overview f nosocomial infections caused by Gram-negative bacilli Clin. Infect. Dis.; 41 (6): 848-854.
- *George DL:* (1999). Epidemiology of nosocomial pneumonia in intensive care unit patients. clin chest Med 16: 29-44.

- Ghaffar G.M. (1997). Developing, implementing and testing a tool for evaluation of nursing performance in medical and surgical intensive care units at Ain Shams University Hospital. Doctorate deg. H.I.N. PP: 1-3.
- Girou, E. Pinsard, M. AURIANT, I. and Canonne, M., (1996): Influence of the severity of illness measured by the simplified acute physiology score (SAPS) on occurrence of nosocomial infection in I.C.U patients <u>Journal of hospital infection</u>, 18, 515-523.
- Girou, E., Pinsard, M., Auriant, I., and Canonne, M. (1996). Influence of the severity ofillness measured by the simplicied aute physiology svore (SAPs) on occurrence of nosocomial infection in ICU patients. Jornal of hospital infection, 34,131-137.
- Gomes G. J; Pisani J.c; Macedo E.D; Campos A.C; (2003). The nasogastric feeding tube as a risk factor for aspiration and aspiration pneumonia-current opinion in clinical nutrition and metabolic care. May; 6 (3): 327-33.
- Gordon, M., and Godwin, C., (1997). Initial Assessment, Management and stabilization. In. Greenfield, E. and Defazio-Quinme, Burn. Man-Agement.Nursing Clinical of North America, June; 32 (2): 237-240.
- Gould, D. (1997). Hand washing "practical procedure for nurses" Nursing times, vol., 93, No. 37.p. 79.
- *Graven R.F; and Hirnle C.J;* (2003). Fundamental of nursing. Human health and function. 4th edition Lippincott. Philadelphia. P: 973.
- *Graven R.F; and Hirnle C.J; (2003).* Fundamentals of nursing. Human health and function. 4th edition. Lippincott. Philadelphia. P: 973.
- *Guilbert J (2003).* Educational hand book for health personnel. 7th ed. World health organization. Geneva. Pp. 2. 15-2.17.
- **Haasen, M.,(1998):** Respiratory system structure and physiology, pathphysiology foundation of disease and clinical intervention 446-450. London.

- Haggler, D. & Traver, G. (2004). Endotracheal saline and suction catheters: sources of lower airway contamination. American Journal of critical care, vol. 3, No. 6, pp. 444-447.
- Hance AJ, Fagon JY, Chastre J, et al;(2002): Nosocomial pneumonia and mortality among patients in I.C.U. JAMA 275: 866-869.
- Hanley, M. and Tyler, M. (2003). Ineffective airway clearance related to airway infection. Nursing clinics of North America, vol. 22, No.1, pp. 135-148.
- Harkiness, G & Dincher, J., (1999). Mechanical ventilation. Medical. Surgical Nursing. 10th (22). 582-583.
- *Harkness GA and Dincher JR (1999).* Medical-surgical nursing total patient care. (10th Ed.). St. Louis: Mosby Co. p.p. 327-335.
- Harmina M.K., Moustafa N.G and Abu-Moghli F.A. (1990). The effect of an in-service educational program of nurses' knowledge and application of the nursing process at JORDAN University Hospital, the Bulletin of the High Institute of public Health 20 (4) 851-7.
- *Harrison, L.* (1997). Factors influencing the frequency of ventilator circuit changes. British Journal of Nursin, vol. 2, 16, pp. 793-801.
- Henein, H.W. (2002). Everything about the drugs, Kalyuob, Al-Ahram commercial. Press on Heneinwly 2000 @ hoatmail. Com.
- **Henker and Hinshow A (2005).** A program evaluation instruction. Journal of staff development 6 (1): 12-28.
- Heyland DK, Cook DJ, Griffith L, Keenan sp, Brun-Buisson C. (1999). The attributable morbidity and mortality of ventilator-associated pneumonia in the critically ill patient: the Canadian critical trials group. AmJ Respir crit car Med; 159:1249-1256.
- *Hill S (1986):* Clinical application of body ventilators. Chest, 90: 897-905.
- *Hinchliff S; Norman S; and Schober J; (2003).* Nursing practice and health care. 4th edition. Arnold London. P: 28.
- *Holloway*, *N.* (2003). Medical-surgical care planning, 2nd ed. J.B. Lippincott company, USA, P. 233.
- *Holloway*, *N.* (2003). Nursing the critical ill adult, 4th ed. Cummings publishing company, p. 226.

- *Hooper, J.E.*, (1995). Foundations in nursing theory and practice, Mosby Com., Italy, pp.445-452.
- Horne. C. and Derrico. D. (1999). Mastering ABGs. The art of arterial blood gas measurement, AJN, August, vol, 99 No, 8.
- Hospital infection society (2004). Reducing ventilator-associated pneumonia rates through a staff education programme. Journal of hospital infection; 57, 223-227.
- *Hospital infection society.* (2004). Ventilator-associated pneumonia. 129:433-440.
- Hoyet, J.; Tonnesen, A.; Allen, S. and Safar, P. (2001). Critical care practice, W.B. Sarnders Company, USA, pp, 72-74, 485.
- Hubmay, R.D. Abel, x. reheder, k., (1990). Physiologic approach to mechanical ventilation. Crit care Med 18 (1): 1-103.
- Hudak C.m; Gallo B. M; and Morton P.G; (1998). Critical care nursing. 7th edition, Lippincott Co. Philadelphia: 487-488.
- *Hurn, C.D.* (1994). Summary of chest physiotherapy treatment. Trauma Nursing; Trauma Nursing from resuscitation through rehabilitation, 2nd ed., W.B. Saunders Company, London. 863-870.
- *Hurn*, *C.D.* (1994). Summary of chest physiotherapy treatment. Trauma Nursing; Trauma Nursing from Resuscitation Through rehabilitation, 2nd ed., W.B. Saunders Company, London. 863-870.
- *Ibrahim EH*, *Ward S*, *Sherman G*, *Kollef MH*. (2000). A comparative analysis of patients with early-onset vs. late-onset nosocomial pneumonia in the ICU setting. Chest; 117: 1434-1442.
- **Ibrahim**, **EL. A.** (1995). Nurse's performance in preparing sterile field in operating room: Unpublished thesis of master degree in nursing services administration. Zagazig University.
- *Ignatavicius*, *D.; Workman*, *M. and Mishler*, *M.* (2005). Medical-surgical nursing "A nursing process Approach", 2nd ed.W.B. Saunders Company, U.S.A, pp. 711-718.
- *Irwin, M. & Openbrier, D., (1985).* Adelicate balance-strategies for feeding ventilated COPD patients. Am J Nurse 85-274.

- *Irwin. R.*, (1991). Arterial puncture of blood gas analysis. In Rippe J, et al: intensive care medicine, pp. 155-159. Bostom, Little, Brown and Co.
- **Ismail, A.M.** (1992). The effect of an in-service training program on the performance of nurses working in intensive care units, a thesis submitted for partial fulfillment of doctorate degree, faculty of nursing, Cairo University.
- **Ismail, A.M.** (1992). The effect of an in-service training program on the performance of nurses working in intensive care units, a thesis submitted for partial fulfillment of doctorate degree, Faculty of Nursing, Cairo University.
- Jacobs, S.; Chang, R.; Lee, B. and Bartlett, F. (2000). Continuous enteral feeding: a major cause of pneumonia among ventilated intensive care unit patients. Journal of parentral Enteral nutrition, vol. 14, pp. 353-356.
- Jeannette B. (1993). Inappropriate use of intensive care. British Medical Journal, 289, 1709-11.
- Johnson J.H and Oleinski N. (1995). Programme evaluation key to success. J.ASM. 25 (1) January, 53.
- **Johnson S.** (1995). Showing their expertise: clinical nursing January-February, 14 (1) 2-4.
- *Johnson, M.M., Sexton, D.L., (1990).* Distress during mechanical ventilation. Patient's perceptions crit care Nurse 10 (7): 48.
- **Jones C.V, (1998).** The importance of oral hygiene in nutritional support. British Journal of nursing. 17 (7); 4-8.
- Jones, G. (2004). From diabetic ketoacidosis to hyperglycemic hyperosmolar non ketotic syndrome: the espectum of uncontrolled hyperglycemia in diabetes mellitus, critical care nursing clinic of North American, 6 (4): 703-721.
- Jourdain B, Novara A, Joly-Guillou ML, et al. (2000). Role of quantitative cultures of endotracheal aspirates in the diagnosis of nosocomial pneumonia. AM j Respir crit care Med. 152:241-246.

- Jubert P. Artigas A. (2001) Pneumonia in intubated patients: role of respiratory airway care. AM J Respir crit care Med.154: 111-115.
- *Kacmarek,R.* (199). Prevention of ventilator associated pneumonia and infection control issues, the third pulmonary medicin update course. New kasr El-Eini teaching Hospital, Cairo, Egypt.
- *Karabey S.*, (2002). Hand washing frequencies in an intensive care unit, J Hosp infection, Jan; 50 (2): 38-41.
- Keen, J.H., and Swearingen, P.L.C. (1997). Pneumonia, Hospital-associated.
 Critical Care Nursing Consultant, Mosby-Year Book Inc,
 United States of America, 322-325.
- Khalil. A.J., (1999). Assessment of nurses' role in, prevention of ventilator-associated pneumonia. Master thesis. High institute of nursing. Ain Shams University.
- **Kholif O.A.** (1993). The effect of an in-service training program on the performance of nurses working with patients suffering from pregnancy induced hypertension doctorate degree in nursing, pp: 133,141, 145.
- *Kidd P. and Wenger, K., (2001):* Respiratory and ventilation. High aquity Nursing 3rd 110-120.
- **Kinley I; Brenan S; (2004).** Changing practice; use of audit to change oral care practice. International journal of palliative nursing. Dee; 10 (12): 580-7.
- *Kirby RR* (1985): Positive airway pressure: system design and clinical Applications. In: shoemaker WC (e.d); critical care, state of the Art, vol. 6 p. VI (9): 3.
- *Kirkis, E.K., and GRIE, M. (1998).* Infection control nurses guide to infection control practice, 1st ed. W.B. Saunders Company. United States of America, 3.
- **Kirtland SH, Corley DE, Winterbaler RH, et al.(2002).** The diagnosis of ventilator-associated pneumonia: a comparison of histologic, microbiologic, and clinical criteria. Chest. 112: 445-447.

- *Koerner*, *R.J.* (1997). Contribution of endotracheal tubes of the pathogenesis of ventilator-associated pneumonia. Journal of hospital infection, 35, 83-89.
- Kollef MH, Shapiro SD, Clinkscal D, et al. (2000). The effect of respiratory therapist initiated protocol on patient outcomes and resources utilization. Chest; 117: 467-475.
- Kollef MH, Silver P, Murphy DM, Trovillion E. (2005). The effect of late-onset ventilator-associated pneumonia in determining patient mortality. Chest. 108: 1655-62.
- *Kollef MH.* (1995). Ventilator-associated pneumonia: a multivariate analysis. JAMA., 270:1965-1970.
- *Kollef, M.H., Schuster, D.P. (1995).* The acute respiratory distress syndrome. J Med, 332, 27.
- Kruse, J. Parker, M. Carlson, R. & Geheb, M., (1996). TPN for specific disease. Principles & practice of Medical Intensive Care (49). 31-314.
 - Lathean J (1996). Education and training for sister, nurses education today.

 Journal for health care educators.6 (1): p. 158.
- Lemon, P. & Burke, K.M., (1996). Mechanical ventilation Medical surgical Nursing. Critical thinking in client care. U.S.A, 1370-1379.
- Leu HS, Kaiser DL, Mori M, Woolson RF, Wenzel RP. (2005). Hospital acquired pneumonia: attributable mortality and morbidity. Am J Epidemiol. 129:1258-67.
- Lewis, S.; Collier, I. and Heitkemper, M. (2005). Medical surgical Nursing "Assessment and management of clinical problems",4th ed. Mosby company, USA, PP. 621-632-1966-1986.
- Lindburg, J.; Hunter, M. and Kruszedwski, A. (2004). Introduction to nursing, 2nd ed. J. B. Lippincott Company, USA, pp. 256-257.
- *Linden, M.S., (1996).* Medical surgicalproblems (4th Ed). New York. Pp. 261-266.
- Lode HM, SchabergT, Raffenberg M, Mauch H. (2003). Nosomomial pneumonia in the critical care unit. Crit Care Clin. 14: 119-133.

- Luce, J.M., (1991). What to consider when choosing a positive pressure ventilation mode. J. crit. care.
- Luckmann, J. and Sweeney, k. (1997). Saunders manual of nursing care. W. B. Saunders company, Philadelphia, USA, pp. 946-947.
- *Lyle, H.* (2001). The situation in hand, Nursing Times, vol. 93, No. 37, pp. 76-78.
- Mageau A. (1997). Airway management and oxygen therapy. In D. Krupa (ed.), flight nursing core curriculum (pp.69-95). Park Ridge, II: National flight nurses Association.
- Mahr K (2005). A nurse led educational program in psychiatric setting: developing a curriculum. Journal of psychiatrics. Nursing mental health services. 31 (3): pp. 34-38.
- *Marin H.* (2004). Prevention of hospital-associated pneumonia and ventilator0-associated pneumonia. Crit care Med 32: 1397.
- Marine H: (2004). Prevention of hospital-associated pneumonia and ventilator associated pneumonia. Crit care Med. 32 (6), Pp. 1397.
- Markowicz P, Wolff M, Djedaini K, et al., (2000). Multicenter prospective study of ventilator-associated pneumonia during acute respiratory syndrome. Incidence, prognosis and risk factors. ARDS Study Group. AM J Respir. Crit Car Med. 161:1942-1948.
- MC Cann, B.J.A. & Bruce, P.N, (1993). Critical Care Skills. Mechanical ventilation. Mosby. (2): chap 5. 72-74.
- McEachern R, Campbell GD Jr: (1998). Hospital acquired pneumonia: Epidemiology, and treatment. Infect Dis Clin North Am 12: 761-779.
- McGuckin M. (2001). Improving hand washing in hospitals, A patient education and employment program. LDL issue Brief. Nov; 7 (3): 1-4.
- Meers, p.; Jacobsen, W. and Mc pherson, M. (2004). Hospital infection control for nurses, chapman and Hall, London, pp. 74-79, 89, 91-92, 136-139.

- Mepherson, S.P. & Spearman, C.B., (1990). Respiratory therapy equipment st. Louis 1990. Mosby Year Book. 90.
- Merchant M., Karnad D. and Kanbur A. (1998). Incidence of nosocomial pneumonia in medical intensive care unit patients in public hospital in Bombay, India. J. Hosp. Infect.t; 39(2): 143-148.
 - Messmer P.RL; Jones S.G.: Taylor B.A; (2004). Enhancing knowledge and self-confidence of novice nurses: the "shadow-A-nurse" ICU Program. Nursing education perspectives. May; 25 (3); 13-6.
- Mickinley M.G; (1999). Professional role of critical care nurse. In Bucher and Melander: Critical care nursing. W. B. Saunders co. London. P; 39.
- *Millar B, Burnard P.(1995).* Critical care nursing: caring for the critically ill adult. London: W.B.Saunders co., 74-7.
- Mirro R, Tamura M, Kavanot (1985): systemic cardiac output during high frequency oscillation. Crit. Care .med. 13: 724-727.
- Mohamed S. A; (1998). Assessments of nurses knowledge and practice concerning infection control in Suez Canal University Hospital in Ismailia City. Master thesis, Faculty of Nursing, Suez Canal University p 81.
- Monahan F.; Drake, T. and Neighbous, M. (2004). Nursing care of adults, W.B. Saunders Company, USA, pp.529-535.
- **Monahan F.D; and Neighbors M; (1998).** Medical surgical Nursing, 2nd edition; saunders Co. Tokyo. P: 978.
- *Moore M.*, (1997). Nutritional care chap. 17, 401-413. Philadelphia: J.B. Lippincott.
- Morehead R.S & Pinto S.J. (2002). Ventilator associated pneumonia; 160: 1926-1936.
- Mostafa W. (2005). Assessment of intensive care unit nurses knowledge and practice of infections control precautions. Thesis of M.Sc Degree in nursing, Faculty of Nursing, Monofia University.
- Mostafa, M. (2002). Effect of an inservice training program on the performance of Nurses during suctioning, Medical-surgical Nursing, Doctorate thesis, Faculty of Nursing, Cairo University.

- Mostafa, M.M., (1992). Effect of an in-service training program on the performance of nurses during suctioning, thesis submitted to the high institute of Nursing in partial fulfillment of the degree of doctorate in nursing sciences, faculty of nursing, Cairo University, pp (138-174).
- Mostafa, S.A., (2000). Assessment of nurses medication errors and factors causing them in the critical care unit at El Manial University hospital, thesis submitted for partial fulfillment of the master degree in nursing administration, faculty of nursing, Cairo university, pp (84-96).
- Nassr, B., (1996). Infection control measures in Zagazig intensive care units.

 Zagazig univ. (EGY) Fac. Of Med. M. SC. Thesis,

 Anesthesiology.
- Nettina S.; (1996). The Lippincott of manual nursing practice. 6th ed. Lippincott. Philadelphia. Pp: 56-63.
- Neuhauser MM. Weinstein RA. Rydman R, et al: (2003). Antibiotic resistance among Gram-negative bacilli in US intensive care units: implications for fluoroquinolone use. JAMA 289: 885-888.
- **Nour, M.** (1997). Assessment of nursing knowledge and practice in relation to nasogastric tube feeding, thesis MD in med-surgery, faculty of nursing, Alexandria University.
- **Nugent A (2000).** The need for continuing professional education for nurses. Journal of advanced nursing. 15: 471-477.
- O'Reilly M; (2003). Oral care of the critically ill: a review of the literature and guidelines for practice austration-critical care official journa: Aug: 16(3): 101-10.
- Osman, N.E. (2001). Educational program for acquisition of training skill among academic nursing clinical instructors, Faculty of Nursing, Ain Shams University (Unpublished Doctorate degree, pp 93-139).
- Papazian I, Bregeon F, Thirion x, et al. (1996). Effect of ventilator-associated pneumonia on mortality and morbidity. Am J Respir Crit Care Med; 154: 91-97.

- Papazian L, Bregeon F, Thirion x, et al. (2001). Effect of ventilator-associated pneumonia on mortality and morbidity.AM J Respir Crit Care Med., 154:91-97.
- Papazion L, Thomas P, Garbe L, et al. (2000). Bronchoscopic or blind sampling techniques for the diagnosis of ventilator-associated pneumonia. Am J Respir crit car Med. 152: 1982-1991.
- Parrillo, J. & Delling er, R., (2001). Modes of mechanical ventilation.
 Critical care medicine. (38). 774-776.
- *Patuick,M.* (2001). Medical-surgical Nursing "pathophysiological concepts", 2nd ed., J.B. Lippincott company. USA, pp. 448-454.
- Philpott- Howard, J., and Gasewell, M. (1994). Hospital infection control,
 policies for specific medical and surgical units. W.B.
 Saunders Company Ltd, United States of America, 117-125.
- **Phipps W.** (2004). Medical-surgical nursing "concepts and clinical practice", 5th ed. Mosby year Book, USA, pp. 1061-1071.
- *Phipps*, *W.* (2005). Medical-surgical nursing "concepts and clinical practice", USA, PP. 1061-1071.
- **Pingleton SK, Fagon JY, Leeper KV Jr.**(2005). Patient selection for clinical investigation of ventilator-associated pneumonia: criteria for evaluating diagnostic techniques. Chest. 1: 5535-5565.
- *Pitte, D. (1996).* Predicting nosocomial pneumonia in the ICU. An ongoing challenge. Intensive care med, 22, 1139-1140.
- *Place*, *B.* & *Fell*, *H.*(1998). Clearing trachwobronchial secretions using suction. Nursing times, vol. 94, No. 47, pp. 54-56.
- *Place, B., and Cornock, M.* (2003). New techniques for treating reversible respiratory failure are entering general wards. Nursing times, 93 (96), 29.
- *Pollard, B.J. & Bion, J.F., (1993).* Respiratory muscles working or wasting. Intensive care Medicine. Volume 19: 564-568.
- Prentice D. (2000). Patient transport from intensive care increase the risk of developing ventilator-associated pneumonia. Chest. 112: 765-773.
- *Price, S. and Wilson, L. (2003).* Pathophysiology: clinical concepts of disease process, 5th ed., Mosby-year Book, U.S.A, PP. 555-562.

- Ramsey AH. Skonieczny p. Coolidge DT. et al: (2001). Burkholderia cepacia lower respiratory tract infection associated with exposure to a respiratory therapist. Infect control Hosp Epidemiol 22: 423-426.
- Rasslan, O., and Abd El-Sabur, M. (1996). Infection in intensive care in Egypt problems and control. Post graduate doctor, 19, (11) 108-111.
- Rasslan, o., and ABD-EL Sabour, M. (1996). Infection in intensive care in Egypt, problems and control. Post-Graduate Doctor, Middle East, 19 (4), 108-111.
- Rello J, Ollendorf DA, Oster G, et al, (2002). Epidemiology and outcomes of ventilator-associated pneumonia in a large US database. Chest; 122: 2115-2121.
- Rello J, Sonora R, Rue M, Valles J. (2000). Pneumonia in intubated patients: role of respiratory airway care. AM J Respir crit care Med. 154: 111-115.
- Rello J., Bodi M. and Mariscal D. (2003). Microbiology testing and outcome of patients with severe community acquired pneumonia. Chest; 123:174-180.
- Richards MJ, Edwards JR, Culver DH et al: (1999). Nosocomial infections in medical intensive care units in the United States. Crit care Med 27: 887-892.
- Richards MJ, Edwards JR, Culver DH, et al.(2004). Nosocomial infections in medical intensive care units in the United States, crit care Med 27: 887-892.
- Rouby J, Delassale E, Poete P, et al. (1999). Nosocomial brochopneumoni in the critically ill: histologic and bacteriologic aspects. Am Rev Respir Dis. 146: 1059-1066.
- Sahn, S. (2001). Continuous lateral rational therapy and nosocomial pneumonia. Chest, vol. 99, No. 5, pp. 1263-1267.
- Saleh, S.A., (1997): Physiology of respiratory physiology Nursing 100-102.
- Saudi Aramco Medical services organization (1998). Infection control manual.

- Scanlan C, Wilkin R, Stoller J. (1999). Egan's fundamentals of respiratory care, (7th ed.,), St. Louis: Mosby, Inc, 229, 2394, 617,929.
- Sckiffmann, H.; Rathgeber, J.; Singer, D.; Harms, k.; Bolli, A. and Zuckner, K. (1997). Airway humidification in mechanically ventilated neonates and infants: A comparative study of heat and moisture exchanger VS. a heated humidifier using a new fast- response capacitive humidity sensoir, critical care Medicin, vol.25, No. 10,pp. 1755-1760.
- Seada, A.M. (2003). Effects of a training program on staff nurses performance and empowerment in the emergency unit at El manial university hospital, A thesis submitted for the doctorate degree in medical-surgical nursing, faculty of nursing, Cairo University, pp (121-123).
- **Shalby, A.Y., (2005).** Nursing interventions for unconscious patient and suggested protocol for nursing care, thesis submitted for partial fulfillment of master degree in fundamental of nursing, faculty of nursing, Benga University, pp (21 to 29).
- Sharma S. and Anthonisen N. (2005). Role of antimicrobial agents in the management of exacerbations of COPD. Treat Respir Med.; 4 (3): 153-67.
- Shekleton, M. and Nield, M. (2001). Ineffective airway clearance related to artificial airway. Nursing clinics of North America, vol. 22, No. 1, pp. 167-176.
- Shokier, M. (1996). Monitoring nursing personnel compliance with quality control measures associated with nosocomial infection in special care units of the Tanta Main University Hospital.

 Unpublished M.Sc. thesis in nursing, Higher Institute of Nursing, Alexandria University.
- Simmons, C. (2000). How frequently should endotracheal suctioning be undertaken? American Journal of critical care, vol. 6, No.1, pp. 4-6.
- Smeltzer S.C; and Bare B.G; (2000). Burner and Saddarth's text book of Medical surgical nursing. 9th edition. Lippincott co. Philadelphia. P: 1872-1879.

- Smeltzer, S. and Bare, B. (2005). Brunner and suddarth's textbook of medical-surgical Nursing. 8th ed. J.B. Lippincott Company. Philadelphia, USA, PP. 481-495, 554-565.
- Smeltzer, S.C., and Bare, S.G. (1996). Nosocomial infections, text book of medical-surgical nursing, 8th ed., Lippincott-Raven, United States of America, 1961, 480-491.
- Smith RA (1986): Respiratory care: medical. Edited by Roland D Miller, 2nd. Churchill Livingstone. Vol. 3, p. 2183-2186.
- Sobayo, E.I., and Haddad, Q. (1996). Prevention of hospital acquired infection. Postgraduate doctor, 19 (8), 247-252.
- Soliman, A. (2004). Ventilatory modes in management of respiratory failure.
 Anesthesia, Master Degree, Faculty of Medicine, El Menofia university.
- Somerson, S., and Michael, S. (2004). Airway management. American Journal of Nursing vol. 96, No. 5, pp. 25-30.
- Somerson, S.; and Michael, S. (2004). Airway management. American Journal of Nursing, vol. 96, No. 5. pp. 25-30.
- **Somerville R;** (1999). Oral care in the intensive care setting: a case study-Nursing in critical care. 4 (1); 7-13.
- Sorensen, K. and Luckman, J. (1986): Basic Nursin. 2nd ed., U.S.A. P. 8-11.
- Sorrentiono A. S. (2000). Mosby's text book for Nursing Assistants (5th ed.). Newd Yourk: Mosby Co.pp. 209-218.
- Soule, B.M. Larson, E.L., Preston, G.A. (1995). Intensive care patient with ventilator-associated pneumonia. Infection and nursing practice prevention and control, 1st Ed, St. Louis Baltimore Berlin Bosto Garlsbod. United States of America. 258-262.
- Spirit, B.M., (1992). Ventilators critical care nursing 3ed. J.B. Lippincott Company united stated of America p.p 233-277.
- Steger KA. (2005). Epidemiology of nosocomial pneumonia: new perspectives on an old disease. Chest. 108: Suppl: 1S: 16S.
- Stiesmyer, J.K., (1993). A Four-step approach to pulmonary assessment, AJB/August.
- String field, Y.N., (1993). Back to basics: acidosis, Alkalosis, and ABGs, AJB/November.

- Susan, C., (1998). Modes of M.V. Essential of Medical Surgical Nursing 4th ed., 3-465 chap. 16.
 - Swearingen, P.L. (1994). Pneumonia, Medical Surgical Nursing Care.
 Nursing interventions and collaborative management. 3rd ed.,
 Mosby Year Book, United States of America, p.p. 3-11.
- Swearingen, P.L. Sommers, M.S. & Miller, K., (1988). Manual of critical care st. Louis. Mosby. Year. Book.
- **Swidan, N.A.**, (1991). Assessment of nurses performance in cardiac arrhythmias, thesis submitted for partial fulfillment of the requirement of master degree in medical-surgical nursing, faculty of nursing, Cairo University, pp (61-64).
- Tablan OC, Anderson LJ, Butler JC, et al., (2005). Guideline for prevention of nosocomial pneumonia: the Hospital Infection Control Practices Advisory Committee, Centers for Disease Control and Prevention. Infect Control Epidemiol. 19: 304.
- *Taha*, *N.M.* (2004). Comatosed patients: Impact of a training program provided for nurses working critical care units, Zagazig Unicersity Hospitals on Nurses' knowledge and performance levels as well on patient's outcome, thesis submitted in partial fulfillment of the requirement for Doctorate Degree in Medical/Surgical Nursing, Faculty of Nursing, Zagazig University, pp (1-187).
- Tantawy, N.M. (1999). Nurse's knowledge and practice related to infection control in operating room. Unpublished Master thesis, Faculty of Nursing Zagazig University.
- *Taylor, C., Lillis, C., and Lemone, P. (2001).* Fundamentals of nursing: art and science of nursing care. 4th ed., Lippincott com., New York, pp 904-909, 1079-1128.
- **Tetuan T**; (2004). The role of the nurse in oral health Kansas-nurse. Nov; 79 (10):12.
- Thomas, L. (1994). Glove story. Nursing Times, 36 (90), 33-35.
- **Thompson R.** (2004). Prevention of nosocomial pneumonia. Medical clinics of North America, vol. 78, No.5, pp. 1185-1195.

- *Thompson, J.E & O'Rourke, p.p., (1988).* Choosing home cane mechanical ventilation. Current resp. care Philadelphia 88.
- *Tobin, M., (1994).* Mechanical ventilation. P. National English Medicine 330: 1056-1061.
- Torres A, Padro L. (2000). Validation of different techniques for the diagnosis of ventilator-associated pneumonia: comparison with immediate postmortem pulmonary biopsy. Am J Respir crit care Med. 149: 324-331.
- **Trovillion E, et al.** (2002). Effect of an educational program aimed at reducing the occurrence of ventilator—associated pneumonia. Crit care med; 30: 2407-2412.
- Urban, N.; Greenlee, K.; Krumberger, J. and Wikelman, C. (2005).

 Guidelines for critical care nursing, Mosby combany, USA, pp. 405-411.
- Van Nieuwenhoven CA, Buskens E, Van Tiel FH, et al: (2001). Relationship between methodological trial quality and the effects of selective digestive decontamination on pneumonia and mortality in critically ill patients. JAMA 286: 335-340.
- Vimcent JL, Bigare DJ, Suter PM, et al., (2000). The prevalence of nosocomial infection in intensive care units in Europe: results of the European prevalence of infection in intensive care (EPIC) study: EPIC international advisory committee. JAMA; 274: 639-644.
- Von Harz B, Kollef MH, et al., (2000). Patient transport from intensive care increases the risk of developing ventilator-associated pneumonia. Chest.112: 765-773.
- Walson J and Herbner D (1996). Program evaluation in nursing education: the state of the art. Journal of advanced nursing. 15: pp. 316-323.
- Walter SD, Cook DJ, et al., (2001). Incidence of and risk factors for ventilator-associated pneumonia in critically ill patients. ANN intern Med. 129: 433-440.
- Warren DK. Shukla SJ, Olsen MA. et al, (2003). Outcomes and attributable cost of ventilator associated pneumonia among intensive care

- unit patients in a suburban medical center. Crit care Med 31: 1312-1317.
- Weilitz PB. (1993). weaning a patient from mechanical ventilation, crit care Nurse 13(4): 33-41.
- Weinberger, S. Weiss, J., (1995). Weaning from ventilatory support. NEgl J Med 332:388.
- Wells, J. (2003). The emergency nurses association (ENA) and emergency nurses nation wide, located at http://www.Ena.org.
- Wenzel, R.P. (1993). Hospital-acquired infection in intensive care unit patients: An overview infection control 4: 371.
- White A and Lewis J (2005). A testing strategy to promote learning. Journal of nursing staff development. 6(2): p.60.
- White, C. Richardson, C. & Raibstein, L., (1990). High-frequency ventilation and extracorporeal membrane oxygenation AACN clin. issues crit care Nurse. 1 (2): 427.
- Williams T.A; and Leslie G.D; (2005). A review of the nursing care of entral feeding tubes in critically ill adults: critical care nursing journal. Feb; 21 (1): 5-15.
- Williams, C.S. & Tkalken, F.R., (1990). Management & monitoring of the patient in respiratory Mosby Year Book 80-84.
- *Wilson, B.* (1995). Infection control in clinical practice. W.B. saunders company, London, pp. 264-268.
- Wilson, S. and Thompson, J. (2000). Respiratory disorders "Mosby's clinical nursing series", Mosby year book, USA, PP. 174-184, 258.
- Wilson, S. Thompson, J. (1990): Respiratory disorders. Mosby, New York P. 1241-1245.
- Wong, F.W., (1999). A new approach to ABG interpretation, AJN, August, Vol. 99, No. 8.
- Wright, J. and Shelton, B. (2003). Desk reference for critical care nursing.

 Jones and Bartilett Publishers, U.S.A, P. 144.
- **Youniss A; (1997).** Assessment of healt personnel knowledge, attitude and practice in relation to infection control in general surgical unit. Unpublished Master thesis, Faculty of Nursing, Ain Shams University, Cairo, Egypt.

- **Zahran, E.**M. (2001). Effect of Nursing ventilator versus manual resuscitation bag of post suction hypoxemia in critically ill patients, thesis submitted to the Faculty of Nursing, University of Alexandria, in partial fulfillment of the requirements of master degree in critical care nursing, pp (57-86).
- Zatton, H.K. (2003). Assessment of knowledge and practice among nurses caring for patient's with hepatitis. Master thesis faculty o Place, B., and Cornock, M. (2003). New techniques for treating reversible respiratory failure are entering general wards. Nursing times, 93 (96), 29.