

REFERENCES

- Albiston D, Shono F, and Susan H. (1998):** Group programs for recovery from early psychosis. Br. J Psychiatry. 172 (Supp 33): 117-21.
- American Psychiatric Association (1994):** Diagnostic and Statistical Manual of Mental Disorders (4th ed.). Washington, DC.
- American Psychiatric Association. (1997):** Practice guidelines for the treatment of patients with schizophrenia. Am J. Psychiatry, 154 (Suppl.4), 1-63
- American Psychiatric Association (2000):** DSM-IV-TR: Diagnostic and Statistical Manual of Mental Disorders. Text revision (4th ed.) Washington, DC: American Psychiatric Association.
- Andreasen, N.C., and Black, D.W. (1991):** Introductory Textbook of Psychiatry. Washington, D.C.: American psychiatric press.
- Andreasen, N.C., and Carpenter, W.T. (1993):** Diagnostic and Classification of schizophrenia. Schizophrenia Bulletin, 19, 199-214.
- Ann, K.M., Sandra, K.L., David, S.A. and John, N.M. (1993):** Flat Affect in Schizophrenia Dose Not Reflect Diminished Subjective Experience of Emotion. Journal of Abnormal Psychology; 102: 507-517.
- Antia-atong, D. (1995):** Psychiatric nursing, biological and behavioral concept, 1st ed., W.B. Saunders Com., United States of America, pp 235-245.
- Antia-atong, D., and Fongable, G. (1995):** Psychiatric Nursing, Biological and Behavioral Concepts, W.B. Sounders Company, London; Chapter 7, 12.
-

- Arnold E, and Boggs, K. (1999):** Interpersonal relationships; communication skills for nurses 3rd ed., Philadelphia: WB Saunders, 266.
- Asoad G. , and Shapiro, B. (1996):** Hallucinations: Theoretical and Clinical Overview. American journal of psychiatry; 143: 1088-1097.
- Ayd, F.J. (1993):** Principle and practice of psychopharmaco-therapy. Baltimore, Williams and Wilkins.
- Bachrach L. (2000):** Psychosocial rehabilitation and psychiatry in the treatment of schizophrenia- What are the boundaries? Acta Psychiatr Scand: 102, (Sup. 407): 6-10.
- Barker, P. (1985):** Patient assessment in Psychiatric Nursing. London: Croom Helm, 2nd edition: 342.
- Bellack A., Turner S., Hersen M., and Luber R. (1984):** An examination of the efficacy of social skills training for chronic schizophrenic patients. Hosp Community Psychiatry; 35 (10): 1023-8.
- Bellack A. (1992):** Cognitive rehabilitation for schizophrenia: is it possible? Is it necessary? Schizophr Bull; 18-43-50.
- Bellack A., Mueser K., Gingerich S., and Agresta J.,(1997)** Social skills training for schizophrenia: A step-by-step guide. New York: The Guilford Press.
- Benton M., and Schroeder H. (1990):** Social skills training with schizophrenics. A meta-analytie evaluation. J. Consult Clin Psychol; 58: 741-7.
-

- Boyd, M.A; Morris, M.M.; Tuener, M. and Little, J. (1991):** For there left behind: An educational inpatient rehabilitation program. J Psychosoc Nurs Ment Health Serv. 29 (1): pp 24-29.
- Boyd M, (1998):** Psychiatric Nursing contemporary practice. Philadelphia. New York. Lippincott. Unit IV.
- Boyle, M. (1990):** Schizophrenia; A scientific delusion? New York: Routledge. PP.505.
- Brenner H., and Pfammatter M. (2000):** Psychological therapy in schizophrenia. What is the evidence? Acta Psychiatri Scand; 102 (Suppl. 407): 74-7.
- Brooking, I.J.; Ritter, A.H.; and Thomas, L.B. (1992):** A Textbook of psychiatric and mental health nursing, 1st ed., Churchill livingstone, New York, pp.406.
- Buccheri, R.; Trygstad, L.; Kanas, N.; Waldran, B.; and Dowling, G.H. (1996) :** All group experience in examining symptoms
- Buchanan, J. (1995):** Social support and schizophrenia. Arch Psychiatr Nurs, 9 (2), 68-76.
- Buchanan, R.W., and Carpenter, W.T. (2000):** Schizophrenia: Introduction and overview. In B.J. Sadock and V.A. Sadock (Eds). Comprehensive textbook of psychiatry, VOL. 1 (7th ed., pp. 1096-1110). Philadelphia. Lippincott Williams and Wilkins.
-

- Buchsbaum, M.S, et al. (1996):** PET and MRI of the thalamus in never-medicated patients with schizophrenia. *Am J. Psychiatry*, 153 (2), 191-199.
- Busatto, G.F., et al. (1997):** Correlation between reduced in vivo benzodiazepine receptor binding and severity of psychotic symptoms in schizophrenia. *Am J. Psychiatry*, 154(1).
- Cancro, R. and Lehman, H.E. (2000):** Schizophrenia: Clinical features. In B.J. Sadock and V.A. sadock (Eds). *Comprehensive textbook of psychiatry*, Vol. 1 (7th ed., pp. 1169-1199). Philadelphia: Lippincott Williams and Wilkins.
- Cardno AG, and Gottesman H. (2000):** Twin studies of schizophrenia from bow-and arrow concordances to star wars MX and functional genomics. *Am J Med Genet*. Spring; 97 (1): 12-7.
- Carling, P.J. (1995):** Return to Community. New York. Guilford Press.
- Carpenter, W.T. (2000):** Schizophrenia. Introduction and overview. In B.J. Sadock & V.A. Sadock (Eds). *Comprehensive text book of psychiatry*, VOL. I (7th ed.). pp 1096-1110. Philadelphia, Lippincott Williams and Wilkins.
- Corrigan P, Wallace C. Schade M., and Green M. (1994):** Cognitive dysfunction and psychosocial skill learning in schizophrenia. *Behavior therapy*; 25: 5-15.
- Csewransky J.G. and Newcomer, J.G. (1995):** Maintenance drug treatment for schizophrenia. In Bloom, E.E.; and Jupfer, D.J. 1st ed. *Psychopharmacology. The fourth generation of progress*, New York, Raven press.
-

- Daniels L. (1998):*** A group cognitive-behavioral and process-oriented approach to treating the social impairment and negative symptoms associated with chronic mental illness. *J of Psychother Pract Res*, April; 7 (2): 167-76.
- Davis, J.M. (1993):*** Principles and practice of psychopharmacotherapy. Baltimore, Williams and Wilkins.
- Davis, J.O. and Bracha, H.S. (1996):*** Prenatal growth markers in schizophrenia. *Am J Psychiatry*, 153 (9), 1166-1172.
- Dawkins, J. (1985):*** Stress and the psychiatric nurse. *Journal of Psychosocial Nursing And Mental Health Services*, Vol. 23 (11): 8-15.
- Den Van Bosch, R.T., and Rombouts, R.P. (1996):*** Coping Cognition, and Symptomatology in Schizophrenic and Depressed Patients, from the Department Of Psychiatry University Hospital Groningen, the Netherlands; 7-33.
- Dillon, N.B. (1995):*** A screening system for tardive dyskinesia: Development and implementation. *Journal of Psychosocial Nursing*, 30 (10), 3-7.
- Dobson D., McDougall G., Busheikin J., and Aldous J. (1995):*** Effects of social skills training and social milieu treatment on symptoms of schizophrenia. *Psychiatric services* Apr; 46 (4): 376-80.
-

- Domenic C., Richrd, S.; Davids, G.; and Wayel, G. (1995):*** Drug interaction in Psychiatry, 2nd ed., Williams and Wilkins Com. America. P 130-136.
- Donald M, Schuldbury D, Morgensteen H, and Glazer W. (2005):*** Positive and negative symptoms course in chronic community based patients. British Journal of Psychiatry; 166: 643-41.
- Doornbos, M.M. (1997):*** The problems and coping methods of caregivers of young adults with mental illness. J. Psychosc. Vol. 35 No. 9: P 22.
- Eagles, J.M. (1996):*** The relationship between schizophrenia and immigration: Are there alternatives to psychosocial hypothesis? The British Journal of Psychiatry 159 (12), 783-789.
- Eckman T., Wirshing W., Marder S., Liberman R., Cronk., Zimmermann K., and Mintz J. (1992):*** Technique for training schizophrenia patient in illness self-management: A controlled trial. Am J Psychiatry. Nov; 11; 149 (4): 1549-55.
- Edelman M. (1996):*** “ I want to tell the wole world.....” Journal of Psychosocial Nursing ; 34 (4) 37-9.
- Egan, M.F., and Hyde, T.M. (2000):*** Schizophrenia: Neurobiology. In B.J. Sadock and V.A. Sadock (Eds). Comprehensive textbook of psychiatry, Vol. 1 (7th ed., PP. 1129-1147). Philadelphia: Lippincott Williams and Wilkins.
-

- Eisen, J.L. et al. (1997):** Obsessive-compulsive disorder in patients with schizophrenia or schizo-affective disorder. *Am J. Psychiatry*, 154 (2), 271-273.
- Ereshefsky, L. (1996):** Pharmacokinetics and drug interactions. Updated for new antipsychotics. *Journal of Clinical Psychiatry* 57 (suppl. 11), 12-25.
- Farrell, S.P., and Deeds, E.S. (1997):** The clubhouse model as exemplar. *J. Psychosoc Nurs*, 35 (1), 27-34.
- Fenton, W.S., and Cole, S.A. (1995):** Psychosocial theories of schizophrenia: Individual, group and family. In G.O. Goddard (Ed.). *Treatment of psychiatric disorders, VOL. 1* (2nd ed., PP. 988-1018). Washington, DC: American Psychiatric press.
- Fenton, W.S., et al. (1997):** Symptoms, subtype, and suicidality in patients with schizophrenia spectrum disorders. *Am J Psychiatry*, 154 (2), 199-204.
- Fletcher, J.S. (1999) :** *Mental Health Nursing*, 4th ed., Addison-wesley, New york, Chapter (12)
- Fontaine, K.L. (1999):** *Mental Health Nursing*, 4th ed., Addison-wesley, New York, Chapter (12)
- Fortinash, M.K., and Worret, H.P. (1995):** *Psychiatric nursing care plans*. 2nd ed.; Mosby, London Madrid. St. Louis Baltimore Boston.
-

- Fortinash, M.K. and Worret, H.P. (1999):** Psychiatric nursing care plan, 3rd ed., Mosby Year book Com., United States of American pp 316-320.
- Fortinash ,M.K. , and –Worret H. P. (2000):** Psychiatric mental health nursing. 2nd ed. St Louis. Mosby; 19-23. 566-76.
- Fortinash, M.K.; and Worret, H.P. (2003):** psychiatric nursing care plan, 4th ed., Mosby year book Com. United States of America, pp 119-136.
- Fox, J.C., and Kane, C.F. (1996):** Information processing deficits in schizophrenia. In A.B. McBride and J.K. Austin (eds.), Psychiatric-mental health nursing. Integrating the behavioral and biological sciences, pp. 321-347. Philadelphia. W.B. Saunders.
- Frank, A.R. and Gunderson, J.G. (1990):** The role of the therapeutic alliance in the treatment of schizophrenia. Relationship to course and outcome. Archives of General Psychiatry 47 (3), 228-236.
- Gamble, C.M. (1994):** The effect of family work training on mental health nurses attitude and knowledge of schizophrenia. J. Adv. Nurs. No. 19: pp 894-895.
- Ghanem, M. (1995):** Introduction to psychiatry. Institute of Psychiatry. 1st ed., Cairo, Egypt. P 33.
- Glynn, S.M. (2003):** Psychiatric rehabilitation in schizophrenia advances and challenges. Clinical Neuroscience Research, 3, (1-2): 23-33.
-

Granholm E, McQuaid J., McClure F., Pedrelli P., and Jest D. (1994):

A randomized controlled pilot study of cognitive behavioral social skills training for older patients with schizophrenia. Schizophrenia Research, personal communication with the author.

Gur, R.E., and Gur, R.C. (2000): Schizophrenia: Brain structure and function. In B.J. Sadock and V.A. Sadock (Eds). Comprehensive textbook of psychiatry, Vol. 1 (7th ed., PP. 1117-1129). Philadelphia: Lippincott Williams and Wilkins.

Haber, J.; Miller, K.B.; McMahon, L.; and Honskins, P.P. (1997): Comprehensive psychiatric nursing. 5th ed., Mosby year book Com., New York: pp 262-272.

Haoge, A.D.; Davison, G.; Neole, M.J., and Halford, K. (1996): Exploring abnormal psychology, 1st ed., John Wiley & Son Inc. Singapora: pp 219-230.

Hasan, S., and Buckley, P. (1998): Novel antipsychotics and neuroleptic malignant syndrome. A review and critique. The American Journal of Psychiatry 155 (8), 1113-1116.

Hedaya, R.J. (1996): Understanding Biological Psychiatry. New York: Norton.

Henter, I.D. (1997): Early intervention in schizophrenia. Decade of the Brain, 8 (1), 1-2.

Hogarty G., Anderson C., Anderson C., Reiss D., Kornblith S., Greenwald D., Javna C., and Maddnia H. (1991): Family psycho-education, social skills training and maintenance

chemotherapy in the after care of schizophrenia. One-year effects of a controlled study on relapse and expressed emotion. Arch Gen psychiatry Jul; 43 (7): 633-42.

Hogarty, G.E., Greenwald, D. Ulrich, R.F., Kornblith, S.J., Dibarry, A.L. Cooley, S, Carter, M., and Flesher, S. (1997): Three-year trials of personal therapy among schizophrenic patients living with or independent a family. The American Journal of Psychiatry 14 (11) 1504-1524.

Hoffman, R.E., and Satel, S.L. (1993) : Language Therapy for Schizophrenic Patients with Persistent Voices. British journal of psychiatry. Pp 162:755-758.

Howe, Gwen. (1995): Working with schizophrenia: a need based approach, 2nd ed., Jessica, Kingdley Pulishers. England: pp 83-86-87.

Janicak, P.G., (1993): Principles and practice of psychopharmacotherapy. Baltimore, Williams and Wilkins.

Jeffries J. (2003): Working with schizophrenia. A clinician's personal experience. Can J Psychiatry April, 40 Supp 1: s22-s5.

Judith, H.; Krainovich, B.; Anitoleach and Pomprice, Hoskins. (1997): Comprehensive Psychiatric Nursing. 1st ed., St. Louis, Baltimore, Boston, New York. Pp 66-70.

Johnson, S.B. (1993): Psychiatric mental health nursing: Adaptation and growth. 3rd ed., Lippincott Com. Philadelphia, New York PP. 372-396-398.

- Johnson, S.B. (1995):** Child, adolescent and family psychiatric nursing. 1st ed., J.B. Lippincott Com.; Philadelphia, Tokyo, p. 106.
- Johnson, S.B. (1997):** Psychiatric mental health. 4th ed., Lippincott Com; United States of America. Pp 464-494.
- Kahn, R.S., Davidson, M. and Davis, K.L. (1996):** Dopamine and Schizophrenia revisited. In S.J. Waston (Ed), Biology of Schizophrenia And affective Disease (pp. 369-391). Washington, D.C.: American psychiatric press.
- Kane, J.M., and Marder, S.R. (1993):** Psychopharmacologic treatment of schizophrenia, schizophrenia Bulltin, 19, 287-302.
- Kaplan, H.I. and Sadock, B.G. (1994):** Synopsis of psychiatry, 6th, Baltimore, Williams Wilkins, pp. 420-425.
- Kaplan, I.H. Sadock, B.G. and Grebb, G. (1995):** Synopsis of psychiatry: Behavioral Science in clinical psychiatry. Middle East ed., Mass Publishing Company, Giza, Egypt.
- Kapur, S., and Remington, G. (1996):** Serotonin-dopamine interaction and its relevance to schizophrenia. Am J. Psychiatry, 153 (4): 466-476.
- Katona, C. and Roberston, M. (1995):** Psychiatry at Glance, 1st ed., Black well Science, Great Britain, pp 12-15.
- Keith, S.J.; and Regier, D.A. (1991):** Schizophrenic disorder. In: L.N. Robin and D.A. Regier (eds). Psychiatric disorders in America. Free Press, New York.
-

- Keltner, L. N., and Folks, D.G. (1996):** Psychotropic drugs (2nd ed) St. Louis: Mosby.
- Keltner, L.N.; and Folks, D.G. (1997):** Psychotropic drugs, 2nd ed., Mosby Com., America.
- Kendler, K.S. and Diehl, S.R. (1993):** The genetic of schizophrenia: A current, genetic epidemiologic perspective. Schizophrenia Bulletin, 19, 261-285.
- Kennedy, J.L. (1996):** Schizophrenia genetics. Am J. Psychiatry, 153 (12), 1513-1514.
- Kin, K.M. (1996):** Cultural influences on the diagnosis of psychotic and organic disorders. In J.E. Mezzich, A. Kleinman, H. Fabrega, and D.L. Parron (eds.), Cultural and psychiatric diagnosis ADMS-IV perspective, pp 49-62. Washington, D.C. American Psychiatric Press.
- Lee, C., McGlashan, T.H. and Woods, S.W. (2005):** Prevention of schizophrenia. can it be achieved? CNS. Drugs. 19 (3): 193-206.
- Leff, J. (1994):** Working with families of schizophrenia patients. British journal of psychiatry 164 (suppl. 23), 71-76.
- Levin, E.D. (1997):** Nicotine and schizophrenia. NARSAD Research Letter, 13 (2), 3-9.
- Liberman, R.P.; Liberman, J.; Morder, R.S.; Mc Glashan, H.T.; Wyatt, R.; and Wang, P. (1997):** Practice guideline for the treatment of patient with schizophrenia. Am. J. Psychiatry. VOL 4., No. 154: pp 7, 32, 48.
-

- Lieberman, J.A. (1997):** Untreated psychosis and the pathophysiology of schizophrenia. *Decade of the brain*, 8 (1), 4-6.
- Liberman, R.P., Wallace, C.J., Blackwell, G., Kopelowica, A., Vaccaro, J.V., and Mintz, J. (1998):** Skills training versus psychosocial occupational therapy for persons with persistent schizophrenia. *The American Journal of Psychiatry* 155 (8), 1087-1091.
- Liberman JA, Stroup TS, McEvoy JP, Swartz Ms, Rosenheck RA, Perkins Do, Keffe RS, Davis SM, Davis CE. Lebowtiz BD, Severe J, and Hsiao JK. (2005):** Clinical Antipsychotic Trials of Interventions Effectiveness (CATIE). Effectiveness of antipsychotic drugs in patients with chronic schizophrenia. *N Engl J Med*. Sep; 22; 353 (12): 1209-23.
- Littrell, K.H. and Littrell, S.H. (1998):** Emerging applications of newer antipsychotic agents in specific patient populations. *Journal of the American Psychiatric Nurses Association*, 4 (4), S42-49.
- Lysaker P., Bell M., Zito W., and Bioty S. (1995):** Social skills at work deficits and predictors of improvement in schizophrenia. *J. Nerv. Ment. Dis*; 183 (11): 688-92.
- Malseed, T.G., Goldestin, F., and Balkon, M. (1995):** Pharmacology: drug therapy and nursing consideration. 4th ed., Lippincott Com., Philadelphia. Pp 222-230.
-

Marder S., Wirshing W., Mintz J., McKenzie J., Johnston K., Eckman T., Lebell M. Zimmerman K., and Liberman R. (1996): Two-year outcome of social skills training and group psychotherapy for outpatients with schizophrenia. *Am J Psychiatry*, December; 153 (12): 1585-92.

Marder, S.E. (2000): Schizophrenia, Somatic treatment in B.J. Sadock and V.A. Sadock (Eds.). *Comprehensive textbook of psychiatry*, Vol. 1 (7th ed.), pp 1199-1210. Philadelphia, Lippincott Williams and Wilkins.

McBride, B.A.; Joan, K.A.; Liberman, P.R.; and David, M. (1996): Psychiatric mental health nursing: integrating the behavioral and biological sciences. 1st Ed. W.B. Saunders Com., United States of America. PP 321-347.

McDonald J. and Badger T. (2002): Social function of person with schizophrenia. *J. Psychosoc Nurs Ment Health Serv*; 40 (6): 42-50.

McFarland, G.; and Thomas, M. (1996) : Psychiatric mental health nursing. Application of the nursing process 2nd ed., Lippincott com., Tokyo, P 543.

McFarlane, E.R. (1995): Families in the treatment of psychotic disorders. *Harvard Mental Health Letter*, 12 (4), 4.

McGarry T, and Prince M. (1998): Implementation of groups for creative expression on a psychiatric inpatient unit. *Journal of Psychosocial Nursing*; 36 (3): 19-24.

- McGovern, M. : and Witcher, S. (1994) :** ALTSc HULS Psychiatric and Mental Health Nursing, 1st. ed., Bailliere, Tindal, London PP 164-166.
- Miller, L.J. (1996):** Qualitative Change in Hallucinations. American Journal of Psychiatry; 153: 265-267.
- Miller P., Eisler R., and Hessen M. (2000):** Components of assertive behavior. J Clinical Psychology; 29: 295-9.
- Millon T., Blaney P. and Davis R. (2003):** Oxford Textbook of Psychopathology. New York: Oxford University Press, 328-31.
- Morrison, M. (1996):** Foundation of mental health nursing. 1st ed., Mosby Yearbook Com., St Louis, Boston. P 436.
- Muerer KT, and McGurk SR. (2004):** Schizophrenia Lancet. Jun 19; 363 (9426): 2063-72.
- Mueser K., Bellack A. Douglas M., and Wade J. (1991):** Prediction of social skills acquisition in schizophrenic and major affective disorder patients from memory and symptomatology, Psychiatry Res; 37: 281-96.
- National Institute of Mental Health. (1992):** Caring for people with sever mental disorder: A national plan to improve services. Schizophrenia Bulletin; 18: 559-96.
- Nihart, M.A. (1998) :** Psychiatric Nursing contemporary practice, Lippincott, Philadelphia.
-

- O'Connor, F.L. (1998):** The role of serotonin and dopamine in schizophrenia. Journal of American Psychiatric Nurses Association, 4 (4), S 30-41.
- Oakley, L.O. (1997):** Psychiatric primary care. 1st Ed., St. Louis, Baltimore, New York. PP 46-48.
- Okasha, A. (1998):** (Arabic): The present psychiatric medicine. 2nd ed. The Anglican Library, Cairo, PP 249-312.
- Olin, B.R. (1995):** Drug fact and comparison, 40th ed., St. Louis, Wolters, Klywer. In: Keltner, L.N. and Folts, G.D. (1997): Psychotropic drugs, 2nd ed., Mosby Com., London. P 58.
- Palmer-Erbs, V. (1996):** A breath of fresh air in a turbulent health-care-environment. J. Psychosoc. Nurs, 34 (9), 16-21.
- Pekkal, E., and Merinder, L. (2004):** Psychoeducation for schizophrenia (cochrane review). The cochrane library, Issuez, Chichester, U.K: John Wilky and Sons, Ltd.
- Peralta, V., and Cuesta, M.J. (1994):** Subjective experiences in Schizophrenia: A Critical Review, Comprehensive Psychiatry, 3: 198-204.
- Pies, W.R. (1994):** Clinical manual of psychiatric nursing and diagnosis. 1st ed., Washington, London, P 156.
- Plante T. (1996):** Getting physical. Does exercise help in the treatment of psychiatric disorders?. Journal of Psychosocial Nursing; 34 (3): 38-43.
- Preskorn, S.H., (1993):** Principles and practice of psychopharmacotherapy. Baltimore, Williams and Wilkins.
-

- Romme, M.A.J., Honing, A., Noorthoorn, E.O. and Escher, A.D. (1992):** Coping with Hearing Voices: An Emancipatory Approach British journal of psychiatry ; 161: 99-103.
- Schneider , K. (1959):** “Clinical Psychotherapy” Grune and Stratton, New York. In Delespaul, P.A.E.G. Assessing schizophrenia in daily life, the experience sampling method. Maastricht, the Netherlands, 1995; Chapter one.
- Schultz, J.M.; and Videbeck, S.L. (1994):** Manual of psychiatry nursing care plans. 4th ed., J.B. Lippicott Company, United States of America. Pp 166-170.
- Schultz, J.M. (2002):** Psychiatric Nursing Care Plans, (6th ed.), Lippincott Company, Philadelphia, pp (309-313).
- Scott J., and Dixon L. (1995):** Psychological intervention for schizophrenia. Schizophr Bull; 21: 621-36.
- Sedvall, G. (1995):** Studies on the neuro-receptor effects of antipsychotic: J. Drug Curr. Appr. Psychos. No. 4P2.
- Selzer, J.A.; And Liberman, J.A. (1993):** Schizophrenia and substance abuse, J. Psychiatr. Clin. North America Vol. 16. No. 2: p 217.
- Shaffer, B.L.; and Krug, R. (1993):** Psychiatry, 1st ed. Springer Velage, New York. pp 93-103.
- Spencer P., Gillespie C., and Ekisa E. (2003):** A controlled comparison of the social skills training and remedial drama on the conversational skills of chronic schizophrenia patients. Br J. Psychiatry; Aug; 143: 165-72.
- Spratto, G.R., and Woods, A.L. (2000):** PDR nurse’s drug hand book, 2000 edition, Montvale, NJ: Medical Economics Company, Inc.
-

- Straub, R.E. (1997):*** Searching for schizophrenia genes. NAMI, Decade of the Brain, 7 (4), 3-4.
- Stuart, G. and Sundeen, S. (1983):*** Principles and Practice of Psychiatric Nursing. St. Louis: The C.V. Mosby Company, 2nd edition: 386-394.
- Stuart G, and Sundeen, S. (1995):*** Principles and practice of psychiatric nursing, 5th ed., Mosby Year book Com., New York p. 480.
- Tate F, and Longo D. (2002):*** Art therapy enhancing psychosocial nursing. J Psychosocial Nurs Mnt Health Serv; 40 (4): 40-7.
- Taylor, C.M. (1994):*** “Essential of psychiatric nursing” 14th ed, Mosby-Year book, Inc., Chapter 15, 241-271.
- Taylor, M. (1996) :*** Essentials of psychiatric nursing. 14th ed., Mosby year book com., united states of America. Pp 271-286.
- Tollefson, G.D., et al., (1997):*** Olanzapine versus haloperidol in the treatment of schizophrenia and schizoaffective and schizophreniform disorders. Am J. Psychiatry, 154(4), pp. 457-465.
- Torrey, E.F. (1995):*** Surviving schizophrenia: for families, consumers, and providers (3rd ed.), New York: Harper and Row.
- Townsend, C.M. (1994):*** Nursing diagnosis in psychiatric nursing, A pocket guide for care plan construction. F.A. Davis., Com., Philadelphia, P. 162.
- Townsend, C.M., (1996):*** Psychiatric mental health nursing, Concept of care. 2nd ed., F.A., Davis Com., Philadelphia, pp 406-410.
-

- Vanden Basch, R.J. (1995):** “Schizophrenia: Inner and Outer Worlds”
Communication and Cognition, 28: 327-342.
- Varcorolis, .E. (1994):** Foundation of Psychiatric Mental Health
Nnursing. 2nd ed., Saunders Com., United States of America,
pp 491-553.
- Varcorolis E. (2002):** Foundation of psychiatric health nursing. 4th ed.
Philadelphia: WB Saunders Company, pp; 491-506.
- Verdoux, H. et al. (1997):** Obstetric complications and age at onset in
schizophrenia. Am J Psychiatry, 154 (9), 1220-1227.
- Videbeck, S.L. (2001):** Psychiatric Mental Health Nursing, 1st ed.,
Lippincott, Company, Philadelphia. Chapter 13.
- Videbeck, S.L. (2002) :** Psychiatric Nursing Care Plans (6th ed.,)
Lippincott Company, philadelphia, P 143.
- Walla C. Liberman R., and Mackain S. (1992):** Effectiveness and
replication of modules for teaching social and instrumental
skills to the severely mentally ill. Am J Psychiatry May; 149
(5): 564-8.
- Wallace C., Nelson C. Aitchison R., Lukoff D., Elder J., and Ferris C.
(1980):** A review seven critique of social skills training with
schizophrenic patients. Schizophr Bull; 6 (1): 42-63.
- Westen, D. (1996):** Psychology: Mind, brain and culture. 1st ed., Jon
wilay and Son. U.S.A. pp. 592-594.
- Wilson, H.S., and Kneisl, C.R. (1996):** Psychiatric Nursing, 5th edition,
Benjamin, Caummings Publishing Com. Bonn, Paris. Pp 18-
26.
- Zarate, C.A., Daniel, D.G., Kinon, B.J., and et al. (1995):** Algorithms
for the treatment of schizophrenia. Psychopharmacology
Bulletin, 31, 461-467.
-