

References

Abd El Aziz M., El Kateb N.&Ibrahim A.S.(1995): Impact of ostomy on the quality of life of Egyptian cancer patients.The New Egyptian Journal of Medicine, 12(1), 143-148.

Abdalla W.H.(1990): assessment of knowledge and perception of the patients with hepatic disorders as regard to their illness, image and care.thesis submitted in partial fulfillment of master degree in nursing.faculty of nursing. Alexandria university.

Abdel Moate S.M.,Abdel Aziz H. and Habib N.S.(2004):Evaluating the Quality of life among Lepromatous Patients in Mansoura City., 2nd Annual scientific conference of maternal & newborn health nursing department,13-14, Oct.

Abdel Wahab F., Gabr N., Hammam H., Hussein M., Mikhail N.,Cline B.& Strickland G., (2000):The epidemiology of Schistosomiasis in Egypt: Summary findings in nine Governorates.American Journal of Tropical Medicine and Hygiene 62(2),88-99

Abou Basha LM, Salem A and Fadali GA.(1990): Human Fascioliasis: Ultrastructural study on the liver before and after bithional treatment. Egyptian Society of Parasitology, 20: 541-8.

Abou Basha LM, Salem A, Osman S and El Hefni Z.(2000): Hepatic fibrosis due to fascioliasis and/or schistosomiasis in Abis village. Egypt. Bulletin of WHO,5(6):870-78.

Abou Basha LM.(1998): Epidemiological study on human fascioliasis in an endemic focus in the vicinity of Alexandria. J. Of Alexandria University.

Acker V. et al,(1998): Structural Aspects of Antioxidant Activity of Flavonoids, Flavonoids in Health and Disease, Rice-Evans, C. editor, Marcel Dekker, Inc.

Agency for Healthcare Research and Quality.(2000): Milk thistle: effects on liver disease and cirrhosis and clinical adverse effects. Summary, evidence report/technology assessment: number 21, Accessed at: <http://www.ahrq.gov/clinic/milktsu.htm> on.

Aghanwa, H.S.and Denis, N.,(2002):Specific psychological morbidity in liver cirrhosis in Nigerian general hospital setting. *General Hospital Psychiatry* 24, 436-441.

Alavian SM, Azimi K, Sarafi M, Alavi M, Malek Zadeh R., (2002): To determine ethiologic factors of liver cirrhosis in hospitalized patients in Shariaty Hospital. *Iranian Journal of Gastroenteria*, 38:19-26.

Allen JK.,(1996): coronary risk factors modificationin women after coronary artery bypass surgery. *Nurs Res* ,45 (5): 260-5.

Ali Z.H.(1998): early detection and nursing management of post sclerotherapy complications developed to esophageal varices patients in shebin elkom university hospital and sclerotherapy unit in the liver institute, M.Sc. thesis, medical- surgical nursing, faculty of nursing, Menofya university, pp. 48-85.

Althaifani A.(2007): effect of A nursing rehabilitation program on QOL among patients undergoing hemodialysis. In partial fulfillment of the requirement for the degree of doctor science in M.S nursing. Alexandria university.

American Hemochromatosis Society.(2002): FAQs about hemochromatosis/iron overload.

American Liver Foundation.(2002): Cirrhosis: Many Causes. Accessed at <http://www.liverfoundation.org> on November 10.

Anderson RN.(2003): "Deaths: leading causes for 2000" National vital statistics reports.50:16 [PMID 16485447](#)

Asai A. and Miyazawa T.(2001): Dietary curcuminoids prevent high-fat diet-induced lipid accumulation in rat liver and epididymal adipose tissue. *J Nutr.*131(11):2932-2935.

Ayub J. Med Coll Abottabad, (2007): Correlation of quality of life in patients of Cirrhosis of liver with etiology and disease severity using disease-specific Quality of Life questionnaire
Jun 19(2):7-11.

Bain V.,(1998): Jaundice, Ascites, and Hepatic Encephalopathy. Oxford Textbook of palliative medicine, 2nd.ed.London. oxford.co.

- Barakat, R., Farghaly, A., El-Marsy, A., El-Sayed, M. & Husein, M., (2000).** The epidemiology of Schistosomiasis in Egypt: Pattern of Schistosoma Mansoni infection and morbidity in Kafer El-Sheikh. *American Journal of Tropical Medicine and Hygiene* 62(2), 88-99
- Bastable, S. B. (1997):** Cardio vascular disorder In *Nurse as Educator: principles of Teaching and Learning*, 1st. Ed., Pbl. Jones and Barlett Publishers, Boston, chap. 4, pp. 3-15.
- Beers MH, Berkow R. (1999) :** The Merck Manual, 17th ed. Whitehouse Station, NJ: Merck and Co., Inc., 372–4.
- Bertero C. and Christina A. (1993):** Quality of life of adult with acute Leukaemia, *Journal of Advanced nursing*, 18 (1), 1346-1353.
- Bonkovsky HL, Woolley JM. (1999):** Reduction of health-related quality of life in chronic hepatitis C and improvement with interferon therapy. The consensus interferon study Group. *Hepatology*, 29: 264-70.
- Bondini S., Kallman J., Dan A., Younoszai Z., Ramsey L., Nader F., Zobair M. (2007):** Health-Related Quality of Life in Patients With Chronic Hepatitis B.
- Brian J, McMahon MD. (2005):** Epidemiology and Natural History of Hepatitis. *Semin Liver Dis*, 25:3-8.
- Butterworth RF. (2000):** Complications of cirrhosis III. Hepatic encephalopathy. *J Hepatol*, p.171-80.
- Cahill, M., McCann, J.S., Hubbard, J., Holmes, H.N., Foley, M., Andrew, M., Weinstock, D., Witting, P.A., Breuninger, C.C., Putterman, A., Facciolo, J.B., Paluba, D., Meiris, D., Rastiello, M., Madden, M., Lane, B. & Hoffman, D., (1998):** *Mastering Medical Surgical Nursing* Springhouse: Springhouse corporation co.
- Cahill, M., Norris, J.S., Hubard, J., Tscheschlog, B.A., Eckman, M., Priff, N. & Breuniner, C.C., (1997):** *Diseases*. (2nd ed). Springhouse: Springhouse Corporation Co.
- Campbell A., Converse H. and Rogers B. (1996):** subjective measures of well being, *cancer nursing*, 31 (1), 117-124.
- Clarida, Jill C., Ph.D., Virginia Commonwealth University, (2005):** Substance abuse and psychosocial factors in the hepatitis C population:

Identifying risk factors in disease severity and quality of life 186 pages; AAT 3177622.

Cohen F. And Lazarus R. (1990): health psychology: Ahand book. 2nd ed., San Francisco: springer co., 189-219.

Cynthia Haines, MD, WebMD, March (2006): Reviewed by The Cleveland Clinic Department of Gastroenterology.

Carl J., Brandt GP. And professor Ove Schaffalitzky de Muckadell, consultant, (2005): E mail: info@wsec.com

Stone C.,(2004): Divisin of Gastroenterology, Washington University in St. Louis School of Medicine, St. Louis, MO. Review provided by VeriMed Healthcare Network

Cordoba J. And Blei A. T. (1995): Cerebral edema and intracranial pressure monitoring. Liver Transplantation and surgery, 1, 187-194.

Danial, R.. (2004): Nursing Fundamentals, Caring and Clinical Decision Making, 1st ed., Thomas, Delmar bearing, Canada.52.

Davis GL, Balart MD, Schiff ER, Lindsay K, Bodenheimer HC, Perrillo RP, Carey W, Jacobson IM, Payne J. and Dienstag JL. (1994): Assessing health-related quality of life in chronic hepatitis C using the sickness impact profile. *Clin Ther*, 16:334-343.

de la Maza MP, Petermann M, Bunout D. and Hirsch S.(1995): Effects of long-term vitamin E supplementation in alcoholic cirrhotics. *J Am Coll Nutr*. 14:192-6.

Diaz T et al (2001): Several factors associated with prevalent hepatitis C virus infection differ among young adult injection drug users in lower and upper Manhattan, New York City, *Am J public Health* 91:23.

Esmat,G., Abdel-Wahab,M., Medhat,E.,Narooz, S., Ramzy,I.,EI-Boraey, Y., & Strickland, G., (2000):The epidermiology of Schistosomiasis in Egypt: Menofia Government. *American Journal of Torpical Medicine and Hygiene* 62(2),28-34

Everhart J.(1994): Digestive disease in the United States: Epidemiology and impact. NIH publication No. 94:1447 .

- Kalaitzakis E., Simr M., Olsson R., Henfridsson P., Hugosson I., Bengtsson M. And rnsson E. (2006):** Gastrointestinal symptoms in patients with liver cirrhosis: Associations with nutritional status and health-related quality of life., *Scandinavian Journal of Gastroenterology*, Vol. 41, Issue 12 Dec., pages 1464 - 1472
- Farkhondeh , Sadrollah , Hamid, Tabatabaee, Mehdi and Sakineh (2005):** Health and Quality of Life Outcomes, 3:81doi:10.1186/1477-7525-3-81. Effects of psycho-educational intervention on health-related quality of life (QOL) of patients with chronic liver disease referring to Shiraz University of Medical Sciences
- Ferro D, Basili S, Practico D, et al.(1999):** Vitamin E reduces monocyte tissue factor expression in cirrhotic patients. *Blood*, 93:2945-50.
- Fletcher,M.(2001):**1st Canadian Conference on Hepatitis C. *Canadian Nurse Journal*, 97 (7),Aug., PP.14-15.
- Foster GR, Goldin RD, Thomas HC.(1998):** Chronic hepatitis C virus infection causes a significant reduction in quality of life in the absence of cirrhosis. *Hepatology*, 27:209-212.
- Frank C, Mohamed MK and Strickland GT. (2000):** The Role of Parenteral Antischistosomal Therapy in the Spread of Hepatitis C Virus in Egypt Effort to Control Liver Disease May Have Led to Spread of Hepatitis C
355:887-891.
- Geen K.(2004):** medical-surgical nursing, assessment and management of clinical problems. 6th ed., Mosby, Inc. P. 116
- Goldman M., Spurr G. (2000):** Hepatitis C lookback, *Curr Opin Hematol* 7:392.
- Gorbakov VV, Galik VP. and Kirillov SM.(1998):** Experience in heptal treatment of diffuse liver diseases.*Ter Arkh* 70:82-6.
- Gralnek, I.M., Hays, R.D.,Kilbourne, A. (2000):** Development and evaluation of the liver disease quality of life instrument in persons with advanced chronic liver disease –the LDQOL 1.0. *The American Journal of Gastroentology* 95 (12), 3552-3565.
- Gunter, J. A. (2002).** Cirrhosis: Advanced liver disease. National AIDS Treatment Advocacy Project

Guss DA. (2005): Disorders of the liver, biliary tract, and pancreas. In: Rosen P, ed. *Emergency Medicine: Concepts and Clinical Practice*. 14th ed. Mosby-

<http://www.niddk.nih.gov/health/digest/pubs/cirrhosi/cirrhosi.htm>

Hadziyannis SJ.(2001): Why and how to treat chronic hepatitis C. *Can J Gastroenterol* Jul-Aug; 14 Suppl B: 45B-48.

Halsted CH.(1996): Alcohol: medical and nutritional effects. In Ziegler EE, Filer LJ (eds). *Present Knowledge in Nutrition*, 7th ed. ILSI Press, Washington, DC, 553.

Heller, T., (2004). Liver Functions. Available on <http://www.Google.com>

Hogstel O. (1995): Geropsychiatric nursing, 2nd ed. London: mosby co., 11-13, 51.

Henderson, Wendy Ann,(2007): Testing a model of health-related quality of life in persons with HIV and liver disease
University of Pittsburgh, 303 p.

Iredale JP. (2003): Cirrhosis: new research provides a basis for rational and targeted treatments. *BMJ*;327:143-7. [Fulltext.PMID 12869458](#)

Kallman J., Margaret M., Larive B., Boparai N.,Calabrese L.and Zobair M.(2006): Fatigue and health-related Quality of life (HRQL) in chronic hepatitis C virus infection. 26 November.

Karsan,H.A., Rojter,S.E.& Saab,S., (January, 2004).Primary Prevention of Cirrhosis.*Posgraduate Medicine*. 115,100-104

Kato S, and Ishii H.(2004): Lifestyle guidance for patients with chronic liver disease; information provision via educational classes on liver diseases. *Hepatol Res*, 30S:81-85.

K Weissenborn et al.(2005): Neurological and neuropsychiatric syndromes associated with liver disease. *AIDS* 19(Suppl 3): S93-S98. October 2005.

Ferri: Ferri's Clinical Advisor (2004): Instant Diagnosis and Treatment, ed., Mosby.

LeMone,P.,&Burke,K.M.,(1996):Medical Surgical Nursing: Critical thinking in client care. New York: Cummings Publishing Co.

Lewis, S.M.,Collier, I.C.& Heilkemper,M.M.,(1996): Medical Surgical Nursing: Assessment and Management of clinical problems.(4th ed).London: Mosby Com.

Lieber CS. (1999): Nutrition in liver disorders. In: Shils ME, Olson JA, Shike M, Ross AC (eds). Modern Nutrition in Health and Disease, 9th ed. Baltimore, MD: Williams and Wilkins, 1179–80. (16)

Linton, A.D.Matteson,M.A.& Maebius,N.K.,(2000):Introductory nursing care of adults (2nd ed). London: W.B.Saunders Com.

Lithner M.and Zilling T.,(2000): pre and post operative information needs patient education and counselling, 40:1129-37.

Livertrasplant India.com

Lochs H and Plauth M.(1999): Liver cirrhosis: rationale and modalities for nutritional support & 8212;the European Society of Parenteral and Enteral Nutrition consensus and beyond. Curr Opin Clin Nutr Metab Care, 2:345-9.

Loguercio C, Nardi G, Argenzio F, et al.(1994): Effect of S-adenosyl-L-methionine administration on red blood cell cysteine and glutathione levels in alcoholic patients with and without liver disease. Alcohol Alcohol, 29:597-604.

Marchesini G, Bianchi G, Amodio P, Salerno F, Merli M, Panella C, Loguercio C, Apolone G, Niero M. and Abbiati R.(2001): Factors associated with poor health-related quality of life of patients with cirrhosis. Gastroenterology, 120:170-178.

Marx: Rosen's Emergency Medicine. (2002): Concepts and Clinical Practice, 5th ed., Mosby, Inc. , p. 185:"Abdominal pain".

Mato JM, Camara J, Fernandez de Paz J, et al. (1999): S-adenosylmethionine in alcoholic liver cirrhosis: a randomized, placebo-controlled, double-blind, multicenter clinical trial. J Hepatol.; 30:1081–1089.

Mezban,Z.D.,El-Wakil,N.,(2002).Hepatitis C in Egypt. Available on [http:// www.MSN.com](http://www.MSN.com)

Mike W,(2002): clinical nursing and related sciences 6th ed., philadelphia

Mitra, Mohsen, Robabeh, Nejhad and Alavian.(2005): Effects of a self-care program on quality of life of cirrhotic patients referring to Tehran Hepatitis Center Health and Quality of Life Outcomes, 3:35doi:10.1186/1477-7525-3-35

Mittal S, Ahern L, Flaster E, Maesaka J and Fishbane S.(2001): Self assessed physical and mental function of hemodialysis patients. Nephrology dialysis and transplantation. 16 (7): 1387- 1394.

Mohsen M.(2003): nurses role toward chronic viral hepatitis patients and their families. Faculty of nursing. Ain shams university. P. 148.

Mosby and Kristin (2004) : medical-surgical nursing: assessment and management of clinical problems, 6th ed.

Mosby, (2001): Textbook of Primary Care Medicine, Acute Abdomen and Common Surgical Abdominal Problems".3rd ed., pp. 976-983: "Chapter 107

(NDDIC) National Digestive Diseases Information Clearinghouse,(2003) article Cirrhosis of the Liver NIH Publication No. 04-1134, December.

National center for infection control, (2002): Hepatitis. Available at www.cdc.gov/ncidod/diseases/hepatitis. Site last accessed december 28.

Niorth M., Harbin C.and Clark K.(1999):A patient education MAP, An Integrated, Collaborative approach of Rehabilitation , Jan. 24 (1).

Nzeako U, Goodman ZD. and Ishak KG. (1996):Hepatocellular carcinoma in cirrhotic and noncirrhotic livers. A clinico-histopathologic study of 804 North American patients. Am J Clin Pathol, 105:65-75.

Padilla G.and Grant M. (1996): defining the content domain of quality of life for cancer patients with pain. Cancer nursing, 13 (2), 108-115.

Patrick DM (2000): public health and hepatitis C. Can J. Public health 91 (suppl 1): S18.

Rehermann B. (2000): Immunopathogenesis of hepatitis C. In Liang TJ, Hoofnagle JH, editors: Hepatitis C, Academic Press.

Raphael D., Brown I., Renwick R., Cava M., Weir N. And Heathcote K.(1997): measuring the quality of life of older persons: a model with implications for community and public health nursing. *Int. J. Nurs. Stud.*, Vol. 34, No. 3, pp. 231-239.

Rosdahl C.,(1999): textbook of basic nursing 7th ed. lippincott , philadelphia , new york.

Rothenberg RB and Koplan JP.(1990): Chronic disease in the Annu Rev Public Health., 2:267-296.

Ries AL, Kaplan RM, Limberg TM. and Prewitt LM (1995): Effects of Pulmonary Rehabilitation on Physiologic and Psychosocial Outcomes in Patients with Chronic Obstructive Pulmonary Disease. *Ann Intern Med*, 122:823-832.

Rodger AJ, Jolley D, Thompson SC et al.(1999): the impact of hepatitis C virus on quality of life. *Hepatology*, 30:1299-1301

Rodriguez-Moreno F, Gonzalez-Reimers E, Santolaria-Fernandez F, et al.(1997): Zinc, copper, manganese, and iron in chronic alcoholic liver disease. *Alcohol*, 14:39–44.

Saparamadu PA, de Silva HA, Thabrew MI, et al.(2003): Liv.52 in alcoholic liver disease: a prospective, controlled trial. *J Ethnopharmacol.* 84:47–50.

Seigley LA.(1999): self esteem and health behavior:theoretic and empirical links. *Nurs Outlook*, 1999;47:74-7.

Sleisenger & Fordtran's (2006):Gastrointestinal and Liver Disease, 7th ed., Elsevier, p. 71: "Chapter 4 - Abdominal Pain, Including the Acute Abdomen".

Singh, N., Gayowski, T., Wagener, M.M and Marino, I.R.,(1997): Depression in patients with cirrhosis. Impact on outcome. *Digestive Diseases and Sciences* 42 (7), 1421-1427.

Smeltzer, S.C.and Bare, B.G. (2000): management of coronary disorder In : Brunner and Suddartts Textbook of Medical Surgical Nursing, Edited by S.C. Smeltzer and Bare, 8th ed., pbI. Lippincott Raven publishers, New York, chap. 27, pp. 40- 49.

Smeltzers,B.,& Bare, B.,(2004):Textbook of Medical Surgical Nursing.(9th ed).Philadelphia, Lippincott Company, PP, 927-937.

Smith, J.F.,(2004).Medical Library: Cirrhosis. Available on <http://www.Pubmed.com>

Soin,A.,(2003):Liver transplantation www.livertransptalidia.com

Spiker B.(1990): Quality of life assessment in clinical trials. Raven press, New York.

Spring S. (2005): Hepatitis Foundation International.
<http://www.hepfi.org/>

Taha E.(1999): Developing visual educational materials for low literate adult diabetics. M.S. Thesis in nursing. Faculty of nursing. Alexandria University.

The Columbia Electronic Encyclopedia (2005): Columbia University Press. Licensed from Columbia University.
www.cc.columbia.edu/cu/cup/

Van der plas SM, Hansen BE, de Boer JB, Stijnen T, Passchier J, de Man RA, Schalm SW. (2003): Generic and disease- specific health related quality of life in non-cirrhotic, cirrhotic and transplanted liver patients: a cross-sectional study. *BMC Gastroenterol*, 3:33.

Wallace S. and Kan Z.(2000): Hepatic chemoembolization: clinical and experimental correlation. *Acta Gastroenterol Belg*, Apr-Jun; 63(2): 169-73.

Ware JE, Bayliss MS, Mannocchia M. and Davis GL, (1999): the International Hepatitis Interventional Therapy Group: Health-related quality of life in chronic hepatitis C: Impact of disease and treatment response. *Hepatology*, 30:550-555.

Wasley A and Alter MJ.(2000): Epidemiology of hepatitis C: geographic differences and temporal trends, *Semin Liver Dis* 20:1.

Watanabe S, Hosomi N, Kitade Y et al (2000): assessment of the presence and severity of esophagogastric varices by splenic index in patients with liver cirrhosis. *Journal of computer assisted Tomography* 24(5): 788-794.

Weissenborn ,(2005): Neurological and neuropsychiatric syndromes associated with liver disease. *AIDS* 19(Suppl 3): S93-S98. October.

Wiesinger G.F., Michael Q., and karin Z. (2001): physical performance and health-related quality of life in men on a liver transplantation waiting list. *Journal of rehabilitation medicine* 33 (6), 260-265.

Woodill, G., Renwick, R., Brown, I. And Raphael, D.(1996): Being, belonging and becoming: an approach to the quality of life of persons with developmental disabilities. In *Quality of life for persons with developmental disabilities: international perspectives and Issues*, ed. D. Goode, pp. 57-74. Brookline Books, Cambridge, MA.

Wong JB. (2000): estimating future hepatitis C morbidity, mortality, and costs in the united states, *Am J public Health* 90: 1562.

Wong, Philip, M.Sc., McGill University,(2005): Quality of life in liver transplant patients: Responsiveness of the SF-36, EQ-5D and GHQ-30 100 pages; AAT MR12565 McGill University (Canada) MAI 44/05, Oct 2006

Wiley J. & Sons, (2005): issue of Hepatology, the official journal of the American Association for the Study of Liver Diseases (AASLD).
interscience.wiley.com/journal/hepatology.

Younossi ZM, Guyatt G.(1998): Quality of life assessment and chronic liver disease. *Am J Gastroenterol* 93:1037-1041.

Younossi Z., Kiwi M., Boparai N., Price L.and Guyatt G.(2000): Cholestatic liver diseases and health- related quality of life. *Am J Gastroenterol* 2000; 95: 497-502.

Younossi ZM, Boparai N, Price LL, Kiwi ML, McCormick M, Guyatt G. (2001a): Health-related quality of life in chronic liver disease: the impact of type and severity of disease. *Am J Gastroenterol*, 96: 2199-205.

Younossi, Z.M., McCormic, M., Boparai N., Price L.L., Farquhar L.and Guyatt G.,(2000a): Impact of liver transplantation on health-related quality of life. *Liiver Transplantation* 6 (6), 779-783.

Younossi Z.M., Kiwi M.L., Boparai N., Price L.L., Guyatt G.(2000b): Cholestatic liver diseases and health-related quality of life. *American Journal of Gastroenterology* 95 (2), 497-502.

Younossi ZM, Boparai N, McCormick M, Price L.L., and Guyatt G. (2001b): Assessment of utilities and disease and health-related quality of life in patients with chronic liver disease. *American Journal of Gastroenterology* 96 (2), 579-583.

Zandi M, Adib-Hajbagheri M, Memarian R, Kazem Nejhad Aa. nd Alavian SM.(2005): Effects of a self-care program on quality of life of cirrhotic patients referring to Tehran Hepatitis Center. *Health Qual Life Outcomes*, 3:35. May 18;3 (1):35

Zobair M. Younossi, Boparai N., McCormick M., Price L. and Guyatt G.(2001): Assessment of Utilities and Health- Related Quality of Life in Patients With Chronic Liver Disease., *American Journal of Gastroenterology*, vol.96, No. 2.