## REFERENCES

- 1. *Abd El-Messih*, *S.* (2004): Vision and quality of life among the elderly attending ophthalmic out patient clinics in Alexandria. Master Thesis, High Institute of Public Health, Alexandria University, p. 28.
- 2. *Abd El-Zaher*, *H.* (2000): Care givers practice in managing a patient with angina pectoris at home. D.sc.N. Faculty of Nursing, Ain Shams University, pp 2,4, 66-73.
- 3. *Albert, S. and Logsdon, R.G.* (2000): Assessing quality of life in Alzheimer's disease. New York: Springer Publishing Company, pp. 722-725.
- 4. *Aldwin, C.* (2006): Health, behavior, and optimal aging: Hand book of the psychology of aging, (6<sup>th</sup> ed). London: lippincott Williams and Wilkins pp. 85-104.
- 5. American Nurses Association, (ANA) (2001): Scope and standard of gerontologyical nursing practice, (22<sup>nd</sup> ed). Washigton, DC: Authorp. 69.
- 6. *Antai-Otong*, *D.* (2004): Anti depressants and older adults. Advance for Nurses 1 (7): 15-17.
- 7. *Baranoski*, *S. and Ayello E.A. (2004):* Wound care essentials practice principles. London: lippincott Williams and Wilkins, p.4.

- 8. *Bazzano*, *L.A.* (2006): Legume consumption and risk of coronary heart disease in US men and women. Archives of Internal Medicine; 161: 2573-2578.
- 9. *Betschart, J.(2004):* Children and adolescents with diabetes. Nursing Clinics of North American; 28 (1): 35-43.
- 10. *Bhalotra*, *S. and Mutschler*, *P.* (2001): Primary prevention for older adults: No longer a paradox. Journal of Aging and Social Policy; 12(2): 5-22.
- 11. *Bicking, L.S. and Szilagyi, P.G.* (2007): Bates guide to physical examination and history, taking, (8<sup>th</sup> ed), Philadelphia: Lippincott Williams and Willkins, p. 221.
- 12. *Bickley*, *L.S.* (2007): Bates' guide to physical examination, (7<sup>th</sup>ed). philadelphia: Lippincott Williams & Wilkines, p. 562.
- 13. *Blazer*, *D.G.* (2002): Self-efficacy and depression in late life: A primary prevention proposal. Aging and Mental Health; 6: 315-324.
- 14. *Bloom*, *H.G.* (2001): Preventive medicine: When to screen for disease in older patients? Geriatrics; 5b (4): 41-45.
- 15. *Bond, J. and Corner, L. (2004):* Quality of life and older people maidenhead: Open University Press; pp. 60-65.
- 16. *Borgaokar, M.R. and Vine, E.J. (2005):* Quality of life measurement in gastrointestinal liver disorder gastroenterology; 47 (3): 444-454.

- 17. *Bowling, A.* (2005): Aging well, quality of life in older age, (1<sup>st</sup> ed.). maidenhead: Open University Press; p. 304.
- 18. *Boyle*, *J.S.* (2003): Transcultural perspectives in the nursing care of adults, (4<sup>th</sup> ed.). Philadelphia: Lippincott Williams and Wilkins; pp 181-208.
- 19. *Brinckerhoff, J. and Coleman, E.A.* (2005): What you need to know about the medicare prescription drug act. Family Practice Management; 12(3): 49-52.
- 20. *Brugman*, *G.M.* (2006): Hand book of the psychology of aging, (6<sup>th</sup> ed.). San Diego: Academic Press; pp. 445-476.
- 21. *Budoff, M.J. and Raggi, P. (2001):* Coronary artery disease progression assessed by electron. Beam computed tomography. American Journal of Cardiology; 88: (2) 1.
- 22. *Bullock, B.L. and Henze, R.L.* (2005): Focus on pathophysiology, Philadelphia: Lippincott Williams and Wilkins; p. 581.
- 23. *Burbank*, *P.M.* (2000): Changing health behaviors of older adults. Journal of Gerontological Nursing; 26 (3): 26-33.
- 24. *Burke*, *L.E.* (2004): Adherence to medication diet and activity recommendation: From assessment to maintenance. J Cardiovasc Nurs; pp. 62-79.

- 25. *Cardiovascular Disease Foundation.* (2005): Elderly complain from cardiovascular disease. Inc. all rights reserve. Available at: http://www.cvdf.rog.com.
- 26. *Carpenito*, *L.J.* (2009): Nursing diagnosis application to clinical practice, (7<sup>th</sup> ed.). Philadelphia. New York: Lippincott; p. 946.
- 27. *Carpenito-Moyet*, *L.J.* (2006): Hand book of nursing diagnosis, (11<sup>th</sup> ed), Philadelphia: Lippincott Williams and Wilkins; pp. 315-360.
- 28. Center for Disease Control and Prevention (CDC)(2007): The state of aging and health in America. Merch Company Foundation, Conference of the American Society on Aging and the National Council on Aging in March 2007; p.50.
- 29. Centeral Agency of Public Moblization and Statistics, (CAPMAS) (2000): Annual Health Report, Cairo, Egypt.
- 30. *Centers For Disease Control and Prevention (CDC) (2004):* United States, with chart-book on trends in the heath of Americans.
- 31. Central Agency of Public Mobilization and Statistics (CAPMS) (2006): The population of the developing world.
- 32. Central Agency of Public Mobilization and Statistics (CAPMS)(2009): Statistical Year Book. Arab Republic of Egypt, Jun, p. 32.

- 33. *Chernoff*, *R.* (2002): Health promotion for older women: Benefits of nutrition and exercise programs. Topics in geriatric rehabilitation; 18, 59-67.
- 34. *Clark, M.J.* (2008): Community health nursing advocacy for population health, (5<sup>th</sup> ed.)., U.S.A, Upper Saddle River, New Jersey 07458; p. 501.
- 35. *Coen, R.* (2003) :Cardio vascular events in Type 2 diabetes: Comparison, with non diabetic individual, without and with prior cardiovascular disease: 10-year follow up of the hoorn study. European Heart Journal, Amesterdam; 20 (3): 50 61.
- 36. *Commodore*, *D.* (2004): Falls in the elderly population. A look at incidence, risks, heath care, costs and preventive strategies. Rehab Nurs; 20 (2): 84-9.
- 37. Cooper, K., Bilbrew, D., Kerr, K. and Kirchner, K. (2004): Health barriers to walking for exercise in elderly primary care. Geriatric Nursing, 22, 258-262.
- 38. *Coughlin, J.J. Pope, J.E. and Leedle, B.R.* (2006): Old age, new technology and future innovations in disease management and home health care. Home health care management and practice; 18: 196-207.
- 39. *Covan*, *E.* (2005): Meaning of aging in women's lives-Journal of Women and Aging; 17 (3): 3-22.
- 40. *Craven, R.* (2003): Fundamental of nursing human health and function, (4<sup>th</sup> ed.). London: Lippincott Williams &Wilkins; p. 525.

- 41. *Daniel, G. and Sonia, S. (2003):* Emerging risk factors for atheroscleros vascular disease: A Critical Review of the Evidence; 290 (7): 932-940.
- 42. *Darovic*, *GO*. (2006): Hand book of hemodynamic monitoring, (2nd ed), ST. Louis, Mo: Elsevier.
- 43. *David*, *C.* (2008): Epidemiology of cardiovascular disease, (23<sup>rd</sup> ed.). Philadelphia; p. 49.
- 44. *David*, *S.* (2007): Field guide to bedside diagnosis: Philadelphia Lippincott Williams & Willkins; p.324.
- 45. *Delamater*, *M.A.* (2000): Quality of life in youths with diabetes. Diabetes Spectrum; 13 (1): 42-54.
- 46. *Depp, C.A. and Jeste, D.D.* (2006): Definitions and predictors of successful aging: A comprehensive review of larger quantitative studies. American Journal of Geriatric Psychiatry; 14 (1): 6-2.
- 47. *Dicastelnuovo*, *A.* (2002): Meta- analysis of wine and beer consumption in relation to vascular risk. Circulation; 105: 2836-2844.
- 48. *Doering, V. (2007):* Compliance behaviors of elderly patients with advanced heart failure. Journal of Cardiovascular Nursing; 18 (3): 197 206.
- 49. *Dolansky, M.A.* (2008): Older adults' views of cardiac rehabilitation programs: Is it time to reinvent? Journal of Gerontological nursing; 32 (2): 37-44.

- 50. *Donald, L. and Erikson, P. (2002):* Assessing health related quality of life for clinical decision making, (1<sup>st</sup> ed.). Mosby; p. 512.
- 51. *Drewnowski*, *A. and Evans*, *W.J.* (2001): Nutrition, physical activity, and quality of life in older adults: Summary Journals of Gerontology: Series A, Biological Sciences and Medical Sciences; 56 (special issue II): 89 94.
- 52. *Dummer*, *M.J.* (2008): Community health nursing: Advocacy for population health (5<sup>th</sup> ed). London: Lippincott Williams &Wilkins; p. 496.
- 53. *Edlin C.E and Colany, E. (2007):* Health and Wellness, (9<sup>th</sup> ed.). London: Jones and Bartlett Publishers; p, 312.
- 54. *Ekman*, *I.* (2002): Health-related quality of life and sense of coherence among elderly patients with severe chronic heart failure in comparison with healthy control. Heart Lung, 94-101.
- 55. *Eliopoulis, C. (2004):* Grerontological nursing, (4<sup>th</sup>ed.). Philadelphia: Lippincott-Raven pp. 97-205.
- 56. *Elkington*, *J.R.* (2003): Medicine and quality of life. An Interrn Med, 2003; 64:711-714.
- 57. *EMed*, *T.V.* (2008): Symptoms of cardiovascular disease. September 04, 2008 by Clinaero, Inc, pp, 1-2.
- 58. *Espino*, *D.V.* (2006): Suboptimal medication use and mortality in an older adult community-based cohort: Results from the Hispanic

- EPESE study. Journal of Gerontology: Series A; Biological Sciences and Medical Sciences; 61: 170-175.
- 59. *Evergreen Net*, (2009): Definition of quality of life: Neuroscience Institute, booth Gardner Parkin son's care center, n-comprehensive care, quality of life. February10, available at: :http://www.Americanheartorg/persent.jhtm/identifir.3044857.
- 60. *Fletcher*, *B.* (2008): Managing abnormal blood lipids: A collaborative approach. Circulation; 112: 3184-3209.
- 61. *Ford, E. and Giles, W. (2006):* Serum vitamins, carotenoids, and angina pectoris: Findings from the National Health and Nutrition Examination Survey III. Ann Epidemiol; 10: 106.
- 62. *Frantz*, *A*. (2001): Exploring expert Cardiac home care nurse competence and competencies. Home Health Care Nurse; 17 (11): 706-717.
- 63. *Frazier*, *L.D.* (2003): Coping with anxiety in later life. Journal of Gerontological Nursing; 28 (12): 40-47.
- 64. *Fries*, *J.F.* (2002): Successful aging: An emerging paradigm of gerontology. Clinics in Geriatric Medicine; 18: 371-382.
- 65. *Gallicchio*, *L.* (2007): The relationship between gender, social support and health related quality of life in a community-based study in washington counter Mary Land, Quali Life Res; 16: 777-786.

- 66. *George*, *L.K.* (2006): Perceived quality of life, Handbook of aging and the social sciences, (6<sup>th</sup> ed.). Sandiego: Academic Press. pp. 320-336.
- 67. *Gibbons, L. and Clark, S. (2003):* Exercise in the reduction of cardio vascular events: Lessons for epidemiologic trails. Cardiology clinics; p. 348.
- 68. *Given, B. (2001):* Health promotion for older adults in a managed care environment, (4<sup>th</sup> ed.) New Work: Lippincott Williams and Wilkins. pp. 57-76.
- 69. *Gorina, Y. (2006):* Trends in causes of death among older persons in the United States. Aging trends, No. 6. Hyatts ville, MD: National Center for Health Statistics, pp.60-63.
- 70. *Gottdiener*, *J.S.* (2006): Overview of stress echocardiograph: Uses, advantages and limitations. Progress in cardio vascular diseases, pp. 43-315.
- 71. *Grundy, S.N.* (2003): Inflammation hypetension, and the metabolic syndrome. Journal of the American Medical Association. 290-3000-3001.
- 72. *Guirguis*, *S.* (2002): Health maintenance/promotion program for caregivers of ischemic heart disease elders at home Doctoral dissertation. High Institute of Nursing, Ain Shams University, p. 180.
- 73. *Guyton*, *A.C. and Hall*, *J.E.* (2006): Text book of medical physiology, (4<sup>th</sup> ed.). Philadelphia: Elsevier, p. 70.

- 74. *Happ, M. and Maylor, M. (2002):* Factors contributing to rehospitalization of elderly patients with heart failure. J Cardiovas Nurse; 25 (4): 75-84.
- 75. *Hargrove*, *H.R.* (2005): Medical Surgical Nursing, (4<sup>th</sup> ed.)., New Work: Lippincott Williams and Wilkins, pp. 117-118-119.
- 76. *Harper, C.R. and Jacobson, T.A.* (2004): The fats of life the role of omega-3 fatty acids in prevention of coronary heart disease. Archives of Internal Medicine; 161: 2185-2192.
- 77. *Havighurst, R.J.* (2002): Development tasks and education, (3<sup>rd</sup> ed.). New York: Mckay. p. 272.
- 78. *Hayes, T. (2004):* Women's ischemic syndrome evaluation: Current status and future research direction report of national heart. pp. e59-e61.
- 79. *Hazzard*, *W.R.*; *Bierman*, *E.L. and Blass*, *J.P.* (2000): Principles of geriatric medicine and gerontology, (3<sup>rd</sup> ed.). New York: Lippincott Williams & Wilkins. p. 117.
- 80. *Health And Human Services*, (2003): Progression of cardiovascular disease in type 1. diabetes. Available at: <a href="http://grants/nih-gov/grants/guidesrfa-files/RFA-HL">http://grants/nih-gov/grants/guidesrfa-files/RFA-HL</a>.
- 81. *Hegner, BR. and Needham, J.F. (2002):* Assisting in long term care, (4<sup>th</sup> ed). Canada: Delmar. P. 501.

- 82. *Hemingway, H. and Marmot, M. (2005):* Evidence based cardiology: Psychosocial factors in the etiology and prognosis of coronary heart disease. Systematic review of prospective cohort studies. BMJ; 318:1460-1467.
- 83. *Henley, E. (2004):* What the new Medicare prescription drug bill may mean for providers and patients. Journal of Family practice; 23, 389-392.
- 84. *Hirano, R. Momiyama, Y. Takahashi, R. and Kondo, K. (2003):* Comparison of green tea intake in Japanese patients with and without angiographic coronary artery disease. American. Journal of cardiology; 90, 1150-1153.
- 85. *Hockenberry, M.; Wilson D. and Winkelstein M. (2005):* Wongs essentials of pediatric nursing, (7<sup>th</sup> ed.). Philadelphia: Elsevier Mosby Comp., pp. 500-501.
- 86. *Hodgson, J.M. and Puddey, I.B.* (2007): Effects of regular ingestion of black tea on haemostasis and cell adhesion molecules in humans. European. Journal of Clinical Nutrition; 55 (11): 881-886.
- 87. *Holden, K. and Hatcher, C. (2006):* Economic status of the aged. Handbook of aging and the social sciences, (6<sup>th</sup> ed.). Sandiego: El Sevier Academic, pp. 219-237.
- 88. *Howard*, *B.V.* (2007): Low fat dietary pattern and risk of cardiovascular disease: The woman's health initiative randomized controlled dietary modification trial. JAMA; 295: 655.

- 89. *Hubert, H.B. and Bloch, D.A. (2002):* Life style habit and compression of morbidity. Journal of Gerontology: Series A, Biological Sciences and Medical Sciences; 57,M347-M351.
- 90. *Hunt*, *R.* (2009): Introduction to community based nursing, (4<sup>th</sup> ed.). Philadelphia: Wolters Lippincott Williams & Wilkins, p. 366.
- 91. *Hunter*, *S.* (2004): Quality of life per the elderly. Journal of Gerontological Nursing; 18(1): 240 247.
- 92. *Huttel, R.H.* (2005): Medical surgical nursing, (4<sup>th</sup> ed.). Philadelphia: Lippincott Williams and Wilkins, p, 120.
- 93. *Ibrahim*, *M.M.*; *Risk*, *H. and Appel*, *L.J.* (2009): Epidemiology of hypertension in Egypt. Saudi Journal of Kidney Disease and Transplantation; 19 (5): 420 422.
- 94. *Ibrahim*, *N*. (2006): Nursing care of the older adult. Ministry of Health and Population in collaboration with WHO, Cairo. pp 4-15.
- 95. *Idler*, *E.* (2006): Religion and aging, Handbook of aging and the social science, (6<sup>th</sup> ed.). San Diego: Academic Press, pp 277-300.
- 96. *Imberly, C.K. and Dana, D.M.(2006):* Using the sf-36 to determine perceived health related quality of life in rural Idaho seniors. Journal of Allied Health; 35: 150-161.
- 97. *Joshipura, K.J.; Manson, J.E. and Rimm, E.B.* (2005): The effect of fruit and vegetable intake on risk for coronary heart disease. Annals of Internal Medicine; 134: 1106-1114.

- 98. *Judith*, *A.* (2005): Nursing know- how evaluating heart breath sounds. Tokyo: Wolters Klumer, Lippincott Williams & Wilkins, p.50.
- 99. *Judith, A. and Abery, M.D. (2009):* Cardiovascular complications in HIV management: Past, present, and future. Journal of Acquired Immune Deficiency Syndromes; 261-263.
- 100. *Kaplow, R. and Hardin, S.R.* (2007): Critical care nursing. Boston: Jones and Bartlett Publishers, (2<sup>nd</sup> ed), p. 123.
- 101. *Kaudtson, M.L.* (2009): Chelation therapy for ischemic heart disease. Journal of the American Medical Association; 28t: 481-486.
- 102. *Keevil, J.* (2002): Cardiovascular disease prevention, primary care: Clinics in office practice, pp. 29, 667, 777.
- 103. *Kim*, *J.E. and Moen*, *P. (2002):* Retirement transitions, gender, and psychological well-being: A life course, ecological model. Journals of Gerontology: Series, B, Psychological Sciences and Social Sciences; 57: 212-22.
- 104. *Klabunde*, *R.E.* (2004): Cardiovascular physiology concepts. Philadelphia: Lippincott Williams and Wilkins, p. 235.
- 105. *Klieman, L. Hyde, S. and Berra, K. (2006):* Cardiovascular disease risk reduction in older adults. Journal of Cardiovascular Nursing, 55: s27-s39.

- 106. *Kovacs*, *M. and Lyengar*, *L.* (2006): Psychiatric disorder and metabolic control among youths with IDDM:A longitudinal study. Diabetes Care; 19: 318- 323.
- 107. *Kowalski*, *MT*. (2003): Text book of basic nursing. (8<sup>th</sup> ed.). Philadelphia: Lippincott Williams & Wilkins, pp. 262-263.
- 108. *Kris-Etherton, P.M.; Harris, W.S. and Appel, L.J.* (2008): Fish consumption, fish oil, omega-3 fatty acids and cardiovascular disease. Circulation: 106, 2747-2757.
- 109. *Krummel, E. (2005):* Nutrition in cardiovascular disease. In mahank, Escott Stumps, (eds). Krause's food, nutrition, and diet therapy, (11<sup>th</sup>ed). Philadelphia: WB Saunders, pp. 345-401.
- 110. *Kuriyama*, *S.* (2006): Green tea consumption and mortality due to cardiovascular disease, cancer and all causes in Japan the Oshaki study. Journal of the American Medical Association 296: 1255-265.
- 111. *Kurtus*, *E.M.* (2009): Life style factors affecting quality of life in late adulthood. Geriatric nursing protocols for best practice, (2<sup>nd</sup> ed)., New York: Springer. pp 251-264.
- 112. *Lakatta*, *E.G.* (2000): Cardiovascular aging in health. Clinics in Geriatric Medicine; 16: 419-444.
- 113. *Lawton, M.P.* (2000): Assessment of older people: Self maintaining and instrumental activities of daily living. The Gerontologist; pp. 179-186.

- 114. *Lewis*, *S.J.* (2008): July supplement. After menopause: Novel marker helps to identify woman at risk for heart disease. Journal of Family Practice, 518-524.
- 115. *Lovell, M.* (2006): Caring for the elderly: Changing perceptions and attitudes. Journal of Vascular Nursing; 24(1): 22-26.
- 116. *Lundy, K. and Janes, S. (2002):* Community health nursing. Caring for the public's health (1<sup>st</sup> ed). Boston: Jones & Bartlett Publishers, pp. 288 90.
- 117. *Lvanov*, *L.L. and Blue*, *C.L.* (2008): Public health nursing, leadership, policy and practice. Printed in U.S.A, p.516.
- 119. *McReynolds*, *J.J.* (2004): Importance of physical activity, nutrition, and social support for optimal aging. Clinical Nurse Specialist; 18: 200-205.
- 120. *Medical News Today.* (2005): Asthma-inflammation increases cardiovascular risk, damage not drugs, 04 Apr 2005-700 PDT. Available at: <a href="http://www-medicalnewsT,day-com/artides/22/89">http://www-medicalnewsT,day-com/artides/22/89</a>. Php.
- 121. *Mehr*, *D.R. and Tatum*, *P.E.* (2002): Primary prevention of disease in old age. Clinics in Geriatric Medicine, 18: 407-430.

- 122. *Meleis*, *A.I.* (2007): Theoretical nursing: Development and progress, (4<sup>th</sup> ed.). Philadelphia: Lippincott Williams and Wilkins, p. 516.
- 123. *Miller*, *C.* (2006): Nursing care of older adults: Theory and practice (2<sup>nd</sup> ed.). Philadelphia: J.B. Lippincott. Co., pp. 255-262.
- 124. *Miller, C.A.* (2009): Nursing for wellness in older adults, (5<sup>th</sup> ed.,). London: Wolters Kluwer, Lippincott Williams & Wilkins, p. 431.
- 125. *Monica, B. and Shelly, K. (2006):* Prevalence of conventional risk factors in patients with coronary heart disease. Journal of Gerontology: Series A, Biological Science and Medical Science, 56, M741-M743.
- 126. *Montross*, *L.P.* (2006): Correlates of unrelated successful aging among communits dwelling older adults. American Journal of Geriatric Psychiatry; 14 (1): 43-51.
- 127. *Mosca*, *L. and Appel*, *L. (2004)*: Evidence-based guidelines for cardiovascular disease prevention in women. Circulation; 109: 672-693.
- 128. *Mudambi*, *S.R.* (2008): Fundamentals of foods, nutrition and diet therapy, (5<sup>th</sup> ed.). New Delhi: New AGE international (p) Limited, Publishers. pp. 303-306.
- 129. *O'Connor*, *R.* (2004): Measuring quality of life health (1<sup>st</sup> ed.). Churchill Livingstone, pp. 553.32.

- 130. *Parker*, *M.W.* (2002): A multidisciplinary model of health promotion incorporating spirituality into a successful aging intervention with African American and white elderly groups. The Gerontologist; 42: pp.406 415.
- 131. *Pearson, T.A. and Blair, S.N.* (2002): AHA guidelines for primary prevention of cardiovascular disease and stroke, Circulation; 106: 388-391.
- 132. *Perloff, J.K.* (2005): Physical examination of the heart and circulation. (3<sup>rd</sup> ed.). Philadelphia: WB Saunders, p. 50.
- 133. *Philip, C.E. Knoll, M.D. and James, D. (2003):* Major risk factors as antecedents of fatal and non fatal coronary heart disease. Events; 290 (7): 891-897.
- 134. *Portney, L. and Watkins, M. (2000):* Foundation of clinical research applications to practice, (2<sup>nd</sup> ed.). U.S.A, p. 54.
- 135. *Potter, M. and Perry, L. (2009):* Fundamental of nursing (7<sup>th</sup> ed.). Canada: Mosby, p. 205.
- 136. *Pruitt, B.E. and Stein, J.J.* (2003): Health style. Harcourt Brace, New York: Mosby Year Book, Inc., pp. 7-103.
- 137. *Quivoga*, *S.* (2005): Complication of cardiovascular disease, Css: 335: Latino health issues, Arizona State University. Available at: http://www. Asu.edu/courses/css335/Galaz.Htm.

- 138. *Rajagopal, M.V.* (2009): Fundamental of foods, nutrition and diet therapy, (4<sup>th</sup> ed.). Philadelphia: Lippincott Williams & Wilkins.
- 139. *Ranganathan*, *R.* (2005): The nutritional impact of dairy product consumption on dietary intakes of adults: The Bogalusa heart study. JAM. Diet association; 105: 1391.
- 140. *Rawlins, M.* (2004): Caring for the chronically ill elderly in Trinidad: The informal situation. West Indian Med J; 50 (2): 133-6.
- 141. Rea, T.D., Heckbert, S.R. Kaplan, R.C. and Smith, N.L.(2004): Smoking status and risk for recurrent coronary events after myocardial infarction. Annals of Internal Medicine; 137: 494-500.
- 142. *Resnick*, *B.* (2002): Testing the effect of the WALC interventions on exercise adherence in older adults. Journal of Gerontological Nursing; 28(6): 40-49.
- 143. Resnick, B.; Ory, M.G.; Rogers, M.E. and Page, P. (2009): Screening for and prescribing exercise for older adults. Geriatrics and Aging; 9 (3): 174-182.
- 144. *Revicki*, *D.A.* (2002): Health related quality of life in the evaluation of medical therapy for chronic illness, Family Practice; 29:377-387.
- 145. *Roads*, *J.* (2008): Advanced health assessment and diagnostic reasoning. U.S.A.: Lippincott Williams and Wilkins, (2<sup>nd</sup> ed), p. 235.
- 146. *Robert, C.K.* (2005): Effects of exercise and diet on chronic disease. JAPPL Physiol; 98: 3-30.

- 147. *Rosdahl, C.B. and Kowalski, M.T.* (2007): Text book of basic nursing, (8<sup>th</sup> ed.). London: Lippincott Williams Wilkins, p. 1536.
- 148. *Ross, R. and Glomset, J. (2008):* The pathogenesis of atherosclerosis. New England Journal of Medicine; 295, 369-377, 420-425.
- 149. *Rudisch*, *B.* (2003): Reporting on quality of life in randomized controlled trials: Bibliographic study department of social medicine. University of Bristol, Canynge Hall 8582 PR.
- 150. *Scheidt, R.J. and Windley, P.G. (2006):* Environmental gerontology progress in the post-Lawton era. In: J.E. Birren and K.W. Schaie (Eds). Hand book of the psychology of aging, (6<sup>th</sup> ed.). San Diego: Elsevier Academic Press; PP. 105- 125.
- 151. *Schipper*, *H.* (2000): Quality of life studies: Definitions and conceptual issues in quality of life and pharmacoeconomic in clinical trials, (2<sup>nd</sup> ed.). Philadelphia: Lippincott, p. 198.
- 152. *Smith, N.E.* (2007): Introductory medical surgical nursing, (8<sup>th</sup> ed.). Sydney: Lippincott Williams and Wilkins. p. 392.
- 153. *Sobhy, M.* (2004): Health promotion program for diabetic elderly group and their caregivers in Kalyubia Governorate, Doctoral dissertation Benha Faculty of Nursing, Zagazig University, pp.123, 124, 125.
- 154. *Spilker, B. and Revicke, D.A.* (2006): Taxonomy in quality of life and pharmacoeconomics in clinical trials. Philadelphia: Lippincott-Raven, pp. 25-32.

- 155. *Spradley, B. and Allender, J. (2005):* Community health nursing, concepts and practice, Philadelphia: Lippincott, Co., pp, 471-480.
- 156. *Thaler, M.S.* (2003): The only ECG book you will over need, (4<sup>th</sup>ed.). Philadelphia: Lippincott Williams and Wilkins p. 57.
- 157. *Timby, B.K. and Smith, N.G.* (2003): Introductory medical surgical nursing, (8<sup>th</sup> ed.). London: Lippincott Williams and Wilkins, pp. 388-389.
- 158. *Titler, M.* (2002): Evidence based protocol exercise promotion: Walking in elders. Lowa city, IA: University of Lowa Gerontological Nursing Interventions Research Center, p. 465.
- 159. *U.S. Department of Health and Human Services (USDHHS)*, (2000): Healthy People 2010, (2<sup>nd</sup> ed.). Washington, DC: U.S. Government Printing Office pp. 1122-1125.
- 160. *Vaayama*, *M. and Pieper*, *R.* (2007): Care-related quality of life in old age: Concept, moderate findings, (5<sup>th</sup> ed.). Philadelphia Lippincott & Wilkins. p. 99.
- 161. *Vasan, R. and Lason, M. (2001):* Impact of high-normal blood pressure on the risk of cardiovascular disease. New England Journal of Medicine; 345: 1291-1297.
- 162. *Web M.D.* (2008): Heart Disease Health Center: Risk factors for heart disease. Available at: http://wwwwebmdcom/heart-diseaseriskfactors.

- 163. Westley, C.J. and Fletcher, K.R. (2004): Community and public health nursing, (6<sup>th</sup> ed.). USA: Mosby, p. 714.
- 164. *Wientjes, K.A.* (2003): Mind-body techniques in wound healing, (4<sup>th</sup> ed.). Philadelphia Lippincott & Wilkins. pp. 225-226.
- 165. *Wikipedia Organization.* (2009): Quality of life, 26 February, 2009 Available at: http://en.wikipedia.org/wiki/measuring-wellbeing.
- 166. Williams, M.A., Fleg, L., Ades, P.A. and Millee, N.H. (2009): Secondary prevention of coronary heart disease in the elderly (with emphasis on patients ≥ 75 years of age). Circulation; 105: 1735-1743.
- 167. World Health Organization (WHO), (2008): Cardiovascular disease information. London, organized by The Royal College of Physicians, 29 April, 2008.
- 168. *Wykle, M.L.* (2003): Gerontological nursing research: Challenges for the new millennium. Journal of Gerontological Nursing; 27 (4): 7-9.
- 169. Zarit, S., Reever, K. and Peterson, B.J. (2002): Relatives of the impaired elderly correlates of feedings of burden. The gerontologist; 20: 649-655.
- 170. **Zarowitz**, **B.J.** (2006): The application of evidence based principles of care in older persons (issue 2): Management of lipid disorders, Journal of American Medical Directors Association; 12: 173-179.