

REFERENCES

- Abd- El Azeem H. (2002):*** Effect of Proposed Comfort nursing program on the level of labor pain, progress, and neonatal outcome. Thesis submitted for partial fulfillment of the doctorate degree in maternal and newborn health nursing, Cairo university.
- Abram E.s., Haddox D.J. (2001):*** Pain clinic manual. Second edition, Lippincott Williams, A Wolters Kluwer Company, Philadelphia : pp. 51.
- Ahmed M.H, (2001):*** Improve Quality of Nursign Care, Impact of breathing techniques on the duration and progress of first anf second stages of labo and New Borne Apgarscore.
- Aitkenhead R.A. Row both J.P., and Simith (2001) :*** Textbook of anesthesia. 4th edition; Churchil Livingstone, London, pp.201.
- Anderson B. (1989):*** Basic maternal newborn nursing 5th edition, Delmar publisher, pp. 195.
- Anderson B. (1989):*** Basic maternal newborn nursing. 6th. Edition, Delmar publisher, Inc., pp. 235.
- Apagar V., Hotaday D., James L., Weibort I., and Berrin C. (1958):*** Evaluation of the Newborn infant: 2nd report: American Journal of Maternal and child Nursing; 168: 1985 – 1988.
- Association of Women's Health, Obsteric and Neonatal Nurses (AWHONN) (1997):*** Standards and guidelines for professional nursing practice in care of women and newborn. 5th ed., Washington, pp.235.
- Association of Women's Health, Obstetric and neonatal nurses (1997):*** Second stage labor nursing management

protocol. Washington, DC: Author. Published in Mayberry, J., & Strange, I. B. (1997). Strategies for designing a research utilization project for labor and delivery nurses. *Journal of Obstetric, Gynecologic and Neonatal Nurses*, 26 (6), 701-708.

Association of women's health, obstetric, and neonatal nurses (AWHONN). (1993): Competencies and program guidelines for nurse providers of perinatal education Washington, DC: association of women's Health, obstetric, and neonatal nurses.

Atteia A.A., (2003) : Effect of nonpharmacological measures on the pain relief and labor outcomes. Thesis submitted for partial fulfillment of the master degree in maternal and newborn health nursing, Monofeia University.

Badawy A.S.A. (2002) : The effect of nonpharmacological measures on pain relief during labour. Thesis submitted for partial fulfillment of the doctorate degree in maternal and newborn health nursing, Zagazig University.

Beck WW (1993): Childbirth exercises. *Obstetrics and gynecology*. 3rd edition. London. Waverly,; 217-23.

Bennett V.R., and Brown L.K. (1999) : Myles Textbook for Midwives. 13th ed., New York: Churchill Living Stone, p.p. 429 –437.

Benson, R.C. & Enroll, S. (1994): Handbook of obstetrics and gynecology. 9th edition. New York, St. Louis, San Francisco: McGraw-Hill Co., Health professions Division, chapter 6, PP. 150-196.

Biancuzzo, M., (1993):. Six myths of maternal posture during labor, *MCNAM Journal Maternal child Nursing*, 18 (5)264.

Blackburn, S.T., & Laper, D.L. (1992): Maternal, fetal and neonatal physiology.

- Bobak I.M. Lowdermilk D.L., Jensen M.D., and Perry E.S. (1995):** Maternity Nursing. 4th ed., St. Louis, Toronto: C.V. Mosby Company PP. 322-329.
- Bonica J., and Mc Donald J. (1995):** principles and practice of obstetric Analgesia and Anesthesia. 2nd ed., Baltimore: Williams and Wilkins, pp. 295- 300.
- Boreman T. (1995):** Controlling pain, using non-drug interventions to relieve pain. Nursing j; 95, pp. 21.
- Brogan J., Andrus S., Diploma D., Dietch S., Ewan H., Winski N., and Luedtke K. (1997):** Maternal Nursing: Family, Newborn Women's Health care. 18th ed., Philadelphia. J.B. Lippincott Raven Publishers.
- Callister, L.C. (1995):** cultural meanings of child birth. J. Obstet. Gynecol. Neonatal Nursing, 24 (4): 327-328.
- Callop S. (1986):** Pain. A summary. Nursing, 10, pp. 382 – 383.
- Camann W. (1999) visual analog scale scores for labour pain. Anesth Analg:** Jun; 88 (6): 1421.
- Carbonne B. (1996) :** Maternal position During labour : Effect of Oxygen Saturation Measured by pulse Oximetry. J. Obstetric and Gynecology; 88 (5) : 797-800.
- Caroi J (2004):** maternal new born nursing care plans, Normal intrapartum, 1st Ed, P 327.
- Challis, J.R.G. (1994) :** characteristics of parturition, In R.K. Resnik (eds) Maternal fetal medicine, principles and practice, 3rd ed. Philadelphia: characteristics of parturition. In R.K Resnik (eds) maternal fetal medicine, principles and practice, 3rd ed.. Philadelphia: W.B. Saunders, PP. 482-493.
- Chalmers I., Enkin M. and Kerise M.J. (1989) :** Hospital policies and admission practices. Effective care in pregnancy and child birth. Vol. 1, pp. 1-4. Toronto, Oxford University Press.

- Clark, A. Aal (1989):** childbearing, A nursing prespection, New York.
- CNM Kata group (1998) :** Midwifery Management of pain in labor. Jornal of nurse – midwifery; 43 (2) March / April : 77-80.
- Dickason, E.L.J. (1998):** maternal infant nursing care, 3rd edition. Mosby year Book, Inc., PP. 310-313.
- Dick-Read G (1944):** Child births without fear. New Youk. Harper. Quoted from Brownridge, PP. 59. (1995).
- Dick-Read G., Wessel H., Ellis H.f. (1994):** Child birth without fear: the original approach to natural childbirth. 5th rev. ed. New York: Harper Mass market Paperback.
- Didona, R.N.; & Margaret, G. (1996) :** introductory maternal. Newborn Nursing. J.B. Lippincott Company.
- Difranco. J T. (2000):** relaxation : Music in f. H. Nichols & S.S. Humenick (Eds) cbildbirh education: practice, theory and research (2nd ed) philadelphia, PA: W. B. Saunders
- Donnal (1998):** maternal child nursing care, Relaxing and breathing techniques, is t Ed, P. 355.
- Dunniho, D.R. (1993):** fundamentals of obstetrics and gynecology. 2nd edition. Philadelphia: J.B. Lippincott, chapter 24, PP. 348-375.
- El. Mowafi, D.M. (1999):** Mechanism of Labour, Department of Obstetric and Gynecology, Faculty of Medicine Egypt. Internet, Mat, Web. (2001).
- Enkin M., Keirse M.J.N.C., Renfrew M., and Neilson (2000):** A Guide to effective care in pregnancy and childbirth. 3rd ., Oxford: oxford University press, pp. 247-261.
- Fahmy N. (1985):** The effect of relaxation and breathing exercises on relief of labor pain. Unpublished master thesis, Assiut University Faculty of Nursing, pp. 117-118.

- Fridh G., Kopare T., Jhonson F., and Norvell K. (1998):** Factors associated with more intense labor pain. *Journal of research in nursing and health*; 11(3).
- Gorrie TM, McKinney ES.(1994):** Application of non pharmacological pain management technique during labor. *Foundations of maternal newborn nursing*. WB Saunders, 366-70.
- Gorrie, M.N. (1998):** *Foundations of maternal newborn nursing*, 2nd edition. W.B. Saunders Company, P.366.
- Gorrie, M.N. (2000):** *Maternal child nursing*. W.B. Saunders Company, Unite states, P. 414.- 416.
- Green J., Capland V. and kitzinger J. (1990):** Expectations, experiences and psychological outcome of children: A prospective study of 825 women *Birth*, 17(1),pp. 15-24.
- Guiffre M. (1983) :** Validation of Visual Analog Scale for pain Measurement in childbirth. Unpublished doctoral dissertation, new yourk: university of Rochester.
- Gupta J.K., and Nikodem C. (2000) :** Maternal Posture in Labor. *Euro. J. Obstet . Gyne . Repord. Boil.*; 92 (2) October : 273-277 ([http: // www... / query. Fegi? Emd = retrieveanddb = pubmedandlistuids= 10996693 and dopt = abstrca](http://www.../query.Fegi?Emd=retrieveanddb=pubmedandlistuids=10996693anddopt=abstrca)).
- Guyton AC 1987 Basic neuroscience :** anatomy and physiology. W B Saunders, Philadelphia.
- Harris (1999):** Penimalal nursing, non pharmacologic pain manage ment strategies, 2nd Ed, p 427.
- Hassan L. (1998):** Second stage positioning in nurse – midwifery practices part 1: position use and preference . *journal of nurse midwifery*; 43 (5); Sept. / Oct.: 320-325.
- Hayes L. (1997):** A Cultural Experience of pain. In: more S. (Ed.): *Understanding pain and its relief in labor*. Edinburgh: Chrchill living stone, pp. 430- 440.

- Henderson C., Jones K. (1997):** Essential midwifery. 1st edition, mosby company, London, pp. 189. 212.
- Hesson K., Hill T., and Bakal D. (1997):** Variability in Breathing patterns during latent labor: A Pilot study. Journal of nurse-Midwifery 42 (2); March / april: 99-102.
- Hocket T. (1976):** Psychogenic pain evaluation – A guide to diagnosis and management. Pain, pp. 4-10.
- Hodnet (2000):** Using support of the laboring women. Journal of obstric, Gynecologic and neonatal nursing, 25 (3); March / April: 257-261.
- Hofmeyer G., and Kulier R. (2001):** Hands/ knee posture in late pregnancy or labor for fetal mal – position (lateral or posterior)cochrane Review, in Cochrane Libarary, 2. Oxford: Update software (hppt: // www. Udate – software / com/ abstracts/ab 001063. htm).
- Humenick, S.S., shrock P., & Libresco, M.M. (2000):** Relaxation in F>H. Nichols & S.S Humenick, (Eds). Childbirtb education: practice, tbeory and research (2nd ed.) Philadelphia, P A. W. B. Saunders.
- Humenick. S.S (2000):** the evolution of childbirth educator to perinatal educator. Journal of perinatal Education , 9, (1). Vi-vii
- Ingallis and Saterno M. (1991) :** Maternal and child health nursing. Seventh edition, mosby yeabook. St. Louis, London, pp. 584-588.
- International Association for the study of pain. (1979):**1. pain terms: A loist With definitions and notes on usage. Pain, 6 249-252.
- Jane A. (2002):** Journal of advanced nursing vol 31 (1) definition of normal labor, P. 641.

- Jeane E. (1998):*** maternal – infant nursing care, intra partal period , 3th Ed , P 218.
- Johnson, N. (1991):*** Maternal positions during labour. Obstet. Gynecol. Surv, 46(7):428.
- Kaplan, J.A. (1998):*** Maternal infant nursing care, 3rd edition, St. Louis, Baltimore, Naples: Mosby Company, pi 308.
- Kelly F. W. Terry R., and Naglier R. (1999):*** A Review of Alternative Birthing positions. J.AM Osteopathology Assocation; 99 (9); Sept.: 470- 474.
- Kenner, K and Maclaren A. (1993) :*** Essential of maternal and neonatal nursing 1st edition, springhouse cooperation, united state of America, pp. 210- 228.
- Koniak D. (1992):*** Maternity nursing, family, newborn and women's health care. 17th edition J.B. Lippincott company, New Yourk, London, Philadelphia: pp. 509- 512.
- Kumm, L.A. (1996):*** introductory maternal newborn nursing. B. Lippincott Company, p. 174.
- Ladewig, P.W. (1998):*** Maternal newborn nursing care the nurse, the family and the community, 4th edition, Addison, and Wesley, Longman, Mexico City, New York., P. 371.
- Lawler K. (1997):*** pain assessment. Prof. Nurs, 13 (Supl 1): 55-8.
- Levene M.J, Tudehope, D.I. & Thearle ,M. J. (2001) :***Essentials of neonaltal medicine. 3rd ed., U.S.A: Mosby company, P.14.
- Lockstone C. (1982):*** It's what the patients says it in is. Nurse mirror, 17 : pp. II-XIII.
- Lowdermilk, D.L., Petty, F., & Bobak, M. (1997):*** Maternity and women's healthy care, 6th edition, New York, Philadelphia Portland, Mosby.

- Lowe N.K. (1989):** Explaining the pain of active labor: the importance of Maternal Confidence. *Journal of nursing research and health*; 12: 22-26.
- Lowe N.K. (1996) :** The pain and discomfort of labor and birth. *Journal of obstetric. Gynecology and Neonatal nursing*; 25 (1); January: 82-89.
- Lynna y (2002):**Maternal, Neonatal, and women's health nursing, perinatal education, listed, p. 478-483.
- Margaret(1995):** Jorgensen Dick is an associate professor in the School of Nursing of the University of north Carolina at Greensboro
- Marks, R.N. (1996):** introductory maternal newborn nursing. J.B.
- Martin j., (1998):** intra partum management, common components of childbirth education, 2th Ed., P 488-490.
- Mattson, B. (1998):** family centered intrapartum care, Revisiting an old concept. *Journal of Obstet and Gyneco. And Neonatal Nursing*, 25(4): 331-337.
- May K.A. (1990):** Comprehensive maternity nursing. 2nd edition J.B. Lippincott Company, St. louis, San Francisco, Tokyo: pp. 740.
- Mayer,; & colleagues , K.A. (1992):** Comprehensive maternity nursing. 2nd edition. J.B. Lippincott company, St. Louis, San Francisco, Tokyo. P.740.
- McCaffery M., (1980) :** Understanding your patients. *Nursing*, 10 (9): 26-31.
- McCaffery M., Beebe A. (1989):** Pain: clinical manual for nursing practice. St Louis, Mosby Company: pp. 1- 41.
- McCrea BH, Wright ME, Murphy-Black T. (1998):** Differences in midwives; approaches to pain relief in labour. *Midwifery* Sep; 14(3): 174-80

- McCrea H.B and Wright E.M. (1999):** Satisfaction in childbirth and perception of personal control in pain relief during labor. Journal of advanced Nursing, 29(4): pp. 877 – 884.
- McNiven P.S., Williams J., Hodnett E., Kaufman K.and Hannah M. (1998):** and early labor assessment program: A randomized, controlled trial. Birth; 25 (1) : pp. 5-10.
- Melzack r,& Belanger E. (1991):** Labour pain: correlations with menstrual pain and acute low-back pain before and during pregnancy. Pain feb; 36 (2): 225-9.
- Melzack R., and wall P. (1988):** the challenge of pain. 2nd ed., penguin books, Hamondsworth, PP. 321-330.
- Moller M. and Hanne (1991):** The effect of sterile water block on low back labor pain. Am J Obstet Gynecol, 164 (5part I) : 1277.
- Moore S. (1997):** physiology of pain. In: Moore S. (Ed.): Understanding pain and Its Relief in labor. Edinburgh: Churchill livingstone. PP. 200-220.
- Morris H., Ruderman J., and Lacy J. (1996):** The development evaluation of and obstrical triage programme. J. Soc. Obstes. Gynaecol Canada; 18: pp. 337 –346.
- Murray, M. (1997):** Antepartal and intraportal fetal monitoring, 2nd edition. Albuquerque, N. Mex: Learning and Resources international.
- Nichols, F. (2000):** paced breathing techniques. In F. H. Nichols S.S. Humenick (Eds) . cbildbirth education: practice, thes and researcb (2nd ed.). Philadelphia, PA: W. B saunders
- Nichols, F., & Zwelling E. (1997):** Maternal – newborn nursing theory and practice. W.B. Saunders Company. PP.823-861.

- Pillitri, A. (1995):** Maternal and child health nursing care of the child bearing and child bearing family. 2nd edition. J.B. Lippincott, Company, P. 506.
- Piotrowiski, K.. (1997):** First, second and third stages of labour. In lowdermilk, Maternity and womens healthy care, 6th edition, New york, Philadelphia Portland, Mosby, PP. 301-325.396-423.
- Ramedan S. (1998) :** Implementing and in service training programme for the nurses about management of normal labor in Benha university hospital. Thesis submitted to high institute of nursing in partial fulfillment of the doctorate degree in nursing in partial fulfillment of the doctorate degree in nursing science obst. And gyn. Benha university.
- Reeders, S.J. Martin (1997):** Maternity nursing, family newborn and women's health care, 18th edition. J.B. Lipincott Company, hP. 282-283.
- Rgnram A.S. (1995):** Pain relief in labor, how much choice is there. Professional Care of Mother and Child, 5 (1): 10.
- Rice k (2001):** perinatal nursing, nonpharmacologic pain management strategies, 2nd Edition P225-229.
- Ruth B (2001):** myles text Book Book for midwives, physiology of normal labor, 13 th Ed P. 391.
- Ruth B(2001):** Myles text Book for midwives, Pain relief and comfoin inlabor, 13th Ed, P. 430-437.
- Sally B (2004):** Maternal Newborn nursing & women's health care, the family in child birth : needs & care, 7 th Ed , P. 647.
- Sally B (2004):** Maternal Newborn nursing & women's health care, the family in child birth : needs & care, 7 th Ed ,P. 580.

- Schorn M.N., and Mc Caffery M. (1993):** water immersion and Effect on labor. Journal of Nurse- Midwifery; 38 (6); Nov. / 1) ec,: 336-343.
- Schott J., and Henley A. (1996):** culture, Religion and childbearing in a Multiracial society: A handbook for Health professionals. London: Butter Worth Heinmann.
- Scott and Huskisson E.C. (1976):** Pain. Graphic representation of pain, 2 : 175 – 84.
- Scott J. (1994):** Effectiveness of documented assessment of postoperative pain. British Journal of nursing , 3 (10), 494-501.
- Simkin P. (1995):** Reducing pain and enhancing progress in labour: A guide to non-pharmacologic methods for maternity caregivers. BirthSep; 22(3): 161-71.
- Simkin P. (1997):** Simkin's Ratings of Comfort Measures for Childbirth. Waco, Tx: Childbirth Graphics. (File: //A: \nonpharmacologic pain relief of labor pain: htm).
- Slone E: the biology of women, 3rd edn, New york, 1997. Delmar.
- Smith, M., Ruffin, M., and Green, L., (1993):** The rational management of labor American family physician, 47(6), 1471-1481.
- Sullivan B. (2002):** Women's Health: A Natural Approach. (http://secure.If.Com/drug/ce/ceoo_woman_lesson.Htm (23-2-2002).
- Symonds, E. (1998):** Essential obstetrics and gynecology, 3rd edition. Longman, Singapore publishers, P. 133.
- Thabet H.A. (2003) :** Natural pain relief measures: Effect on labor outcome. This is submitted for partial fulfillment of the doctorate degree in maternal and newborn health nursing , Ain Shams university.
- Thompson, E.D. (1997):** introduction to maternity and pediatric nursing. 2nd edition. London, Toronto: W.B. Saunders

Company, A division of Harcourt, Brace and Company, p.133.

Tosson, A. (1988): Effect of plainer living measures on the progress and outcome of labor. Thesis submitted for partial fulfillment of doctorate degree in maternal and Newborn health Nursing , Ain shams university.

Wall P, Melzack R(1994): Textbook of pain . Churchill Livingstone, Edinburgh

Weber S. (1996): cultural Aspect of pain in childbearing Women. JOGNN; 25(1): 67-72.

Weinstein, MC, Siegel, JE, Gold, MR. (1996): Recommendations of the panel on Cost- Effectiveness in health and Medicine. JAMA.

WHO, F.H.E., M.S.M. (1994): preventing prolonged labour a practical guide the partograph Part I. Principles and Strategy. P. 6.

William & wilkins (2003): pain Management made inceasdibly. Theories of pain, P. 356-361

Williams & wilkins (2001): Manual of nursing practice, child birth preparation, 7 th Ed, P. 271-272.

Williams, S., Hepburn, M., McIlwaine, G. (1985): Consumer view of epidural anaesthesia, Miewifery 1 (1): 23.

Wong, D.I. (1997): Essentials of pediatric nursing. 5th ed. Boston: Mosby Company . P. 184.