REFERENCES

- **Abd El-Haphiz E.M.** (2002): Effect of distraction and relaxation techniques on children during postoperative pain. Doctoral Thesis, Faculty of nursing, Ain Shams University.
- **Abd El-Wahab N.M. (2003):** Effect of play in reducing postoperative pain in children aged (4-12) years who have abdominal operations. Doctoral thesis, Faculty of Nursing, Menoufiya University
- Abraham S.E. (2007): Pain management: understanding pain mechanisms. Podiatry Management, pp. 214-220

 Available on:

 www.podiatrym.com
- Adzick N.S. and Nance M.L. (2000): Pediatric surgery-childhood cancer. The New England Journal of Medicine, 342 (23): 1726-1732
- Al-Sharkawi S.S., El-Sayed W., Adly R.M., and Amin I. (2002): Non-pharmacological intervention techniques for postoperative pain management of children undergoing minor surgery. The New Egyptian Journal of Medicine, 27 (6): 274-282
- American Academy of Pediatrics Task Force on Pain in Infants, Children, and Adolescents (2001): The assessment and management of acute pain in infants, children, and adolescents. Pediatrics, 108 (3): 793-797

Arnstein P.M., Berry P.H., Chapman C.R., Covington E.C., Dahl J.L., Davies P.S., Hoyle C., Katz J.A., Miaskowski C., McLean M.J., and St. Marie B. (2004): Pain: current understanding of assessment, management, and treatment. National Pharmaceutical Council.

Available on: www.npcentral.net/ce/pain.pdf

- **Basbaum A.L. and Woolf C.J. (1999):** Pain. Current Biology, 9 (12): R429-R431
- **Behrman R.E., Kliegman R.M., and Jenson H.B. (2000):** Nelson textbook of pediatrics, 16th ed., Philadelphia, Saunders, pp. 308-309

Benha Children Hospital (2004):

بيانات ماخوذة من احصائيات حالات دخول قسم الجراحة بمستشفى الاطفال التخصصى ببنها عن العام 2004 (غير منشورة).

- Bellieni C.V., Cordelli D.M., Raffaelli M., Ricci B., Morgese G., and Buonocore G. (2006): Analgesic effect of watching TV during venipuncture. Archives of Disease in Childhood, 91 (12): 1015-1017
- **Beyer J.E., Denyes M.J., and Villarruel A.M. (1992):** The creation, validation, and continuing development of the Oucher: a measure of pain intensity in children. Journal of Pediatric Nursing, 7 (5): 335-346

- Blount R.L., Bunke V., Cohen L.L., and Forbes C.J. (2001): The child-adult medical procedure interaction scale-short form (CAMPIS-SF): validation of a rating scale for children's and adults' behavior during painful medical procedures. Journal of Pain and Symptom Management, 22 (1): 591-599
- Blount R.L., Landolf-Fritsche B., Powers S.W. and Sturges J.W. (1991): Differences between high and low coping children and between parents and staff behaviors during painful medical procedures. Journal of Pediatric Psychology, 16 (6): 795-809
- **Blount R.L., Piira T., and Cohen L.L. (2003):** Management of pediatric pain and distress due to medical procedures. In Roberts M., handbook of pediatric psychology, 3rd ed., New York, Guilford, pp. 216-233
- Blount R.L., Seri L.G., Benoit M.A., and Simons L.E. (2003): Effective coping: essential but ignored in pediatric pain assessment. Journal of the Suffering Child, 4 (2): 1-7
- Brennan P.O., Berry K., Powell C., and Pusic M.V. (2003): Handbook of pediatric emergency medicine, Oxford, Bios, pp. 384-385
- **Brillhart S.J.** (2001): Pain and children. In: Green-Hernandez C., Singleton J.K., and Aronzon D.Z, Primary care pediatrics, Philadelphia, Lippincott, pp. 187-192
- **Broome M.E. (2000):** Helping parents support their child in pain. Pediatric nursing, 26(3): 315-317

- **Buonocore M. and Camuzzini N. (2006):** Increase of the head pain threshold during and after high-frequency transcutaneous electrical nerve stimulation in a group of normal subjects. Europa Medico Physica, 42: 1-6
- Byers M. and Bonica J.J. (2001): Peripheral neural mechanisms of nociceptor plasticity. In: Loeser J.D., Butler S.H., Chapman C.R., and Turc D.C., Bonica's management of pain, Philadelphia, Lippincott Williams & Wilkins, pp. 26-72
- Carlson K.L., Broome M., and Vessey J.A. (2000): Using distraction to reduce reported pain, fear, and behavioral distress in children and adolescents: a multisite study. Journal of the Society of Pediatric Nursing, 5 (2): 75-86
- Caroll R.T. (2005): The skeptics dictionary,

 Available on:

 www.skepdic.com/acupunc.html
- **Carr D.B. and Goudas L.C. (1999):** Acute pain. Lancet, 353 (9169): 2051-2058
- Cassidy K.L., Reid G.J., McGrath P.J., Finley G.A., Smith D.J., Morley C., Szudek E.A., and Morton B. (2002): Watch needle, watch TV: audiovisual distraction in preschool immunization. Pain Medicine, 3 (2): 108-118
- Chen E., Zeltzer L.K., Craske M.G., Katz E.R. (1999): Alteration of memory in the reduction of children's distress during repeated aversive medical procedures. Journal of Consulting and Clinical Psychology, 67 (4): 481-490

- Chen N., Joseph M.H., and Zeltzer L.K. (2000): Behavioral and cognitive interventions in the treatment of pain in children. Pediatric Clinics of North America, 47 (3): 513-525
- Chiarioni G., Heymen S., and Whitehead W.E. (2006): Biofeedback therapy for dyssynergic defecation. World Journal of Gastroenterology, 12 (44): 7069-7074
- Children's Hospital Central California (2007): Pain management

 Available on:

 www.childrenscentralcal.org/specialities.asp?id=656&parent=1
- Christiano B. and Russ S.W. (1998): Matching preparatory intervention to coping style: The effects on children's distress in the dental setting. Journal of Pediatric psychology 23 (1): 17-27
- Cohen L.L., Bernard R.S., Greco L.A., and McClellan C.B. (2002): A child-focused intervention for coping with procedural pain: are parent and nurse coaches necessary?. Journal of Pediatric Psychology, 27 (8): 749-757
- Cohen L.L., Manimala R., and Blount R.L. (2000): Easier said than done: what parents say they do and what they do during children's immunizations. Children's Health Care, 29 (2): 79-86
- Dahlquist L.M., Pendley J.S., Landthrip D.S., Jones C.L., and Steuber C.P. (2002): Distraction interventions for preschoolers undergoing intramuscular injections and subcutaneous port access. Health Psychology, 21 (1): 94-99

- **Dahlquist L.M., Power T.G., and Carlson L. (1995):** Physician and parent behavior during invasive pediatric cancer procedures: relationships to child behavioral distress. Journal of Pediatric Psychology, 20 (4): 477-490
- **Davis D.L. and Spinasanta S. (2006):** Transcutaneous electrical nerve stimulation. Spine Universe,

www.spineuniverse.com/displayarticle.php/article1694.html

- **Dowling J.S. (2002):** humor: a coping strategy for pediatric patients. Pediatric Nursing, 28 (2): 123-131
- Elliott C.H., Jay S.M., and Woody P. (1987): An observational scale for measuring children's distress during medical procedures.

 Journal of Pediatric Psychology, 12 (4): 543-551
- **Eminson M. (2001):** Somatising in children and adolescents. 1. Clinical presentations and aetiological factors. Advances in Psychiatric Treatment, 7: 266-274
- Ersek M., Cherrier M.M., Overman S.S. and Irving G.A. (2004): The cognitive effects of opioids. Pain Management Nursing, 5 (2): 75-93
- **Essawy M.A.** (1987): The relationship of certain factors and the expression of pain among hospitalized surgical school-aged children. Doctoral Thesis, Faculty of Nursing Alexandria University
- **Facco E. and Giron G. (2003):** The nature of pain and the approach to the suffering child. The Suffering Child Journal, 2 (2): 1-3

- **Family Child Care Connections (2004):** The value of play for preschool children. Family Child Care Connections, 13 (1): 1-4
- Fanurik D., Koh J.L., and Schmitz M.L. (2000): Distraction techniques combined with EMLA: effects on I.V. insertion pain and distress in children. Children's Health Care, 29 (2): 87-101
- Federation of State Medical Boards of the United States (2004):

 Model policy for the use of controlled substances for the treatment of pain.

Available on: www.fsmb.org/pdf/2004 grpol controlledsubstances.pdf

- Fox J.A. (2002): Primary health care of infants, children, and adolescents, 2nd ed., St. Louis, Mosby, pp. 77, 79
- Franck L.S., Greenberg C.S., and Stevens B. (2000): Pain assessment in infants and children. Pediatric Clinics of North America, 47 (3): 487-512
- **Frank H.K.** (2002): The society of pediatric anesthesia: fifteenth annual meeting, New Orleans, Louisiana, October 12, 2001. Anesthesia and Analgesia, 94 (6): 1661-1668
- **Gehdoo R.P.** (2004): Postoperative pain management in pediatric patients. Indian Journal of Anaesthesia, 48 (5): 406-414
- Glassy D., Romano J., and Committee on Early Childhood, Adoption, and Dependent Care (2003): Selecting appropriate toys for young children: the pediatrician's role. Pediatrics, 111 (4): 911-913

- Goodenough B., Kampel L., Champion G.D., Laubreaux L., Nicholas M.K., Ziegler J.B., and Mcinerney M. (1997): An investigation of the placebo effect and age-related factors in the report of needle pain from venipuncture in children. Pain, 72 (3): 383-391
- **Hallenbeck J.L. (2003):** Palliative care perspectives, Oxford, University Press

www.mywhatever.com/cifwriter/library/70/4921.html

Hamilton P.M. (2005): Pain management in children, Wild Iris Medical Education.

Available on:

www.nursingceu.com/courses/138/index_nceu.html

- Hanrahan K., McCarthy A.M., and Schutte D. (2006): Cortisol responsivity and parent distraction during a medical procedure.

 Pain research and management, 11(suppl B): 14B
- **Harden R.N.** (2005): Chronic neuropathic pain: mechanisms, diagnosis, and treatment. Neurologist, 11 (2): 111-122
- Harris T. (2007): How hypnosis works. How stuff works,

 Available on:

 www.science.howstuffworks.com/hypnosis1.htm
- Harrison A., Busabir A.A., Al-Kaabi A.O., and Al-Awadi H.K. (1996): Does sharing a mother-tongue affect how closely patients and nurses agree when rating the patient's pain, worry and knowledge? Journal of Advanced Nursing 24 (2): 229-235
- **Hatfield N.T. (2003):** Broadribb's introductory pediatric nursing, 6th ed., Philadelphia, Lippincott Williams & Wilkins, pp. 53-55

- Henry P.R., Haubold K., and Dobrzykowski T.M. (2004): Pain in the healthy full-term neonate: efficacy and safety of interventions.

 Newborn and Infant Nursing Reviews, 4 (2): 106-113
- **P.** (2007): Behavioral observational pain scale for postoperative pain measurement in children 1-7 years of age. Pediatric Critical Care Medicine, 8 (2): 102-108
- Hester N.O., Foster R.L., and Kristenen K. (1990): Measurement of pain in children, New York, Raven press
- **Furness T.A.** 3rd (2000): Virtual reality as an adjunctive pain control during burn wound care in adolescent patients. Pain, 85 (1-2): 305-309
- **Hoffman M.** (2005): Using adapted toys. Coffin-Lowry Syndrome Foundation CLSF News, 14 (2): 1-9
- **Howell L.J.** (2004): The Children's Hospital of Philadelphia, patient care and family services. Information about specific surgical procedures: colostomy

www.chop.edc/consumer/Jsp/division/generic.jsp?id=72365

Humphrey G.B., Boon C.M., van Linden van den Heuvell G.F., and van de Wiel H.B. (1992): The occurrence of high levels of acute behavioral distress in children and adolescents undergoing routine venipunctures. Pediatrics, 90 (1): 87-91

- Hussain S.R., Akhtar J., Batool T., Tabassum R., and Mirza F. (2006): Complications of inguinal hernia surgery in children. Journal of the College of Physicians and Surgeons Pakistan JCPSP, 16 (8): 532-535
- International Association for the Study of Pain IASP (1986): Pain terms. Pain, 3: S216-S221
- International Association for the Study of Pain IASP (2006):

 Psychological interventions for acute and chronic pain in children.

 Pain Clinical Updates, 4 (14): 1-4
- Jacobsen R.M., Swan A., Adegbenro A., Ludington S.L., Wollan P.C., Poland G.A., and Vaccine Research Group (2001): Making vaccines more acceptable- methods to prevent and minimize pain and other common adverse events associated with vaccines. Vaccine, 19 (17-19): 2418-2427
- **James S.R., Ashwill J.W., and Droske S.C. (2002):** Nursing care of children principles and practice, 2nd ed., Philadelphia, W.B. Saunders, pp. 421, 427-428
- Joint Commission of the Accreditation of Health Organizations

 JCAHO (1999): Comprehensive accreditation manual for hospitals: the official handbook

www.jcaho.org/standard/pm hap.html

Kane F.M., Brodie EE, Coull A., Coyne L., Howd A., Milne A., Niven
C.C., and Robbins R. (2004): The analgesic effect of odour and music upon dressing change. British Journal of Nursing, 13 (19): S4-S12

- **Keck J.F., Gerkensmeyer J.E., Joyce B.A., and Schade J.G. (1996):**Reliability and validity of the faces and word descriptor scales to measure procedural pain. Journal of Pediatric Nursing, 11 (6): 368-374
- **Kleiber C. and Harper D.C. (1999):** Effects of distraction on children's pain and distress during medical procedures: a meta-analysis. Nursing Research, 48 (1): 44-49
- Klieber C., Craft-Rosenberg M., and Harper D.C. (2001): Parents as distraction coaches during i.v. insertion: a randomized study.

 Journal of Pain and Symptom Management, 22 (4): 851-861
- Klosky J.L., Tyc V.L., Srivastava D.K., Tong x., Kronenberg M., Booker Z.J., de Armendi A.J., and Merchant T.E. (2004): Brief report: evaluation of an interactive intervention designed to reduce pediatric distress during radiation therapy procedures. Journal of Pediatric Psychology, 29 (8): 621-626
- **Klossner N.J. and Hatfield N.T. (2006):** Introductory maternity and pediatric nursing, Philadelphia, Lippincott, pp. 873-874
- Kouranloo J., Tajeddini A., Lessani M., and Roozrokh M. (2000):

 Primary extrarenal Wilms' tumor in the retroperitoneum. Iranian

 Journal of Medical Sciences, 25 (1 & 2): 81-83
- **Kuttner L.** (2003): Favorite stories: a hypnotic pain-reduction technique for children in acute pain. In: Piira T., Hayes B., and Goodenough B., Distraction methods in the management of children's pain: an approach based on evidence or intuition. The Suffering Child Journal, 1 (3): 1-4

- **Leung A.K. and Sigalet D.L. (2003):** Acute abdominal pain in children. American Family Physician, 67 (11): 2321-2326
- Lewis CR, Walker LS, and Barnard JA (2002): Children's knowledge, anticipatory anxiety, procedural distress, and recall of esophagogastroduodenoscopy. Journal of Pediatric Gastroenterology and Nutrition, 34 (1): 68-72
- **Lidow M.S.** (2002): Long term effects of neonatal pain on nociceptive systems. Pain, 99 (3): 377-383
- **Lindh V., Wiklund U., and Hakansson S. (2000):** Assessment of the effect of EMLA during venipuncture in the newborn by analysis of heart rate variability. Pain, 86 (3): 247-254
- **Maclaren J.E. and Cohen L.L. (2005):** A comparison of distraction strategies for venipuncture distress in children. Journal of Pediatric Psychology, 30 (5): 387-396
- Manimala M.R., Blount R.L., and Cohen L.L. (2000): The effects of parental reassurance versus distraction on child distress and coping during immunizations. Children's Health Care, 29 (3): 161-177
- Manworren R.C. and Hynan L.S. (2003): Clinical validation of FLACC: preverbal patient pain scale. Pediatric Nursing, 29 (2): 140-146
- **Marion R.W.** (2001): Umbilical hernia section of umbilical anomalies. In Hoekelman R.A., Adam H.M., Nelson N.M., Weitzman M.L., and Wilson M.H., Primary pediatric care, 4th ed., St. Louis, Mosby, p. 1891

- Mason S., Johnson M.H., and Wooley C. (1999): A comparison of distractors for controlling distress in young children during medical procedures. Journal of Clinical Psychology in Medical Settings, 6 (3): 239-248
- Mayoclinic (2005): Hypnosis: an altered state of consciousness.

 Complementary and alternative medicine,

 Available on:

 www.mayoclinic.com/health/hypnosis/sa00084
- **McCaffery M. (1981):** Nursing management of the patient with pain, 2nd ed., Philadelphia, JB Lippincott
- McCaffery M., Beebe A., Latham J., and Ball D. (1994): Pain clinical manual for nursing practice, London, Mosby, p. 10
- McCarty E.C., Mencio G.A., Walker L.A., and Green N.E. (2000):

 Ketamine sedation for the reduction of children's fractures in the emergency department. Journal of Bone and Joint Surgery, 82 (7): 912-918
- McGrath P.A., Seifert C.E., Speechley K.N., Booth J.C., Sitt L., and Gibson M.C. (1996): A new analogue scale for assessing children's pain: an initial validation study. Pain, 64 (3): 435-443
- **McGrath P.J.** (1995): Annotation: aspects of pain in children and adolescents. Journal of Child Psychology and Psychiatry, and Allied Disciplines, 36 (5): 717-730

- McGrath P.J., Johnson G., Goodman J.T., Schillinger J., Dunn J., and Chapman J. (1985): CHEOPS: a behavioral scale for rating postoperative pain in children. Advances in Pain Research and Therapy, 9: 395-402
- McIntosh N., Peter J.H., and Smyth R.L (2003): Textbook of pediatrics, 6th ed., Edinburgh, Elsevier, p. 182
- McQuaid L., Huband S., and Parker E.M. (1996): Children's nursing, New York, Pearson, p. 233
- Melzack R. and Wall P.D. (2003): Handbook of pain management, Edinburgh, Churchill Livingstone, pp. 548-551
- Mendez F.X., Quiles M.J., and Hidalgo M.D. (2001): The children's surgical worries questionnaire: reliability and validity of a new self-report measure. Children's Health Care, 30 (4): 271-281
- **Merkel S. (2002):** Pain assessment in infant and young children: the finger span scale. American Journal of Nursing, 102 (11): 55-56
- Merskey H., Loeser J.D., and Dubner R. (2005): The paths of pain 1975-2005, Seattle, IASP press, pp. 433-446
- Miall L., Rudolph M., and Levene M. (2003): Pediatrics at a glance, Oxford, Blackwell Science, p. 59
- **Mohamed E.**E. (2004): The effect of distraction on minimizing pain associated with trauma in school-age children. Master Thesis, Faculty of Nursing, Alexandria University.

- Monitto C.L., Greenberg R.S., Kost-Byerly S., Wetzel R., Billet C., Lebet R.M., and Yaster M. (2000): The safety and efficacy of parent-/nurse-controlled analgesia in patients less than six years of age. Anesthesia and Analgesia, 91 (3): 573-579
- Munden j., Eggenberger T.Y., Goldberg K.E., Howard J., Mayer B.H., and Munson C. (2003): Pain management made incredibly easy, Philadelphia, Lippincott Williams & Wilkins, pp. 258-261
- National Association of Hospital Play Staff NAHPS (2005):

 Distraction therapy guidelines for professional practice. National Association of Hospital Play Staff, 7

 Available on:

 www.nahps.org.uk/distraction.htm
- **Niv D. and Devor M. (2004):** Chronic pain as a disease in its own right. Pain Practice, 4 (3): 179-181
- Osborn L.M., Dewitt T.G., First L.R., and Zenel J.A. (2005): Pediatrics, Philadelphia, Mosby, p. 1922
- Palermo T.M., Drotar D., and Lambert S. (1998): Psychosocial predictors of children's postoperative pain. Clinical Nursing Research, 7 (3): 275-291
- Papagrigoriadis S., Browse D.J., Howard E.R. (1998): Incarceration of umbilical hernias in children: a rare but important complication. Pediatric surgery international, 14 (3): 231-232
- **Piira T., Hayes B., and Goodenough B. (2003):** Distraction methods in the management of children's pain: an approach based on evidence or intuition. The Suffering Child Journal, 1 (3): 1-4

- Pringle B., Hilley L., Gelfand K., Dahlquist L.M., Switkin M., Diver T., Sulc W., and Eskeuazi A. (2001): Decreasing child distress during needle sticks and maintaining treatment gains over time.

 Journal of Clinical Psychology in Medical Settings, 8 (2): 119-130
- Rennick J.E., Johnston C.C., Dougherty G., Platt R., and Ritchie J.A. (2002): Children's psychological responses after critical illness and exposure to invasive technology. Journal of Developmental and Behavioral Pediatrics, 23 (3): 133-144
- Riquelme M., Aranda A., Rodriguez C., Villalvazo H., and Alvarez G. (2006): Laparoscopic orchiopexy for palpable undescended testes: a five-years experience. Journal of Laparoendoscopic and Advanced Surgical Techniques, 16 (3): 321-324
- Rocha E.M., Prkachin K.M., Beaumont S.L., Hardy C.L., and Zumbo B.D. (2003): Pain reactivity and somatization in kindergarten-age children. Journal of Pediatric Psychology, 28 (1): 47-57
- Rothrock J.C., Smith D.A., and McEwen D.R. (2003): Alexander's care of the patient in surgery, 12th ed., St. Louis, Mosby, p. 1222
- **Rourke D.O.** (2004): The measurement of pain in infants, children, and adolescents: from policy to practice. Physical Therapy, 84 (6): 560-570
- Rudolph A.M., Hoffman J.T., Rudolph C.D., and Sagan P. (1996):

 Rudolph's pediatrics, 20th ed., London, Appleton & Lange, p. 109
- Russo C.M. and Brose W.G. (1998): Chronic pain. Annual Review of Medicine, 49: 123-133

- **Rusy L.M. and Weisman S.J. (2000):** Complementary therapies for acute pediatric pain management. Pediatric Clinics of North America, 47 (3): 589-599
- **Salah El-Din Y.Y.** (2000): Pain in children: review article submitted to the promotion committee in partial fulfillment of the degree of assistant professor, Faculty of Nursing, Alexandria University
- **Salmon K. and Pereira J.K. (2002):** Predicting children's response to an invasive medical investigation: the influence of effortful control and parent behavior. Journal of Pediatric Psychology, 27 (3):227-233
- Sander W.S., Eshelman D., Steele J., Guzzetta C.E. (2002): Effects of distraction using virtual reality glasses during lumbar punctures in adolescents with cancer. Oncology Nursing Forum, 29 (1): E8-E15
- Sandowski S. and Jackson R.M. (2001): Abdominal pain, vomiting, and diarrhea. In Green-Henandez C., Singleton J.K., and Aronzon D.Z., Primary care pediatrics, Philadelphia, Lippincott, p. 443
- Schaible H.G. and Richter F. (2004): Pathophysiology of pain.

 Langenbecks Archives of Surgery, 389 (4): 237-243
- Schaible H.G., Del Rosso A., and Matucci-Cerinic M. (2005):

 Neurogenic aspects of inflammation. Rheumatic Diseases Clinics of North America, 31 (1): 77-101
- Schiff W.B., Holtz K.D., Peterson N., and Rakusan T. (2001): Effect of an intervention to reduce procedural pain and distress for children with HIV infection. Journal of Pediatric Psychology, 26 (7): 417-427

- **Schmidt N.A.** (1998): Salivary cortisol testing in children. Issues in Comprehensive Pediatric Nursing, 20 (3):183-190
- **Scholz J. and Woolf C.J. (2002):** Can we conquer pain? Nature Neuroscience, 5: 1062-1067
- Schulte E.B., Price D.L., and Gwin J.F. (2001): Thompson's pediatric nursing, 8th ed., Philadelphia, Saunders, pp. 40-41
- **Siddall P.J. and Cousins M.J. (2004):** Persistent pain as a disease entity: implications for clinical management. Anesthesia and Analgesia, 99 (2): 510-520
- Sittl R., Griessinger N., Koppert W., and Likar R. (2000):

 Management of postoperative pain in children. Schmerz, 14 (5):
 333-339
- **Smeltzer S.C. and Bare B.G. (2000):** Textbook of medical-surgical nursing, 9th ed., Philadelphia, Lippincott, pp. 316-318
- **Smith S.F., Duell D.J., and Martin B.C.** (2004): Clinical nursing skills, 6th ed., New Jersey, Pearson education co., p. 1140
- **Spafford P.A., von Baeyer C.L., Hicks C.L. (2002):** Expected and reported pain in children undergoing ear piercing: a randomized trial of preparation by parents. Behaviour Research and Therapy, 40 (3): 253-266
- **Sparks L. (2001):** Taking the "ouch" out of injections for children using distraction to decrease pain. MCN The American Journal of Maternal and Child Nursing, 26 (2): 72-78

- Stannard C., Booth S., Eccleston C., and Pickering T. (2004): Pain, Edinburgh, Churchill Livingstone, pp. 338-340
- **Sternbach R.** (1968): Pain: psychophysiological analysis, New York, Academic Press
- **Stoll B.J. and Kliegman R.M. (2004):** The umbilicus. In Behrman R.E., Kliegman R.M., and Jenson H.B., Nelson textbook of pediatrics, 17th ed., Philadelphia, Saunders, p. 608
- **Sturloni N. and Paolucci P. (2003):** The development in the understanding of pain in children. The Suffering Child Journal, 4 (4): 1-8
- Suraseranivongse S., Santawat U., Kraiprasit K., Petcharatona S., Prakkamodom S., and Muntraporn N. (2001): Cross-validation of a composite pain scale for preschool children within 24 hours of surgery. British Journal of Anaesthesia, 87 (3): 400-405
- **Sweet S.D. and McGrath P.J.** (1998): Relative importace of mother's versus medical staff's behavior in the prediction of infant immunization pain behavior. Journal of Pediatric Psychology, 23 (4): 249-256
- **Tarbell S.E., Cohen I.T., and Marsh J.L. (1992):** The toddler-preschool postoperative pain scale: an observational scale for measuring postoperative pain in children aged 1-5, preliminary report. Pain, 50 (3): 273-280

- Tarcin O., Gurbuz A.K., Pocan S., Keskin O., and Demirturk L. (2004): Acustimulation of the neiguan point during gastroscopy: its effects on nausea and retching. The Turkish Journal of Gastroenterology, 15 (4): 258-262
- **Taylor C., Lillis C., and Le Mone P. (2001):** Fundamentals of nursing, 4th ed., Philadelphia, Lippincott, pp. 641-642
- **Tesler M., Savedra M., Holzemer W., Wilkie D.J., Ward J.A., Paul S.M.** (1991): The word-graphic rating scale as a measure of children's and adolescents' pain intensity. Research in Nursing and Health, 14 (5): 361-371
- **Timby B.K. and Smith N.E. (2003):** Introductory medical-surgical nursing, 8th ed., Philadelphia, Lippincott, p. 284
- **Tovar M.A.** (2005): Pain in Children. Colombia Medica, 36 (4 supl 3): 62-68
- **Townsend C.M., Beauchamp R.D., Evers B.M., and Mattox K.L.** (2001): Sabiston textbook of surgery, 16th ed., Philadelphia, Saunders, p. 1489
- **Tucker C.L., Slifer K.J., and Dahlquist L.M. (2001):** Reliability and validity of the brief behavioral distress scale: a measure of children's distress during invasive medical procedures. Journal of Pediatric Psychology, 26 (8): 513-523
- **Turk D.C.** (2002): Remember the distinction between malignant and benign pain? well, forget it. The Clinical Journal of Pain, 18 (2): 75-76

- University of Michigan Health System (2007): Part 5: pediatric pain management. Pain management staff development and education Available on:

 www.med.umich.edu/pain/pediatric.htm
- van Dijk M., de Boer J.B., Koot H.M., Duivenvoorden H.J., Passchier J., Bouwmeester N., and Tibboel D. (2001): The association between physiological and behavioral pain measures in 0- to 3-year-old infants after major surgery. Journal of Pain and Symptom Management, 22 (1): 600-609
- van Dijk M., de Boer J.B., Koot H.M., Tibboel D., Passchier J., and Duivenvoorden H.J. (2000): The reliability and validity of the comfort scale as a postoperative pain instrument in 0-to 3-year-old infants. Pain, 84 (2-3): 367-377
- **Vernon D.T.** (1974): Modeling and birth order in responses to painful stimuli. Journal of Personality and Social Psychology, 29 (6): 794-799
- Vicente H.L. (2007): Laparoscopic gastrostomy. Pediatric Surgery
 Update Newsletter, 28 (4): 1
 Available on:
 www.home.coqui.net/titolugo/theme02.htm
- Wall S.E. (2001): Biofeedback, children and education in the twenty-first century

Available on: www.7hz.com/children.html

- Watanabe E., Fukuda S., and Shirkawa T. (2005): Effects among healthy subjects of the duration of regularly practicing a guided imagery program. BMC Complementary and Alternative Medicine, 5: 21
- Weydert J.A., Shapiro D.E., Acra S.A., Monheim C.J., Chambers A.S., and Ball T.M. (2006): Evaluation of guided imagery as treatment for recurrent abdominal pain in children: a randomized controlled trial. BMC Pediatrics, 6: 29

Wikipedia (2005): Wikipedia, the free encyclopedia

Available on:

www.en.wikipedia.org/wiki/distraction

Wikipedia (2007): Wikipedia, the free encyclopedia

Available on:

www.en.wikipedia.org/wiki/abdominal_surgery

- **Wong D.L.** (1997): Whaley & Wong's essentials of pediatric nursing, 5th ed., St. Louis, Mosby, pp. 680-681
- Wong D.L., Hockenberry-Eaton M., Wilson D., Winkelstein M.L., Ahmann E., and Divito-Thomas P.A. (1999): Whaley and Wong's nursing care of infants and children, 6th ed., St. Louis, Mosby, pp. 1153, 1160, 1172, 1246
- Woolf C.J. (2004): Dissecting out mechanisms responsible for peripheral neuropathic pain: implications for diagnosis and therapy. Life Science, 74 (21): 2605-2610

- Woolf C.J. (2004): Pain: moving from symptom control toward mechanism specific pharmacologic management. Annals of Internal Medicine, 140 (66): 441-451
- Yenbut Y., Tilokskulchai F., and Kantawang S. (2005): The effectiveness of non-pharmacological interventions in relieving children's post-operative pain. The Joanna Briggs Institute, Thailand

Available on: www.joannabriggs.edu.au

- **Young K.D.** (2005): Pediatric procedural pain. Annals of Emergency Medicine, 45 (2): 160-171
- **Youssef N.** (1997): The effect of play in reducing procedure pain in hospitalized Egyptian and Omani children. Al-Azhar Medical Journal, 26 (1): 165-78
- **Yuen T.S. and Irwin M.G. (2005):** The "fifth vital sign". Hong Kong Medical Journal, 11 (3): 145-146
- **Zatzick D.F. and Dimsdale J.E. (1990):** Cultural variations in response to painful stimuli. Psychosomatic Medicine, 52 (5): 544-557